Greenlam Architectural Surfaces

Official Catalog & Technical Spec Sheet - Page 1 of 5

Category: Laminates & Liners | Catalog Reference: GRN-SURF-2026

World-renowned anti-bacterial compact laminates and exterior grade cladding panels.

PRODUCT SPECIFICATIONS & ATTRIBUTES

- Standard Dimensions: 8 ft x 4 ft (2440 mm x 1220 mm)
- Thickness Availability: 0.8mm / 1.0mm / 1.25mm / 18mm HDHMR
- Surface Finish: Ultra Matt / High Gloss / Suede / Wood Grain Synchronized
- Certifications: ISI 2046 / GreenGuard Certified / Anti-Bacterial Nano-Coat
- Warranty: 10-Year Manufacturer Surface Integrity Guarantee
- Fire Retardancy: Class 1 Flame Retardant Spec (BS 476 Part 7)
- Wholesale Invoicing: Devshree GST B2B Input Invoices Available

Greenlam Architectural Surfaces

Official Catalog & Technical Spec Sheet - Page 2 of 5

Category: Laminates & Liners | Catalog Reference: GRN-SURF-2026

World-renowned anti-bacterial compact laminates and exterior grade cladding panels.

PRODUCT SPECIFICATIONS & ATTRIBUTES

- Standard Dimensions: 8 ft x 4 ft (2440 mm x 1220 mm)
- Thickness Availability: 0.8mm / 1.0mm / 1.25mm / 18mm HDHMR
- Surface Finish: Ultra Matt / High Gloss / Suede / Wood Grain Synchronized
- Certifications: ISI 2046 / GreenGuard Certified / Anti-Bacterial Nano-Coat
- Warranty: 10-Year Manufacturer Surface Integrity Guarantee
- Fire Retardancy: Class 1 Flame Retardant Spec (BS 476 Part 7)
- Wholesale Invoicing: Devshree GST B2B Input Invoices Available

Greenlam Architectural Surfaces

Official Catalog & Technical Spec Sheet - Page 3 of 5

Category: Laminates & Liners | Catalog Reference: GRN-SURF-2026

World-renowned anti-bacterial compact laminates and exterior grade cladding panels.

PRODUCT SPECIFICATIONS & ATTRIBUTES

- Standard Dimensions: 8 ft x 4 ft (2440 mm x 1220 mm)
- Thickness Availability: 0.8mm / 1.0mm / 1.25mm / 18mm HDHMR
- Surface Finish: Ultra Matt / High Gloss / Suede / Wood Grain Synchronized
- Certifications: ISI 2046 / GreenGuard Certified / Anti-Bacterial Nano-Coat
- Warranty: 10-Year Manufacturer Surface Integrity Guarantee
- Fire Retardancy: Class 1 Flame Retardant Spec (BS 476 Part 7)
- Wholesale Invoicing: Devshree GST B2B Input Invoices Available

Greenlam Architectural Surfaces

Official Catalog & Technical Spec Sheet - Page 4 of 5

Category: Laminates & Liners | Catalog Reference: GRN-SURF-2026

World-renowned anti-bacterial compact laminates and exterior grade cladding panels.

PRODUCT SPECIFICATIONS & ATTRIBUTES

- Standard Dimensions: 8 ft x 4 ft (2440 mm x 1220 mm)
- Thickness Availability: 0.8mm / 1.0mm / 1.25mm / 18mm HDHMR
- Surface Finish: Ultra Matt / High Gloss / Suede / Wood Grain Synchronized
- Certifications: ISI 2046 / GreenGuard Certified / Anti-Bacterial Nano-Coat
- Warranty: 10-Year Manufacturer Surface Integrity Guarantee
- Fire Retardancy: Class 1 Flame Retardant Spec (BS 476 Part 7)
- Wholesale Invoicing: Devshree GST B2B Input Invoices Available

Greenlam Architectural Surfaces

Official Catalog & Technical Spec Sheet - Page 5 of 5

Category: Laminates & Liners | Catalog Reference: GRN-SURF-2026

World-renowned anti-bacterial compact laminates and exterior grade cladding panels.

PRODUCT SPECIFICATIONS & ATTRIBUTES

- Standard Dimensions: 8 ft x 4 ft (2440 mm x 1220 mm)
- Thickness Availability: 0.8mm / 1.0mm / 1.25mm / 18mm HDHMR
- Surface Finish: Ultra Matt / High Gloss / Suede / Wood Grain Synchronized
- Certifications: ISI 2046 / GreenGuard Certified / Anti-Bacterial Nano-Coat
- Warranty: 10-Year Manufacturer Surface Integrity Guarantee
- Fire Retardancy: Class 1 Flame Retardant Spec (BS 476 Part 7)
- Wholesale Invoicing: Devshree GST B2B Input Invoices Available