



SQL QUERY PRACTICE: create customer table

To create a database: create database database_name;

>> create database customerdb;

>> use customerdb;



To create a table: create table table_name;


>>create table customer(

cust_id int primary key,

name varchar(20),

email varchar(100),

reg_date date);



To insert values into table: insert into table_name values();

>> insert into customer values

(101, 'Alex', 'alex34@gmail.com', '2020-02-02'),

(102, 'Bob', 'bob54@gmail.com', '2020-12-02'),

(103, 'Charlie', 'charlie@gmail.com', '2022-02-23'),

(104, 'Dexter', 'dexter@gmail.com', '2022-05-02'),

(105, 'Emily', 'emily@gmail.com', '2023-02-02'),


(106, 'Kiran', 'kiran@gmail.com', '2023-08-25'),

(107, 'Manu', 'manu@gmail.com', '2024-01-23'),

(108, 'Meena', 'meena@gmail.com', '2024-02-02'),


(109, 'Rahul', 'rahul@gmail.com', '2025-06-02'),

(110, 'Sneha', 'sneha@gmail.com', '2026-02-02');




To retrieve all records from table: `select * from table_name;`

`>> select * from customer;`



To retrieve records based on specific conditions:

Where clause:



Order by:

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying the following SQL query:

```
24
25 * select * from customer where cust_id=101;
26
27 * select * from customer
28   order by reg_date desc;
29
```

The 'Result Grid' shows the results of the query, ordered by registration date in descending order. The columns are: cust_id, name, email, and reg_date.

cust_id	name	email	reg_date
108	Sarah	sarah@gmail.com	2020-02-01
109	Katia	katia@gmail.com	2020-08-01
106	Maria	maria@gmail.com	2020-01-01
107	Mary	mary@gmail.com	2020-01-01
109	Katia	katia@gmail.com	2020-08-01
105	Enid	enid@gmail.com	2020-02-01
104	Doris	doris@gmail.com	2020-08-01
103	Charles	charles@gmail.com	2020-02-01
102	Bob	bob@gmail.com	2020-01-01
101	Alex	alex74@gmail.com	2020-02-01
108	Sarah	sarah@gmail.com	2020-08-01

The 'Action Output' pane shows the execution of the query, including the number of rows affected and the execution time.

Time	Action	Message	Duration / Rows
21:28:36	use customer;	0 rows affected	0:00 sec
21:29:54	create table customer (cust_id int primary key, name varchar(20), email varchar(100), reg_date date);	0 rows affected	0:00 sec
21:30:11	insert into customer values (101, 'Alex', 'alex74@gmail.com', '2020-02-01'), (102, 'Bob', 'bob44@gmail.com', '2020-01-01');	10 rows affected Records: 10 Duplicates: 0 Warnings: 0	0:00 sec
21:31:24	select * from customer LIMIT 5, 1000;	10 rows returned	0:00 sec / 0:00 sec
21:32:40	select * from customer where cust_id=101 LIMIT 0, 1000;	1 rows returned	0:00 sec / 0:00 sec
21:33:22	select * from customer order by reg_date desc LIMIT 0, 1000;	10 rows returned	0:00 sec / 0:00 sec

AND:

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying the following SQL query:

```
27 * select * from customer
28   order by reg_date desc;
29
30 * select * from customer
31   where cust_id=101 and name='Alex';
32
```

The 'Result Grid' shows the results of the query, ordered by registration date in descending order. The columns are: cust_id, name, email, and reg_date.

cust_id	name	email	reg_date
101	Alex	alex74@gmail.com	2020-02-01
108	Sarah	sarah@gmail.com	2020-08-01

The 'Action Output' pane shows the execution of the query, including the number of rows affected and the execution time.

Time	Action	Message	Duration / Rows
21:30:34	create table customer (cust_id int primary key, name varchar(20), email varchar(100), reg_date date);	0 rows affected	0:00 sec
21:30:51	insert into customer values (101, 'Alex', 'alex74@gmail.com', '2020-02-01'), (102, 'Bob', 'bob44@gmail.com', '2020-01-01');	10 rows affected Records: 10 Duplicates: 0 Warnings: 0	0:00 sec
21:31:24	select * from customer LIMIT 5, 1000;	10 rows returned	0:00 sec / 0:00 sec
21:32:40	select * from customer where cust_id=101 LIMIT 0, 1000;	1 rows returned	0:00 sec / 0:00 sec
21:33:22	select * from customer order by reg_date desc LIMIT 0, 1000;	10 rows returned	0:00 sec / 0:00 sec
21:34:00	select * from customer where cust_id=101 and name='Alex' LIMIT 0, 1000;	1 rows returned	0:00 sec / 0:00 sec

OR :

The screenshot shows MySQL Workbench with a query window containing the following SQL:

```
10 select * from customer
11 where cust_id=101 and name='Alice';
12
13 select * from customer
14 where reg_date='2025-01-01' or name='Bob';
15
```

The result grid shows two rows:

cust_id	name	email	reg_date
101	Alice	alice@gmail.com	2025-01-01
109	Bob	bob@gmail.com	2025-01-01

The Action Output window shows the execution plan:

Time	Action	Message	Duration / Rows
9 21:34:00	select * from customer where cust_id=101 and name='Alice' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
10 21:34:29	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
11 21:34:50	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
12 21:35:45	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13 21:36:28	SELECT * FROM customer WHERE reg_date BETWEEN 2025-01-01 AND 2026-01-01 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14 21:37:25	select * from customer where reg_date='2025-01-01' or name='Bob' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

BETWEEN:

The screenshot shows MySQL Workbench with a query window containing the following SQL:

```
11 select * from customer
14 where reg_date '2025-01-01' or name='Bob';
15
16 SELECT *
17 FROM customer
18 WHERE reg_date BETWEEN '2025-01-01' AND '2026-01-01';
19
```

The result grid shows two rows:

cust_id	name	email	reg_date
109	Bob	bob@gmail.com	2025-01-01
118	Alice	alice@gmail.com	2026-01-01

The Action Output window shows the execution plan:

Time	Action	Message	Duration / Rows
10 21:34:29	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
11 21:34:50	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
12 21:35:45	select * from customer where reg_date='2025-01-01' or reg_date='2026-01-01' LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13 21:36:28	SELECT * FROM customer WHERE reg_date BETWEEN 2025-01-01 AND 2026-01-01 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14 21:37:25	select * from customer where reg_date='2025-01-01' or name='Bob' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15 21:38:13	SELECT * FROM customer WHERE reg_date BETWEEN 2025-01-01 AND 2026-01-01 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

To update record in table:

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'companydb' selected, and 'customer' table highlighted. The main editor shows a SQL query:

```

34 where reg_date >= '2025-01-01' or name = 'Sam';
35
36 *
37 SELECT *
38 FROM customer
39 WHERE reg_date BETWEEN '2025-01-01' AND '2026-12-31';
40
41 *
42 UPDATE customer
43 SET email = 'alex@gmail.com'
44 WHERE cust_id = 101;
45

```

The 'Output' pane at the bottom shows the execution results:

Time	Action	Message	Duration / Rows
21:20:36	use customerdb	0 rows affected	0.000 sec
21:20:39	create table customer (cust_id int primary key, name varchar(255), email varchar(255), reg_date date)	0 rows affected	0.019 sec
21:30:17	insert into customer values (101, 'Alex', 'alex@gmail.com', '2025-02-02'), (102, 'Bob', 'bob@gmail.com'), (20, 'Sam', 'sam@gmail.com');	10 rows affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
21:31:04	select * from customer LIMIT 5; 1000	10 rows returned	0.000 sec / 0.000 sec
21:31:40	select * from customer where cust_id = 101 LIMIT 5; 1000	1 row(s) returned	0.000 sec / 0.000 sec
21:31:22	select * from customer order by reg_date desc LIMIT 5; 1000	10 rows returned	0.019 sec / 0.000 sec
21:34:30	select * from customer where cust_id = 101 and name = 'Sam' LIMIT 5; 1000	1 row(s) returned	0.019 sec / 0.000 sec
21:34:26	select * from customer where reg_date >= '2025-01-01' or reg_date <= '2026-12-31' LIMIT 5; 1000	10 rows returned	0.000 sec / 0.000 sec
21:34:26	select * from customer where reg_date >= '2025-01-01' or reg_date <= '2026-12-31' LIMIT 5; 1000	10 rows returned	0.019 sec / 0.000 sec
21:36:25	SELECT * FROM customer WHERE reg_date BETWEEN '2025-01-01' AND '2026-12-31' LIMIT 5; 1000	1 row(s) returned	0.000 sec / 0.000 sec
21:37:26	select * from customer where reg_date >= '2025-01-01' or name = 'Sam' LIMIT 5; 1000	1 row(s) returned	0.000 sec / 0.000 sec
21:38:13	SELECT * FROM customer WHERE reg_date BETWEEN '2025-01-01' AND '2026-12-31' LIMIT 5; 1000	2 row(s) returned	0.000 sec / 0.000 sec
21:38:57	update customer set email = 'alex@gmail.com' where cust_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec

Query Completed

To alter table:

The screenshot shows the MySQL Workbench interface with a series of SQL queries in the main editor:

```

37 FROM customer
38 WHERE reg_date BETWEEN '2025-01-01' AND '2026-12-31';
39
40 *
41 UPDATE customer
42 SET email = 'alex@gmail.com'
43 WHERE cust_id = 101;
44
45 *
46 ALTER TABLE customer
47 ADD location varchar(100);
48
49 *
50 DELETE FROM customer WHERE cust_id = 107;
51
52 *
53 TRUNCATE TABLE customer;
54
55 *
56 SELECT * FROM customer;
57

```

The 'Output' pane shows the execution results:

Time	Action	Message	Duration / Rows
21:38:57	update customer set email = 'alex@gmail.com' where cust_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
21:40:26	delete from customer where cust_id = 107	1 row(s) affected	0.000 sec
21:40:56	truncate table customer	0 row(s) affected	0.000 sec
21:41:26	select * from customer LIMIT 5; 1000	0 row(s) returned	0.000 sec / 0.000 sec
21:42:26	drop table customer	0 row(s) affected	0.000 sec
21:51:31	create table customer (cust_id int primary key, name varchar(255), email varchar(255), reg_date date)	0 row(s) affected	0.021 sec
21:53:26	insert into customer values (101, 'Alex', 'alex@gmail.com', '2025-02-02'), (102, 'Bob', 'bob@gmail.com'), (20, 'Sam', 'sam@gmail.com');	10 rows affected Records: 10 Duplicates: 0 Warnings: 0	0.019 sec
21:54:24	alter table customer add location varchar(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.019 sec

Query Completed

To delete a record in table:

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL script with the following queries:

```

40 * update customer
41 set email='a@aggggll.com'
42 where cust_id=101;
43
44 * delete from customer where cust_id=101;
45
46 --truncate table customer;

```

The 'Execution Output' pane shows the results of the queries:

Time	Query	Message	Duration / Batch
21:27:06	drop database customer;	1 row(s) affected	0.022 sec
21:27:07	create database customer;	1 row(s) affected	0.000 sec
21:28:36	use customer;	0 row(s) affected	0.000 sec
21:28:34	create table customer (cust_id int primary key, name varchar(20), email varchar(100), reg_date date);	0 row(s) affected	0.016 sec
21:30:17	insert into customer values (101, 'Bob', 'bob34@gmail.com', '2020-02-01', '002', 'Bob', 'bob4@gmail.com', '2020-02-01');	0 row(s) affected; Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
21:31:34	select * from customer LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:32:45	select * from customer where cust_id=101 LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:33:22	select * from customer order by reg_date desc LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:34:29	select * from customer where cust_id=101 and name='New' LIMIT 5, 1000;	0 row(s) returned	0.011 sec / 0.000 sec
21:34:30	select * from customer where reg_date < 2025-01-01 or reg_date > 2026-01-01 LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:35:45	select * from customer where reg_date < 2025-01-01 or reg_date > 2026-01-01 LIMIT 5, 1000;	0 row(s) returned	0.016 sec / 0.000 sec
21:36:29	SELECT * FROM customer WHERE reg_date BETWEEN 2025-01-01 AND 2026-01-01 LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:37:20	select * from customer where reg_date < 2025-01-01 or name='Bob' LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:38:13	SELECT * FROM customer WHERE reg_date BETWEEN 2025-01-01 AND 2026-01-01 LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec
21:38:57	update customer set email='a@aggggll.com' where cust_id=101;	0 row(s) affected; Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
21:40:20	delete from customer where cust_id=101;	0 row(s) affected	0.000 sec
21:40:20	delete from customer where cust_id=101;	0 row(s) affected	0.000 sec

Truncate: deletes all the rows

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL script with the following queries:

```


46 * truncate table customer;
47 * select * from customer;
48

```

The 'Execution Output' pane shows the results of the queries:

Time	Query	Message	Duration / Batch
21:38:57	update customer set email='a@aggggll.com' where cust_id=101;	0 row(s) affected; Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
21:40:20	delete from customer where cust_id=101;	0 row(s) affected	0.000 sec
21:40:20	delete from customer where cust_id=101;	0 row(s) affected	0.000 sec
21:41:28	select * from customer LIMIT 5, 1000;	0 row(s) returned	0.000 sec / 0.000 sec

Drop table:



To drop database:

