Project Development Phase

Performance testing


1. Create UI Policy on Incident


Log in to the ServiceNow instance with administrative or configuration access.

UI Policy – High Impact Control

1. Go to **System UI → UI Policies**.
2. Click **New**.
3. Enter:
    - **Name:** High Impact Control
    - **Table:** Incident
    - **Active:** Yes
4. Set condition:
    - **Impact = High**
5. Make **Assignment Group** mandatory.
6. Set **Reverse if false = Yes**.
7. Check the settings.
8. Click **Submit**

Result: When Impact is **High**, Assignment Group becomes mandatory. When Impact changes, the rule is reversed.



servicenow
All
Favorites
History
Workspaces
Admin
UI Policies
Application scope: Global
UI Policies
Order
Search
Actions on selected rows...
New
Short description
Table
Conditions
Reverse if false
On load
Updated
Order
UI Policy to hide related feature flags when hidePaginator set to true
UX List [sys_ux_list]
hide_pagination=true^EQ
true
true
2021-08-16 14:02:50
0
Mark fields as mandatory without DB override
Security tasks [sn_vsc_security_task]
false
true
2025-01-28 14:26:42
0
Always Hide Read only Related List Field
Relationship [sys_relationship]
sys_idISNOTEMPTY^EQ
false
true
2015-08-21 17:28:31
1
Hide meta fields
label [sc_ic_question]
true
true
2014-01-21 12:43:35
1
Set Table column ReadOnly
To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]
true
true
2018-08-02 15:16:10
1
Clear save signature before action execution value when precondition is not Signature
Function [sys_ug_button]
precondition!=signature^EQ
true
true
2019-04-18 07:01:21
1
Content vs parameters
HTTP Method [sys_rest_message_fn]
http_method=get^ORhttp_method=delete^ORh...
true
true
2016-12-14 16:50:13
1
Instance Clone onChange Profile - Hide lock profile
System Clone [clone_instance]
profileISEMPTY^EQ
true
true
2019-08-15 15:10:40
1
Handle lock
HTTP Method [sys_rest_message_fn]
lock=true^EQ
true
true
2016-05-26 10:07:52
2
REST Message is read only
HTTP Method [sys_rest_message_fn]
true
true
2015-06-15 10:19:56
3
1 to 20 of 2,962
Search
ENG IN
19:23
10-09-2026


servicenow
All
Favorites
History
Workspaces
UI Policy Action - New Record
Application scope: Global
Update set: Default [Global]
UI Policy Action
New record
Submit
UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. More Info
UI policy
High Impact Control
Table
Incident [incident]
* Field name
Assignment group
Application
Global
Mandatory
True
Visible
Leave alone
Read only
False
Clear the field value
Submit
Search
ENG IN
19:30
10-09-2026

2. Create UI Policy Action – Urgency

UI Policy Action – Urgency

- Open the **High Impact Control** UI Policy.
- Select the **Urgency** field.
- Set **Read-only = Yes**.
- Keep **Visible** unchanged.
- When **Impact = High**, Urgency becomes read-only.
- When Impact changes, Urgency becomes editable again.
- Click **Submit** to save.



3. Create onChange Client Script – Auto Set Urgency

- Go to **System UI → Client Scripts**.
- Click **New**.
- Set **Name:** Auto set urgency for high impact.
- Set **Table:** Incident.
- Set **Type:** onChange.
- Set **Field:** Impact.
- Set **Active:** Yes.
- Add the given script.

```
function onChange(control, oldValue, newValue, isLoading) {

if (isLoading || newValue == '') {

return;

}

if (newValue == '1') {

g_form.setValue('urgency', '1');


g_form.addInfoMessage('Urgency set to High for High impact incident.');


 }

}
```

- Click **Submit**.
- **Test:** Change Impact to **High** and check that **Urgency automatically changes to High**.

.


servicenow
All
Favorites
History
Workspaces
Admin
Client Scripts
Application scope: Global
Update set: Default [Global]
Client Scripts for text Search
Actions on selected rows...
New
All > Class = Client Script
Name
Active
Table
Application
View
Type
Updated
EF - Show Error Prefix Format Info
true
Error Source Application [sys_error_appl]
Global
onLoad
2026-09-09 17:01:42
Maximum Duration Range Check
true
Transaction Quota Rule [sysrule_quota]
Global
onChange
2012-05-30 14:47:01
Create default value
true
Response Template Channel [sn_templated_snip_channel]
Templated Snippets
onChange
2020-09-22 17:06:27
Show overlap field based on data labels
true
Widgets [pa_widgets]
Global
onChange
2021-04-23 02:59:51
Set protocol based on auth type
false
HTTP(s) Connection [http_connection]
Global
onChange
2017-06-02 15:49:24
Set default values for OIDC PKCE flow
true
OAuth OIDC Entity [oauth_oidc_entity]
Global
onChange
2020-02-28 00:59:58
Make notification read only
true
Additional Notification Recipients [sys_notification_recipient]
Global
onLoad
2021-02-05 22:42:13
Deprecated - SN - Make serial number man
false
Asset [alm_asset]
Global
onChange
2025-03-06 00:42:54
Validate StatefulSet Name
true
MID K8s Deployment Request [mid_k8s_deployment]
Global
onChange
2022-10-09 23:18:07
Set Use current record if delete
true
Action item [sys_sg_write_back_action_item]
Global
onChange
2019-04-14 07:30:02
Warning when no destination type enabled
true
Notification [sys_notification]
Global
onLoad
2021-05-13 04:51:51
1 to 20 of 2,541
29°C
Partly cloudy
Search
ENG
IN
72%
19:39
10-09-2026


servicenow
All
Favorites
History
Workspaces
Client Script - Auto set urgency for high impact
Application scope: Global
Update set: Default [Global]
Client Script
Auto set urgency for high impact
Update
Delete
UI Type
Desktop
Inherited
Type
onChange
Global
Field name
Impact
Description
Messages
Script
function onChange(control, oldValue, newValue, isLoading) {
if (isLoading || newValue == '') {
return;
}
if (newValue == '1') {
g_form.setValue('urgency', '1');
g_form.addInfoMessage('Urgency set to High for High Impact Incident.');
}
}
Isolate script
Update
Delete
29°C
Partly cloudy
Search
ENG
IN
75%
19:42
10-09-2026

4. CreateonSubmit Client Script – Save Validation

- Checks the **Assigned To** field before saving.
- Applies when **Impact = High**.
- Blocks saving if **Assigned To** is empty.
- Displays an **error message** to the user.
- Allows saving when **Assigned To** is filled.
- Ensures High-impact Incidents have the required information.

Paste the script:

```
 function onSubmit() {

 if (g_form.getValue('impact') == '1' && g_form.getValue('assigned_to')
== '')

{


g_form.showErrorBox( 'assigned_to', 'Assigned To is mandatory for
High impact incidents.' );

return false;

} return true;

 }
```

- Click Submit.



5. Create onCellEdit Client Script Activity

Create Client Script

1. Navigate to Client Scripts:
2. Go to System UI → Client Scripts in your ServiceNow instance.
3. Click New to create a new Client Script.
4. Fill in the details:

○ Name:

Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.

○ Table: Incident – applies the script only to Incident records.

○ Type: onCellEdit – runs whenever a field is edited directly in a list view.

○ Field name: State – the script will monitor changes to the State field.

○ Active: true – ensures the script is enforced immediately

5. Paste the script into the script editor section.

6. Click Submit to save the Client Script.

7. In the Script field, paste the following code:

```
function onCellEdit(sysIDs, table, oldValues, newValue,
callback)

{

alert('State cannot be updated using list editing. Please open
the Incident.');

callback(false); }
```

8. Click Submit.

6.Testing the Configuration

Testing – Mandatory Enforcement

- Open **Incident → Create New**.
- Set **Impact = High**.
- Leave **Assigned To** empty.
- Click **Submit**.

- The Incident should **not be saved**.
- An **error message** should appear for the Assigned To field.
- Check that **Urgency is automatically set to High** and the configured fields behave correctly.
- This confirms that the **UI Policy and onSubmit Client Script** are working as expected.

