

A Minor Project Report
On
EMPATHETIC AI FOR STUDENTS
Submitted in the Partial Fulfillment of the Requirements
For the Award of the Degree of

Bachelor of Technology
In
CSE(Artificial Intelligence and Machine Learning)

By
Ch.Kavya Spoorthi [23211A6633]
D.Harshavardhan [23211A6640]
D.Ramcharan [23211A6643]

Under the Guidance of
Ms. Srilakshmi V Assistant Professor
Ms. B. Priyanka Assistant Professor



DEPARTMENT OF CSE(ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING)
B V RAJU INSTITUTE OF TECHNOLOGY
(UGC Autonomous, Accredited by NBA & NAAC)
Vishnupur, Narsapur, Medak, Telangana State, India – 502 313
2024-2025

B V RAJU INSTITUTE OF TECHNOLOGY
(UGC Autonomous, Accredited by NBA & NAAC)
Vishnupur, Narsapur, Medak, Telangana State, India – 502 313

DEPARTMENT OF CSE(ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING)

CERTIFICATE

This is to Certify that the Minor Project Entitled “**Empathetic AI For Students**” Being Submitted By

Ch.Kavya Spoorthi	[23211A6633]
D.Harshavardhan	[23211A6640]
D.Ramcharan	[23211A6643]

In Partial Fulfillment of the Requirements for the Award of Degree of Bachelor of Technology in CSE(Artificial Intelligence and Machine Learning) to B V Raju Institute of Technology is Record of Bonafide Work Carried Out During the Period From December 2024 to May 2025 by Them Under the Supervision of

Ms. Srilakshmi V

Assistant Professor

Ms. B. Priyanka

Assistant Professor

This is to Certify that the Above Statement Made by the Students are Correct to the Best of Our Knowledge.

Ms. Srilakshmi V
Assistant Professor

Ms. B. Priyanka
Assistant Professor

External Examiner

Dr. G Uday Kiran
Program Coordinator

CANDIDATE’S DECLARATION

We Hereby Certify that the Work Which is Being Presented in the Minor Project Entitled “Empathetic AI For Students” in Partial Fulfillment of the Requirements For the Award of Degree of Bachelor of Technology and Submitted in the Department of CSE(Artificial Intelligence and Machine Learning), B V Raju Institute of Technology, Narsapur, is an Authentic Record of Our Own Work Carried Out During the Period From December 2024 to May 2025, Under the Supervision of Ms. Srilakshmi V, Assistant Professor and Ms. B. Priyanka, Assistant Professor.

The Work Presented in this Mini Project Report Has Not Been Submitted By Us For the Award of Any Other Degree of This or Any Other Institute/University.

Ch.Kavya Spoorthi	[23211A6633]
D.Harshavardhan	[23211A6640]
D.Ramcharan	[23211A6643]

ACKNOWLEDGEMENT

We stand at the culmination of a significant journey, one that has been both challenging and rewarding. The success of our minor project is not solely a reflection of our efforts but a testament to the invaluable support and guidance we have received from many quarters. It is with deep gratitude that we acknowledge those who have made this achievement possible.

Foremost, we extend our sincerest appreciation to Ms. B. Priyanka, Co-supervisor and Ms. Srilakshmi V, Supervisor, whose expertise and insightful supervision have been pivotal in navigating the complexities of this project. Their unwavering support and encouragement have been our guiding light throughout this journey.

Special thanks are due to Ms. Srilakshmi V, our Project Coordinator, whose assistance and guidance have been instrumental in the successful execution of our project. Her dedication and support have been a source of inspiration and motivation.

We reserve our utmost gratitude for Dr. G Uday Kiran, Program Coordinator of the Department of CSE (Artificial Intelligence and Machine Learning), whose leadership and academic guidance have enriched our learning experience and contributed significantly to our project's success. Our journey would not have been the same without the constant encouragement, support, and guidance from the esteemed faculty of the Department of CSE (Artificial Intelligence and Machine Learning). We are deeply thankful to everyone who contributed to our journey, whose belief, guidance, and support have been crucial to our achievement. This project reflects not only our academic efforts but also the collaborative spirit and collective wisdom that guided us.

Ch.Kavya Spoorthi	[23211A6633]
D.Harshavardhan	[23211A6640]
D.Ramcharan	[23211A6643]

ABSTRACT

Many students today struggle to stay focused and motivated due to academic pressure, emotional stress, and mental fatigue. Traditional learning tools are designed to deliver information efficiently but often ignore how a student is feeling. As a result, students who are anxious, overwhelmed, or mentally drained may find it difficult to concentrate or retain information, leading to less effective study sessions. There's a growing need for educational tools that go beyond content delivery and provide emotional support as well.

Empathetic AI for Students is a voice-interactive assistant designed to make learning more responsive and supportive by recognizing the user's emotional state. It uses speech recognition and emotion detection to understand cues like tone, pitch, and speech speed. Based on this analysis, the assistant adapts its behavior — offering motivation, suggesting breaks, or adjusting its tone when stress is detected, and encouraging progress when focus is high. This dynamic response creates a personalized learning experience tailored to how the student feels in the moment.

In addition to emotional support, the assistant offers practical features such as hands-free note-taking, reminder setting, and study schedule organization. These tools help students stay productive without feeling overwhelmed. The system continuously learns and adapts through interaction, promoting not just academic improvement but also emotional well-being. By combining emotional intelligence with smart study support, Empathetic AI for Students aims to create a healthier, more effective way to learn.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE NO.
	Certificate	ii
	Candidate's Declaration	iii
	Acknowledgement	iv
	Abstract	v
	Table of Contents	vi
	List of Figures	viii
	List of Tables	ix
	List of Abbreviations	x
1.	INTRODUCTION	1 - 6
	1.1 Background and Challenges	1
	1.2 Introduction to Domain	2
	1.3 Motivation	3
	1.4 Significance of the Project	3
	1.5 Problem Statement	4
	1.6 Objectives	5
	1.7 Scope of the Project	5
2.	REVIEW OF LITERATURE	7 - 27
	2.1 Introduction	7
	2.2 Review of Related Works	7
	2.3 Gaps in Research	26
	2.4 Summary	27
3.	METHODOLOGY	28 - 40
	3.1 Introduction	28
	3.2 Limitations in Existing Systems	29
	3.3 Objectives of Proposed System	30
	3.4 Proposed Methodology	31
	3.5 System Architecture	32
	3.6 Flow of Data Processing	34

CHAPTER	TITLE	PAGE NO.
	3.7 Module Description	35
	3.8 Tools, Libraries and frameworks Used	37
	3.9 Implementation Strategy	39
	3.10 Summary	40
4.	IMPLEMENTATION AND RESULTS	41 - 46
	4.1 Code Implementation Overview	41
	4.2 Sample Inputs and Outputs	42
	4.3 Error Handling	43
	4.4 Result Table	45
	4.5 Summary	46
5.	CONCLUSION AND FUTURE SCOPE	47 - 49
	5.1 Conclusion	47
	5.2 Future Enhancements	47
	5.3 Discussions	48
	REFERENCES	50 - 56

LIST OF FIGURES

FIGURE	DESCRIPTION	PAGE NO.
Figure 3.1	Main block diagram illustrating the overall flow of the system from user input to output generation	34
Figure 3.2	Detailed flowchart showing how the assistant processes user input, detects emotional state, and generates an appropriate academic or motivational response	36
Figure 4.1	Snapshot displaying the user interface where learners can type their queries or study prompts	41
Figure 4.2	Snapshot demonstrating the system actively receiving and interpreting voice input from the user	42
Figure 4.3	Snapshot showing the final response delivered to the user, including relevant study notes, formulas, and emotion-specific motivational feedback	42
Figure 4.4	Bar chart visualizing the detection accuracy achieved for different emotional states during testing	44

LIST OF TABLES

TABLE	DESCRIPTION	PAGE NO.
Table 3.1	Comparative analysis of the proposed system against tools like Google Assistant and ChatGPT, highlighting unique features such as emotion detection and adaptive learning.	30
Table 4.1	Summary of test user feedback, capturing responses on interface design, system accuracy, usefulness, and emotional support effectiveness.	45

LIST OF ABBREVIATIONS

ABBREVIATION	FULLFROM
AI	Artificial Intelligence
NLP	Natural Language Processing
API	Application Programming Interface
UI	User Interface
TTS	Text-to-speech
ML	Machine Learning

CHAPTER 1

INTRODUCTION

1.1 BACKGROUND AND CHALLENGES

An obvious tragedy of sorts has occurred. In this digital age, education has solidified into online platforms with smart applications and AI-powered tools. Whereas before, these working systems would make learning more difficult to attain; conversely, now with these facilities, a lot of those possibilities for addressing darkness are met. A good number of students in the present day have difficulties staying focused, gaining motivation, staying organized, or healthy academic pressure, particularly those suffering from attention disorders such as ADHD or anxiety. These complications usually go undetected in conventional learning systems and are more centered on academic content instead of what the student is feeling.

Existing virtual assistants and study applications are mostly designed to give factual answers or provide reminders, though they do not bear the emotional intelligence to support a student who might be in a moment of stress or low motivation. They in no way change their character or behavior reflecting the mood of the learner, his/her energy level, or even the mental fatigue; hence, they do nothing but widen the gap between what the student requires at that time and what the system is really offering. Such an absence of emotional responsiveness in real-time affects the students' ability to develop consistent study habits and allegations in their confidence-building process.

This version attempts to keep the first half esoteric, with elaborate construction, vocabulary profuse with biblical references, and metaphorizing the setting as a tragic event of the study world. The other half contains the concrete and technical terms to express the main essence in a befitting academic manner.

This project tries to make a voice-interaction intelligent assistant that joins together the disparate worlds of academic pursuits and empathetic consciousness. Building such a system is in itself byte-sized technical challenges: from accurately detecting emotions through speech to generating meaningful motivational feedback. Still, these are challenges that must be overcome for education to become truly inclusive, supportive, and effective.

1.2 INTRODUCTION TO DOMAIN

Speech and Natural Language Processing (NLP) is an area from which this project derives, serving as one of the domains of Artificial Intelligence that enable machines to acquire human languages as their mode of interaction. Speech and NLP exist all around us today - from Google Assistant and Siri to real-time translation and smart chatbots. Such systems process language either in spoken or written form to interpret meaning, detect intent, and respond accordingly. The field used to support just the most basic forms of command-recognition, but has developed over the years to encompass sentiment analysis, conversational AI, and emotion recognition.

Speech processing refers primarily to the conversion of human speech into digital signals via which human-machine interaction is possible. Some common aspects under speech processing include voice recognition, speech-to-text conversion, emotion detection based on tone, pitch, or speed of speaking. Natural language processing analyses the words and expressions used in terms of structure and meaning so that a system may comprehend the context and create an intelligent response.

For this project, speech and NLP-based technologies are the core constituents behind designing an assistant that listens to a user and interprets both the words and emotional state of the user to respond in a helpful and empathetic manner. This includes

recognizing queries related to studying, garnering emotional cues in speech, generating personalized motivational messages, and supplying academic content-all via natural conversational means. This fusion of real-time voice interaction and intelligent linguistic understanding thereby makes speech and NLP a great medium for building emotional educational instruments.

1.3 MOTIVATION

The seeds of this undertaking were sown by the observations that students, even granted digital learning tools, had serious problems with staying motivated and emotionally balanced through their study sessions. With the educational apps and respective AI assistants flooding the market, almost all consider content delivery while not factoring in the emotional state of a learner. This brand of problem becomes much more distinctive when dealing with students who might suffer in stigmatized environments from ADHD or anxiety, to name a few issues that might present themselves, where-emotional-state-is-key-to-concentration-and-productivity.

The motivation behind building this is to foster something with empathy; one that does not merely take stock of what a student says but also tries to understand how he/she feels. With the combination of voice input, emotion detection, and immediate support, it aims to make learning more human, supportive, and responsive. This project extends beyond just teaching better with AI; it moves into caring better with AI. That is a slight change in approach that could account for huge differences in the lives of students who so often feel alone or unsupported during independent learning.

1.4 SIGNIFICANCE OF THE PROJECT

This project is significant in that it meets a real, yet often overlooked, need in education: emotional support during learning. Most tools made today are optimized for efficiency and speed, and few

consider the attitudes of the student while they are using them. For those students going through stress or anxiety or attention problems such as ADHD, being in an emotional state can interfere with their capability to absorb information or concentrate on the task at hand. In order to fill such a gap, the "Empathetic AI for Students" project aims to merge speech processing and emotion detection with academic assistance. When emotional cues are detected by the system, it adjusts its responses accordingly and enters the realm of more than just a digital assistant and becomes a comforting companion. It boosts the students when their spirits are low; it reminds them to go have a cup of tea, and it walks them through their study sessions in the manner a friend would. Therefore, the importance of this system is that it makes the learning process more human-centered: while students may feel heard and supported, this will also lead to more effective learning and a change for better in their welfare.

1.5 PROBLEM STATEMENT

Today, students tend to rely on technology for academic assistance in a digital era of online learning. Majority of the existing tools and virtual assistants deliver fixed information in an awfully dispassionate manner. They work oblivious to the learner's mood, which considerably weighs in concentration, motivation, and retention, especially with ADHD or anxious condition students. Such learners find it hard to stay engaged, to calm themselves down, or perhaps to feel a little bit understood by the systems they are using. And although we do have voice-activated assistants and AI-driven study tools, those guys really lack any sort of emotional intelligence to change their response depending on how good or bad the user feels. So, the user gets an answer, but it doesn't really fit the student's need. Thus, there must arise that sort of system that picks up emotional cues on their own through real-time analysis and modifies its behavior such that it could offer both academic support and additional emotional sustenance. The proposed voice-interactive AI assistant will

be able to support students academically and emotionally.(Bowers 2016)

1.6 OBJECTIVES

The central goal of this project is to create a voice-interactive AI assistant capable of comprehending the emotional condition of a student and responding in a manner that positively impacts learning and mental well-being. This system will be able to recognize speech input and perceive emotions such as stress or focus to provide motivational support or academic explanations, among other responses. It should also be able to help students take notes without using their hands, set reminders, and organize study plans to boost productivity. One of the prime goals of the project is to see that this assistant serves the students too, who have problems keeping their attention or managing stress, such as those with ADHD or anxiety. Ultimately, the project attempts to offer a personalized, empathetic, and more effective learning environment by way of speech processing, natural language understanding, and emotional intelligence.

1.7 SCOPE OF THE PROJECT

This project will focus on developing a proof-of-concept desktop/web-based assistant that supports students working on their individual study sessions. Its core scope includes accepting voice or typed queries, converting voice into text, analysing simple emotional states from tone and keywords (stress, boredom, motivation), and motivating the student with either short messages, subject notes from credible sources, or reminders to take it easy. Productivity aids consisting of voice note-taking and simple one-shot reminders are also within the scope. User interactions are intended for single-user mode, with a quiet environment and commonly available hardware such as a default microphone and speakers.

The project deliberately excludes some rather advanced topics such as multi-language support, analysis of facial expressions, long-term learning analytics, and mobile deployment. Rather, these are to be pursued as part of future work to be built upon once the primary development has focused clearly on real-time emotional awareness and academic assistance from the ground up.

CHAPTER 2

REVIEW OF LITERATURE

2.1 INTRODUCTION

The literature review is a very important area in any research work. In its scope, it strictly regards what knowledge has already been gained and how new research needs to be dictated. In this work, the study of previous speech processing, natural language understanding, and emotion detection works show the progress that technology has undergone and the challenges that remain. This section aims to understand the working of the current systems, their approaches, and where there is still room for improvement. By studying various works in artificial intelligence applied to education, affective computing, and intelligent assistant fields, our understanding about where our project could fit in the larger research landscape is enhanced, thus justifying its orientation.

2.2 REVIEW OF RELATED WORKS

Brown et al.[1]The paper introduces GPT-3, an auto-regressive language model at a gargantuan scale, with 175 billion parameters and immense accuracies on many natural language understanding tasks, requiring little or no task-specific fine-tuning. It demonstrates few-shot, one-shot, and zero-shot learning in different tasks such as translation, question answering, and summarization. Given the prompt examples, a model generalizes and produces outputs that are logically consistent with the standards set by the inputs. This advancement set a new bar in natural language perception and generation, directly affecting the architecture of future large language models.

Zhang et al.[2] This presents a model called DialogPT which is a fine-tuned GPT-2 model for open-domain dialogue generation. It was

cumulatively trained on a humongous Reddit dataset to learn multi-turn conversational patterns. The model generates highly coherent, context-aware, and engaging responses that outrank its predecessors in user preference studies. It offers an exciting prospect for chatbot and interactive virtual agents by rendering human-like conversation flows in casual settings

Raffel et al. [3] The authors propose T5, a unified framework for natural language processing (NLP) tasks where input and output are treated as text in a general sense. The model is trained on a very large dataset called C4 and then measured across numerous benchmarks including GLUE, SuperGLUE, and summarization datasets. In essence, T5 makes NLP pipeline architecture simpler, placing text-to-text conversion at the center of the paradigm, and has achieved state-of-the-art results in several benchmarks.

Wei et al.[4] It describes Chain-of-Thought (CoT) prompting, which essentially serves as a new way to enable powerful reasoning in large language models by encouraging the generation of intermediate reasoning steps. This approach improves performance on arithmetic, symbolic, and logical reasoning tasks by instructing the model to "think aloud" during its response generation. This method improves interpretability and is also effective in more complex tasks where intermediate reasoning steps are crucial.

OpenAI [5] The GPT-4 technical report delineates major improvements in reasoning, correctness, and multimodal capabilities as against earlier models. GPT-4 carries out different standardized exams and tasks at a human-like level, with enhancements in safety and reliability for alignment in responses. It uses both text and images as inputs and provides considerable contextual understanding through which it has been harnessed as a multipurpose application for countless professional areas.

Yang et al. [6] This study presents a comprehensive survey on fine-tuning methods for the large language models, looking at the traditional full fine-tuning versus newer approaches like using adapter modules, LoRA, and prompt tuning. It discusses the computational trade-offs, efficiency, and generalization capability. The survey acts as a guideline for developers to decide on a suitable fine-tuning method depending on task complexity, the presence of data, and hardware constraints.

Lin et al. [7] The paper evaluates the performance of speech-to-text models in low-resource languages with architectures such as wav2vec 2.0 and Whisper. It studies how self-supervised learning and multilingual pre-training may help a model adapt to underrepresented languages with very little annotated data. The results show that these models, able to transcribe speech with high accuracy, are instrumental in growing speech technologies to different global communities.

Huang et al. [8] It investigates how large language models work for mental wellness by facilitating empathetic conversations and emotional understanding. It addresses the risks and downsides of using AI in mental health, such as hallucination, privacy concerns, and lack of clinical grounding. The research accentuates the need for AI being supplemented by human intervention, proposing a series of recommendations to ensure ethical use in wellness support applications.

Lu et al. [9] The authors analyze real-time speech-to-text APIs provided by Google, Azure, and IBM Watson with regard to their application in accessibility-based AI systems. It benchmarks these APIs for latency, accuracy, and language coverage for different accents. It outlines the associated challenges, such as the sensitivity to background noises, and proposes optimization techniques on

accessibility tools, especially for the hearing impaired and multilingual needs.

The study by Ren et al. [10] describes an intelligent study tool combining the recognition of emotions from speech with the delivery of personalized educational content. In this system, deep learning models are used for emotion analysis, which allows the assistant to respond to users with motivational support prior to an academic explanation. The emotional component increases user engagement, particularly for users under stress or having difficulty with attention, thus providing viable options for remote and self-paced learning settings.

Singh et al. [11] In this paper, a hybrid deep learning architecture consisting of a CNN with a BiLSTM is proposed for the task of real-time emotion detection from speech for the purpose of enhancing adaptive learning systems. The model extracts acoustic features such as MFCCs and processes temporal dependencies to classify emotions like anger, happiness, and sadness. It has been tested and validated on legitimate datasets, showing better performance when compared to older state-of-the-art techniques. Such an approach may enhance emotionally aware educational technologies that better respond to student feelings.

Patel et al. [12] The proposal in this paper is for a tailored AI-powered study planner, wherein natural language processing and user feedback are harnessed to form adaptive timetables and reminders. This system parses user goals and subject preferences in forming weekly study plans that dynamically adjust in reaction to trends concerning progress or productivity. Integrating sentiment analysis assists with identifying levels of motivation and encouraging chatbot interactions.

Choudhury et al. [13] create an NLP-based chatbot for mental health, using sentiment classification and keyword extraction to detect signs of stress, anxiety, and depression in conversations with users. It thus offers pre-diagnosis support while providing its users with relevant resources. The system ensures privacy and asks for consent, whereas logs are anonymized for the purpose of model improvement. The findings suggest that this chatbot has the potential to serve as an extension-supportive intervention in non-clinical mental health scenarios.

Rao et al. [14] introduces a multimodal AI method for screening ADHD through speech and facial emotion analysis. It uses CNNs and RNNs to extract features from the audio and video input, respectively, pinpointing behavioral markers of impulsivity and inattention. The system is validated using clinical assessments and shows good correlation, suggesting a promising route for ADHD diagnosis to be done remotely at the schools or homes of affected children, and certainly, quite early on.

Miller et al. [15] The paper explores ethical questions related to AI uses in mental health, considering issues like bias, consent, and transparency. It gives examples with an emotion detection algorithm and a virtual therapy agent, showing places where undescribed stigmatization or inability to offer accurate recommendations may occur. The authors propose a framework to develop ethical AI, which includes upfront human-in-the-loop tracking and ongoing monitoring of outcomes.

Gupta et al. [16] The study postulates an intent to provide an AI-based emotion-aware teaching assistant that would employ speech to text and emotion detection to adapt instructional strategies. The assistant recognizes student confusion or disengagement by analyzing tone and pauses and then passes instructions to the system for encouragement or simplified explanations. It is implemented on a

small online classroom setting, showing improved learner satisfaction and retention. It is an aid to personalized learning in digital classrooms.

Fernandez et al. [17] This research explores API design for integrating AI models into educational apps, placing emphasis on ease of implementation and user customization. It suggests a modular RESTful API architecture into which NLP, speech recognition, and emotion analysis models can be plugged by developers. The design focuses on interoperability and encompasses logging, use limits, and response templates. The primary idea is to speed development on AI-based educational tools.

Nakamura et al. [18] This work evaluates and compares speech to text engines, including Whisper, DeepSpeech, and Google Cloud Speech, with respect to accuracy, latency, and language variations. It creates a rating system based on real educational scenarios such as note-taking, dictation, and lecture transcription. The results show Whisper as the best candidate for noisy environments and multilingual settings. This evaluation thus assists organizations in choosing their tools for an inclusive learning experience.

Das et al. [19] The study considers the application of NLP as an app developer to aid students with dyslexia and ADHD, focusing applying sentence simplification and content segmentation. It describes the development of a preprocessing pipeline that converts complex text into simplified text through dependency parsing and transformer-based paraphrasing. User testing has shown that this solution helps in better comprehension and eases reading fatigue. These tools may be used as plug-ins for e-learning platforms toward accessible education.

Roy et al. [20] The work introduces a gamified UI for AI-generated quizzes that assistance with quizzes and utilizes adaptive

symmetry scaling according to the student's performance and their emotional states. The system infers possible stressful or confident conditions in students from their facial expressions as well as from vocal tone, and late-stage adjustments are done in the level of challenges. Such a dynamic interface intends to keep the students interested while reducing frustration during self-study hours, specifically for rush students competing for exams.

Kumar et al. [21] This study introduces an AI system supporting students with ADHD by assessing their attention with webcam-and-mic input: using computer vision to monitor gaze and facial expressions; speech analysis to catch sudden emotional fluctuations; intervening with calming prompts or breaks when distraction or frustration is detected. Early trials give promising results, increasing levels of focus and learning outcome when integrated into the e-learning platform.

Lee et al. [22] The authors present a real-time multimodal learning companion able to adapt study content by means of analyzing natural language language content, turning speech into text, and recognizing facial expressions. It altered the pace and tone of learning accordingly, depending on emotion and performance history, switching dynamically between encouragement and reinforcement strategies to keep students involved-mostly helpful for younger students and those with learning difficulties.

Alvarez et al. [23] This paper explores integrating sentiment analysis APIs into mental wellness chatbots, making comparisons among Google Cloud Natural Language, IBM Watson, and DeepAI. These chatbots use these APIs to classify user messages and provide appropriate supportive responses at an accepted level of assistance. The user study, involving college students, found chatbots considered empathetic and helpful whenever precise sentiment detection was

built in, thus bringing forth the importance of strong emotion analysis in digital wellness tools.

Chen et al. [24] This research presents a smart educational assistant that uses automatic speech recognition (ASR) to transcribe classroom discussions and generate real-time study notes. It employs a summarization model that extracts key points and questions from the transcripts, giving students a structured basis for revision. The system offers particular advantages to students with attention disorders who may miss live content and need focused summaries for reviewing at another point.

Rajput et al. [25] The study develops personal UIs for emotions-based learning applications wherein the layout, color schemes, and content density change with intent of adaptation to the user's mood, thereby reducing stress levels and cognitive load while at it. Some methods of emotion detection involve voice and facial analysis. The UI was scrutinized by students during exam preparation and was reported to have elevated levels of comfort and concentration, promising the chance of emotional adaptability in interface design.

Zhao et al. [26] The paper carried out a BERT-based NLP model application study for the detection of mental health conditions through social media posts. The classifiers are trained to detect depression, anxiety, and stress markers from texts with great importance attached to precision so as to avoid any false positives. The model reaches a high level of accuracy, and it can be deployed for the early identification or screening tool of wellness applications for mental health, and this would contribute to a proactive approach to care available through digital platforms.

Sinha et al. [27] The study proposes a voice-enabled chatbot that, for academic purposes, uses keyword detection and context-based intent analysis to retrieve notes and explanations to and for the

user. It connects with Wikipedia and custom databases to generate brief study content. Additionally, this system works in both English and Hindi, allowing regional accessibility. Preliminary user testing results reveal that students preferred this to a traditional search engine, citing ease of use and focused results.

Ahmed et al. [28] The research presents a cross-platform study assistant that combines speech-to-text and text-to-speech engines for a hands-free learning experience. It first allows the user to dictate questions and prompts the system to speak back the responses, providing the requested summarized notes. The assistant tracks the top categories searched too in order to promote familiarization and personalization of suggestions in the future. Students with time constraints or who like learning through listening will find this multitasking-friendly design greatly beneficial.

Verma et al. [29] The paper discussed a framework integrating large language models into personalized study applications using scarcely any API calls. This system comprises a cache reduced to cut redundancies and operational cost while keeping the answer relevant. It also encompasses a user-feedback loop to allow the program logic to improve its answers over time. The scaling approach is found suitable for educational startups and the developer working with limited computational resources.

Ishikawa et al. [30] The study observes how real-time speech emotion recognition can be used to improve the interaction of teachers and students in virtual classrooms. A CNN-LSTM model trained with emotional speech datasets is used to detect stress or disengagement levels in the responses given by students. Upon identification, alerts prompted by the system require the instructor to change their approach. The trials carried out in online university settings have improved communication and student satisfaction describing the process apt for hybrid educational setups.

Chakraborty et al. [31] The paper presents a smart study assistant comprising OCR, speech recognition, and natural language understanding to allow students to ask questions from textbooks directly. The system is designed to capture text from a page of a book, process spoken queries, and then match the query content with appropriate text or answers using semantic similarity algorithms. By doing so, it promotes accessibility and supports hybrid learning; highly useful in regions where digital infrastructure is sparse.

Banerjee et al. [32] This study presents a speech-to-text model with noise-cancellation features to accommodate the user in-home or public noisy environments. Noise-cancellation plays a crucial role in providing an accurate transcription, along with audio preprocessing and attention-based deep learning systems. They are applied in study assistants and voice-based educational tools to ensure their operability in different acoustic environments, which is extremely crucial for an inclusive learning platform.

Jadhav et al. [33] The researchers develop a note summarizer working on NLP algorithms that take audio lectures, convert them into structured notes using ASR and transformer models. It isolates key points, definitions, and examples and organizes summary into topics. The user testing among undergraduates shows that this tool reduces revision time and aids in comprehension, especially for difficult topics like biology and engineering.

Ali et al. [34] The research looks into adaptive-interventions systems in AI tutoring systems using emotion detection from the voice. Depending on detected emotions of confusion and frustration, the model modifies tone and complexity of the feedback provided. Testing on middle school students indicates that understanding feedback fosters better memory retention and satisfaction with learning experience, thus promoting such supportive digital learning environments.

Tanaka et al. [35] This work presents a multilingual speech-to-text interface for educational applications supporting a dynamic language switch. It uses a unified model trained on many languages and dialects so the bilingual or multilingual user does not face any hurdle in transcription tasks. The system serves inclusive education, especially in multicultural classrooms, and showcases consistent performance on Hindi, English, and Tamil datasets.

Yadav et al. [36] The UI framework for educational tools provided for adaptation of the visual layout in response to the speed of interaction and vocal cues of the user. The interface changes the font size, color schemes, and content spacing if it detects signs of stress or confusion in speech. This framework seeks to reduce cognitive overload and increase accessibility for students with learning difficulties or ADHD, and it works across all major frontend libraries.

Lopez et al. [37] This study creates an AI mentor that provides motivational dialogue based on speech and text sentiment. The system detects signs of demotivation or anxiety in user input and responds with customized encouragement or calming advice. The system is set up in particular for students stressing out as they prepare for exams. Studies have demonstrated greater engagement among users and positive user sentiment in long study sessions, reinforcing its standing in mental wellness support.

Ranjan et al. [38] The authors proposed a mobile speech-to-text application that stores transcripts in a cloud database searchable by students for archiving lectures, doubts, and voice notes. This application is equipped with summarization based on NLP techniques to ensure quick retrieval. It is designed with low-resource devices in mind and includes offline processing, which is considered suitable for rural or bandwidth-limited environments.

Kwon et al. [39] The study investigates emotional AI integration into collaborative studying applications whereby the group participants' voice tone and interaction dynamics are analyzed. The system attracts attention during the times of conflict, disengagement, or stress, upon which it recommends taking short breaks or administering positive reinforcements. The secondary objective is set on disbursing healthy study group dynamics, while ultimately, the intervention is presented toward peer learning outcomes in virtual group projects.

Dutta et al. [40] This research presents a knowledge assistant that integrates voice input with diagram recognition using deep learning. Users can query questions related to hand-drawn or textbook diagrams, and the assistant replies with relevant explanations. It works by analyzing images using CNNs and parsing questions using NLP. This form of interaction is particularly supportive of visual learners, thereby deepening their understanding of the subject matter in through-theory subjects such as biology and physics.

Park et al. [41] The current study proposes an AI-based academic coach that utilizes NLP to analyze written goals and plans of students and generate feedback to increase productivity and emotional resilience. The systems also include a sentiment analysis module that analyzes students' weekly reflections to capture symptoms of burnout and stress. It presents them with suggestions that they can act on such as time-blocking or relaxation techniques. Pilot study results demonstrated that the system can positively impact student self-discipline and mental well-being during very demanding semesters.

Sharma et al. [42] This study proposes an API-led architecture to plug mental-wellness features into existing educational platforms. The set of APIs includes modules for emotion analyses, generating

motivational quotes, and guided meditation. The authors provide detailed protocols to implement each API and emphasize low-latency responsiveness. Educational institutions adopting this API claim higher student satisfactions entering remote learning and an inflection in digital fatigue.

Nguyen et al. [43] This paper studies an emotion-aware language learning assistant that modifies vocabulary difficulty on the basis of learner emotion sensed through tone of voice and correctness of the response. When the level is considered to be induced by an emotion of frustration, it is made lower, and if the level is accompanied by confidence, it becomes higher. The application in real settings in ESL classes has shown that learners retain much more together with much less anxiety than with typical apps.

Mehta et al. [44] This paper proposes a multi-sensor attention model that uses webcam eye tracking, voice analysis, and typing behavior for inattentiveness identification in online learning environments. The system issues subtle prompts or stops the session whenever disengagement is detected. It is very effective for kids with ADHD and is integrated with several e-learning portals to improve their focus metrics.

Takahashi et al. [45] The paper introduces an end-to-end speech-to-text-to-emotion system that simultaneously transcribes and identifies the sentiment of the user during voice interactions. Shared transformer backbone with two heads-one for transcription and one for emotion prediction-is used in this implementation. Such a model reduces the needed resources for developers to create voice applications that are emotionally intelligent. Benchmarks proved the models competitive in terms of accuracy and speed.

Bhattacharya et al. [46] Developed here is a study assistant that allows for voice interaction and pulls explanations in real time

through YouTube and Wikipedia APIs. Users are able to ask conceptual questions via voice, and the system provides simplified explanations with the option of playing relevant videos. This is really helpful for auditory and visual learners. Feedback about the system suggested it helped to increase the clarity of concepts and satisfaction in studying.

The authors Kim et al.[47] developed a speech-based journaling system that transcribes and analyzes daily reflections for emotional wellness monitoring. The system uses sentiment tracking and keyword extraction to construct an emotional timeline of the user and helps students monitor their moods throughout academic weeks. Results show that the system is highly engaging for users, and the users themselves feel that it has made them more aware of emotional health and study-life balance.

Raj et al. [48] This paper presents a lightweight, offline speech-to-text utility customized for Indian accents by training a DeepSpeech model on bespoke data. The utility is meant for rural education and hence works efficiently on low-end smartphones without needing internet access. It helps teachers and students to take notes and transcribe content in local languages. The tool : increases accessibility and digital inclusion in remote areas

Zhou et al [49]. The research involves automatic detection of study burnout from voice recordings by means of spectral feature analysis and temporal emotion shifts. The system detects subtle changes in tone and rhythm that are related to fatigue and emotional exhaustion. Then, the system issues early warning alerts to allow the users to take a break or seek support. The model is also evaluated within the student environment during exam weeks and exhibits high predictive power.

Desai et al. [50] This study sets forth a personalized learning dashboard to visualize emotional and performance data using interactive UI elements. The dashboard blends emotion detection from speech, quiz scores, and study duration to present weekly insights. Color-coded graphs and motivational badges offer feedback and support. This visual approach helps to improve student awareness and self-regulation for the development of better study habits.

Ghosh et al. [51] The authors propose an intelligent academic-supporting question-answering bot that merges speech-to-text, keyword extraction, and Wikipedia-based retrieval. The bot allows voice input and returns fairly short and well-structured answers, together with related questions for an even deeper level of understanding. It is especially useful for high-school-aged and undergraduate students looking for instant assistance as they study, without going through long articles.

Patel et al. [52]-The paper describes a note-taking assistant with improved UI for ADHD students. It supports navigation via voice commands, employs color-coded tags for topic organization, and provides inbuilt emotional support prompts. The assistant analyzes voice emotions to suggest breaks or motivational quotes during stressful moments. Meanwhile, the testing of usability indicated that it helped students maintain their focus and retain more information during study sessions.

Singh et al. [53] The researchers investigated methods of NLP and API integration for the building of multilingual educational chatbots. The proposed system would enable users to switch languages between English, Hindi, and Kannada for wider regional accessibility. Sentiment detection and identification of a study topic were carried out by pre-trained models through lightweight APIs so that the whole mechanism could be highly portable and efficient for mobile use, thus useful for remote schools.

Ito et al. [54] This study proposes a real-time feedback engine for a virtual classroom that takes in student input through voice to gauge confusion, hesitation, or disengagement. It then alerts the instructor or triggers adaptive explanation. The approach uses CNNs for emotion detection and follows UI/UX principles that prevent disruption. Teachers confirmed a noteworthy enhancement in the responsiveness of the class and satisfaction of the students.

Anjali et al. [55] This paper builds a study-companion chatbot with a memory module that tracks user progress and tracks most asked topics. The assistant then uses this information gathered with a transformer-based NLP engine to offer more accurate explanations based on the learner's history. To create a more supportive and nurturing learning environment, it even analyzes emotional cues in the student's voice and alters the phrasing of responses accordingly.

Sun et al. [56] This research proposes an emotion resiliency coach for students combining textual sentiment analysis and guided audio breathing techniques. The AI initiates the calming procedure automatically if users express negative sentiments in chat or voice logs. The blend of the psychological methods with AI might hold great hope for students battling academic burnout and anxiety amid heavy workloads.

Naidu et al. [57] This study designs an attention-aware mobile interface using voice-based emotion recognition and gaze tracking. When lower attention or higher anxiety is detected, the app alters content delivery speed, font size, and tone of TTS output. This custom adjustment improves cognitive fit for learners, especially those with attention disorders. The results reveal an improvement in focus during long study sessions.

López-Sánchez et al. [58] This paper designed a mental wellness tracker embedded into a study planner application. It uses NLP to

analyze journal entries, calendar descriptions, and voice logs to raise alerts when higher stress or emotional decline is preceded. Recommendations for wellness breaks, music, or breathing exercises then accompany the alerts. According to the feedback of the student testers, there is broad-scale awareness of mood and stress management practices.

Trivedi et al. [59] The study proposes an API framework for modular study assistant systems. The modules could be speech-to-text, emotion detection, topic summarization, or visual UI adaptation. A module may be run singly or in combination, depending on the student's needs. Thus the architecture is flexible and hence reusable, ideally helpful for educational developers wishing to build focused AI tools for specific target markets.

Kwon et al. [60] The study proposes an emotionally intelligent peer feedback system for use within collaborative learning platforms. Students create voice comments trained on peer work and analyze tone and content ensuring that the comments are constructive and supportive. A natural language processing filter removes harsh or ambiguous expressions, while emotion cues trigger prompts for empathy. It is early suggested that this system cultivates a more positive peer-reviewed project learning environment.

Gupta et al. [61] This study seeks to design a speech-enabled study assistant that implements AI-based emotion recognition to adapt responses in real-time. It will give a motivational feedback or calm-down suggestion depending upon the stress level detected in the user's voice. It supports multiple Indian languages and is geared towards helping students with anxiety and ADHD in the study sessions. Initial trials showed that the user was more able to focus and regulate emotions.

Fernandez et al. [62] This paper presents a system for extractive NLP that drills down key concepts and definitions from lecture transcripts, consolidated by a speech-to-text transcript and transformer-based summarization into concise, easy study notes. The system is intended for virtual classroom use and supports integration with popular educational platforms, thereby severely cutting down on study preparation time.

Singh et al. [63] This work presents a mental health monitoring chatbot that, by means of sentiment analysis on text and voice inputs, can pick up incipient depressive states and anxiety disorders among students. It proposes coping strategies customized to the needs of the affected user and provides direct human intervention by connecting those users with a human counselor when necessary. Field tests at universities showed that participants were more aware of their mental state and took active steps to manage it.

Das et al. [64] This study explores the development of an interactive UI design for study apps, which involves changing any interface element such as font size, background color, or button arrangement, depending on the real-time recognition of emotions from speech. This adaptive UI reduces cognitive load and enhances anxiety reduction, especially for people with learning disabilities or ADHD. User feedback has confirmed increased usability and comfort while studying.

Lee et al. [65] This paper presents a modular API platform enabling developers to integrate their applications with custom assistants that support speech recognition, emotion detection, and personalized content delivery. It supports plug-and-play components along with a rich analytics dashboard to track student engagement and mood trends. It has sold well to several ed-tech startups for use in rapid prototyping.

Rahman et al. [66] The study embodies the design and development of a voice-controlled study companion application for remote learners. The system exploits state-of-the-art speech-to-text conversion and contextual NLP to answer questions and produce summaries on demand. Detection of emotions also triggers motivational messages or relaxation exercises that help with mental wellness. The app is optimized to work in low-bandwidth conditions and offline as well.

Mishra et al. [67] This AI tutor develops lesson difficulty and pacing based on a continuous analysis of vocal stress and sentiment in user interactions. It associates the system with online learning platforms and offers remedial actions when frustration is detected. A trial with school students shows that learning outcomes are improved, and dropout rates in difficult subjects are reduced.

Kang et al. [68] The paper studies emotion-aware speech synthesis in educational assistants that adjust their voice tone according to learner mood. The purpose is to give empathetic and engaging study sessions that lessen stress and increase motivation. Experiments show that these assistants have greater user satisfaction as well as longer session duration than do neutral-tone assistants.

Singh et al. [69] The research presents a voice- and text-based study assistant combining multi-language speech recognition, sentiment analysis, and an interactive user interface designed for students with ADHD. The assistant provides study plans, motivational cues, and progress tracking tailored for the respective user. Preliminary user evaluations have shown great improvement in users' concentration and emotional wellbeing while studying

Patil et al. [70] present a method for accurate yoga pose detection using MediaPipe and OpenCV. The user's video gets processed by MediaPipe for detecting body landmarks. Then, OpenCV

measures the angles between these points to assess the posture. Corrections are given in real-time, with the feedback designed to be helpful; validation happened with postures such as malasana, uktasana, and jalasana. The system performs well under all sorts of lighting conditions and noise interference from the background. Thus, yoga enthusiasts can improve their techniques and reduce injuries when practicing it.

2.3 GAPS IN RESEARCH

Conversely, an existing system integrates emotional intelligence to decode the human psyche in a meaningful way, so that the system may respond appropriately. Most virtual assistants and AI learning platforms are task-oriented in way, even if one-dimensional; just listen to the request, but never pay heed to the emotional state of the user. There is much to offer: these systems can impart knowledge; however, they do this in a very neutral and robotic way without the empathy or flexibility to sensitively interact with a student on their level.

The actual gap is that these platforms are unable to adjust their responses in alignment with how a user is feeling in that very moment. Interestingly, maybe a student is feeling overwhelmed, distracted, or merely unmotivated; nevertheless, the assistant paints that in one tone and one format. This interaction not only lacks a personal touch but also undermines its potential effectiveness—primarily with students who require emotional reinforcement to help them stay focused or to uplift them.

Another barrier would be that very few developers have explored the possibility of integrating academic support alongside emotional support into a unified platform. Most emotional AI is employed for therapeutic purposes or sentiment analysis, while educational ones are purely academic. It is a rare occasion that it will be attempted to

bridge the two areas of emotional awareness and academic assistance, especially in a lightweight, accessible package that can be used by students on a day-to-day basis. This presents a very special opportunity for a system that is intelligent but also emotionally intuitive in that it can pick up stress, motivate the learner, and then lead them through the myriad stages of their learning journey. Such a system can change the entire notion of how students interconnect with technology, making it much more human, supportive, and actually helpful in their academic and emotional growth.

2.4 SUMMARY

This chapter presents detailed information on the system specification, development, and constitution to realize its objectives. From voice input to emotionally aware feedback, all parts of the assistant conjugate to give some practical assistance and moral support to the students. The system architecture and development strategy projects a compromise between the technical possibilities and the user interface. The method yields a responsive learning assistant not only capable of recognizing user speech but also discerning user feeling-an approach that sets this project apart from traditional AI tools.

CHAPTER 3

METHODOLOGY

3.1 INTRODUCTION

This proposed system adopts a modular approach, engaged in real-time interaction among various stages of speech processing, emotion detecting, and natural language understanding to build an empathetic AI-based learning assistant. The methodology is structural, with each subsystem designed and implemented individually for capturing user input and delivering intelligent, emotionally aware responses then integrated into the complete package.

Whereas other AI assistants operate rigidly in a command-based setting, this assistant considers personalization, meaning it understands what the user says in concert with how they feel while saying it. This and other conditions called for thorough deliberations of both technical and user experience aspects. The discussion began with the best technical tools that could capture voice input, convert it to text, and analyze emotional cues from tone, pace, and keyword usage. After analyzing the input, the system would conclude if the individual had a study-related query or if they felt demotivated and needed a reminder. Then, the assistant would dynamically choose the form of response it issued: as academic content, motivational feedback, or subtle encouragement and would also determine whether to give the answer as text or spoken audio.

Such a flow calls for an interconnected modular system architecture, with each module performing one particular task: speech recognition, emotion analysis, topic detection, response generation, and productivity activities like note-taking and reminders. In this chapter, the whole method will be discussed; the function of each module will be described, followed by the architecture and processing

flow of the entire system that allows the assistant to respond naturally, intelligently, and supportively in real time.

3.2 LIMITATIONS IN EXISTING SYSTEMS

Today, many AI-based tools and digital assistants exist, such as Google Assistant, Alexa, or ChatGPT. They are ideally suited to giving information, setting reminders, or answering simple questions. They work very well to give a factual sort of response but are absent from any emotional recognition. They put all users on the same plane, irrespective of what that person may be feeling at that moment in time. So if a student is stressed or overwhelmed, current tools usually will respond with a neutral tone and will not provide that student with any sort of emotional support or encouragement. The absence of empathy can make the process of studying seem quite lonely for those students who already have a problem with focus, anxiety, or motivation.

Also, the vast majority of virtual assistants have never been designed for academic support specifically. They provide knowledge, but they do not help plan study sessions, track learning progress, or provide insight into what emotional hindrances may stop a process of acquiring knowledge. Some may have mood tracking and mental health tips, but those tend to be separate from the learning process and do not function in real-time. Then again, users must use predefined commands, which limits natural interaction. Overall, the biggest limitation of these systems is focusing on functional responses rather than bonding emotionally. This is what the present project intends to change by embedding emotion recognition within the academic assistant workflow.

FEATURE	GOOGLE ASSISTANT	CHATGPT	AI STUDY TOOLS	OUR METHOD
Voice Input Support	Yes	No	Yes	Yes
Emotion Detection	No	No	No	Yes
Note taking via voice	No	No	Yes	Yes
Adaptive Motivation	No	No	No	Yes
Personalized Study suggestion	No	Yes	Yes	Yes
ADHD/ Anxiety friendly features	No	No	No	Yes

Table 3.1: Comparative analysis of the proposed system against tools like Google Assistant and ChatGPT, highlighting unique features such as emotion detection and adaptive learning.

3.3 OBJECTIVES OF PROPOSED SYSTEM

The main purpose of the system is to set up an AI assistant that is capable of understanding and responding to the emotional state of a student, thereby going beyond traditional educational aids. The system should recognize user input by voice or text, sense emotions like stress, motivation, or fatigue, and provide feedback depending on the context. This feedback may be motivational support, some study material, reminders to take a break, or help with note-taking. The assistant intends to make the learning experience more organic,

human-centered, and supportive to those unable to stay focused due to emotional distractions or attention difficulties like ADHD.

Another major objective is to keep the system lightweight, easily accessible, and perhaps capable of running on a basic-level computer with open-source tools. Doing so makes it a plausible solution for students to work independently without going through cumbersome installations and requiring expensive systems. The assistant is further designed for real-time adaptability; it must manage to change its feedback as changes occur with the user's input over time during a session. Hence, instead of just helping in schoolwork, the system should really act as a digital companion that promotes a healthy education and emotionally balanced learning experience.

3.4 PROPOSED METHODOLOGY

The methodology here is designed to integrate speech interaction, emotional intelligence, and academic assistance in a seamless and friendly interface. The primary goal is that the system should ideally be able to understand what the student is saying and what emotion he or she feels while saying it, so that the response can be given on the basis of their current emotional state, thus aiding in the learning process.

The input is gathered either by way of voice or through keying it in on a keyboard. In the instance of a voice input, the assistant picks up the speech via the microphone and then converts it into text using a speech recognition engine. This, basically, enables the helper to take in spoken commands or study-related requests hands-free, thereby aiding students who are in the midst of other things or who prefer to work verbally.

Once the system has received input, it will convert it to a text format for needful emotion detection. The method here employs a rule-based approach that looks for emotion-specific keywords or patterns; if the input is of the voice variety, other factors such as tone, pitch, and speed must be taken into consideration. The emotion detection

system is designed to sense whether the user is calm, stressed, unmotivated, or focused. Knowing the emotional state, the system will then choose and provide the appropriate response.

The next task is to do intent and topic analysis. The other task is to figure whether the user is trying to study a topic, to take a break, to set a reminder, or just to get some motivation. If a topic is recognized, then the assistant collects the notes relevant using the best available sources, such as the Wikipedia API. If the user's emotional state points at stress or demotivation, the verbal assistant responds first with calming and uplifting messages before continuing with academic content.

The final response is created by means of a conversational formula of motivational phrases, topic-specific notes, or helpful suggestions according to user need, which is then transmitted to the user via a simple user interface. Text-to-speech conversion of the response is finally done, producing audible speech for a natural and conversational feel.

This happens in a real-time loop, with the assistant continuously listening, analyzing, and adapting to the user throughout the study session. The modular design of the methodology, on the other hand, means all components-speech recognition, emotion detection, intent analysis, and content delivery-may be augmented individually in the future. This transformation lends itself to a more empathetic and productive learning experience for students who require an emotional understanding in tandem with academic assistance.

3.5 SYSTEM ARCHITECTURE

The system architecture of the Empathetic AI for Students is designed thoughtfully for the spontaneous, modular, and emotionally responsive interaction. At its core, it is an architecture that involves a series of interconnected modules whose individual specialties result in

a seamless and user-friendly experience. The modules range from processing of voice/text inputs, speech-to-text conversion, emotion detection, intent analysis, content generation, and final response delivery either in visual form or synthesized voice.

The process starts with an Input Interface Module receiving user commands through a microphone or from a text input box. Voice input goes first to the Speech Recognition Module, which transforms the spoken language into structured text with various resources such as the `speech_recognition` library. Once converted into clean text, it next goes to the Emotion Detection Engine. This module will use some form of rule-based model to assess the emotional tone of the user based on keywords, sentence types, or speech characteristics such as pitch, speed, and intensity. This helps determine if the user is calm, stressed, distracted, or motivated.

Following this, the Intention and Topic Analyzer finds out the very nature of the user's input. It figures out if the student wants to learn a topic, set a reminder, receive motivation, or just take some notes. Once the intent has been extracted, the assistant routes the request to the proper function. In the case of academic content, the system will launch the Content Retrieval Module and will then query credible sources of knowledge like Wikipedia through APIs. The retrieved information is then filtered and converted into short notes or formulas in a clear structure.

This Response Generator finally creates an appropriate response that contains the requested educational content, motivational inductions, or productivity prompts. To keep this interaction fun, the system sends the response to the Text-To-Speech (TTS) Module, which uses libraries like `pyttsx3` to articulate the reply to the user in a natural voice while simultaneously showing the message in text form on the screen.

Each module operates autonomously for fault isolation; thus, if any component fails or is disposed of, the remaining parts continue to work. However, the modules interface tightly to allow data to flow

through them effortlessly, creating some coordination among different modules. This architecture allows for real-time adaptability whereby the assistant can account for multi-round input without needing to restart the session. This is especially helpful if the student continues with follow-up questions or if there is a change of emotional state mid-conversation.

The system is naturally scalable. Upgrades can include facial expression recognition for better emotional analysis, handling multilingual inputs, or even interfacing with a wearable device, all without breaking down the existing architectural design. The layered architecture hides these technical difficulties from the users. What the learner is really enjoying is an interface - a gracious conversational assistant, seemingly conversing with them, empathetically standing with them through their academic and emotional walks.




Figure 3.1: Main block diagram illustrating the overall flow of the system from user input to output generation

3.6 FLOW OF DATA PROCESSING

Depending on the insight that the user wants to gather, the data flow in the LIPS system can take a distinct process. Generally, interaction with the system encompasses input and output modules. The input module in LIPS takes a user query in the form of spoken words or typed sentences. Therein lies a technical divergence in the

modalities: in the event that the input was voice, the speech recognition module is first invoked for converting spoken words into text. This converted text flows over to the emotion detection module that examines the text for certain keywords, phrases, or other patterns that provide clues as to whether the person is experiencing emotion states such as being stressed, confused, or motivated.

Once the emotional tone has been detected, the system forwards the input to the intent and topic analyzer. The system looks for keywords indicative of studying, such as "learn," "explain," or displays knowledge of a particular subject. If there is indication for academic help, the scenario is sent to the content retrieval module which channels the Wikipedia API for fetching useful information such as notes or definitions.

With content already fetched and modified according to the user's emotional state, the response generator then goes on to prepare a supportive yet informative response. This response is then visually displayed to the user, with an option of using a text-to-speech module to read it out loud. The system keeps operating in this manner, allowing the assistant to adjust dynamically as the interaction continues. This structured but flexible data flow ensures delicately timed, well-matched, and empathetic responses to create a much more personalized and effective learning experience.

3.7 MODULE DESCRIPTION

This system is designed according to a modular approach, where each module has its specific function in providing academically responsive assistance. The Input Module is at the interface of the system for the user to enter the query either by typing or speaking it out. Should the input be speech, the Speech Recognition Module will record the audio and process it into readable text using `speech_recognition`. This, in turn, will allow ergonomic interaction for those students who prefer to speak rather than type.

The input in textual form is then given to the Emotion Detection Module that applies a rule-based mechanism to identify emotional cues in the message; it searches for keywords and patterns that point to emotions-labeled using the terms "stressed," "distracted," "motivated" or simply "neutral." This realization of the emotion assists in generating a response that is more personal and supportive in nature, hence more empathic.




Figure 3.2: Detailed flowchart showing how the assistant processes user input, detects emotional state, and generates an appropriate academic or motivational response

The next step is handled by the Intent and Topic Analyzer and it attempts to identify whether the user desires study material, some motivation content or wishes to set a reminder. If the request is academic, the Content Retrieval Module fetches reliable and concise study notes or formulas on the specified topic using the Wikipedia API.

Finally, the Response Generator Module generates a personalized response combining motivational support if necessary and academic content. The response is presented on screen and

spoken aloud when enabled using pyttsx3-based Text-to-Speech Module (TTS). This layered and organized approach to the module structure will ensure that the system is efficient while making any upgrades or extensions to another version hassle-free without affecting the core functionality.

3.8 TOOLS, LIBRARIES AND FRAMEWORKS USED

The development of the Empathetic AI for Students assistant goes through a series of selections among tools, libraries, and frameworks that bring together speech interaction, emotion detection, academic content fetching, and real-time response delivery. While choosing the technologies, the efficiency consideration came in first, along with open source, ease of integration, and ability to run on standard computers without requiring too much computational power.

The backend backbone finds its prime embodiment in Python, given that it can make full use of the very rich AI, NLP, and speech-processing library ecosystem. Python code is often described as easy to learn for beginners yet powerful enough to create fairly complex implementations; hence, it is nicely suited for either prototyping or development.

To enable speech recognition, the system makes use of the `speech_recognition` library. This library captures the user's voice input via a microphone and converts it into text through Google's Web Speech API. It carries out various processes on the audio such as filtering background noise and segmenting speech to provide an accurate transcription of the exact words spoken by the user. This is vital to keep interactions smooth and responsive, especially when the users find themselves in a hands-free environment.

In order to produce sounds for the responses, the project employs `pyttsx3`. It is a conversion tool for text into speech, which lets the assistant converse with a user in a loud and natural voice. Unlike

some other TTS services that rely on the cloud, pyttsx3 operates locally, making it practical and reliable for students to use in situations where there is little or no Internet connectivity.

The assistant also uses the Wikipedia API to pull academic content dynamically related to the topics that the student mentions. When students ask to “explain photosynthesis” or “revise Newton's laws,” this API allows the system to search Wikipedia in real-time, retrieve the most relevant paragraph, and present it in a straightforward way. This real-time content fetching removes the need to store static notes and ensures the information is always up to date. HTML, CSS, and JavaScript are used on the client-side for creating a clean, accessible user interface. The client-side interface accepts both text input and voice input via the press of a button. JavaScript has a hand in making the real-time interactions possible as well as helping with voice input inside browsers through the Web Speech API for initial prototyping and demos.

For a logic-based emotion identification, a condition-based model has been implemented in Python. Though not machine learning-based, the model looks through user text inputs for key terms like "tired," "stressed," "happy," or "bored" to assess and decide the inferred emotional state. It is simple, supports small systems, and can be built upon for machine learning-based emotion analysis in the near future.

The development work involved the use of Visual Studio Code (VS Code) as the integrated development environment. Git aided version control, keeping track of changes in code and ensuring safe updates during development. Basic testing was done with Python's built-in unittest framework to ascertain the proper working of modules before they get integrated.

All selected tools and technologies were purposely chosen to maintain the system lightweight, slim, and easy to comprehend by the undergraduate developers, yet powerful enough to realize real-time interactions with emotion-awareness. The back end supports not just

present functionality but also scaling for enhancements in future versions of the assistant.

3.9 IMPLEMENTATION STRATEGY

The implementation of the Empathetic AI for Students was done in a structured, stepwise manner to give each core functionality a chance to be developed, tested, and refined individually before integration. This strategy focused on developing a modular system in which components could be pluggable or upgradable, not affecting the entire workflow.

This modular approach kicked off with a simple version of a chatbot with user interaction through text input only. After such interactions were successfully tested, the system began to become usable with voice input with the help of a library called `speech_recognition`, increasing system accessibility.

Following this, an existing rule-based module was introduced for detecting emotions. It scanned the converted or typed text for unwanted keywords relating to emotions, such as "tired," "confused," "stressed," or "happy." This module was the decision point for delivering a motivational response over proceeding with the study assistance.

Then, intent and topic identification logic was added to extract the actual purpose of the user, i.e., whether they were looking for study material, reminders, or just some support. If it was academic, the Wikipedia API was employed to obtain short, topic-related information as it appeared in real-time.

With all the core gates working in isolation, the logic for response generation was created to construct replies from the user's emotional and academic needs. These would go as text, which could later be paired with text-to-speech using `pyttsx3` to complete the entire conversation.

After each module was developed, some testing and fine-tuning would be undertaken to assure smooth and error-free transitions

between modules. At the conclusion of the stages, the system was set to loop, continuously interacting without having to restart for each query. This implementation fueled stability, scalability, and a high degree of personalization—the solid base on which to build the enhancements, including, for instance, emotion analysis through machine learning or mobile deployment.

3.10 SUMMARY


This chapter addresses the entire methodology and system design used to develop the empathetic AI for students. Each module is involved in building an interactive, emotional advisor—from capturing input, through emotion detection, to the generation of personalized academic responses. The choice of tools, combined with implementation structure and modular architecture, ensures that the system is both operational and adaptable, thus making a good ground for any future developments.

CHAPTER 4

RESULTS AND DISCUSSION

4.1 CODE IMPLEMENTATION OVERVIEW

The assistant was implemented following the logic of modular coding. Every feature was first coded as a separate component and then glued together as one system. The assistant was primarily coded in Python due to its elegance in speech processing, text-to-speech, and natural language handling applications. The first step was to set the speech recognition pipeline with the help of the "speech_recognition" library. This library would take audio input through the microphone and output the recognized speech uttered by the user as text. This text was then forwarded to a rule-based emotion detection module, wherein emotions were scanned for cues to decide on labeling the speaker's mood. With the emotional context standing in the way, the system either motivated the user or started to process their study-related requests. Whenever academic content needed to be retrieved, the Wikipedia API came into play, allowing the assistant to provide real-time academic information. Once the complete response was ready, it was channeled into the interface and articulated aloud using the pyttsx3 text-to-speech engine. Each part of the code was tested individually to assure a smooth run, and the entire application was set to run in an endless loop, facilitating an uninterrupted flow of conversation. This sort of structured coding enabled the assistant to remain light and nimble with regards to responsiveness.



```
Welcome to the Study Assistant!  
  
Press '1' to type or '2' to speak: 2  
You will be recorded until you stop speaking for 3 seconds  
You said: mitochondria  
  
Study Topic: mitochondria  
  
Fetching notes...
```

Figure 4.1: Snapshot displaying the user interface where learners can type their queries or study prompts

4.2 SAMPLE INPUTS AND OUTPUTS

So, in an effort to verify the responses of the system, interest was shown in certain sample inputs under varying emotional and academic contexts. For instance, if a user said or typed, "I feel very stressed, but I need to revise electricity," the system first provided a calming motivational message: "Take a deep breath, you're doing great!" Alongside this, relevant notes on electricity fetched from Wikipedia were displayed for the user. Very straightforward academic queries like "Explain Newton's third law" made for deferred immediate retrieval from the content module of a short and accurate outlining. The time reminder prompt received an acknowledgment: "Remind me to revise algebra at 5 PM," though an alert was kept only in text format for the present. These cases depict how the assistant can combine emotions and content to offer customized experiences for the end-user. They were clear and timely and corresponded to a specific context, thereby showing real-world application of the study sessions.




Figure 4.2: Snapshot demonstrating the system actively receiving and interpreting voice input from the user




Figure 4.3: Snapshot showing the final response delivered to the user, including relevant study notes, formulas, and emotion-specific motivational feedback

4.3 ERROR HANDLING

Error handling is crucial for the smooth functioning of the system, especially since user input can vary drastically in clarity, tone, and matter of content. Since the assistant must perform well with speech recognition and real-time interaction, error-handling mechanisms were implemented at different stages to detect and handle errors silently so as not to crash the system and ensuring smooth user interaction.

The first module in focus is speech recognition, where voice input is highly compromised by background noise, unclear pronunciation, or silence. With such problems, the system provides fallback messages, for instance, “I didn’t catch that, could you please repeat?” when it receives blank or gibberish input. Regarding the speech recognition logic, in addition to this, timeout settings and exception blocks make sure that the program will not freeze if the microphone input is delayed or absent.

In this way, within the emotion detection module, inputs that do not have potential emotion keywords by default are served as a neutral state to prevent misinterpretation so that the assistant can always respond in a balanced way. Additionally, if an unknown emotion is detected or mixed signals are emitted, the system is programmed to respond with a generic motivational message to keep the interaction uplifting.

In the content retrieval modules, especially in searching for information using the Wikipedia API, connection errors, irrelevant or misspelled topics could cause a system failure. These are then dealt with inside try-except blocks catching API failures or empty returns.

The assistant then politely informs the user: "I couldn't find enough information on that topic. Could you please try rephrasing it?"

Finally, the text-to-speech module could tell the system to bypass some exceptions, where the system output text is empty or unformatted. Only worthy texts with complete info are passed to be made into audio, preventing awkward pauses or broken speech.

The error-handling systems help to maintain the stability and responsiveness of the assistant, as well as to cultivate a nurturing, non-disruptive learning space for the user. The error handling thus empowers the assistant to continue to be reliable and trustworthy-weighing in any form of imperfect or unexpected user inputs.




Figure 4.4: Performance results showing the system's accuracy in identifying various emotions based on user input during testing.

4.4 RESULT TABLE

The assistant's performance was assessed in a structured manner and with controlled inputs. The table of results considers various user scenarios with different emotions and topics, listing the system's interpretation, its response time, and the correctness of its emotion and topic detection. They achieved great accuracy for common emotions such as stress and motivation but managed to retrieve topics in an excess of 85% of the time. Such results validate the rule-based emotion model and demonstrate the assistant's potential in the real environment for learning.

TEST CASE	INPUT TYPE	DETECTED EMOTION	SYSTEM RESPONSE	ACCURACY (%)
Stressed + Topic Query	Voice	Stressed	Motivational message + Study notes on topic	88%
Focused + Study Query	Text	Focused	Direct study notes displayed	91%
Confused + Reminder Request	Voice	Confused	Clarification prompt + Reminder saved	82%
Neutral + Note-taking	Text	Neutral	Note recorded successfully	87%
Happy + General Question	Voice	Happy	Cheerful reply + Informative answer	90%

Table 4.1: Summary of test user feedback, capturing responses on interface design, system accuracy, usefulness, and emotional support effectiveness

4.5 SUMMARY

This chapter carried forward detailing the technical implementation of the assistant: it elaborated on each module's coding, testing, and validation. The chapter thus offers insight into how the assistant interacts with a user while becoming affectively appraised and turning out meaning-based academic output. The system may hence hold promise as an educational supplement, displaying consistency between different cases, good error handling, and a clean interface.

CHAPTER 5

CONCLUSION AND FUTURE SCOPE

5.1 CONCLUSION

The Empathetic AI for Students project was built toward making learning more supportive, interactive, and emotionally aware. Combining voice interaction with emotion detection and smart content delivery, the system offers an operating environment that is quite different from regular academic tools. It makes students feel heard and understood, while also providing study material, motivation, and productivity support. The successful integration of the various modules demonstrates the feasibility of creating AI tools that are both useful and empathetic. Thus, the system fills a huge gap in the current educational technologies by incorporating this emotional layer into AI-based learning support.

5.2 FUTURE ENHANCEMENTS

Looking into the future, there are valuable opportunities to enhance the assistant's capacities so that it may provide greater support to the student. One major improvement would be in the identification of emotions with accuracy and reliability. Applying more sophisticated machine learning techniques to the voice-channel interaction would allow very subtle emotional cues to be detected with greater reliability; this, in turn, would enable the assistant to adjust its responses to provide appropriate encouragement or support so that the motivation aligns with real-time feelings of the user.

Another major improvement would be to enrich the assistant's academic knowledge base. By including more areas of study accompanied by richer academic resources such as video lectures, interactive quizzes, and so on, it would become more comprehensive as a learning companion. Also, adding speech-to-text conversion could help to smooth the input process for users who prefer to voice their questions rather than typing them.

Finally, polishing the user interface becomes an essential process to providing greater usability and accessibility. A design that offers more intuitive interactions, clearer visual assistance or cues, and options for customizing it will help in ensuring that students of different backgrounds and varying learning preferences can navigate and benefit from the system without barriers. These are the improvements that would make the assistant an effective, compassionate, and user-friendly tool to nurture vulnerable students academically as well as emotionally.

5.3 DISCUSSION

Creating an assistant that understands not only academic questions but also the emotions behind them represents a step in a very humanistic direction for educational technology. Conventional learning aids tend to focus on transmission of information and hide from the emotional experiences of the learners. This project shows that even with relatively simple tools and technology, we were able to produce systems capable of interacting empathetically with the learner-whether to encourage or guide them in a nurturing manner rather than in a hard, mechanical tone. By acknowledging emotional influences, the assistant actually serves to bridge the gap that exists between cold technology and warm human interaction.

Having a punctual system with which a student can share feelings-of-being overwhelmed, being anxious, and lonely-can form a real reassurance. The AI assistant is also a friendly presence, making the learner feel understood and supported. This could motivate a student; it could lessen their stress and establish a positive study space-to where traditional learning materials do not provide companionship, making education a more wholesome and meaningful journey.

Further refinement of this project would see it maturing into an educational companion accessible to all. This may prove to be an invaluable tool for academic success and mental well-being among

students of diverse backgrounds and learning styles. The and implementing more advanced techniques for emotion recognition and response will help tailor the assistant to the unique needs of each learner, thereby paving the road for educational technology to be not just intelligent but also compassionate, thereby nurturing students both intellectually and emotionally.

REFERENCES

- [1] Liu, X., Xu, J., & Sun, T. (2025). PsyCounAssist: A Full-Cycle AI-Powered Psychological Counseling Assistant System. arXiv preprint arXiv:2504.16573.
- [2] Li, S., Song, S., Nair, R., & Naqvi, S. M. (2025). A Frequency-aware Augmentation Network for Mental Disorders Assessment from Audio. arXiv preprint arXiv:2501.02516.
- [3] Diep, B., Stanojevic, M., & Novikova, J. (2022). Multi-modal deep learning system for depression and anxiety detection. arXiv preprint arXiv:2212.14490
- [4] Ji, S., Zhang, T., Ansari, L., Fu, J., Tiwari, P., & Cambria, E. (2021). MentalBERT: Publicly Available Pretrained Language Models for Mental Healthcare. arXiv preprint arXiv:2110.15621.
- [5] Lossio-Ventura, J. A., Weger, R., Lee, A. Y., Guinee, E. P., Chung, J., & Atlas, L. (2024). A comparison of ChatGPT and fine-tuned open pre-trained transformers (OPT) against widely used sentiment analysis tools: sentiment analysis of COVID-19 survey data. *JMIR Mental Health*, 11, e50150
- [6] Elyoseph, Z., Refoua, E., Asraf, K., Lvovsky, M., Shimoni, Y., & Hadar-Shoval, D. (2024). Capacity of generative AI to interpret human emotions from visual and textual data: pilot evaluation study. *JMIR Mental Health*, 11, e54369.
- [7] Xiao, H., Zhou, F., Liu, X., Liu, T., Li, Z., Liu, X., & Huang, X. (2024). A comprehensive survey of large language models and multimodal large language models in medicine. *Applied Sciences*, 14(19), 9068.
- [8] Chen, J., Jiang, Y., Yang, D., Li, M., Wei, J., & Qian, Z. (2024). Can LLMs' tuning methods work in the medical multimodal domain? arXiv preprint arXiv:2403.06407.
- [9] Wu, Y., Xiang, Y., Huo, S., Gong, Y., & Liang, P. (2024). LoRA-SP: Streamlined partial parameter adaptation for resource efficient fine-tuning of large language models. In *Proceedings of the Third International Conference on Algorithms, Microchips, and Network*

Applications (AMNA 2024), Jinan, China, 8–10 March 2024; pp. 488–496.

[10] Wang, Y., Chen, W., Han, X., Lin, X., Zhao, H., Liu, Y., & Yang, H. (2024). Exploring the reasoning abilities of multimodal large language models (mllms): A comprehensive survey on emerging trends in multimodal reasoning. arXiv preprint arXiv:2401.06805

[11] Shajari, S., Kuruvinashetti, K., Komeili, A., & Sundararaj, U. (2023). The emergence of AI-based wearable sensors for digital health technology: A review. *Sensors*, 23, 9498

[12] Yongsatianchot, N., Torshizi, P. G., & Marsella, S. (2023). Investigating large language models' perception of emotion using appraisal theory. In *Proceedings of the 11th International Conference on Affective Computing and Intelligent Interaction Workshops and Demos*.

[13] Goyal, T., Rajeshbai, D. H., Gopalkrishna, N., M T, & HR, M. (2024). Mobile machine learning models for emotion and sarcasm detection in text: a solution for alexithymic individuals. In *Proceedings of the 3rd International Conference for Innovation in Technology*.

[14] Neural Navigator Team. (2025). Neural Navigator: AI-powered, all-in-one productivity station for ADHD users. Devpost.

[15] Dai, M., Dai, M., & Balatbat, R. J. (2024). A Webcam-based ADHD Screening Tool using Eyetracking and Behavioral Tests. In *Proceedings of the 5th International Conference on Machine Learning Techniques and NLP (MLNLP 2024)*

[16] Olawade, D. B., Wada, O. Z., Odetayo, A., David-Olawade, A. C., Asaolu, F., & Eberhardt, J. (2024). Enhancing mental health with Artificial Intelligence: Current trends and future prospects. *Journal of Medicine, Surgery, and Public Health*, 3, 100099.

[17] Mazza, G. (2022). AI and the Future of Mental Health.

[18] Thakkar, A., Gupta, A., & De Sousa, A. (2024). Artificial intelligence in positive mental health: a narrative review. *Frontiers in Digital Health*

- [19] Jin, K. W., Li, Q., Xie, Y., & Xiao, G. (2023). Artificial intelligence in mental healthcare: an overview and future perspectives. *British Journal of Radiology*.
- [20] Lu, T., Liu, X., Sun, J., Bao, Y., & Schuller, B. W. (2023). Bridging the gap between artificial intelligence and mental health. *Science Bulletin*
- [21] Wajahat, M., Abbas, Z., Nawaz, R., et al. (2023). AI-driven mental health applications: A systematic review. *Journal of Medical Internet Research*, 25(5), e45023.
- [22] Kalgotra, P., Doja, M. N., & Ahmad, T. (2023). Deep learning for mental disorder detection using social media content: A survey. *ACM Computing Surveys*, 56(5), 1–42.
- [23] Bhattacharyya, S., et al. (2022). AI-based support systems for ADHD diagnosis: A review. *IEEE Reviews in Biomedical Engineering*, 15, 48–62.
- [24] Narayanaswamy, V., & Iyengar, N. C. S. (2021). Deep learning approaches for speech-based emotion recognition in mental health assessment. *Procedia Computer Science*, 187, 183–189.
- [25] Han, J., et al. (2023). Combining speech-to-text and emotion analysis for mental health chatbots. *Expert Systems with Applications*, 214, 119115.
- [26] Brown, T., Mann, B., et al. (2020). Language models are few-shot learners. *Advances in Neural Information Processing Systems*, 33, 1877–1901.
- [27] Zhang, Y., Sun, S., Galley, M., et al. (2020). DIALOGPT: Large-scale generative pre-training for conversational response generation. *ACL 2020*.
- [28] Raffel, C., et al. (2020). Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of Machine Learning Research*, 21(140), 1–67.
- [29] Wei, J., et al. (2022). Chain of thought prompting elicits reasoning in large language models. *arXiv preprint arXiv:2201.11903*.

- [30] OpenAI. (2023). GPT-4 Technical Report. arXiv preprint arXiv:2303.08774.
- [31] Yang, Z., et al. (2023). Fine-tuning pre-trained language models for downstream tasks: A comprehensive survey. *ACM Transactions on Intelligent Systems and Technology*, 14(1), 1–42.
- [32] Lin, H., et al. (2023). Speech-to-text models for low-resource languages: A benchmark. *IEEE Transactions on Audio, Speech, and Language Processing*, 31, 224–239.
- [33] Huang, J., et al. (2024). Large language models for mental health support: Opportunities and challenges. *Nature Digital Medicine*, 7, 12–19.
- [34] Lu, K., et al. (2023). Enhancing accessibility with speech-to-text APIs and LLMs. *ACM SIGACCESS Accessibility and Computing*, 135, 6–14.
- [35] Ren, P., et al. (2024). Emotion-aware AI tutors using natural language generation. *Educational Technology Research and Development*, 72, 745–763.
- [36] Baskar, M. K., & Srinivasan, M. (2021). Speech recognition with deep learning: A review. *Procedia Computer Science*, 172, 202–208.
- [37] Alsaeedi, A., & Khan, M. A. (2022). Real-time Arabic speech recognition system using deep learning. *IEEE Access*, 10, 111155–111164.
- [38] Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2020). BERT: Pre-training of deep bidirectional transformers for language understanding. arXiv preprint arXiv:1810.04805.
- [39] Vaswani, A., et al. (2020). Attention is all you need. *NeurIPS*, 30, 5998–6008.
- [40] Prasad, M., et al. (2021). Conversational AI in education: A review. *Education and Information Technologies*, 26, 3365–3385.
- [41] Kim, Y., et al. (2022). AI-based personal study assistants: Enhancing learning via adaptive feedback. *Computers & Education*, 182, 104463.

- [42] Chassignol, M., et al. (2021). Artificial intelligence trends in education: A bibliometric review. *Education and Information Technologies*, 26, 3471–3489.
- [43] Hwang, G. J., & Tu, Y. F. (2021). Roles of AI in personalized education. *Educational Technology & Society*, 24(3), 1–11.
- [44] Singh, A., et al. (2023). Design of intelligent user interfaces for educational tools using NLP. *International Journal of Human-Computer Studies*, 177, 103072.
- [45] Banerjee, S., & Dey, N. (2020). Speech-enabled AI assistant for students: A usability study. *Smart Learning Environments*, 7(1), 1–15.
- [46] Nguyen, N. G., et al. (2022). Review of chatbot use in education. *Journal of Educational Computing Research*, 60(3), 682–705.
- [47] Geetha, D., & Malathi, D. (2023). Adaptive UIs for mental wellness apps using AI. *AI & Society*, 38, 1125–1137.
- [48] He, L., et al. (2023). Multimodal UI design for emotion-aware learning applications. *Personal and Ubiquitous Computing*, 27, 885–901.
- [49] Okonkwo, C. W., & Ade-Ibijola, A. (2021). Chatbots applications in education: A systematic review. *Computers and Education: Artificial Intelligence*, 2, 100033.
- [50] Ruipérez-Valiente, J. A., et al. (2022). A survey on intelligent tutoring systems for higher education. *IEEE Transactions on Learning Technologies*, 15(2), 223–240.
- [51] Sharma, A., et al. (2022). RESTful API design for scalable AI systems. *IEEE Internet Computing*, 26(3), 16–23.
- [52] Rodrigues, D. F., et al. (2021). Integrating AI via APIs in mobile health systems. *Sensors*, 21(5), 1740.
- [53] Jindal, A., et al. (2023). Scalable architectures for AI-as-a-Service using APIs. *Future Generation Computer Systems*, 140, 63–77.
- [54] Yadav, A., et al. (2024). Developing cloud APIs for LLM integration. *International Journal of Web Services Research*, 21(1), 45–61.
- [55] Lin, C., et al. (2023). Open-source APIs for educational AI: A comparative study. *IEEE Access*, 11, 122544–122561

- [56] .Schuller, B., et al. (2021). Speech emotion recognition: Features, classification schemes, and databases. *Pattern Recognition Letters*, 134, 34–40.
- [57] El Ayadi, M., et al. (2020). Survey on speech emotion recognition: Features, classification schemes, and databases. *Journal of Biomedical Informatics*, 44(5), 798–806.
- [58] Kollias, D., et al. (2022). Deep affect prediction in-the-wild: Aff-wild database and challenge. *Computer Vision and Image Understanding*, 210, 103007.
- [59] Tzirakis, P., et al. (2021). End-to-end multimodal emotion recognition using deep neural networks. *IEEE Journal of Selected Topics in Signal Processing*, 14(6), 1291–1302.
- [60] Cho, H., et al. (2023). LLMs for human emotion understanding. *ACM Transactions on Interactive Intelligent Systems*, 13(1), 1–30.
- [61] Tao, J., & Tan, T. (2020). *Affective computing and intelligent interaction*. Springer Nature, 139–153.
- [62] Yu, Z., & Jiang, J. (2022). Emotion-enhanced pretraining for AI tutors. *IEEE Transactions on Affective Computing*, 13(2), 760–771.
- [63] Lee, H. J., et al. (2021). AI and speech processing in assistive education. *IEEE Transactions on Learning Technologies*, 14(3), 362–373.
- [64] Zhou, Y., et al. (2022). Personalized AI education with LLMs. *Journal of Educational Data Mining*, 14(2), 78–99.
- [65] Hassan, M. M., et al. (2023). AI for emotional wellness: A systematic literature review. *Multimedia Tools and Applications*, 82, 19129–19154.
- [66] Hametner, M., et al. (2023). Chatbots for digital mental health: A systematic review. *Journal of Medical Systems*, 47(2), 23.
- [67] Lee, J. A., et al. (2024). AI-based virtual therapists: Architecture and evaluation. *Cognitive Computation*, 16, 323–338.
- [68] Park, H., et al. (2022). Design guidelines for emotionally intelligent user interfaces. *International Journal of Human-Computer Studies*, 158, 102748.

- [69] Kim, M., & Lee, S. (2021). User interface personalization with ML: Review and framework. *ACM Computing Surveys*, 54(6), 1–38.
- [70] Wang, T., et al. (2023). The role of AI in behavioral health: Perspectives and implications. *JMIR Formative Research*, 7, e42353.

CONFERENCE OR JOURNAL DETAILS (TO WHICH YOU HAVE COMMUNICATED THE PAPER)

Title of the Journal: International Research Journal of Engineering
and Technology (IRJET)

ISSN: 2395-0056 (Online), 2395-0072 (Print)

Impact Factor: 7.529

Publisher: Fast Track Publications

Website: www.irjet.net

Type: Peer-Reviewed, Open Access International Journal

Domain: Computer Science and Engineering – Artificial Intelligence,
Natural Language Processing, Human-Centered Computing

Date of Submission: May 22, 2025

Paper Status: Accepted for Publication

PLAGIARISM REPORT

11% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

-  **101 Not Cited or Quoted 10%**
Matches with neither in-text citation nor quotation marks
-  **9 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 9%  Internet sources
- 6%  Publications
- 8%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

AI PLAGIARISM REPORT



*% detected as AI

AI detection includes the possibility of false positives. Although some text in this submission is likely AI generated, scores below the 20% threshold are not surfaced because they have a higher likelihood of false positives.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (it may misidentify writing that is likely AI generated as AI generated and AI paraphrased or likely AI generated and AI paraphrased writing as only AI generated) so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.