

SIMATS ENGINEERING

ASSESSMENT TOOL 3

COURSE CODE:CSA5115 COURSE NAME: Cryptography and Network Security

COURSE OUTCOME COVERED

CO3: *Examine cryptographic hash algorithms, digital signature schemes, and assess Kerberos and X.509 authentication frameworks for ensuring integrity, authentication, and non-repudiation.CO (BL4 , BL5)*

Assessment Tool Weightage: 10%

QUESTIONS: 50

TOTAL MARKS: 50

**Annexure A
MCQ**

Code of Conduct:

*I **Nissanki Sri Venkata Lakshmi Kavya(192373036)** certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.*

Signature of the student:
N.S.V.L.Kavya

Annexure A

MCQ

1. A system uses MD5 for integrity checking. Which attack can most likely compromise it?
 - A. Replay attack
 - B. Collision attack**
 - C. Phishing attack
 - D. Brute force on keys
2. Which modification improves security when replacing MD5 in a password system?
 - A. Use plaintext storage
 - B. Use SHA-256 with salting**
 - C. Use shorter hash values
 - D. Disable hashing
3. In a digital signature system, what ensures non-repudiation?
 - A. Symmetric key
 - B. Private key of sender**
 - C. Public key of receiver
 - D. Hash length
4. Which scenario indicates a failure of a hash function?
 - A. Slow computation
 - B. Same hash for different inputs**
 - C. Large output size
 - D. Deterministic output
5. HMAC is preferred over simple hashing because it:
 - A. Reduces computation time
 - B. Uses public keys
 - C. Combines key with hash**
 - D. Eliminates encryption
6. In Kerberos, what prevents replay attacks?
 - A. Password reuse
 - B. Timestamp mechanism**
 - C. Hash collisions
 - D. Key length
7. Which component in Kerberos issues tickets?
 - A. Client
 - B. Server
 - C. KDC**
 - D. Firewall
8. X.509 certificates primarily provide:
 - A. Data compression
 - B. Authentication**
 - C. Routing
 - D. Encryption only
9. What is the main weakness of MD5?
 - A. Slow hashing
 - B. Collision vulnerability**
 - C. Large key size
 - D. Complex implementation

10. SHA-256 is preferred over MD5 because it:
- A. Is faster
 - B. Has shorter output
 - C. Is collision resistant
 - D. Uses symmetric keys
11. In digital signatures, hashing is used to:
- A. Encrypt message
 - B. Reduce message size
 - C. Generate keys
 - D. Authenticate network
12. Which attack targets MAC without key knowledge?
- A. Collision attack
 - B. Dictionary attack
 - C. Birthday attack
 - D. Phishing
13. What is required for verifying a digital signature?
- A. Sender's private key
 - B. Receiver's private key
 - C. Sender's public key
 - D. Shared secret key
14. In ElGamal signature, security depends on:
- A. Hash length
 - B. Discrete logarithm problem
 - C. RSA problem
 - D. AES encryption
15. Schnorr protocol is mainly used for:
- A. Encryption
 - B. Authentication
 - C. Compression
 - D. Routing
16. Which property ensures hash uniqueness?
- A. Determinism
 - B. Collision resistance
 - C. Speed
 - D. Length
17. A weak MAC allows:
- A. Faster encryption
 - B. Message tampering
 - C. Reduced bandwidth
 - D. Secure authentication
18. Kerberos relies on which cryptographic method?
- A. Asymmetric only
 - B. Symmetric key cryptography
 - C. Hashing only
 - D. Quantum cryptography
19. X.509 certificates include:
- A. Private key

- B. Public key
 - C. Session key
 - D. Hash key
- 20. Which attack exploits hash collisions?
 - A. MITM
 - B. Birthday attack
 - C. Replay attack
 - D. DoS
- 21. Digital Signature Standard (DSS) is based on:
 - A. AES
 - B. DSA
 - C. DES
 - D. RC4
- 22. Which ensures integrity in HMAC?
 - A. Encryption
 - B. Keyed hashing
 - C. Compression
 - D. Encoding
- 23. In Kerberos, TGT stands for:
 - A. Ticket Granting Ticket
 - B. Trusted Gateway Token
 - C. Temporary Grant Ticket
 - D. Token Generation Table
- 24. Which protocol uses certificates extensively?
 - A. Kerberos
 - B. X.509
 - C. HMAC
 - D. MD5
- 25. Which property is violated if attacker finds two inputs with same hash?
 - A. Pre-image resistance
 - B. Collision resistance
 - C. Determinism
 - D. Efficiency
- 26. ElGamal signatures are vulnerable if:
 - A. Key reused
 - B. Random value reused
 - C. Hash used
 - D. Public key shared
- 27. Which improves MAC security?
 - A. Removing key
 - B. Increasing key randomness
 - C. Using plaintext
 - D. Reducing hash size
- 28. Which is NOT a hash property?
 - A. Deterministic
 - B. Fixed length
 - C. Reversible
 - D. Fast computation
- 29. Kerberos authentication fails if:
 - A. Time not synchronized

- B. Hash too long
 - C. Key too short
 - D. Network fast
30. X.509 trust depends on:
- A. Hash length
 - B. Certificate authority**
 - C. Encryption speed
 - D. MAC value
31. Schnorr signatures are considered efficient because:
- A. Smaller signature size**
 - B. Larger keys
 - C. No hashing
 - D. No authentication
32. Which is a MAC algorithm?
- A. SHA-256
 - B. HMAC**
 - C. RSA
 - D. ElGamal
33. Digital signatures provide:
- A. Confidentiality only
 - B. Integrity and authentication**
 - C. Compression
 - D. Routing
34. Which algorithm is obsolete due to security flaws?
- A. SHA-256
 - B. MD5**
 - C. HMAC
 - D. DSS
35. In Kerberos, session keys are used for:
- A. Permanent storage
 - B. Temporary communication**
 - C. Hashing
 - D. Compression
36. Which ensures sender authenticity in email?
- A. Hash only
 - B. Digital signature**
 - C. Encryption only
 - D. MAC only
37. Which attack is prevented by HMAC?
- A. Replay attack
 - B. Message tampering**
 - C. DoS
 - D. Phishing
38. X.509 certificates are validated using:
- A. Symmetric keys
 - B. Public key infrastructure**
 - C. Hash only
 - D. MAC
39. Which is true about SHA algorithms?
- A. Reversible

- B. Collision resistant**
 - C. Symmetric
 - D. Encrypted
- 40. Which parameter is critical in ElGamal security?
 - A. Prime number**
 - B. Hash length
 - C. MAC key
 - D. Timestamp
- 41. Which step verifies a digital signature?
 - A. Encrypt hash
 - B. Decrypt signature with public key**
 - C. Generate MAC
 - D. Compress message
- 42. Weak hash functions affect:
 - A. Bandwidth
 - B. Integrity**
 - C. Routing
 - D. Compression
- 43. Kerberos uses which server?
 - A. DNS
 - B. KDC**
 - C. HTTP
 - D. FTP
- 44. Which provides integrity and authenticity together?
 - A. Encryption
 - B. MAC**
 - C. Routing
 - D. Compression
- 45. Schnorr protocol relies on:
 - A. RSA problem
 - B. Discrete log problem**
 - C. AES
 - D. DES
- 46. Which is vulnerable to collision attacks?
 - A. MD5**
 - B. SHA-512
 - C. HMAC
 - D. DSS
- 47. Which improves digital signature security?
 - A. Larger key size**
 - B. Smaller hash
 - C. No hashing
 - D. Plaintext
- 48. Which ensures certificate authenticity?
 - A. MAC
 - B. CA signature**
 - C. Hash only
 - D. Encryption
- 49. What is the main role of MAC?
 - A. Confidentiality

B. Authentication

C. Compression

D. Routing

50. Which combination is most secure for integrity?

A. MD5 only

B. SHA + HMAC

C. Plaintext

D. Encryption only