



# HTML CheatSheet

## Attributes

### SYNTAX

```
<tag attributename="value" />
- lowercase attributes, quote values
```

### Global attributes

accesskey, class, contenteditable, data-\*, dir, draggable, hidden, id, lang, spellcheck, style, tabindex, title

```
<div id="demo" class="big" dir="ltr" lang="en"
style="color: red;" tabindex="0" title="Tooltip"
contenteditable="true" spellcheck="true"
data-htmlcheat="99">Hello World!</div>
```

### Internationalization: dir, lang, xml:lang

```
<html lang="en-US">
...
  <p dir="rtl">Right to left (Arabic)</p>
...
</html>
```

### Link: download, href, hreflang, media, rel, target, type

```
<a href="https://htmlg.com/" target="_blank" rel="e
Link
</a>
```

### Image: src, alt, height, ismap, longdesc, srcset, usemap, width

```

```

### All attributes

**accept**  
form, input

**accept-charset**  
form

**accesskey**  
Global attribute

**action**  
form

**align**  
applet, caption, col, colgroup, hr, iframe, img, table, tbody, td, tfoot, th, thead, tr

**alt**  
applet, area, img, input

**async**  
script

**autocomplete**  
form, input

**autofocus**  
button, input, keygen, select, textarea

**autoplay**

## Head Tags

```
<!doctype html>
<html lang="en" class="no-js">
<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=
```

## Tags

### Div Section

```
<div>Block element</div>
```

### Headings

```
<h1>Page title</h1>
<h2>Subheading</h2>
<h3>Tertiary heading</h3>
<h4>Quaternary heading</h4>
```

### Paragraph

```
<p style="text-align: center;">text</p>
```

### Image

```
Jump to footnote</a>
<br />
<a name="footer"></a>Footnote content
```

### Bold text

```
<strong>Bold text</strong>
```


### Italic text

```
<em>Italic text</em>
```

### Underlined text

```
<span style="text-decoration: underline;">Underlin
```

### Iframe

```
<iframe src="link.html" width="200" height="200" 
```

### Abbreviation

```
<abbr title="Hypertext Markup Language">HTML</abbi
```

### Comment

```
<!-- HTML
Comment -->
```

### Horizontal Line

```
<hr />
```

### Line break

```
<br />
```

### Quotation

```
<q>Success is a journey not a destination.</q>
```

```
<meta name="viewport" content="width=device-wid
<link rel="canonical" href="https://htmlcheatsh
<title>HTML CheatSheet</title>
<meta name="description" content="A brief page
<meta name="keywords" content="html,cheatsheet"
<meta property="fb:admins" content="YourFaceboo
<meta property="og:title" content="HTML CheatSh
<meta property="og:type" content="website" />
<meta property="og:url" content="https://htmlch
<meta property="og:image" content="https://html
<meta property="og:description" content="A brie
<link rel="apple-touch-icon" href="apple-touch-
<link rel="alternate" hreflang="es" href="https
<link rel="stylesheet" href="/styles.css">
<script src="/script.js"></script>
</head>
```

## HTML5 Page Structure

header, nav, main, article, section, aside, footer, address

```
<header>
  <div id="logo">HTML</div>
  <nav>
    <ul>
      <li><a href="/">Home</a>
      <li><a href="/link">Page</a>
    </ul>
  </nav>
</header>
<main role="main">
  <article>
    <h2>Title 1</h2>
    <p>Content 1</p>
  </article>
  <article>
    <h2>Title 2</h2>
    <p>Content 2</p>
  </article>
</main>
<section>
  A group of related content
</section>
<aside>
  Sidebar
</aside>
<footer>
  <p>&copy; HTML CheatSheet</p>
  <address>
    Contact <a href="mailto:me@htmlg.com">me</a>
  </address>
</footer>
```

Free HTML Templates

## Color Picker

CE5937

1

color: #CE5937;

Text color

background-color: #CE5937;

Background

border: 3px solid #CE5937;

Box border

```
<blockquote cite="https://ruwix.com/">
```

The Rubik's Cube is the World's best selling puzz:

```
</blockquote>
```

### Video

```
<video width="200" height="150" controls>
  <source src="vid.mp4" type="video/mp4">
  <source src="vid.ogg" type="video/ogg">
  No video support.
</video>
```

### Audio

```
<audio controls>
  <source src="sound.ogg" type="audio/ogg">
  <source src="sound.mp3" type="audio/mpeg">
  No audio support.
</audio>
```

## Structures

### Table

```
<table><caption>Phone numbers</caption>
  <thead>
    <tr>
      <th>Name</th>
      <th colspan="2">Phone</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>John</td>
      <td>577854</td>
      <td>577855</td>
    </tr>
    <tr>
      <td>Jack</td>
      <td>577856</td>
      <td>577857</td>
    </tr>
  </tbody>
  <tfoot>
    <tr>
      <td>&nbsp;</td>
      <td>Personal</td>
      <td>Office</td>
    </tr>
  </tfoot>
</table>
```

### Unordered list

```
<ul>
  <li>First</li>
  <li>Second</li>
  <li>Third</li>
</ul>
```

### Definition list

```
<dl>
  <dt>HTML</dt>
  <dd>Hypertext Markup Language</dd>
  <dt>CSS</dt>
  <dd>Cascading Style Sheets </dd>
</dl>
```

### Form

```
<form action="/action.php" method="post">
  Name: <input name="name" type="text" /> <br />
```

text-shadow: 1px 2px 2px #C|

Text shadow

box-shadow: 2px 2px 7px 1p>

Box shadow

## Characters



## Create Image

Source:

Description:

Style:

Width:  Height:

Float:  px

Generate image

## Blank Page

```
Age: <input max="99" min="1" name="age" step="1" value="1" />
<select name="gender">
  <option selected="selected" value="male">Male</option>
  <option value="female">Female</option>
</select><br />
<input checked="checked" name="newsletter" type="checkbox" />
<textarea cols="20" name="comments" rows="5"></textarea>
<label><input name="terms" type="checkbox" value="I agree" /> I agree to the terms
<input type="submit" value="Submit" />
</form>
```

## Gibberish text

Lorem ipsum

Cupcake ipsum

Random English

Chinese

Spanish

## Create iframe

URL:

Width:  Height:

Scrolling:  Border:

Generate iframe

## Create Table

Cols:  Rows:

Border:  Border Collapse:

Width:  Cellpadding:

Generate table

Div Tables

## Create Link

URL:

Text:

Title:

Target:

Generate link

## Create List

List type:

Unordered:  Ordered:

Generate list

https:// 

```
<!DOCTYPE html>
<html Lang="en">
  <head>
    <meta charset="utf-8">
    <title>Page Title</title>
    <meta name="description" content="Roughly 155 c
    <link rel="stylesheet" type="text/css" href="my
    <script src="https://ajax.googleapis.com/ajax/l
    <script src="script.js"></script>
  </head>
  <body>
    <!-- Content -->
  </body>
</html>
```

[Download Package](#)

## Robots.txt

### Example

```
User-agent: *
Disallow: /dont-index-this-folder/
Sitemap: https://htmlcheatsheet.com/sitemap.xml
```

### Ban all robots

```
User-agent: *
Disallow: /
```

## Open Graph

```
<!doctype html>
<html xmlns:og="http://ogp.me/ns#">
<head>
<title>The Rock (1996)</title>
<meta property="og:title" content="Cheat Sheet" />
<meta property="og:type" content="website" />
<meta property="og:url" content="https://htmlcheats
<meta property="og:image" content="https://htmlchea
```

### Optional

```
<meta property="og:audio" content="https://htmlchea
<meta property="og:description" content="A brief de
<meta property="og:determiner" content="the" />
<meta property="og:locale" content="en_US" />
<meta property="og:locale:alternate" content="es_ES
<meta property="og:site_name" content="HTML CheatSh
<meta property="og:video" content="https://htmlchea
```

## htaccess

### Force HTTPS

```
RewriteEngine on
RewriteCond %{HTTPS} !on
RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}
```

### Force www

```
RewriteEngine on
RewriteCond %{HTTP_HOST} ^htmlg\.com [NC]
RewriteRule ^(.*)$ http://www.htmlg.com/$1 [L,R=301]
```

### Force non-www

```
RewriteEngine on
RewriteCond %{HTTP_HOST} ^www\.htmlg\.com [NC]
RewriteRule ^(.*)$ http://htmlg.com/$1 [L,R=301]
```

### Custom Error Pages

```
ErrorDocument 500 "Sorry, something went wrong!"
ErrorDocument 401 https://htmlg.com/404/
ErrorDocument 404 404error.html
```

### Redirect Entire Site

```
Redirect 301 / https://htmlg.com/
```

### Permanent Page Redirect

```
Redirect 301 /oldlink.html https://htmlg.com/help,
Redirect 301 /oldlink https://htmlg.com/about/
```

### Alias Directory

```
RewriteEngine On
RewriteRule ^source_directory/(.*) target_directory/
```

### Remove .php Extension

```
RewriteEngine On
RewriteCond %{SCRIPT_FILENAME} !-d
RewriteRule ^([^.]+)$ $1.php [NC,L]
```

### Block IP Address

```
Order deny,allow
Allow from all
Deny from 123.123.123.123
Deny from 123.123.123.123
```

### Allow Access From Only One IP

```
# Require all denied
# Require ip 123.123.123.123
```

## Useful Links

### RGB color codes

[Word doc to HTML](#)

[Div tables](#)

[HTML cleaner](#)

[HTML blog](#)

[HTML editor](#)

[Basic concepts](#)

[HTML validator](#)

[W3 schools](#)

[Can I use?](#)