BRAND MARK GUIDELINES


K — Brand Mark Guidelines

VERSION	DATE	CONTENTS
1.0	2026-10-25	11 pages



Two lines, one point, four colours

Two straight lines through one point — the fold line and the arm's edge — cut the K into four colours that meet at the junction J. Nothing is added to the letter; the colours are its own construction.



1 **The letter**


A stem, an arm and a leg. Straight edges, sharp corners.

2 **Two lines through J**

The fold line J–P (31.03° down) and the arm's inner edge (53.13° up) run straight on across the stem.

3 **Four colours meet at J**

Red on top, yellow in the wedge, blue for the arm, green for the stem and leg.



03 CONSTRUCTION


One stem, one slope, one width

Measured on the 1024 grid of the badge (diameter 1024), in design units.

Stem width w	139.52
Arm and leg width d	134.63 = 96.5% of w
Arm and leg slope	53.13° = rise 4 : run 3
Junction J	(425.06, 436.24)
Fold point P	(541.03, 506.00)
Crotch C	(425.06, 575.76)
J and C mirror about P	69.76 above, 69.76 below
Fold line J–P	31.03° below horizontal
Right extremes	arm 766.46, leg 766.46
Cap height	601.15 = 58.7% of the badge
Optical centring	+14.00 x, −6.00 y from centre
Corners	all sharp, radius 0

From the original to the master

The same letter and the same footprint, made exact: one slope, one diagonal weight, aligned extremes, a centred fold — and your own four colours, refined. Numbers in units of the 1024 grid.



Before
Trace of the original

After
The master

Overlay
Trace (dashed) on the master

COLOUR, TRACE → MASTER (OKLCH)

Red
`#EE3F2A → #EA3A23`
L −0.013 · C +0.001 · h +0.40°
HUE FROM GOOGLE'S RED
+1.5° → +1.9°

Yellow
`#FAC311 → #F6C105`
L −0.008 · C +0.000 · h +0.85°
HUE FROM GOOGLE'S YELLOW
+3.7° → +4.5°


Green
`#2CA53B → #2CA235`
L −0.009 · C +0.001 · h −0.82°
HUE FROM GOOGLE'S GREEN
−3.7° → −4.5°

Blue
`#3B81F1 → #4074F4`
L −0.023 · C +0.017 · h +4.98°
HUE FROM GOOGLE'S BLUE
−0.4° → +4.5°

	TRACE	MASTER
Arm angle	52.75°	53.13°
Leg angle	51.66°	53.13°
Stem width w	138.07	139.52
Arm width	135.83 · 98.4% w	134.63 · 96.5% w
Leg width	133.45 · 96.7% w	134.63 · 96.5% w
Right extremes, arm / leg	752.46 / 757.52	766.46 / 766.46
P to J / P to C	71.41 / 68.03	69.76 / 69.76
Cap height	601.15 · 58.7%	601.15 · 58.7%
Mark width	490.01	480.92
Offset from centre, x / y	+0.51 / +0.01	+14.00 / −6.00
Corners	sharp	sharp, kept
Disc	#FEFDFB	#FFFFFF

Room to breathe, sizes that hold

Clear space keeps the mark legible; minimum sizes keep its construction visible.



CLEAR SPACE

Keep one stem width, w, free on every side of the mark's bounds: no text, edges, images or other marks inside the tinted zone. On the badge, the disc is the clear space.

MINIMUM SIZES


Screen

16 px high: the colour mark, the badge and the solid one-colour mark. The favicons are grid-fitted to hold it.




Print

Mark height at least 8 mm; 20 mm for the gapped one-colour mark. Shown here at 8 mm for a print at 100%.



One colour

The gap is 0.8% of the mark height: gapped from 128 px (a 1 px gap) and 20 mm. Smaller, use the solid one-colour mark.



One mark, eight variants

Pick by medium and background. Each variant is the same geometry; none is redrawn.



Primary, full colour

The default, on white and light backgrounds.



Badge

Avatars, social profiles, photography and dark or busy backgrounds.




Premium shaded

Hero use on light backgrounds: covers, packaging, signage.




Tech icon

App and product icon. Below 120 px use its small version.




One colour, black

Single-ink print, engraving, forms. The gaps keep the construction: from 128 px or 20 mm high.




One colour, white

Reversed out of dark colour where full colour cannot print. Gapped, so from 128 px or 20 mm high.



One colour, solid

Stamps, embroidery, die-cuts, and any one-colour mark under 128 px or 20 mm.



Greyscale

Black-only print that can hold tints, e.g. newsprint.

Four colours, three neutrals

Your own four colours, refined — deeper and cleaner, with the blue and green nudged off Google's hues; still the same four-colour family. Defined in OKLCH.

Red the top

HEX	#EA3A23
RGB	234, 58, 35
OKLCH	61.5% 0.215 31.0
CMYK	C2 M93 Y99 K0
On white	4.10:1
On night	4.74:1
Print ΔE	1.4 · in gamut

On white: large text, graphics

Yellow the wedge

HEX	#F6C105
RGB	246, 193, 5
OKLCH	83.5% 0.170 88.5
CMYK	C4 M24 Y100 K0
On white	1.67:1
On night	11.60:1
Print ΔE	2.0 · in gamut

On white: inside the mark only

Green stem and leg

HEX	#2CA235
RGB	44, 162, 53
OKLCH	62.5% 0.180 144.0
CMYK	C80 M10 Y100 K1
On white	3.32:1
On night	5.85:1
Print ΔE	9.2 · just outside the gamut

On white: large text, graphics

Blue the arm

HEX	#4074F4
RGB	64, 116, 244
OKLCH	59.5% 0.200 264.5
CMYK	C75 M58 Y0 K0
On white	4.18:1
On night	4.64:1
Print ΔE	31.7 · outside the CMYK gamut

On white: large text, graphics

Ink type, one-colour mark on screen

HEX	#141A29
RGB	20, 26, 41
OKLCH	22.0% 0.031 267.1
CMYK	C84 M77 Y55 K70
On white	17.36:1
On night	1.12:1

Night dark backgrounds, app tile

HEX	#070D1A
RGB	7, 13, 26
OKLCH	16.0% 0.030 263.7
CMYK	C80 M73 Y59 K79
On white	19.42:1
On night	1.00:1

White backgrounds, the badge disc

HEX	#FFFFFF
RGB	255, 255, 255
OKLCH	100.0% 0.000 none
CMYK	C0 M0 Y0 K0
On white	1.00:1
On night	19.42:1

Print

CMYK from sRGB through **Artifex CMYK SWOP Profile** (default_cmyk.icc, Ghostscript), relative colorimetric with black-point compensation, whole percent. ΔE is CIE76 between screen and print.

Blue is outside the CMYK gamut (ΔE 31.7). For print, match it with a spot ink chosen against a physical swatch book, and approve it on a proof on the real stock. Green is just outside the gamut (ΔE 9.2): check it on the proof too.

Where the mark sits

Contrast first: the four colours need a calm, light or dark field to read as one letter.

Light





Full colour on white and light neutrals. The premium shaded mark is made for light backgrounds too.

Dark





On night or other dark fields: the full-colour mark, or the white one-colour mark with gaps.


Photography





Use the badge: its white disc keeps every colour true on any image. Never the bare mark on a photo.

Yellow







Brand yellow never stands alone on white (1.67:1): it appears only inside the mark.

Never alter the mark


Each example is the real geometry, changed in one way — and each change breaks the mark.




Correct
The master, as supplied




Rounded corners
Every corner is sharp




Rearranged colours
Colours stay on their facets




Google’s palette
Only the brand colours




Stretched
Scale in proportion only



Rotated
The mark stands upright




Outlined
Facets are solid fills



Drop shadow
No shadow, glow or bevel



Low contrast
Green on this grey: 1.00:1



Cropped badge
The K sits whole inside the disc

Icons for every screen


The tech icon for apps, the badge for avatars and the bare, grid-fitted K for favicons.

Tech icon

Rounded tile for apps and docks; the full-bleed square for stores, which apply their own mask. Below 120 px, the small version: no grid, traces or node.








Small version, px

Android adaptive


The tech icon at 2/3 scale, so the 72 dp view (dashed) frames it like the 1024 icon. Background: plate, grid, light; foreground: traces, lit K, node, the K inside the 66 dp circle (solid). Themed: the solid K.






Favicon


Grid-fitted: cap and base on pixel rows, stem on whole pixels. Shown at 1× and enlarged, pixel for pixel as shipped.



1×: 16 and 32 px



16 px, 11×




32 px, 5.5×


Avatar badge

Upload the square; the platform’s circle crop lands on the disc edge and the K stays whole.



Square upload, circle crop





What’s in the kit

Pick the folder by the program you work in. Never redraw the artwork: change brand.py and rebuild.

FOLDER	FORMATS	USE IT FOR
`logo/svg`	SVG	The editable masters: 17 variants with named groups. The source for web, code and every other format.
`logo/ai`	AI (PDF-compatible)	PDF-compatible Illustrator files — the same file as the matching PDF; Illustrator opens them as editable vector artwork (one layer). For native Illustrator layers and global swatches, run `logo/scripts/K-Logo_Illustrator.jsx` inside Illustrator (File > Scripts > Other Script…).
`logo/psd`	PSD, 4096 px	Flat variants: every facet and the disc is an editable vector shape layer (facets overlap by a hair under each other, so joins never show a seam). Shaded and tech variants: the lit facets and lighting are pixel layers at 4096 px (their exact vector paths are in the .ai/.pdf/.svg). All in one: `K-Logo_All_Variants.psd`.
`logo/scripts`	JSX (ExtendScript)	`K-Logo_Illustrator.jsx`, see logo/ai. `K-Logo_Photoshop.jsx` does the same in Photoshop for the flat variants (File > Scripts > Browse…).
`logo/eps`	EPS	Vendors that ask for EPS: sign makers, embroidery, promotional print.
`logo/pdf`	PDF	Vector print artwork, RGB and CMYK, for printers and documents.
`logo/png`	PNG, 256–4096 px	Transparent rasters for slides, office documents and quick use.
`icons/`	PNG, ICO, ICNS, XML, SVG	App and web icons: iOS (all sizes), macOS, Android adaptive with its themed icon, favicons and touch icons.
`social/`	PNG	Avatars and banners sized for social platforms, plus the Open Graph image.
`web/`	SVG, TSX, JS, CSS, JSON	Developer kit: optimised SVGs, React and web components, design tokens.
`source/`	JPG, SVG, AI, PDF, EPS, PSD, PNG	The original (`original-logo.jpg`) and its exact trace, in the original colours, for reference: `K-Logo_trace.svg`, `K-Logo_Trace.ai` / .pdf / .eps / .psd, `K-Logo_Trace_1024.png` / _4096.png.
`tools/`	Python	The reproducible build: every file above is generated from brand.py, the trace files in source/ from `trace_params.json`; only the original JPEG is not.
`guidelines/`	HTML, PDF	This document.

Rebuild the whole kit `python3 brand/tools/build.py all`