

FinWallet Error Code Catalog and Descriptions

This document catalogs the important machine-readable error codes used by FinWallet, YARP Gateway, the shared Web Platform and fake-provider APIs. Public HTTP response codes and durable/background failure codes are listed separately.

Public failures generally use this envelope:

```
{
  "isSuccess": false,
  "code": "ERROR_CODE",
  "message": "Safe client message.",
  "data": null,
  "errors": []
}
```

1. Gateway and shared Web Platform

Code	HTTP	Source	English description
GATEWAY_UNAUTHORIZED	401	YARP Gateway	A protected Gateway route was called without a valid JWT or token validation failed.
GATEWAY_FORBIDDEN	403	YARP Gateway	Authentication succeeded but the Gateway authorization policy denied the request.
RATE_LIMITED	429	Shared.Web	The IP-partitioned fixed-window rate limit was exceeded. A Retry-After header may be returned.
METHOD_NOT_ALLOWED	405	Shared.Web	A blocked HTTP method such as TRACE or CONNECT was used.
INTERNAL_SERVICE_UNAUTHORIZED	401	Shared.Web	A backend/fake-provider business endpoint was called without a valid downstream internal-service key.
UNSUPPORTED_MEDIA_TYPE	415	Shared.Web	A POST/PUT/PATCH request with a body did not use application/json.
UNAUTHORIZED	401	FinWallet.Api JWT	Backend defense-in-depth authentication requires a valid access token.
FORBIDDEN	403	FinWallet.Api JWT	The authenticated customer is not allowed to perform the backend operation.
INVALID_ACCESS_TOKEN	401	Public controllers	JWT passed signature validation but sub/sid do not match the FinWallet GUID identity contract.
INVALID_REQUEST	400	ApiExceptionHandler	One or more request values failed application/domain validation.
DEPENDENCY_UNAVAILABLE	503	ApiExceptionHandler	A required external HTTP dependency is generally unreachable.
UNEXPECTED_ERROR	500	ApiExceptionHandler	An unexpected server exception occurred; internal exception details are not exposed.

2. Registration and Authentication

Code	HTTP	English description
REGISTRATION_NOT_ALLOWED	400	Country and phone prefix/format combination is not eligible under registration policy.
REGISTRATION_CONFLICT	409	A current/pending registration already exists for the supplied identity.
OTP_RESEND_RATE_LIMIT	429	OTP resend cooldown has not expired yet.
INVALID_REGISTRATION_OTP	400	OTP is wrong, expired, exhausted or already consumed.
AUTH_TEMPORARILY_LOCKED	429	Credential is temporarily locked by the failed-login policy.
INVALID_CREDENTIALS	401	Phone/password credentials are invalid.
REFRESH_TOKEN_REUSE_DETECTED	401	A previously consumed refresh token was reused; the session is revoked.
INVALID_REFRESH_TOKEN	401	Refresh token is invalid, expired, revoked or no longer usable.

3. Wallet and BankAccount

Code	HTTP	English description
UNSUPPORTED_CURRENCY	400	Public wallet creation only accepts supported TRY/USD/EUR currencies.
WALLET_CONFLICT	409	Concurrent wallet state/create-winner conflict occurred; the operation may be retried.
WALLET_NOT_FOUND	404	Wallet for BankAccount opening does not exist or is not owned by the authenticated customer. The same 404 prevents ownership leakage.
BANK_ACCOUNT_CONFLICT	409	BankAccount CAS/concurrency check detected stale state.
BANK_ACCOUNT_UNAVAILABLE	404	No Active provider-linked BankAccount is available for the requested bank movement.
IDEMPOTENCY_KEY_REQUIRED	400	A money-changing endpoint was called without the mandatory Idempotency-Key header.
IDEMPOTENCY_CONFLICT	409	The same idempotency key was reused with a different financial payload. It can occur in Transfer, Purchase, BankMovement and Correction flows.
CURRENCY_MISMATCH	400	Wallet/account currencies involved in the operation do not match.
INSUFFICIENT_BALANCE	409	Source wallet available balance is insufficient for the requested financial movement.

4. WalletTransfer and Fraud

Code	HTTP	English description
TRANSFER_SESSION_INVALID	401	Durable session referenced by JWT sid is inactive, expired or revoked.

Code	HTTP	English description
TRANSFER_FRAUD_DENIED	403	Internal/external fraud resulted in Deny; no money moved.
TRANSFER_REVIEW_REQUIRED	202	Fraud resulted in Review; a durable Pending FraudEvent exists and no money moved.
SOURCE_WALLET_NOT_FOUND	404	Source wallet does not exist or is not owned by the authenticated customer.
DESTINATION_WALLET_NOT_FOUND	404	Destination wallet does not exist.
TRANSFER_IN_PROGRESS	409	The same transfer idempotency request is still being processed by another caller.
TRANSFER_UNAVAILABLE	409	One or more wallet lifecycle states cannot process the transfer.
FRAUD_DEPENDENCY_UNAVAILABLE	503	Required external fraud service failed by timeout/network/invalid response; the operation stopped fail-closed.
FRAUD_IDEMPOTENCY_CONFLICT	409	Same fraud-evaluated operation idempotency key was used with a different request hash.
FRAUD_REVIEW_NOT_FOUND	404	FraudEvent requested for manual review was not found.
FRAUD_REVIEW_CONFLICT	409	FraudEvent is no longer Pending and cannot receive another/incompatible review decision.
INVALID_PAGE_SIZE	400	Internal fraud-review take is outside 1-100.
REVIEWER_REQUIRED	400	Internal review decision is missing X-Reviewer-Id.

5. Purchase and Campaign

Code	HTTP	English description
PURCHASE_SESSION_INVALID	401	Durable customer session for Purchase is invalid/revoked/expired.
PURCHASE_FRAUD_DENIED	403	Purchase was denied by fraud; no money/campaign posting occurred.
PURCHASE_REVIEW_REQUIRED	202	Purchase requires additional/manual review; no money moved.
PURCHASE_UNAVAILABLE	409	Wallet or merchant is not available/active for purchase.
FRAUD_DEPENDENCY_UNAVAILABLE	503	Purchase external-fraud dependency could not produce a trusted decision; fail-closed.
IDEMPOTENCY_CONFLICT	409	Same purchase key was reused with a different merchant/wallet/amount request.
CAMPAIGN_PROVIDER_ERROR	503	Fallback code when the campaign adapter cannot obtain a specific provider failure code.
CAMPAIGN_PROVIDER_TIMEOUT	503	Campaign provider timed out.
CAMPAIGN_PROVIDER_NETWORK_ERROR	503	Campaign provider is unreachable at the network level.
CAMPAIGN_PROVIDER_INVALID_RESPONSE	503	Campaign provider returned invalid JSON/currency/sponsor contract data.

6. Bank movement and Bank callback

Code	HTTP	English description
BANK_CALLBACK_CONFLICT	409	Same callback MessageId was reused with a different payload.
BANK_CALLBACK_TRANSACTION_NOT_FOUND	404	External transaction id is not known in durable FinWallet bank-movement state.
INVALID_BANK_CALLBACK	400	Callback status does not match Pending, Completed or Failed.
BANK_PROVIDER_ERROR	502/503	Bank adapter fallback when no provider-specific code is available; retryability depends on HTTP/provider state.
BANK_PROVIDER_TIMEOUT	503	External bank provider did not respond within the configured timeout.
BANK_PROVIDER_NETWORK_ERROR	503	External bank provider is temporarily unreachable at network level.
BANK_PROVIDER_INVALID_RESPONSE	502	Provider response JSON/enum/currency contract is invalid or unsupported.
BANK_PROVIDER_INVALID_ACCOUNT_STATE	502	Account-opening provider identity/currency/final state conflicts with internal BankAccount state.

7. Refund and Reversal

Code	HTTP	English description
TRANSACTION_NOT_FOUND	404	Original FinancialTransaction for Refund/Reversal was not found.
CORRECTION_NOT_ALLOWED	409	Original type/state does not permit the requested correction; for example external-bank operations are not reversed by the public internal-wallet reversal endpoint.
IDEMPOTENCY_CONFLICT	409	Correction key was reused with a different original transaction or correction payload.

8. Reconciliation internal API

Code	HTTP	English description
INVALID_RECONCILIATION_SCOPE	400	Scope is not WalletLedger, BankSettlementLedger or ExternalBankStatement.
RECONCILIATION_RUN_NOT_FOUND	404	Requested reconciliation run does not exist.

9. FakeCommunication provider

Code	HTTP	English description
INVALID_MESSAGE_REQUEST	400	Recipient, messageType, body or correlation data is missing/invalid.
FAKE_PROVIDER_UNAVAILABLE	503	FakeCommunication failure simulation is active through X-Fake-Mode=fail.
MESSAGE_NOT_FOUND	404	Development/test message-inspection endpoint cannot find the message id.

10. FakeFraud provider

Code	HTTP	English description
INVALID_FRAUD_REQUEST	422	Required fraud identity/amount/velocity fields are invalid.
FAKE_FRAUD_UNAVAILABLE	503	FakeFraud unavailable simulation is active through X-Fake-Mode=fail.

11. FakeBank provider

Code	HTTP	English description
INVALID_BANK_ACCOUNT_REQUEST	422	External account-opening fields are invalid.
BANK_REQUEST_KEY_CONFLICT	409	Same provider request key was reused with a different account-opening payload.
FAKE_BANK_UNAVAILABLE	503	FakeBank unavailable simulation is active through X-Fake-Mode=fail.
BANK_ACCOUNT_NOT_FOUND	404	Provider account id does not exist.
INVALID_BANK_TRANSACTION_REQUEST	422	Provider money-movement amount/currency/type/key data is invalid.
BANK_TRANSACTION_CONFLICT	409	Provider account state, currency, balance or request-key state conflicts with the transaction.
BANK_TRANSACTION_FINALIZATION_CONFLICT	409	Pending provider transaction cannot be finalized in its current state.
BANK_TRANSACTION_NOT_FOUND	404	Provider transaction id does not exist.

12. FakeCutoff and FinWallet Cutoff adapter

Code	HTTP	English description
CUTOFF_RULE_NOT_AVAILABLE	422 provider / 503 FinWallet adapter	FakeCutoff has no rule for the supplied country/currency/transaction combination. FinWallet surfaces provider failure as a dependency failure.
FAKE_CUTOFF_UNAVAILABLE	503	FakeCutoff failure simulation.
CUTOFF_PROVIDER_ERROR	503	FinWallet adapter fallback when no provider error code is available.
CUTOFF_PROVIDER_TIMEOUT	503	Cutoff provider timed out.
CUTOFF_PROVIDER_NETWORK_ERROR	503	Cutoff provider is unreachable at network level.
CUTOFF_PROVIDER_INVALID_RESPONSE	503	Cutoff provider JSON/contract is invalid.

13. FakeCampaign provider

Code	HTTP	English description
INVALID_CAMPAIGN_REQUEST	422	Campaign-evaluation request does not satisfy provider contract.
FAKE_CAMPAIGN_UNAVAILABLE	503	FakeCampaign failure simulation.
CAMPAIGN_PROVIDER_ERROR	503	FinWallet adapter fallback when no provider error code is available.
CAMPAIGN_PROVIDER_TIMEOUT	503	Campaign provider timed out.
CAMPAIGN_PROVIDER_NETWORK_ERROR	503	Campaign provider has a temporary network failure.

Code	HTTP	English description
CAMPAIGN_PROVIDER_INVALID_RESPONSE	503	Campaign response currency/sponsor/JSON contract is invalid.

14. Durable/background failure codes - not necessarily HTTP errors

The following values may be stored in MSSQL transaction details, Outbox or background retry state and are not necessarily client HTTP error responses.

Code	Layer	English description
BANK_PROVIDER_FAILED	Bank movement persistence	Durable financial failure reason when provider transaction reaches terminal Failed.
BANK_MOVEMENT_FAILED	Idempotency/result state	Terminal bank-movement result code.
COMMUNICATION_UNAVAILABLE	Outbox worker	FakeCommunication HTTP call failed temporarily; message is rescheduled.
OUTBOX_DISPATCH_ERROR	Outbox worker	Unexpected dispatch error; message is retried with bounded backoff.
OUTBOX_RECIPIENT_UNAVAILABLE	Outbox worker	No deliverable customer phone could be found.
OUTBOX_INVALID_PAYLOAD	Outbox worker	Durable Outbox JSON does not contain the expected CustomerId contract.

15. Codes reused across contexts

IDEMPOTENCY_CONFLICT, INVALID_ACCESS_TOKEN and FRAUD_DEPENDENCY_UNAVAILABLE are intentionally reused by multiple endpoints. An HTTP client should evaluate code together with endpoint/operation context. The safe message is human-readable; programmatic behavior should primarily use code plus HTTP status.