

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a		g		g		t		a		b		
s2		g		x		t		x		a		y		b

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab	2
azb	

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 #include <string.h>
3 int main() {
4     char s1[100], s2[100];
```

```

5   scanf("%s", s1);
6   scanf("%s", s2);
7   int n = strlen(s1);
8   int m = strlen(s2);
9   int dp[101][101] = {0};
10  for (int i = 1; i <= n; i++) {
11      for (int j = 1; j <= m; j++) {
12          if (s1[i - 1] == s2[j - 1])
13              dp[i][j] = dp[i - 1][j - 1] + 1;
14          else
15              dp[i][j] = (dp[i - 1][j] > dp[i][j - 1])
16                  ? dp[i - 1][j]
17                  : dp[i][j - 1];
18      }
19  }
20  printf("%d", dp[n][m]);
21  return 0;
22 }

```

	Input	Expected	Got	
✓	aab azb	2	2	✓
✓	ABCD ABCD	4	4	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.