

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N_1 , followed by N_1 integers of the first array
2. Line 2 contains N_2 , followed by N_2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

16

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int T;
5      scanf("%d", &T);
6
7      while (T--) {
8          int n1, n2;
9          scanf("%d", &n1);
10
11          int a[n1];
12          for (int i = 0; i < n1; i++)
13              scanf("%d", &a[i]);
14
15          scanf("%d", &n2);
16
17          int b[n2];
18          for (int i = 0; i < n2; i++)
19              scanf("%d", &b[i]);
20
21          int i = 0, j = 0;
22
23          while (i < n1 && j < n2) {
24              if (a[i] == b[j]) {

```

```

25         printf("%d ", a[i]);
26         i++;
27         j++;
28     }
29     else if (a[i] < b[j]) {
30         i++;
31     }
32     else {
33         j++;
34     }
35 }
36
37 printf("\n");
38 }
39
40 return 0;
41 }

```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)