

Aim:

Write a program to implement queue using **linked lists**.

Sample Input and Output:

```

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 1
Enter element : 57
Successfully inserted.

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 1
Enter element : 87
Successfully inserted.

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 5
Queue size : 2
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 3
Elements in the queue : 57 87
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 2
Deleted value = 57
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 2
Deleted value = 87
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 3
Queue is empty.
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 5
Queue size : 0
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit
Enter your option : 6

```

Source Code:QueueUsingLL.c

```

#include <conio.h>
#include <stdio.h>
#include "QueueOperationsLL.c"
int main() {
    int op, x;
    while(1) {
        printf("1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit\n");
        printf("Enter your option : ");
        scanf("%d",&op);
        switch(op) {
            case 1:
                printf("Enter element : ");
                scanf("%d",&x);
        }
    }
}

```

```

        enqueue(x);
        break;
    case 2:
        dequeue();
        break;
    case 3:
        display();
        break;
    case 4:
        isEmpty();
        break;
    case 5:
        size();
        break;
    case 6: exit(0);
}
}
}

```

QueueOperationsLL.c

```

struct node
{
    int info;
    struct node *next;
};

struct node *front=NULL;
struct node *rare=NULL;
struct node *newnode(int);
struct node *newnode(int x)
{
    struct node *temp;
    temp=(struct node *)malloc(sizeof(struct node));
    if(temp==NULL)
    {
        printf("Memory not allocated\n");
        exit(0);
    }
    else
    {
        temp->info=x;
        temp->next=NULL;
        return temp;
    }
}

void enqueue(int x)
{
    struct node *temp;
    //newnode=(struct node *)malloc(sizeof(struct node));
    //newnode->info=x;
    //newnode->next=NULL;
    temp=newnode(x);
    if(front==NULL&&rare==NULL)
    {

```

```

        front=temp;
        rare=temp;
        // printf("Successfully inserted.\n");
    }
    else
    {
        rare->next=temp;
        rare=temp;
        // printf("Successfully inserted.\n");
    }
    printf("Successfully inserted.\n");
}
void dequeue()
{
    struct node *ptr;
    if(front==NULL)
    {
        printf("Queue is underflow.\n");
        return;
    }
    else if(front==rare&&front!=NULL)
    {
        ptr=front;
        printf("Deleted value = %d\n",ptr->info);
        front=NULL;
        rare=NULL;
        free(ptr);
    }
    else
    {
        ptr=front;
        printf("Deleted value = %d\n",ptr->info);
        front=front->next;
        free(ptr);
    }
}
void display()
{
    struct node *ptr;
    if(front==NULL)
    {
        printf("Queue is empty.\n");
    }
    else
    {
        printf("Elements in the queue : ");
        ptr=front;
        while(ptr!=NULL)
        {
            printf("%d ",ptr->info);
            ptr=ptr->next;
        }
        printf("\n");
    }
}
void isEmpty()

```

```

{
    if(front==NULL)
    {
        printf("Queue is empty.\n");
    }
    else
    {
        printf("Queue is not empty.\n");
    }
}
void size()
{
    struct node *ptr;
    int count=0;
    if(front==NULL&&rear==NULL)
    {
        printf("Queue size : %d\n",count);
    }
    else
    {
        ptr=front;
        while(ptr!=NULL)
        {
            count++;
            ptr=ptr->next;
        }
        printf("Queue size : %d\n",count);
    }
}

```

Execution Results - All test cases have succeeded!

Test Case - 1

User Output

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 2

Enter your option : 2

Queue is underflow. 3

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 3

Enter your option : 3

Queue is empty. 4

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 4

Enter your option : 4

Queue is empty. 5

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 5

Enter your option : 5

Queue size : 0 1

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1

Enter your option : 1

Enter element : 44

Successfully inserted. 1

1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1

Enter your option : 1

```

Enter element : 55
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 66
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 67
Successfully inserted. 3
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 3
Enter your option : 3
Elements in the queue : 44 55 66 67 2
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 2
Enter your option : 2
Deleted value = 44 2
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 2
Enter your option : 2
Deleted value = 55 5
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 24
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 4
Enter your option : 4
Queue is not empty. 6
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 6
Enter your option : 6

```

Test Case - 2

```

User Output
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 23
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 234
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 45
Successfully inserted. 1
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 1
Enter your option : 1
Enter element : 456
Successfully inserted. 2
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 2
Enter your option : 2
Deleted value = 23 3
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 3
Enter your option : 3

```

```
Elements in the queue : 234 45 456 2
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 2
Enter your option : 2
Deleted value = 234 3
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 3
Enter your option : 3
Elements in the queue : 45 456 4
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 4
Enter your option : 4
Queue is not empty. 5
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 5
Enter your option : 5
Queue size : 2 6
1.Enqueue 2.Dequeue 3.Display 4.IsEmpty 5.Size 6.Exit 6
Enter your option : 6
```