# Oh My Zsh: A Practical Guide to Your Shell

Mick Cooney — June 2026

## Table of Contents

# Oh My Zsh: A Practical Guide to Your Shell

**Mick Cooney — June 2026**

---

## Introduction

Most people who install Oh My Zsh do the same three things: change the theme, add the `git` plugin, and then forget about it for two years. The shell gets faster and prettier, but the actual productivity gain stays shallow. The plugin list grows by one every time someone on Reddit says "you need X," but the full picture of what the framework can do — and what ZSH itself can do underneath it — never quite lands.

This primer tries to fix that. It starts with why ZSH is genuinely different from Bash (not just cosmetically), explains how Oh My Zsh is actually structured, goes deep on the plugins and features that change how you work, and ends with a concrete look at a real setup: what's good, what's missing, and what to do about it.

### What This Primer Covers

- What ZSH adds over Bash that actually matters in daily use
- How Oh My Zsh works under the hood — plugins, themes, the `custom/` directory
- The plugins worth knowing deeply, with real examples of what they do
- Themes: what a good prompt gives you and when to switch

- Advanced ZSH features that most OMZ users never touch
- A concrete audit of an existing setup with actionable recommendations

### What This Primer Is Not

This is not a Bash-to-ZSH migration guide, and it does not cover every one of the three hundred-plus plugins in the OMZ repository. It also does not cover Prezto, Fish, or Nushell — all of which are worth knowing about, but that's a different document. The focus is on getting maximum value out of Oh My Zsh specifically, for someone who already has it installed and wants to stop leaving capability on the table.

### Assumed Background

You are comfortable in a terminal, have used Bash or ZSH before, and already have Oh My Zsh installed. You know what a `.zshrc` is. You don't need to know anything about ZSH internals.

---

## Why ZSH Over Bash

It is worth spending a moment on why ZSH exists and what it actually adds, because understanding the foundation makes the Oh My Zsh layer easier to appreciate. ZSH is not Bash with a better theme engine. It has genuinely different capabilities.

### Completion

ZSH's tab completion system — called `compsys` — is architecturally different from Bash's. In Bash, completion is mostly prefix matching: you type `git com` and it completes to `git commit`. In ZSH, completion is programmable and contextual. It knows what `git commit` accepts as flags. It knows that `-m` takes a string. It can complete hostnames from your SSH config, Docker container names, systemd unit names, `man` page sections, and hundreds of other context-specific things. Plugin authors write completion functions, and OMZ ships many of them.

You see this in practice every time you type `git <Tab>` and get a menu with descriptions, or type `docker run --<Tab>` and get the full flag list. Bash can approximate some of this with `bash-completion`, but ZSH's system is deeper and more consistent.

### Globbing

ZSH's glob system is significantly more powerful than Bash's. This is not a feature most people discover organically, but once you know it, you reach for it constantly.

```
# Match all .log files recursively (** is a ZSH glob, not Bash)
ls **/*.log

# Only files (not directories) modified in the last day
ls *(m-1.)

# Only executable files
ls *(x.)

# Files larger than 1MB
ls *(Lm+1)

# Combine: executable files modified in the last week
ls *(x.m-7)
```

The glob qualifiers (the characters inside `(...)`) filter on file metadata: type, modification time, size, permissions. This is the kind of thing you'd normally pipe through `find` with four flags; in ZSH it's a glob modifier.

### Parameter Expansion

ZSH extends Bash's already capable parameter expansion with additional flags:

```
path="/home/mcooney/workspace/ai_assisted_research/ohmyzsh_primer/ohmyzsh_primer.md"

# Bash-compatible: get filename without path
echo ${path##*/}          # ohmyzsh_primer.md

# ZSH-only: split on delimiter and get last element
echo ${path:t}            # ohmyzsh_primer.md

# Strip extension
echo ${path:t:r}          # ohmyzsh_primer

# Directory part
echo ${path:h}            # /home/mcooney/workspace/ai_assisted_research/ohmyzsh_primer

# Uppercase
str="hello world"
echo ${(U)str}            # HELLO WORLD

# Split into array on /
parts=(${(s:/:)path})
echo $parts[1]            # home
```

The `(U)`, `(L)`, `(s:delim:)` and similar parameter flags are ZSH-specific. They're not a party trick; they eliminate a lot of `awk`/`sed` one-liners for string manipulation in scripts.

### History

ZSH history is more configurable than Bash's. The key options that actually matter:

```
HISTSIZE=100000          # lines in memory
SAVEHIST=100000          # lines on disk
setopt HIST_IGNORE_DUPS  # don't record adjacent duplicates
setopt HIST_IGNORE_SPACE # don't record commands starting with space
setopt SHARE_HISTORY     # share history across sessions in real time
setopt EXTENDED_HISTORY  # record timestamp with each command
```

`SHARE_HISTORY` means that if you have three terminals open, history flows between them as each command finishes running — you don't have to close and reopen to pick up commands from another session. `HIST_IGNORE_SPACE` is the one you want for sensitive commands: prefix any command with a space and it doesn't go into history.

Worth knowing before you go copy these into your `.zshrc`: OMZ's `lib/history.zsh` already sets `HIST_IGNORE_SPACE`, `HIST_IGNORE_DUPS`, `SHARE_HISTORY`, and `EXTENDED_HISTORY` unconditionally, regardless of theme or plugins. The block above is shown for completeness — to make explicit what OMZ is doing for you — not because you need to add it yourself.

### Named Directories

ZSH lets you name directories and use them like variables in paths:

```
hash -d work=/home/mcooney/workspace
hash -d proj=/home/mcooney/workspace/ai_assisted_research

# Now you can use ~work and ~proj anywhere
cd ~proj
ls ~work/some_other_thing
```

Put these in your `.zshrc` and they persist. It's the equivalent of shell aliases for paths, except they work in any context where a path is accepted.

---

## How Oh My Zsh Works

Understanding the structure of OMZ makes it easier to know what to change and where. The repository lives at `~/.oh-my-zsh/` and has a clear layout:

```
~/.oh-my-zsh/
  lib/           # Core ZSH configuration loaded at startup
  plugins/       # Bundled plugins (git, docker, fzf, etc.)
  themes/        # Bundled themes
  custom/        # Your overrides: themes, plugins, functions
    plugins/     # Third-party or custom plugins go here
    themes/      # Custom themes go here
    aliases.zsh  # Put custom aliases here
    functions.zsh# Put custom functions here (or any .zsh file)
  templates/     # Template for new .zshrc
  tools/         # Install/update scripts
```

When your shell starts, OMZ loads `oh-my-zsh.sh`, which: 1. Loads everything in `lib/` (history config, completion setup, key bindings, utility functions) 2. Sources each enabled plugin's

`.plugin.zsh` file 3. Sources everything in `custom/` that ends in `.zsh` 4. Loads the theme

The `custom/` directory is where your personalizations live and where they survive OMZ updates. If you write a custom function and put it in `~/.oh-my-zsh/custom/myconfig.zsh`, it gets loaded automatically. If you put the same function in a bundled plugin file, the next `omz update` will overwrite it.

The theme loading last matters in practice: because it runs after `custom/`, a theme can clobber prompt-related settings you set in a custom file. If a customization to your prompt doesn't seem to be taking effect, check whether the theme is overwriting it on load.

### The `lib/` Layer

Most users never look at `lib/`, but it does a lot. The files there configure:

- `completion.zsh` — sets up `compsys`, enables menu completion, configures case-insensitive matching
- `history.zsh` — the history options described earlier
- `key-bindings.zsh` — registers Ctrl+R for history search, Ctrl+A/E for line navigation, etc.
- `git.zsh` — the helper functions used by git-aware themes
- `functions.zsh` — utility functions used internally, like `omz_urlencode`

You rarely edit these directly, but knowing they exist explains why certain behaviors appear without you configuring them.

### Enabling and Disabling Plugins

The `plugins` array in `.zshrc` is straightforward:

```
plugins=(
  git
  docker
  fzf
  zsh-autosuggestions
)
```

Each name must match either a directory in `~/.oh-my-zsh/plugins/` or `~/.oh-my-zsh/custom/plugins/`. OMZ looks in both places. Third-party plugins (like `zsh-autosuggestions`) are cloned into `custom/plugins/` and added to the list.

The startup cost of plugins is real. Each plugin sources a file. Most are small, but a plugin that initializes a large tool (like a package manager) adds perceptible latency. Keep only what you actually use.

---

## Plugins Worth Knowing Deeply

This is not a list of every plugin. It is a deep look at the ones that change how you work, with concrete examples of what they actually do.

### git

The `git` plugin ships over 150 aliases. Most people use `gst` (git status) and `gaa` (git add –all) and call it done. The more interesting ones:

```
# Commonly used
gst    # git status
ga     # git add
gaa    # git add --all
gcmsg  # git commit -m
gp     # git push
gl     # git pull
gco    # git checkout
gcb    # git checkout -b
gd     # git diff
gds    # git diff --staged
glog   # git log --oneline --decorate --graph

# Less obvious but very useful
gpra   # git pull --rebase --autostash
gcf    # git config --list
gclean # git clean -id (interactive clean)
gwip   # commit a work-in-progress stash
gunwip # undo the last WIP stash commit
```

The `gwip` / `gunwip` pair is genuinely useful when you need to quickly switch branches mid-work without a full commit. `gwip` creates a temporary `[WIP]` commit; `gunwip` undoes it and restores the working state.

The plugin also provides `git_prompt_info()`, which most themes use to show the current branch and status in the prompt.

### fzf

`fzf` is a fuzzy finder for the terminal. The OMZ plugin wires it into three key bindings:

```
Ctrl+R    – fuzzy search your command history
Ctrl+T    – fuzzy find a file in the current directory tree
Alt+C     – fuzzy cd into a subdirectory
```

Most people know Ctrl+R for history. The other two are underused. `Ctrl+T` is faster than typing a path when you remember the filename but not the full path. `Alt+C` is faster than `cd` with tab completion when you're navigating several levels deep.

`fzf` also integrates with commands directly:

```
# Preview files while browsing
fzf --preview 'cat {}'
```

```
# Kill a process by fuzzy-searching running processes
kill $(ps aux | fzf | awk '{print $2}')   # plain TERM first; add -9 only if it won't die

# Open a recent git branch
git checkout $(git branch | fzf)

# Select from command history and re-run
eval $(history | fzf | awk '{$1=""; print}')
```

The underlying tool accepts any input on stdin and returns the selected line on stdout, so it composes with everything. The OMZ plugin just provides the shell integration; learning `fzf`'s flags unlocks the full power.

### zsh-autosuggestions

This plugin shows a greyed-out suggestion as you type, based on your history. The plugin's model splits into two groups of key bindings: widgets that accept the *whole* suggestion, and widgets that accept it one word at a time.

```
# You type:
git commit

# It shows (in grey):
git commit -m "fix typo in README"   ← suggestion from history

# Right arrow, End, and Ctrl+F all accept the whole suggestion
# Alt+F accepts one word at a time
```

By default, right arrow (`forward-char`), `End` (`end-of-line`), and Ctrl+F (also bound to `forward-char` in emacs mode) are all in `ZSH_AUTOSUGGEST_ACCEPT_WIDGETS` — that array controls which movement widgets, when invoked, accept the entire suggestion rather than just moving the cursor. There's no character-at-a-time acceptance by default; anything in that array takes the whole line.

Word-by-word acceptance is a separate array, `ZSH_AUTOSUGGEST_PARTIAL_ACCEPT_WIDGETS`, and it's driven by `forward-word` — Alt+F in emacs mode. There's no default Ctrl+Space binding for this.

If you want a custom key to accept a suggestion (whole or partial), you don't invent a new widget name — you bind an existing movement widget and add it to the relevant array. For example, to make Ctrl+Space accept one word at a time:

```
bindkey '^ ' forward-word
ZSH_AUTOSUGGEST_PARTIAL_ACCEPT_WIDGETS+=(forward-word)
```

One tuning option worth knowing: by default it only suggests from history. You can also enable completion-based suggestions:

```
ZSH_AUTOSUGGEST_STRATEGY=(history completion)
```

This means if history has no match, it falls back to ZSH completions.

### zsh-syntax-highlighting

This plugin is not in the default OMZ bundle — it requires a separate install. It is, however, one of the highest-value things you can add. It highlights commands in real time as you type:

- Commands that exist: green
- Commands that don't exist: red
- Strings and quoted arguments: yellow

Options/flags and pipes/redirects/semicolons are recognized as distinct token types internally, but the default `main` highlighter styles leave them unstyled — no color unless you configure `ZSH_HIGHLIGHT_STYLES` yourself. If you want flags or separators to stand out visually, that's a `ZSH_HIGHLIGHT_STYLES` customization, not default behavior.

The value is catching typos before you press Enter. You type `pythno script.py` and the red highlight catches it immediately. You type `ls --recusrive` and it's red before you hit Enter. After using it for a week you will miss it in any shell that doesn't have it.

Install:

```
git clone https://github.com/zsh-users/zsh-syntax-highlighting.git \
  ${ZSH_CUSTOM:-~/.oh-my-zsh/custom}/plugins/zsh-syntax-highlighting
```

Then add `zsh-syntax-highlighting` to your `plugins` array. It must be **last in the list** — this is important; the plugin works by modifying the line buffer, and it needs to run after everything else.

### history

The `history` plugin provides convenient aliases:

```
h          # full history (with timestamps if HIST_STAMPS is set in .zshrc)
hs         # history | grep (case-sensitive)
hsi        # history | grep (case-insensitive)
# Find all git commands you've run
hs git

# Find recent docker run commands
hsi "docker run"
```

Simple but far faster than typing `history | grep` every time.

### sudo

Press `Esc Esc` (two taps) to prepend `sudo` to the current command line or re-run the last command with `sudo`. No plugin is simpler or more immediately useful.

```
# You run:
apt install something-big
# Permission denied.

# Press Esc Esc
```

```
# Line becomes:
sudo apt install something-big
```

### extract

The `extract` plugin provides a single command `x` (or `extract`) that works on any archive format:

```
x archive.tar.gz
x archive.zip
x archive.bz2
x archive.7z
x archive.tar.xz
x archive.rar
```

You never need to remember whether it's `-xzf` or `-xjf` or `unzip` or `7z x`. The plugin detects the format and uses the right tool. It works as long as the relevant tool is installed on the system.

### colored-man-pages

Makes `man` pages render with color instead of monochrome. The improvement is significant for readability, especially for long man pages with lots of structure. No configuration needed; just include it in your plugins list.

### command-not-found

When you type a command that doesn't exist, instead of a bare "command not found" error, the shell suggests the package you need to install:

```
$ tree
zsh: command not found: tree

Command 'tree' not found, but can be installed with:
sudo apt install tree
```

Requires `command-not-found` to be installed on the system (most Ubuntu/Debian systems have it). Saves a round-trip to the package manager search.

### timer

Shows how long each command took, appended to the right side of your prompt after the command completes. Useful for scripts and builds where you want a rough sense of runtime without explicitly using `time`.

```
some-long-command          [12s]
```

No configuration needed. If you find it noisy for short commands, set a minimum threshold:

```
TIMER_THRESHOLD=2  # only show if command took > 2 seconds
TIMER_FORMAT='%d seconds'
```

### rsync

Provides aliases for common `rsync` patterns:

```
rsync-copy      # rsync --partial --progress -h --archive (archive, progress, human-readable)
rsync-move      # rsync --partial --progress -h --remove-source-files --recursive
rsync-update    # rsync --partial --progress -h --update --archive (skip files newer at destination)
rsync-synchronize # rsync --partial --progress -h --update --archive --delete (full sync)
```

The flags are ones you'd reach for often but never quite remember the exact combination of.

### systemd

Provides short aliases for common `systemctl` operations. There's no `journalctl` coverage in this plugin — if you want short aliases for log commands, those are worth adding yourself.

```
sc-status      # sudo systemctl status
sc-start       # sudo systemctl start
sc-stop        # sudo systemctl stop
sc-restart     # sudo systemctl restart
sc-enable      # sudo systemctl enable
sc-enable-now  # sudo systemctl enable --now
sc-disable     # sudo systemctl disable
sc-disable-now # sudo systemctl disable --now
sc-mask-now    # sudo systemctl mask --now
sc-list-units  # sudo systemctl list-units
```

The privileged aliases all embed `sudo` for you, so you don't type it separately. Every one of them also has a `scu-` twin that drops the `sudo` and adds `--user`, for managing your own user-level units instead of system-wide ones — `scu-status` is `systemctl --user status`, `scu-restart` is `systemctl --user restart`, and so on. If you run anything as a systemd user service, the `scu-` family is arguably more useful day to day than the system-wide aliases.

If you interact with systemd services regularly, these cut down the typing considerably.

### mise

The `mise` plugin initializes `mise` (the polyglot version manager, formerly `rtx`) and enables its completions. It runs `mise activate zsh` during shell startup so that tool versions are correctly set in every shell session. Without this, you'd need to call `eval "$(mise activate zsh)"` manually in your `.zshrc`.

### gh

Completions for the GitHub CLI (`gh`). The plugin runs `gh completion --shell zsh` and caches the result, so you get tab-completion for `gh`'s commands and flags. It doesn't dynamically complete repository names or PR/issue numbers — that would need live API calls, which this plugin doesn't make. If you use `gh` frequently, the command/flag completion alone saves a lot of flag-hunting.

---

## Themes: What a Good Prompt Does

The theme controls what your prompt looks like. Most people pick one that looks appealing and stop there. But a well-designed prompt is actually functional: it puts the right information in front of you at the right time.

### What Information Belongs in a Prompt

A practical prompt should show:

1. **Current directory** — always. Abbreviated to the last 2-3 components if deep.
2. **Git state** — current branch, whether there are staged changes, unstaged changes, untracked files, and whether the branch is ahead/behind the remote.
3. **Last command exit code** — some indication of whether the last command succeeded or failed.
4. **Optionally:** active virtual environment, tool versions, execution time, user@host for remote sessions.

What a prompt should not do: show things that never change (always the same user on the same machine), show timestamps on every line (the `timer` plugin handles that better), or take noticeable time to render.

#### robbyrussell

The default theme. Clean, minimal:

```
➜  ai_assisted_research git:(main) ✗
```

Shows directory and git branch. The ✗ indicates there are uncommitted changes. It's good for its simplicity, but it doesn't show whether changes are staged vs unstaged, doesn't show remote divergence, and gives no indication of exit status.

#### agnoster

A powerline-style theme that uses special Unicode characters to create a segmented prompt:

```
mcooney@hostname  ~/workspace  main ✘
```

(The segments have colored backgrounds in the actual terminal.) Shows user, host, path, git branch, and git state. More information than robbyrussell. Requires a Nerd Font or Powerline-patched font; without one, the segment characters render as boxes.

The `agnoster-timestamp-newline` theme in your custom themes directory is a variant that adds a timestamp and puts the command input on its own line, which makes long paths more readable.

### Powerlevel10k (p10k)

Powerlevel10k is in maintenance mode — functional and still widely used, but not under active feature development; treat it as stable rather than cutting-edge. It is not bundled with OMZ but is the most popular third-party theme by a significant margin. If you want something under more active development, Starship and Pure are worth a look, though neither matches p10k's specific combination of instant prompt and a configuration wizard.

What makes p10k different:

- **Configuration wizard** — runs `p10k configure` and walks you through every prompt option interactively, showing previews. You end up with a `.p10k.zsh` config that captures exactly what you chose.
- **Instant prompt** — p10k renders a partial prompt immediately, before the shell finishes loading. Shell startup feels instant even with slow plugins.
- **Async segments** — git status and other slow segments render asynchronously so they don't block input.
- **Transient prompt** — old prompts in the scroll buffer collapse to a minimal form, keeping the terminal cleaner.

For a full git-aware, multi-context prompt (git state, virtualenv, node version, exit status, command timing) without visible startup lag, p10k is the practical choice.

Install:

```
git clone --depth=1 https://github.com/romkatv/powerlevel10k.git \
  ${ZSH_CUSTOM:-$HOME/.oh-my-zsh/custom}/themes/powerlevel10k
```

Then set `ZSH_THEME="powerlevel10k/powerlevel10k"` and run `p10k configure`.

---

## Features Most OMZ Users Never Find

### Custom Aliases and Functions in `custom/`

Any `.zsh` file in `~/.oh-my-zsh/custom/` is sourced automatically. This means you don't need to clutter `.zshrc` with personal aliases — put them in `~/.oh-my-zsh/custom/aliases.zsh` and they load automatically and survive OMZ updates:

```
# ~/.oh-my-zsh/custom/aliases.zsh
```

```
alias ll='ls -lAh --color=auto'
alias ports='ss -tlnp'
alias myip='curl -s ifconfig.me'
alias reload='source ~/.zshrc'
alias ...='cd ../..'
alias ....='cd ../../..'
```

Functions go in the same place or their own file:

```
# ~/.oh-my-zsh/custom/functions.zsh

# Create directory and cd into it
mcd() { mkdir -p "$1" && cd "$1" }

# Quick find by name
f() { find . -name "*$1*" 2>/dev/null }

# Show the last N lines of a log file with color
lf() { tail -f "${1:-/var/log/syslog}" | grep --color=auto -E "ERROR|WARN|INFO|$" }
```

### The `omz` Command

OMZ ships a management command that most users don't know exists:

```
omz update              # Update oh-my-zsh
omz plugin list         # List all available plugins
omz plugin enable git   # Enable a plugin without hand-editing .zshrc
omz plugin disable git  # Disable a plugin
omz theme list          # List available themes
omz theme use agnoster  # Switch theme temporarily
omz changelog           # Show recent OMZ changes
```

The `plugin list` output is useful for discovery — there are plugins for tools you use that you may not know OMZ ships.

### Smart Directory Navigation Without `cd`

ZSH can change directories without typing `cd`, if you enable it:

```
setopt AUTO_CD
```

With this set, typing a directory name alone (without `cd`) changes into it:

```
# Without AUTO_CD:
cd ~/workspace/ai_assisted_research

# With AUTO_CD:
~/workspace/ai_assisted_research
# or if it's in CDPATH:
ai_assisted_research
```

Combine with `CDPATH` to jump to frequently used directories:

```
CDPATH=.:~:~/workspace
```

With this set, typing `ai_assisted_research` from anywhere searches `.`, `~`, and `~/workspace` for that directory name and changes into it if found.

### `z` — Smarter Directory Jumping

The `z` plugin (bundled with OMZ) tracks which directories you visit and lets you jump to them by partial name, ranked by how often and how recently you've been there:

```
# After you've visited ~/workspace/ai_assisted_research a few times:
z ai_assisted   # cd's to ~/workspace/ai_assisted_research
z research      # same

# It picks the highest-ranked match for the pattern
z num           # might jump to ~/workspace/ai_assisted_research/numerical_analysis_primer
```

The ranking function ("frecency") is frequency × recency — directories you go to often and recently rank highest. For codebases you navigate daily, `z` eliminates most explicit `cd` commands.

`zoxide` is a faster modern alternative with the same concept. It integrates with OMZ via a plugin and can be configured to replace `cd` entirely:

```
# Install zoxide, then add to .zshrc:
eval "$(zoxide init zsh --cmd cd)"
# Now 'cd' uses zoxide's frecency ranking
```

### ZSH Suffix Aliases

ZSH supports suffix aliases — aliases that apply to the file extension, so the shell knows what program to use to open a file type:

```
alias -s py=python3
alias -s md=glow       # terminal markdown renderer
alias -s pdf=evince
alias -s html=firefox
```

With these, typing `script.py` at the prompt opens it with `python3`, `README.md` opens with `glow`, and so on. You don't need to prefix the program name.

### Global Aliases

Regular aliases only work at the start of a command. Global aliases work anywhere in a command line:

```
alias -g G='| grep'
alias -g L='| less'
alias -g T='| tail -f'
alias -g NE='2>/dev/null'
alias -g NUL='>/dev/null 2>&1'
# With global aliases:
ps aux G python     # ps aux | grep python
cat big_log T       # cat big_log | tail -f
some-command NUL    # some-command >/dev/null 2>&1
```

This is a ZSH-specific feature with no Bash equivalent.

### ZSH Line Editor (ZLE) Widgets

ZSH's line editor is programmable. You can write functions and bind them to key sequences:

```
# Paste last argument of last command (already bound to Alt+. by default)
# But you can write custom widgets:

# Widget: prepend sudo to the current command
prepend-sudo() {
  BUFFER="sudo $BUFFER"
  CURSOR=$((CURSOR + 5))
}
zle -N prepend-sudo
bindkey '^[s' prepend-sudo   # Alt+S
```

Realize halfway through typing a command that it needs root? Alt+S prepends `sudo` without you having to jump to the start of the line, type it, and jump back. `BUFFER` is the whole command line as a string, and `CURSOR` is the cursor's character offset into it — direct edits to both are the basic pattern for any custom ZLE widget.

Stock zsh (not something OMZ adds) already ships a related trick: `push-line`, bound to Ctrl+Q in emacs mode by default. If you're mid-command and realize you need to run something else first, Ctrl+Q parks your current input, you run what you need, and your original command comes back on the next prompt. One catch: if your terminal has flow control enabled (`stty ixon`, common on many default configs), Ctrl+Q is intercepted by the terminal driver as XON and never reaches zsh at all — the key will simply do nothing. If that's the case for you, either run `stty -ixon` or use the Esc-q alternative binding instead.

---

## Your Setup: An Honest Audit

Here is a concrete look at what is active in your configuration, what is working well, and where the gaps are.

### What You Have

Your active plugins:

`git` `ssh-agent` `colored-man-pages` `command-not-found` `extract` `history`
`docker` `timer` `sudo` `gh` `podman` `systemd` `chezmoi` `rsync` `fzf`
`mise` `zsh-autosuggestions` `zsh-claude-code-shell`

This is a well-considered list. The `timer`, `sudo`, `extract`, `history`, and `colored-man-pages` plugins are all underrated workhorses that most setups skip. You have `fzf` and `zsh-autosuggestions`, which are the two highest-value plugins. The tool-specific plugins (`docker`, `podman`, `systemd`, `gh`, `chezmoi`, `rsync`, `mise`) are all appropriate for someone with your tooling.

Your history config is solid: 100k entries, eternal history logging, session sharing. Most people have 1000 entries and wonder why they can't find old commands.

### What's Missing

#### `zsh-syntax-highlighting` — install this first.

This is the gap that will have the most immediate impact. Every command you type is colour-coded as you type it: green means the command exists, red means it doesn't. You'll catch typos before Enter, see unclosed quotes highlighted, and generally have a much more readable command line. It's off by default because it's a third-party plugin, but it's nearly universal in well-configured ZSH setups.

```
git clone https://github.com/zsh-users/zsh-syntax-highlighting.git \
  ~/.oh-my-zsh/custom/plugins/zsh-syntax-highlighting
```

Add `zsh-syntax-highlighting` to your plugins list, and — critically — put it **last**:

```
plugins=(
  ...your existing plugins...
  zsh-syntax-highlighting   # must be last
)
```

#### `z` for directory jumping.

You're navigating a workspace with a dozen active directories. The `z` plugin is bundled with OMZ — just add it to your plugins list. After a few days of normal use, `z research` or `z building` gets you directly to the right directory from anywhere. No install needed:

```
plugins=(... z ...)
```

#### Consider your theme.

You have `agnoster-timestamp-newline` in your custom themes but are using `robbyrussell`. This may be intentional, but it's worth trying the custom theme if you haven't recently — the newline variant is easier to read when you're deep in a long path. If you want more git state visibility (staged vs unstaged vs untracked vs ahead/behind remote), p10k gives you all of that with a five-minute setup via `p10k configure`.

### Things You're Probably Underusing

#### `fzf` beyond Ctrl+R.

You have `fzf` installed. Ctrl+R for history search is probably the only thing you use it for. Try: - `Ctrl+T` while typing a command to fuzzy-find a file argument - `Alt+C` to fuzzy-jump into a subdirectory

Both of these are wired up by the `fzf` OMZ plugin and work out of the box.

#### The `sudo` plugin's Esc Esc.

If you're not already using this reflex, it eliminates one of the most common terminal annoyances: running a command, getting "permission denied," and having to retype it with `sudo`. Press `Esc Esc` after the failed command and it prepends `sudo` for you.

**`extract` / the `x` command.**

If you're still typing `tar -xzf` or looking up whether it's `-xjf` for bz2, the `extract` plugin's `x` command handles every archive format uniformly. You already have the plugin; just use `x archive.tar.gz` instead of remembering flags.

**History grep.**

The `history` plugin gives you `hs` and `hsi` for grepping history. If you're typing `history | grep docker` to find that run command from last week, `hs docker` does the same thing in fewer keystrokes.

### Small Additions Worth Considering

A few things that are low-effort and pay off quickly:

```
# In ~/.oh-my-zsh/custom/aliases.zsh

# Directory navigation shortcuts
alias ..='cd ..'
alias ...='cd ../..'
alias ....='cd ../../..'

# Quick list
alias ll='ls -lAh --color=auto'

# Git shortcuts beyond what the git plugin provides
alias gst='git status'   # already from git plugin, but worth knowing

# Show port usage
alias ports='ss -tlnp'
```

And a few ZSH options worth adding to your `.zshrc` if they're not there (note: `HIST_IGNORE_SPACE` and friends from the History section earlier are already set by OMZ's `lib/history.zsh` — no need to add those yourself):

```
setopt AUTO_CD          # type a directory name to cd into it
setopt CORRECT          # suggest corrections for mistyped commands
```

---

## When OMZ Is Not Enough

Oh My Zsh is the right choice for most people, but there are situations where it starts to show its age.

**Startup speed.** OMZ adds measurable startup latency, mostly from sourcing plugins and initializing completions. On modern hardware this is usually under 200ms, which is imperceptible. But if you're on a slow machine, opening many terminals, or doing a lot of `zsh -c` invocations in scripts, it accumulates. `zinit` and `zplug` are plugin managers that load plugins lazily or in parallel and can reduce startup time significantly. `sheldon` is another option with a simple TOML configuration.

**Opinionated defaults.** OMZ makes choices about completion settings, history handling, and key bindings that most people are fine with. If you find yourself fighting the defaults, vanilla ZSH with `zinit` and hand-picked plugins gives you more control.

**Alternatives worth knowing.** Prezto is OMZ's more modular cousin — faster startup, more configurable, smaller default footprint. Fish shell takes a different approach entirely: better out-of-the-box experience, but incompatible syntax with Bash/ZSH, which matters if you write a lot of scripts. Nushell is the most radical departure — structured data instead of text streams, genuinely different mental model, not a daily driver for most people yet.

For the typical developer workflow, OMZ with a curated plugin list and p10k as the theme is a well-tested configuration that will serve you well without requiring you to build from scratch.

---

### Quick Reference: What to Do Next

In order of impact:

1. **Install `zsh-syntax-highlighting`** — see the install command in the plugin section above. Add it last in your plugins list.
2. **Add `z`** to your plugins list (no install needed, it's bundled). Use it for a week.
3. **Try `Ctrl+T` and `Alt+C`** with `fzf` — fuzzy file and directory completion. They're already wired up.
4. **Internalize `Esc Esc`** (sudo plugin) and `x` (extract plugin) — you have both, just build the habit.
5. **Consider p10k** if you want a richer prompt with git state detail.
6. **Read `omz plugin list`** — there may be completions for tools you use daily that you didn't know OMZ ships.

---

### Further Reading

- **OMZ repository** — `~/.oh-my-zsh/` itself: `plugins/<name>/<name>.plugin.zsh` files are the source of truth for what each plugin does and what commands/aliases it provides.
- **ZSH manual** — `man zsh` is the definitive reference. The sections on parameter expansion, globbing qualifiers, and ZLE are particularly worth having open.
- **Powerlevel10k** — the configuration wizard at `p10k configure` is unusually good documentation in interactive form.
- **ZSH Users mailing list / r/zsh** — for real-world configuration questions; the OMZ wiki has gotten stale in places.