Software Development Fundamentals Assessment

Date: Friday May 12 2023

Assessment Time: 0900 - 1700 (including meal breaks)

Overview

There are 2 tasks in this assessment. Complete all tasks.

Passing mark is 65% (46 marks). Total marks is 70.

Read this entire document before attempting the assessment. There are 8 pages in this document.

Assessment Setup

Create a Git repository in Github. <u>This repository must initially be a PRIVATE repository</u>. Click on the 'Private' radio button when you create the repository.

Make your repository PUBLIC after Friday 1700 May 12 2023 so that the instructors can access your work.

IMPORTANT: this repository is PRIVATE and is only accessible to yourself and nobody during the duration of the assessment until **AFTER after Friday 1700 May 12 2023**. If your work is plagiarised by others, you will be considered as a willing party in the aiding and abetting of the dishonest act.

Clone the repository to your notebook. <u>The following 2 assessment tasks</u> must be created inside this repository.

In order to safeguard your work, you should commit and push your work often and do not wait until the end of the assessment.

Assessment

Task 1 (25 Marks)

Create a directory called task01 inside your repository. In task01 directory, create 2 sub directories called src and classes; they are for storing your Java source code and compiled classes respectively.

Create a .gitignore file to ignore the classes directory.

You can use any Java package name for this task.

In this task, you will write a command line calculator. The following shows how the calculator behaves. The > is the prompt

```
java -cp classes your.package.Main

Welcome.
> 3 + 4
7
> 10 - 2
8
> 50 / 5
10
> 3 * 3
9
> exit
Bye bye
```

The calculator accepts a line of input in the following format

number space operator space number

where a number can be a positive or negative integer or decimal number.

Table 1 shows the list of operations that the calculator supports

Operator	Explanation
+	Add
_	Subtract
/	Divide
*	Multiply

Table 1 Calculator operations

The numbers and operators are separated by a single space.

Every result evaluated by the calculator is saved in a variable called \$last. This can be used in subsequent calculations. New calculations will overwrite the value in \$last.

The following shows how \$last behaves.

```
java -cp classes your.package.Main

Welcome.
> $last + 3
3
> 4 * 8
32
> 512 - $last
480
> 7 x 6
42
> $last + $last
84
> exit
Bye bye
```

Write a Java program to read a line and evaluate the mathematical expression according to the above described behaviour. Assume that all numbers and mathematical operators entered are correct.

You can use any Java package name for this task.

Task 2 (45 marks)

Create a directory called task02 inside your repository. In task02 directory, create 2 sub directories called src and classes; they are for storing your Java source code and compiled classes respectively.

Create a .gitignore file to ignore the classes directory.

You can use any Java package name for this task.

In this task, you will be writing a Java program to analyse how famous authors write their books by determining, for a given word that the author uses, what are the possible next words that the author will use.

You will do this by analysing a corpus to text by the author and determining the next word distribution. For example, the next word distribution for the following text, by Charles Dickens from A Tale of Two Cities, is shown in Table 2.

It is a far, far better thing that I do, than I have ever done; it is a far, far better rest that I go to than I have ever known.

Word	Next Word	Count	
it	is	2	
is	а	2	
а	far	2	
far	far	2	
	better	2	

Scanned with CamScanner

better	rest	1	
	thing	1	
thing	that	1	

Table 2 Next word distribution of the first six words

From Table 2, we see that the word 'is' follows 'it' 2 times in the text; the words 'far' and 'better' follows the word 'far' 2 times.

Before analysing each word, you should

- 1. Stripped all punctuations from the words under consideration:
 - full stop (.), comma (,), colon (:)
 - exclamation (!), dash (-)
 - brackets (() {})
 - quotes either single or double (' ")
 - · any other punctuations
- 2. Words in different cases, e.g. ALL, all, All, should be treated as the same word.

Write a Java program to <u>analyse all the files from a given **directory** and <u>print out the next word distribution</u>.</u>

Your Java program should run with 1 parameter which is a directory containing all the files to be analysed. The program should run as follows

java -d classes your.package.Main <directory_name>

where your.package.Main is the fully qualified class name of your main Java class and <directory_name> is the directory containing the files.

After processing the files under a directory, print all the words, their corresponding next words and the probability of the next word occurring. The following example is the printout from Table 2

```
it
   is 1
is
   a 1
far
   far 0.5
   better 0.5
better
   rest 1
   thing 1
thing
   that 1
```

The next word probability is calculated by the frequency of the next word divided by the count of all the next words.

For example the next words for 'far', are 'far' and 'better' each with a frequency of 2; the total next words, for the word 'far' is 4. The next word probability are for each word following 'far' is calculated as follows

```
far = 2 / 4 = 0.5
better = 2 / 4 = 0.5
```

You will be provided with a ZIP file containing a list of files to be analysed. Unzip the file in task02 directory. The unzipped file should create a directory called texts which contains 2 other directories: frost and seuss. The latter 2 directories contain text files which you will be using for this task.

Hint: look at File.listFiles() in the JDK 20 documentation.

Submission

You must submit your assessment by pushing it to your repository at GitHub.

Only commits on or before Friday 1700 May 12 2023 will be accepted. Any commits after Friday 1700 May 12 2023 will not be accepted. No other form of submission will be accepted (eg. ZIP file).

Remember to <u>make your repository public after Friday 1700 May 12</u> 2023 so the instructors can review your submission.

After committing your work, post the following information to Slack channel #01-sdf-submission

- 1. Your name (as it appears in your NRIC)
- 2. Your email
- Git repository URL. Remember to make your repository <u>PUBLIC</u> <u>after Friday 1700 May 12 2023</u>

It is your responsibility to ensure that all the above submission requirements are met. Your assessment submission will not be accepted if

- 1. Any of the 3 items mentioned above is missing from #01-sdf-submission channel, and/or
- 2. Your information did not comply with the submission requirements eg. not providing your full name, and/or
- 3. Your repository is not publicly accessible after <u>Friday 1700 May 12</u> 2023

You should post the submission information to the Slack channel #01-sdf-submission no later than Friday 1715 May 12 2023

Academic Integrity

This is an open book assessment. You may search the Internet for resources or use reference books during the assessment. The assessment must be your own work. You cannot ask a third party to write any part of this assessment or use AI tools such as ChatGPT to generate output and submit it as part of your assessment. This will result in an automatic disqualification from the assessment.

The NUS ISS takes a strict view of cheating in any form, deceptive fabrication, plagiarism and violation of intellectual property and copyright laws. Any student who is found to have engaged in such misconduct will be subject to disciplinary action by NUS ISS.

You are to ensure the integrity and working condition of your PC/notebooks (eg. wireless/internet connection, battery, screen, accidents like water spillage) during the assessment. NUS ISS will not accept any of these as a reason for deferring or retaking your assessment.