

M02 Technical Web Developer Documentation

You will submit this with your guided exploration. See

[M02L04_HTML_Structure_Website](#) on how to write technical developer documentation.

Use headings to organize topics and create a table of contents to be able to quickly access information. Here is how to add headings and subheadings:

- [Headings, Subheadings, and Table of Contents \(Google Docs\)](#)
- [Headings, Subheadings, and Table of Contents \(Microsoft Word\)](#)

As you add new headings to organize your documentation, refresh the table of contents below.

[Web Development Tools and Resources](#)

[Development Environment](#)

[Version Control](#)

[Web Development Concepts](#)

[Web Development Resources](#)

[HTML](#)

[Overview of HTML](#)

[HTML Attributes](#)

[HTML Links](#)

[HTML Links - Target attribute](#)

[HTML Images](#)

[HTML Comments](#)

[HTML Lists](#)

[CSS Basics](#)

[Styles](#)

[Bootstrap](#)

[Containers](#)

[Cards](#)

[Alerts](#)

[Dropdown](#)

[Web Accessibility and Inclusive Design](#)

[Navigation](#)

[Buttons](#)

[Disability](#)

Web Development Tools and Resources

Keep resources that are valuable enough that you would want to find them again later on Version Control and Integrated Development Environment (IDE)
Add resources in the table below that help you with

- Git
- Github
- VSCode or VSCodium

Resource / Link	Description - What is it used for?
https://github.com/	It is used for storing, managing, and collaborating on software projects
https://docs.google.com/document/d/16KwjlqXY8RKUZeOaicBWWQZf7zBPM9Y3RFYLpxxM69g/edit?tab=t.0#heading=h.y1dxod51cl4j	A beginners guide to started VS Code
https://docs.google.com/document/d/1Dg1_nCOpX0FI5x9k8nIFXXrDWbeNa-zDF4j8YwIoNRg/edit?tab=t.0	A guide for GitHub and Git
https://msudenver.instructure.com/courses/126251/pages/m02-l06-version-control-and-ide?module_item_id=11791832	Lecture

Development Environment

Document information that would help you set up and use your programming environment again. Include only information that is useful as a future reference.
[Begin your documentation here. Add and organize subheadings as needed.]

Version Control

Document the tools, terminology, and workflow you need to version, back up, and manage your work.
[Begin your documentation here. Add and organize subheadings as needed.]

Web Development Concepts

Building a website using HTML, CSS with Bootstrap

Web Development Resources

Keep resources that are valuable enough that you would want to find them again later on Version Control and Integrated Development Environment (IDE)
Add resources in the table below that help you with

- HTML
- CSS and Bootstrap

Resource / Link	Description - What is it used for?
M02_Web_Development_Inclusive_Design	Class resources for module 2
https://www.w3schools.com/html/html_elements.asp	It provided information to help people who haven't used HTML before the elements how to create an HTML and explaining the start tag, content and end tag.
https://msudenver.instructure.com/courses/126251/pages/m02-l04-web-development-introduction-to-html?module_item_id=11791833	Class lecture on more to learn about HTML
https://www.w3schools.com/bootstrap5/index.php	Bootstrap 5 tutorial
https://github.com/kaylabarnes177-dot/web-version-control-starter-project	GitHub Repo
https://kaylabarnes177-dot.github.io/web-version-control-starter-project/	Website

HTML

Overview of HTML

HTML provides structure for a web page using elements. Most elements have a start and end tag.

Here is an example of the heading 1 element

```
<h1>My Top Heading</h1>
```


<h1> is the start tag

`</h1>` is the closing tag

My Top Heading is the content to be displayed as a heading on the webpage

[Introduction to HTML](#) explains the structure of a web page and HTML elements.

Here is the basic structure of a web page. The content visible on a web page goes in the body.



Example of an HTML web page created using [My First Heading](#)

```
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<body>

<!--The craziness starts here about attributes-->
<h1> Greatest Things to be Created!</h1>
<p> Shopping is worth the money even doing online shopping is worth
it.</p>
<h2> Fashion Nova</h2>

<p> Fashion Nova offers a wide selection of shopping that anyone can
choose from </p>

<h3 style="color: green;">A Green Heading.</h3>
<p style="color: purple;">A purple paragraph.</p>
```

```
<!DOCTYPE html>
<html>
<body>

<h1>My First Heading</h1>
<p> COOKIE COOKIE COOKIE</p>
<h2> My Sub Heading</h2>
<p>PIZZA PIZZA PIZZA</p>
<h3> Ants</h3>
</body>
</html>
```

My First Heading

COOKIE COOKIE COOKIE

My Sub Heading

PIZZA PIZZA PIZZA

Ants

Attributes

```
<h1>Greatest Things to be Created!</h1>
<p>Shopping is worth the money even doing online shopping is worth it.</p>
<h2>Fashion Nova</h2>

<p>Fashion Nova offers a wide selection of shopping that anyone can choose from.</p>

<a href=https://www.fashionnova.com>Visit Fashion Nova</a>
<h3> Food is Fundamental</h3>

<p>
```

Greatest Things to be Created!

Shopping is worth the money even doing online shopping is worth it.

Fashion Nova

Fashion Nova offers a wide selection of shopping that anyone can choose from.

[Visit Fashion Nova](#)

Paragraphs

```
<p>
I could care less
what the weather has in
store today.
Yesterday while I
was at work
I heard the most
loudest thunderstorm
that appeared in a storm
</p>

<p>
Cooking has its
ups and downs, sometimes
I wish that I did
try to learn how
to cook. Honestly
I think I
WOULD'VE BEEN
a beast in cooking!
I WOULD'VE BEEN UNSTOPPABLE!
</p>
```

Greatest Things to be Created!

Shopping is worth the money even doing online shopping is worth it.

Fashion Nova

Fashion Nova offers a wide selection of shopping that anyone can choose from.

[Visit Fashion Nova](#)

Food is Fundamental

I could care less what the weather has in store today. Yesterday while I was at work I heard the most loudest thunderstorm that appeared in a storm

Cooking has its ups and downs, sometimes I wish that I did try to learn how to cook. Honestly I think I WOULD'VE BEEN a beast in cooking! I WOULD'VE BEEN UNSTOPPABLE!

Food is fundamental for me. Any food, cold, hot, fried, baked, sweet, salty, all types of food is one of God's greatest creation!

Image

```
</p>
<img
src=https://www.seriousseats.com/thumb/BBksd7FXnrkxJa8D1pf_LmgP9HA=/1500x0/filters:no_upscale():max_bytes(150000):strip_icc()/Filipino-Features-Hero-Final-2-b785e627967843b0aa631c6a977adabe.jpg alt="Buffet of Food">
</body>
</html>
```

CSS

HTML Elements	Desc.
<h1> to <h6>	headings
	paragraphs
<html> </html>	begins and ends a document
head	contains metadata and links to styles

	or scripts
title	specifies the webpage title that appears in the browser tab.
body	contains visible content of the web page
	start tag end tag
style	css = adds color
	unordered lists
	list item
	ordered list
	images
<src>	the path to the image (URL)
<alt>	the alternate text for the image
class	additional information > it is a selector
	dividers
container	fixed width
container-fluid	full fixed width
pt-5	add a large top padding

HTML Attributes

Provides additional information about HTML elements

Located in start tag in the form name="value"

HTML Links

Syntax

link text	A html link syntax
<a> href	The href attribute is an important attribute to the <a> element, which indicates the link's destination
link text	is the part that will be visible to the

	reader
--	--------

HTML Links - Target attribute

<u>target</u>	The target attribute specifies where to open the linked document
<u>_self</u>	Default. Opens the document in the same window/tab as it was clicked
<u>_blank</u>	Opens the document in a new window or tab
<u>_parent</u>	Opens the document in the parent frame
<u>_top</u>	Opens the document in the full body of the window

HTML Images

<pre> </pre>	This is an example of an image Aka: empty element Images uses no end tag
.img-thumbnail	Shapes the image to a thumbnail (boarded)
.rounded-circle	Shapes the image to a circle
.rounded	Adds rounded corners to the image

HTML Comments

<pre><!--This is the heading--> <h1> Greatest Things to be Created!</h1> <!--This is the end of the heading--></pre>	This is an example of a comment These are used to document your code and explain your purpose
--	--

HTML Lists

Example of a unordered List <pre><h2> An unordered HTML list </h2> Item 1 Item 2 Item 3 </pre>	• ITEM 1 • ITEM 2 • ITEM 3
Example of a ordered List <pre><h2> An ordered HTML Lists</h2> Item 1 Item 2 Item 3 </pre>	1. Item 1 2. Item 2 3. Item 3
Example of description lists <pre><dl> <dt>Item 1 </dt> <dd>- random desc.</dd> <dt>Item 2</dt> <dd>- random desc.</dd> </dl></pre>	Item 1 - random desc. Item 2 - random desc.

CSS Basics

Styles

<pre><h1 style= "background-color:MediumSea Green;">heading</h1> <p style="background-color:SlateB lue;">paragraph</p> <h3 style="color: blue;"> A random heading</h3></pre>	An example of a background color
Text alignment	style= "text-align:center;" - centers a heading or paragraph

Bootstrap

- Responsive

Containers

<pre><div class= "container"> <h1>My First Bootstrap Page</h1> <p>Random text</p> </div></pre>	This is a basic example of a container
<pre><div class="container-sm"> <div class="container-md"> <div class="container-lg"> <div class="container-xl"> <div class="container-xxl"></pre>	Examples of container sizes
<pre><div class="container p-5 my-5 border"></div> <div class="container p-5 my-5 bg-dark text-white"></div> <div class="container p-5 my-5 bg-primary text-white"></div></pre>	Explains the container wanted large padding and the background is dark with white text (or any other basic color of the background and text)

Not use complicated names

Should have the extensions on so it can use the full style

Cards

<pre>div class="container mt-3"> <h2>Basic Card</h2> <div class="card"> <div class="card-body">Basic card</div> </div> </div></pre>	For a basic card container
card-img-top or card-img-bottom	Places the image at the top or at the bottom inside the card
card-img-overlay	adds text on the top of the image

Alerts

<code>.alert</code>	Alerts created using this class followed by the other contextual class:
	<code>.alert-success</code> <code>.alert-info</code> <code>.alert-warning</code> <code>.alert-danger</code> <code>.alert-primary</code> <code>.alert-secondary</code> <code>.alert-light</code> <code>.alert-dark</code>
<code>.alert</code> class with contextual colors	<pre><div class="alert alert=success"> Success <div class= "alert alert-info"> Info! <div class= "alert alert-warning"> Warning <div class= "alert alert-danger"> Danger!</pre>

Dropdown

Basic dropdown	A dropdown menu is a toggable menu that allows the user to choose one value from a predefined list
Example:	<pre> <div class="dropdown"> <button type="button" class="btn btn-primary dropdown-toggle" data-bs-toggle="dropdown"> Dropdown button </button> <ul class="dropdown-menu"> Link 1 Link 2 Link 3 </div> </pre>

Web Accessibility and Inclusive Design

Navigation

.navbar	A standard navigation bar
.navbar-expand	responsive collapsing class
-xxl xl lg md sm	stacks the navbar vertically on xxlarge, extra large, large, medium, small screens
.justify-content-center	Center the navigation bar
.bg-color	change the background color of the navbar
.bg-primary .bg-success .bg-info .bg-warning .bg-danger .bg-secondary .bg-dark .bg-light	Example of background colors
.active	add it to a <a> element to highlight

	the current link
.disabled	to indicate that the link is un-clickable
.navbar-brand	Is used to highlight the brand/logo/project name of your page
.navbar-text	vertical align any elements inside the navbar that are not links (ensures proper padding and text color)
<pre><nav class="navbar navbar-expand-sm bg-dark navbar-dark"> <div class="container-fluid"> Navbar text </div> </nav></pre>	Example of navbar text

Buttons

"navbar-toggler"	Part of a collapsible navigation bar
data-bs-toggle="collapse" and data-bs-target="#thetarget"	Part of a collapsible navigation bar

Disability

1. Autistic spectrum	Example: <main> <h1>Register for an account</h1> <p>Complete the form below. Fields marked "required" must be filled in.</p> <pre><form> <label for="email"> Email address (required) </label> <input</pre>
----------------------	---

	<pre> id="email" name="email" type="email" autocomplete="email" aria-describedby="email-help" required > <p id="email-help"> Example: name@example.com </p> <button type="submit">Create account</button> </form> </main> </pre>
2. Screen readers	<pre> <h1>Student Dashboard</h1> <h2>Upcoming Classes</h2> <p>Your next class is Web Accessibility at 10:00 AM.</p> <h2>Recent Assignments</h2> <p>You have two assignments due this week.</p> </pre>
3. Low vision	<pre> <p style= "font-text:25px;">The text is a little more bigger</p> </pre>
4. Physical or motor disabilities	<pre> <button type="button" class="btn btn-primary btn-lg dropdown-toggle" data-bs-toggle="dropdown"> Dropdown button </pre>
5. Deaf or hard of hearing	<pre> Information! This section can be used to direct where to look for more information about my page. </pre>
6. Dyslexia	<pre> <div class="container pt-5 bg-white text-dark"> </pre>

