

## UNIT 4 The Ship

Let us now make a tour of the Marina and learn the words for the different parts of a ship. Let us start at the bow and go aft. Going aft we will find the following superstructures. First is the forecastle head or forecastle deck and on it the windlass for the anchor. On the Marina it consists of two combined anchor mooring winches.

Aft of the forecastle the main deck stretches along the whole length of the ship. On the main deck are her three huge hydraulically driven cargo cranes with a lifting capacity of 37 tons - the Marina is a so called geared vessel, i.e. she has her own cranes for loading and unloading the cargo.

On the open main deck, also called "the weather deck", we find large hatch covers over the hatches that lead down to the cargo holds below. The Marina has MacGregor fold-tight hatch covers with six panels per hatch end. The hatch panels are folded open when cargo is loaded into the huge holds. The length of the panel pairs usually corresponds to the length of the containers stored on the weather deck and in the hold. On the Marina the hatch covers can be partly opened and cargo lifted away for individual panels. It is important that the hatch covers are closed tightly - they are sealed. The sealing systems of the hatch covers must be reliable so that the covers are weathertight and resist water, corrosion and drastic changes in temperature.

Below the weather deck are the cargo holds. On the Marina there are five holds that can load a wide range of dry cargoes. The holds can be used both for carrying bulk cargo like grain or fertilisers or to stow containers. Strong bulkheads separate the holds from each other. In addition to this, the holds on the Marina have removable between decks (often called 'tweendecks) with their own hatches and 'tweendeck hatch covers. This increases the maximum number of cargo holds to ten. The Marina can also carry containers on the weather deck.

On bulk carriers and on multi-purpose vessels like the Marina the superstructure lies towards the stern of the ship. The superstructure is built up in a number of decks. On the 1<sup>st</sup> deck there are the dining rooms for the crew and the officers called "the mess" and the ship's galley. On this same deck are the dayroom for the crew, where the seamen get together during free hours, and a lounge or dayroom for the officers.

Other recreation space for the crew includes a sauna and a gym. On the 2<sup>nd</sup> deck we find the accommodation or living quarters for the crew including engineers and electricians.

On the 3<sup>rd</sup> deck is the accommodation for the officers - on the starboard side the First Officer's cabin and office; on the port side living quarters for the Second and Third Mate. Amidships on the 3<sup>rd</sup> deck is the Conference Room and the Ship's Office. On the 4th deck are the Captain's day room and bedroom and aft of these on the starboard side the Chief Officer's cabin and office. On the port side is the cabin for the Ship's owner.

On top is the navigation bridge (in the past often called the Wheel House). A modern navigation bridge is an integrated work space which includes workstations for navigating and conning the ship, a Chart Desk and a Communication Workstation (earlier called the Radio Room). On the side are the so called Bridge Wings to improve visibility from the bridge.

On top of the navigation bridge is the main mast with the radio antennas, navigational and signal lights and radar scanners. Aft of the main mast are the funnels and aft of these is the poop deck. On the poop deck there is a second set of mooring winches. The engine room on the Marina is at the stern of the ship below the main deck aft of the cargo holds.

The whole body of the ship is called the hull. The outer surface is called the plating. On the Marina the hull is made of steel. It is strengthened to meet Lloyd's Register ice class 1A requirements. This is necessary, as she is on traffic in the Baltic Sea. The space between the cargo holds and the bottom contains the double bottom tanks for ballast and sometimes for fuel.

Stairs on a ship are often called ladders. Rooms (space) on a ship are often called compartments. The compartments are separated by watertight bulkheads.

The Marina makes a speed of 17 knots. She carries a crew of 15. Her DWT is 12,000 tons. Her overall length (LOA) is 140 m, her length between perpendiculars (LBP) is 130 m, her breadth is 22 m and her draught is 7.5 m. She can carry 521 TEU

containers including 20 refrigerated containers. Her total cargo hold capacity is 14,950 cubic metres.

Study these sentences:

There are ropes **at the bow** and **at the stern**.

There are ropes **fore** and **aft**.

The navigation bridge is **amidships**.

Right is called the **starboard** side and left the **port** side.

The ship is moored to **the quay in port**.

There is shallow water **ahead of your vessel**.

Do not pass **astern of my vessel**.

The Marina is a cargo vessel. **She** is on voyage from Santander to Kotka. Most vessels are “females” and are named after women.

There are ropes **at the bow** and **at the stern**.

There are ropes **fore** and **aft**.

”In front of” is known as before or **forward of**. No 1 hold is **forward of** No 2 hold.

Behind is **abaft** or **aft of**. The funnel is always **aft of the navigation bridge**.

Something in the middle of a ship is **amidships**.

There is a light buoy at a distance of two miles **ahead**. = in front of the ship

Do not pass **astern of** my vessel. = behind the ship

When you are facing the bow you have **the starboard side** on the right and **the port side** on the left.

The hull surface fore of the stern is called **the port quarter or the starboard quarter**.

The hull surface aft of the bow is called **the port bow or the starboard bow**.

E.g. the ship hit a rock **on the port bow**.

E.g. there is damage to the hull on **the starboard quarter**.

The word port comes from the old times when a sailing ship always **moored** the left side of the ship to **the quay in port**.