

Cargo Handling

Antwerp Container Port Trade (Listening Comprehension)

Exercise 1

This year the volume of <containerised goods> came to 74.6 million tonnes, or 6.5 million TEU. Over the last 10 years <container tonnage> has risen by 42.5 million tonnes or <164.7 % OR 164.7 per cent>. At present <78 % OR 78 per cent> of all general cargo is containerised.

Last year the <nine> principal ports of the Le Havre-Hamburg range jointly handled 28.4 million TEU, or a total tonnage of <298 million tonnes>. In terms of tonnage as well as of TEU Antwerp is currently the third largest <container port> in the range, after <Rotterdam> and <Hamburg>, and has a market share of <21.3% OR 21.3 per cent>.

Exercise 2

Container trade by geographical region in 2005

Total:	<74.6 million tonnes>
Europe	<19.7 %>
Near East	<20.3 %>
Mid and Far East	<19.2 %>
North and Central America	<24.2 %>
South America	<5.7 %>
Africa	<9.2 %>
Other regions	<1.7 %>

Exercise 3

Port of Antwerp — Container traffic (in tonnes) – Full containers

	<i>Unloaded</i>	<i>Loaded</i>	<i>Total</i>
Full containers			
Europe	<5,210,121>	9,545,549	14,755,670
Near East	5,451,874	9,431,519	<14,883,393>
<Middle & Far East>	5,147,976	9,075,391	14,223,367
North & Central America	8,010,124	<8,250,502>	16,260,626
<South America>	2,184,113	2,384,074	<4,568,187>
Africa	<2,833,753>	3,869,554	6,703,307
Others	153,634	557,419	<711,053>
Total full	<28,991,595>	<43,114,008>	<72,105,603>

© Port of Antwerp

Cargo Handling

Introduction to Cargo Care (Reading Comprehension)

Exercise 1

A successful <containerised> cargo shipment depends on four basic fundamentals.

1. Matching the cargo to the correct type of <container> that is best suited for the forthcoming voyage.
2. Ensuring that the container is in good <condition> prior to loading the <cargo> and that it is carried and handled correctly throughout the <voyage>.
3. Ensuring that the cargo is <loaded> correctly into the container and is properly <secured> against movement during the voyage.
4. Ensuring that all the relevant cargo <information> is communicated to all appropriate <parties> to ensure that the container and its contents will arrive at the <consignee> in the expected <condition>.

Cargo Handling

Cargo Handling – Bill of Lading definitions (Reading Comprehension)

Exercise 1

In order to understand a Bill of Lading, it is important to be familiar with certain definitions.

<**Carrier**> Means the party named in the Signature Box on the face of the document.

<**Merchant**> Includes any Person who at any time has been or becomes the Shipper, Holder, Consignee, Receiver of the Goods, any Person who owns or is entitled to the possession of the Goods or of this Bill of Lading and any Person acting on behalf of any such Person.

<**Holder**> Means any Person for the time being in possession of (or entitled to the possession of) this Bill of Lading.

<**Person**> Includes an individual, group, company or other entity.

<**Sub-Contractor**> Includes (but is not limited to) owners and operators of any vessels (other than the Carrier), stevedores, terminal and groupage operators, road, rail and air transport operators and any independent contractor employed by the Carrier in performance of the Carriage and any sub-sub-contractors thereof.

<**Indemnify**> Includes defend, indemnify and hold harmless whether or not the obligation to indemnify arises out of negligent or non-negligent acts or omissions of the Carrier, his servants, agents or Sub-Contractors.

<**Goods**> Means the whole or any part of the cargo received from the Shipper and includes the packing and any equipment or Container not supplied by or on behalf of the Carrier.

<**Container**> Includes any container, trailer, transportable tank, flat or pallet, or any similar article used to consolidate goods and any ancillary equipment.

<**Carriage**> Means the whole or any part of the operations and services undertaken by the Carrier in respect of the Goods covered by this Bill of Lading.

<**Port of Loading**> Means any port at which the Goods are loaded on board any Vessel (which may not necessarily be the Vessel named elsewhere in this document) for Carriage under this Bill of Lading

<**Port of Discharge**> Means any port at which the Goods are discharged from any Vessel (which may not necessarily be the Vessel named elsewhere in this document) after Carriage under this Bill of Lading.

<**Vessel**> Means any waterborne craft used in the Carriage under this Bill of Lading which may be a feeder vessel or an ocean vessel.

<**Combined Transport**> Arises if the Place of Receipt and/or the Place of Delivery are indicated on the face of this document in the relevant spaces.

<**Port to Port**> Arises if the Carriage is not Combined Transport.

<**Shipped on Board**> Relates only to the Container into which the Goods are manifested.

<**Freight**> Includes all charges payable to the Carrier in accordance with the applicable Tariff and this Bill of Lading.

<**Hague Rules**> Means the provisions of the International Convention for the Unification of Certain Rules relating to Bills of Lading signed at Brussels on 25th August, 1924 and includes the amendments by the Protocol signed at Brussels on 23rd February, 1968, but only if such amendments are compulsorily applicable to this Bill of Lading. (It is expressly provided that nothing in this Bill of Lading shall be construed as contractually applying said Rules as amended by said Protocol).

Cargo Handling

Refrigerated Cargo (Text)

Exercise 1

Most **1. <vessels>** are nowadays involved in the carriage of **2. <refrigerated>** cargoes all over the world, travelling through **3. <climates>** as hot as the torrid summers of the Persian Gulf and as cold as the frigid winters of the Antarctic Ocean. The combination of the cargo **4.**

<temperature> requirements and the climatic variations means correct temperature control of the **5. <refrigeration unit>** is essential, ensuring the cargo reaches its final **6. <destination>** in the desired condition. Shippers have developed extensive knowledge and expertise in the carriage of world-wide **7. <temperature controlled cargoes>**. They transport their customer's cargoes efficiently and effectively from the **8. <point of loading>** all the way through to the final destination, ensuring the cargo arrives in pristine condition for the final customer.

Cargo Handling

Engine problems aboard a Container Ship (Listening Comprehension)

Exercise 1

Report from Arnie Spencer, Captain of a container ship which trades from the Far East to the west coast of the USA

“Since my last dispatch, we have been to the port of Long Beach for our full discharge and load. Whilst in the harbour, we performed our regular three-monthly test of **<the lifeboat>**, lowering it into the water and taking it for a spin around the harbour, which was most enjoyable. The engineering department took the opportunity of our time in harbour to open up **<an engine cylinder>** and check **<the piston rings>**. If there is any wear, the piston rings are changed and **<the piston crown>** is cleaned up and replaced. This means that on departure **<the new pistons>** must be run in, meaning that we have to very gradually increase our speed over a 12-hour period in order not to cause any damage to **<the new pistons>**.

On our way across the Pacific, we encountered **<an engine problem>**, which meant that all **<engineers>** had to take turns on sea watch, much to their annoyance. On today's modern vessels, **<the engine room>** is unmanned at night with one engineer covering alarms over each 24-hour period. Therefore, taking part in watches throughout the night is a shock to the system compared to the usual 8-5 daytime shift. Hopefully, **<the problem>** will be fixed shortly and we will be back to normal after our second call to Singapore”.

Exercise 2

the piston rings	<are changed>
the piston crown	<is cleaned up>
the new piston	<must be run in>
the engine room	<is unmanned>
the problem	<will be fixed>