






Marp



Markdown presentation ecosystem

by Marp Team ([@marp-team](https://twitter.com/marp-team))

Features

-  **Write slide deck with plain Markdown** (CommonMark)
-  Built on [Marpit framework](#): A brand-new skinny framework for creating slide deck
-  [Marp Core](#): Easy to start using the core engine and built-in themes via npm
-  [Marp CLI](#): Convert Markdown into HTML, PDF, PPTX, and images
-  [Marp for VS Code](#): Live-preview your deck while editing
- and more...

How to write slides?

Split pages by horizontal ruler (e.g. `---`). It's very simple.

```
# Slide 1
```

```
foobar
```

```
---
```

```
# Slide 2
```

```
foobar
```

Directives

Marp has extended syntax called "**Directives**" to support creating beautiful slides.

Insert front-matter to the top of Markdown:

```
---  
theme: default  
---
```

or HTML comment to anywhere:

```
<!-- theme: default -->
```

Global directives

- `theme`: Choose theme
- `size`: Choose slide size from `16:9` and `4:3` (*except Marpit framework*)
- `headingDivider`: Instruct to divide slide pages at before of specified heading levels

```
---  
theme: gaia  
size: 4:3  
---
```

Local directives

These are the setting value per slide pages.

- `paginate`: Show pagination by set `true`
- `header`: Specify the contents for header
- `footer`: Specify the contents for footer
- `class`: Set HTML class for current slide
- `color`: Set text color
- `backgroundColor`: Set background color

Spot directives

Local directives would apply to **defined page and following pages.**

They can apply to single page by using underscore prefix such as `_class`.

```
---  
backgroundColor: white  
---
```

```
# Page 1
```

```
---  
<!-- backgroundColor: orange -->  
---
```

```
# Page 2
```

```
---  
<!-- _color: white -->  
---
```

```
# Page 3
```

```
---  
# Page 4
```

Page 1

Page 2

Page 3

Page 4

Example

This page is using invert color scheme defined in Marp built-in theme.

```
<!-- _class: invert -->
```


Image syntax

You can resize image size and apply filters through keywords: `width` (`w`), `height` (`h`), and filter CSS keywords.

```
![width:100px height:100px](image.png)
```

```
![blur sepia:50%](filters.png)
```

Please refer [resizing image syntax](#) and [a list of CSS filters](#).



Background image

You can set background image for a slide by using `bg` keyword.

```
![bg opacity](https://yhatt-marp-cli-example.netlify.com/assets/gradient.jpg)
```

Multiple backgrounds (Marpit's advanced backgrounds)

Marp can use multiple background images.

```
![bg blur:3px](https://fakeimg.pl/800x600/fff/ccc/?text=A)
![bg blur:3px](https://fakeimg.pl/800x600/eee/ccc/?text=B)
![bg blur:3px](https://fakeimg.pl/800x600/ddd/ccc/?text=C)
```

Also can change alignment direction by including `vertical` keyword.


Split background

Marp can use Deckset style split background(s).

Make a space for background by `bg` + `left` / `right` keywords.

```
![bg right](image.jpg)
```

Photo by Mohamed Nohassi on Unsplash



Fragmented list

Marp will parse a list with asterisk marker as the fragmented list for appearing contents one by one. (***Only for exported HTML by Marp CLI / Marp for VS Code***)

```
# Bullet list
```

- One
- Two
- Three

```
---
```

```
# Fragmented list
```

Math typesetting (only for Marp Core)

KaTeX math typesetting such as $ax^2 + bc + c$ can use with Pandoc's math syntax.

$$I_{xx} = \int \int_R y^2 f(x, y) \cdot dy dx$$

```
$ax^2+bc+c$
```

```
$$I_{xx}=\int\int_R y^2 f(x,y) \cdot dy dx$$
```

Auto-scaling (only for Marp Core)

Several built-in themes are supported auto-scaling for code blocks and math typesettings.

```
Too long code block will be scaled-down automatically. ----->
```

```
Too long code block will be scaled-down automatically. ----->
```

```
Too long code block will be scaled-down automatically. ----->
```

Auto-fitting header (only for Marp Core)
is available by annotating `<!--fit-->` in headings.

```
## <!--fit--> Auto-fitting header (only for Marp Core)
```


Theme CSS

Marp uses `<section>` as the container of each slide. And others are same as styling for plain Markdown. The customized theme can use in [Marp CLI](#) and [Marp for VS Code](#).

```
/* @theme your-theme */

@import 'default';

section {
  /* Specify slide size */
  width: 960px;
  height: 720px;
}
```

Tweak style in Markdown

`<style>` tag in Markdown will work in the context of theme CSS.

```
---  
theme: default  
---  
  
<style>  
section {  
  background: yellow;  
}  
</style>
```

Re-painted yellow background, ha-ha.

```
section.custom-class { ... }
```

Apply style through `<!-- _class: custom-class -->`.

Scoped style

If you want one-shot styling for current page, you can use

`<style scoped>`.

```
<style scoped>
a {
  color: green;
}
</style>
```

```
! [Green link!] (https://marp.app/)
```

Enjoy writing slides! 🙌

▴ Marp: Markdown presentation ecosystem — <https://marp.app/>
by Marp Team ([@marp-team](https://twitter.com/marp-team))