
Beluga, the short guide

A Mac app where every task gets its own worktree and its own Claude, and where your Claude can ask a friend's Claude to do something on their Mac. Here are the cool parts, the way people actually use them.

- One worktree and one Claude per task, all at once
- Answers that show: charts, tables, diagrams, task cards
- Ask a friend's Claude, Mac to Mac, after they click Allow
- Sentinels that keep watch and fix things while you sleep
- Your phone sees what needs you, and answers it



A worktree: the conversation in the middle, its changes on the right, projects and friends on the left.

THE MAP

Everything Beluga has, on one page

Six branches. Each one is a place in the sidebar, and each one also reaches your phone.

Worktrees

- **A task, a worktree, a Claude**: own folder and branch
- **Many at once**, with sub-agents you can watch
- **Right panel**: Changes, Files, Scratch, Info
- **Terminals** beside the chat (⌘J)
- **Commit, PR, Merge** in one click
- **Plan / Act**, model and thinking per chat
- **Edit a sent message** to rewind or fork

Answers that show

- **Charts and stat tiles**: line, bar, pie, gantt, heatmap
- **Live tables** paged from a file, DB, URL or command
- **Diagrams** with a step-by-step walkthrough
- **Task cards** with live status
- **Markdown**: math, Mermaid, folding JSON
- **Scratch**: screenshots, logs, JSON as Claude works

Tasks and Plans

- **A board per project**: list, kanban, graph
- **Brief**: goal, criteria, decisions, handoff
- **Epics and sub-tasks**, labels, @-mentions
- **Done when its worktree merges**
- **Plans**: milestones a head Claude runs
- **Linear and GitHub issues** sync, shared boards

Friends

- **@-tag a friend**: your Claude asks theirs
- **Allow / Allow Always / Decline / See more**
- **Trust levels**: Ask me each time, Trusted, Full trust
- **Files, screenshots, commands**, device info
- **Chats and groups**, end-to-end encrypted
- **Peer to peer**: no server, no account

Sentinel

- **When**: a schedule, GitHub, Stripe, Sentry, uptime, webhook
- **Steps**: ask Claude, script, PR, merge, notify
- **Eleven recipes**: Morning brief, Fix what broke…
- **Dashboard** of kept numbers and tables
- **Safe**: starts paused, merge needs your tap

Your Mac and phone


- **Activity**: every Claude Code session on the Mac
- **Usage**: plan limits, tokens, disk per project
- **Phone app**: NeedsYou, chats, files, terminal
- **Beluga Link**: your Mac drives your phone
- **Menu bar, ⌘K, notifications**, self-updating

THE EVERYDAY LOOP

One task, end to end


This is the path almost every piece of work takes. Your main folder stays read-only for Claude the whole time.

1 Ask | 2 Worktree | 3 Claude works | 4 Proof | 5 Task moves | 6 Merge




1 Say what you want

On a project's home, describe the task. A question stays in the main folder; a change gets its own worktree.



2 A worktree appears

Named for the task (`add-auth`), with its own branch and Claude. Start three more and they all run at once.



3 Claude does the work


Steps show live, changed files land in the right panel, and you can steer or queue a follow-up while it runs.

THE EVERYDAY LOOP

One task, end to end (continued)


Claude doesn't just say it's done: it shows you, and the board keeps up by itself.

1 Ask | 2 Worktree | 3 Claude works | 4 Proof | 5 Task moves | 6 Merge




4 Proof in Scratch

Reviewer sub-agents check the change. Test logs, a screenshot of the page and API responses fill the Scratch tab live.



5 The task keeps up

Claude ticks criteria, records decisions and attaches proof. Ask "where do my tasks stand?" and get live cards.



6 Create PR, merge, done

Create PR opens the pull request, or Merge brings the worktree straight into main. Either way, the task moves to Done on its own.

USE CASE


"Do my tests pass on your machine?"

You changed the webhooks and want to know if bob's checkout of `bob-api` still passes. Instead of a Slack thread, you tag bob.

```
@bob run the tests in bob-api and tell me how many pass
```

Your Claude finds bob, asks his Claude, and waits. bob gets a small pop-up wherever they are, reads it with See more, and clicks Allow. Their Claude runs the tests on their Mac and the result comes back as a table.

- No server and no shared account: Mac to Mac, end-to-end encrypted
- Each Claude uses its owner's subscription and logins
- Trusted friends skip the pop-up; secrets are refused at every level
- Also: "send me a screenshot", "send me that PDF", "make me admin on the repo"




USE CASE

CI broke at 3 am. It's fixed by breakfast.

The **Fix what broke** recipe watches GitHub. When a workflow fails on `main`, Claude finds the cause in a fresh worktree, opens a pull request and waits for the checks and a reviewer.

In the morning there's one thing waiting: a **Merge** button, on the Mac or the phone, with a short report of what broke and why the fix is right.


- Triggers: a schedule, GitHub, Stripe, Sentry, a site going down, a webhook
- Starts paused; Look, Work and Ship say how far Claude may go
- Morning brief: every day at 7, what changed, sent to your phone
- Keep the numbers: runs feed tiles on Sentinel's dashboard



USE CASE


"How does a payment flow?" and "How are payments doing?"

New to a codebase, or checking on the business: ask, and the answer is something you can click, not a wall of text.



A diagram with a walkthrough

`/visualize` draws the flow from the checkout page through the API, Stripe and the webhook to the `orders` table. Hover a part to see what it touches, then step through it.



A live dashboard in the chat

Stat tiles, a chart of payments per day and a table of the latest orders that pages, sorts and searches straight from the source, without asking Claude again.


USE CASE

Five fixes in one message

You paste a list from a bug bash. Claude opens a task for each, and you start them as worktrees side by side. The board fills itself in: In Progress while Claude works, In Review when the PR opens, Done when it merges.


```
fix the refund button, rate-limit
login, send receipts once, add the
launch checklist, move secrets to the
keychain
```


- Every task has a brief: goal, acceptance criteria, decisions, handoff
- Epics group related work; a graph shows what waits on what
- Share a board with friends; @-mention them in a comment
- Plans: a head Claude runs milestones and asks you at decisions



KEEPING AN EYE

Your Mac at a glance, and how we know it works





Activity: every Claude Code session on the Mac, Beluga's or not, and the background agents they started. **Usage** shows plan limits, tokens per day and disk per project with one-click clean up. The phone app mirrors what needs you, with a push.

The end-to-end tests

Every picture in this guide comes from the **demo**: a fake daemon with the projects `bob-api` and `landing`, friends bob and mia, tasks and sentinels. The e2e suite drives the real app against it, the same way a person would.

1 · Start the demo daemon
A real engine with made-up projects and a simulated Claude, so runs are fast and repeatable.

2 · Open the app in Playwright
The Mac app's web view, clicked through by role and label, like a screen reader would.

3 · Walk a real use case
Make a worktree, ask a friend, merge, run a sentinel, and check what the screen says.

4 · Record the GIFs
`scripts/gifs.mjs` replays the same scenes for the README.

`worktrees` `merge` `scratch` `tasks` `plans` `wants-to` `network` `sentinel` `views` `graphs` `phone-pairing` `usage` `keyboard` `+ 76 more`

Run them: `cd packages/mac && npm run e2e`