

Contents

Filter

Description

Constructor Summary

Method Summary

Constructor Details

TrustedReviewer(String, String, int)

Method Details

getUserName()

getName()

getWeight()

setWeight(int)

Class TrustedReviewer

java.lang.Object
application.TrustedReviewer

public class **TrustedReviewer**
extends **Object**

The TrustedReviewer class represents a trusted reviewer for a student. It contains the reviewer's username, name, and the weight assigned by the student.

Constructor Summary

Constructors

Constructor	Description
TrustedReviewer (String userName, String name, int weight)	Creates a new TrustedReviewer object.

Method Summary

All Methods Instance Methods

Concrete Methods

Modifier and Type	Method	Description
String	getName()	Gets the reviewer's display name.
String	getUserName()	Gets the reviewer's username.
int	getWeight()	Gets the weight assigned to the reviewer.



<code>void</code>	<code>setWeight</code> (int weight)	Sets the weight assigned to the reviewer.
-------------------	--	---

Methods inherited from class java.lang.Object

`equals` , `getClass` , `hashCode` , `notify` , `notifyAll` , `toString` , `wait` , `wait` , `wait`

Constructor Details

TrustedReviewer

```
public TrustedReviewer(String username,
                        String name,
                        int weight)
```

Creates a new TrustedReviewer object.

Parameters:

username - the reviewer's username

name - the reviewer's display name

weight - the weight assigned to the reviewer (1-10)

Method Details

getUserName

```
public String getUserName()
```

Gets the reviewer's username.

Returns:

the reviewer's username

getName

```
public String getName()
```

Gets the reviewer's display name.

Returns:

the reviewer's display name

getWeight

```
public int getWeight()
```

Gets the weight assigned to the reviewer.

Returns:

the weight (1-10)

setWeight

```
public void setWeight(int weight)
```

Sets the weight assigned to the reviewer.

Parameters:

weight - the new weight (1-10)