

- TCM. Beijing: People's Medical Publishing House, 1986: 192
- [2] 赵雅龙. 刘河间妇科学术思想初探. 浙江中医杂志, 1992, 27(11): 509-510
- ZHAO Ya-long. Explore for academic thought of LIU He-jian about gynecology. Zhejiang Journal of TCM, 1992, 27(11): 509-510
- [3] 郭瑞华. 刘完素妇科学术思想特色. 吉林中医药, 1995(1): 1-2
- GUO Rui-hua. Characteristics of academic thought of LIU Wan-su about gynecology. Journal of TCM and Chinese Materia Medica of Jilin, 1995(1): 1-2
- [4] 曲秀芬, 吴丽娟, 张金华. 略述带下病与奇经的关系. 中医学报, 2000(3): 9
- QU Xiu-fen, WU Li-juan, ZHANG Jin-hua. Brief statement about relationship between leukorrhea and extraordinary meridians. Journal of Chinese Medicine and Pharmacology, 2000(3): 9
- [5] 严世芸. 中医各家学说. 北京: 中国中医药出版社, 2007: 142-143
- YAN Shi-yun. Theory of Schools of TCM. Beijing: China Press of TCM, 2007: 142-143
- (收稿日期: 2009年2月10日)

· 论著 ·

“有故无殒”发微

孙谊, 于智敏

(中国中医科学院中医基础理论研究所, 北京 100700)

摘要: 文章探讨了“有故无殒”的古今含义, 并着重研究了“故”的含义, 指出“故”有3种内涵, 一指病; 二指宿病, 与“新”病相对; 三指缘故。另外阐明了如何做到“无殒”和“有故无殒”。文章旨在研究如何在“有故”的情况下, 做到“无殒”, 最终实现“以平为期”的目标。

关键词: 有故; 无殒; 思想; 中医理论

Analysis of security of intense drugs for pregnant woman

SUN Yi, YU Zhi-min

(Institute of Basic Theory of TCM, China Academy of Chinese Medicine Sciences, Beijing 100700, China)

Abstract: This article discussed the ancient and modern meaning of security of intense drugs for pregnant woman. And emphatically studied the meaning of the 'gu', pointing out that 'gu' had three connotations, one referred to disease, second mean the original disease, with the 'new' disease relative, the third referred to reasons. In addition, the article expounded how can be safe for the pregnant woman to use drugs with extremely intense action. In this paper, its purpose was to examine how to achieve security under circumstance of sick and finally achieve balance and harmony.

Key words: Having disease; Security; Thoughts; Theories of TCM

《素问·六元正纪大论》有言:“妇人重身, 毒之何如……有故无殒, 亦无殒”。对“有故无殒”的认识, 张景岳注曰:“故, 大积大聚之故, 有是故而用是药, 所谓有病则病受之, 故孕妇可以无限, 而胎气亦无限也”^[1]。

现代对“有故无殒”的认识有, 《简明中医语词辞

典》:“孕妇有病用毒药攻伐也无妨, 母子不会致死”^[2]。《中医名词术语精华辞典》:“治疗学术语, 系一种用药法则。故, 缘故。殒, 死亡。指临床用药时, 虽药性峻猛, 只要有相应病证, 药证相符, 就不会出现危险”^[3]。何为“有故”? 何以“无殒”? 因何“有故无殒”? 历代医家论述不一, 现代论述语焉不详, 现陈管见如下。

通讯作者: 于智敏, 北京市东城区东直门内小街16号中国中医科学院中医基础理论研究所, 邮编: 100700, 电话: 010-64014411转2516
E-mail: yuzhilaiye@sohu.com

何为“有故”

目前,对“有故无殒”之“故”的认识,尚无定论,正确理解本文的关键是“故”。考诸古代文献,“故”的含义有三。

1. 指病 “有故”谓有病。《婴儿论》在治疗胸腹肿满、石硬病时指出:“虽体气虚弱,须先破之,有故无害,此为霸道也,桃花煎破之”^[4]。认为石硬病人,即使患者身体虚弱,但是在有疾病存在的情况下,也可用峻药治疗。《杂病心法要诀》论述痿病治法时指出:“病痿者,胃家必有故也,或湿热、或积热、或湿痰”^[5]。亦阐明了痿病患者,其胃肠必有不和。

此外,王冰认为“故”指癥瘕类疾病:“故,谓有大坚癥瘕,痛甚不堪”;高士宗认为“故”泛指寒热之病:“有寒热之病,用寒热之毒,谓之有故”^[6]。

2. 指宿病、沉年痼疾,与“新”病相对 《素问·脉要精微论》论述了“故”病和“新”病的区别,指出“有故病,旧有宿病也。征其脉不夺其色夺者,此久病也;征其脉与五色俱夺者,此久病也;征其脉小色不夺者,新病也”^[7]。

3. 指原因,缘故 《医学源流论》指出:“症有与病相反者,最易误治,此等之病,尤当细考,一或有误,而从症用药,即死生判矣。此其中盖有故焉”^[8]。此处之“故”意思可理解为原因。

综上可知,“有故无殒”之“故”既可指疾病,又可指病因。其意为,只要身体有疾病,明确病因,无论患者身体状态、疾病进展如何,即使在妊娠期、胎产期,也可用药(包括毒药)治疗。《素问·六元正纪大论》所论,实以妇人身重为例说明,指出有是证,用是药,意在示人用药,特别是用毒药的规矩,非特指孕妇用药而言也。如《医门法律》对甘遂半夏汤释为:“甘遂甘草大相反者,合而用之,俾其向留著之根,尽力一划,得留者去,而药根已不存矣!正《内经》有故无殒之义也”^[9]。

何以“无殒”

1. 急则治病故无殒 《周慎斋遗书》言:“盖妇人重身,有故则无损,毒药无碍也。大凡因胎而有病,安胎为主;因病而胎不安,宜治病为急。所以重身可用毒药也”^[10]。《证治准绳》记载:“东垣治一妇人重娠六月,冬至因恸哭口吸风寒,忽病心痛不可忍,浑身冷气欲绝。曰此乃客寒犯胃,故胃脘当心而痛。急与草豆蔻、半夏、干生姜、炙甘草、益智仁之类”^[11]。认为使用半夏,是取“有故而用”,治病为急之意。

2. 圆机活法故无殒 《三指禅》言:“其用药也,离奇奇,黄芩安胎者也,乌头伤胎者也,而胎当寒结,

黄芩等转为伤胎之鸩血,乌头又为安胎之灵丹”^[12]。此处之用药离奇,不循常法,出奇制胜,是指圆机活法、知药善用。《程杏轩医案》亦云:“用之当不当,不必问其毒不毒。苟用之不当,即无毒亦转为大毒,用之得当,即有毒亦化为无毒”^[13]。近代名医夏应堂言:“医生临诊,不但辨证,更需辨药”,只有懂得用药真诠,才能发挥药物的疗效。

3. 详辨脉证故无殒 《本草求真》:“凡属毒物,固勿妄投,即其性非毒烈,而审症不真,辨脉不实,则其为毒最大”^[14]。《孙文垣医案》载,患者,泄泻半年,世医诊为脾肾泄,用补法治疗不效。孙氏诊其“尺寸俱无脉,惟两关沉滑,以人言泄久六脉将绝也”,认为是中焦食积痰泄,积胶于中,故尺寸脉隐伏不见,故用下法去积。曰:“有故无殒,亦无殒也。若不乘时,久则元气愈弱,再下难矣”^[15]。以保和丸加备急丸治疗,胀痛随愈。可见,详辨脉证,即使久病重病,运用下法,甚至用巴豆治疗,亦能无殒。

4. 善其应用故无殒 善其应用是对急则治病、圆机活法、详辨脉证的总结,是指用药尤其是有毒之品,要综合考虑病邪性质、患者体质、病情所处阶段等诸多因素,要知常达变,才能做到“无殒”。如《外台》桔梗白散方,用峻药巴豆,尤怡《金匱要略心典》释为:“亦以毒攻毒之意,然非病盛气实,非峻药不能为功者,不可侥幸一试也,是在审其形之肥瘠,与病之缓急,而善其用焉”^[16]。

如何做到“有故无殒”

“有故无殒”强调了辨明何“故”后,要对症下药,而且用药必须做到“无殒”。如何做到“有故无殒”,笔者认为有以下3点。

1. 坚持辨证论治 “有故无殒”阐述了妊娠患病可否使用毒药的权衡准则,但临床已不囿于妊娠之限,推广到一般疾病的治疗用药上。要做到“有故无殒”,前提必须辨证准确,密切注意患者的体质强弱,病情的轻重缓急,认准适应证,因症施治。《三指禅》言:“无药不可以安胎,无药不可以伤胎,有何一定之方,有何一定之药乎!”^[12]强调了药物的双重属性,突出了辨证施药的意义,指出应根据具体病情的变化,采取不同治疗措施的重要性。

《金匱要略》治疗妊娠恶阻、呕吐不止的干姜半夏人参丸中的半夏,妊娠病下血的桂枝茯苓丸中的桃仁,均为妊娠禁忌药物,当孕妇出现相应的疾病症状时,这些药物又是针对性治疗的特效药,显示了临床用药的灵活性和辨证论治的重要性。

2. 掌握用药方法 “药以治病,因毒为能”,临

床用药概莫能外。《本草乘雅半偈》云:“毒药攻病,不得不下毒手,亦不得轻下毒手”^[17]。《圣济总录》言:“然毒药攻邪,不必过剂,过则反伤正气”^[18]。所以,欲实现“有故无殒”亦必宗此旨。

总之,要做到“有故无殒”,必须明确用药原则,严格掌握用药剂量,尤其是毒药的剂量,要中病即止,勿伤正气,所谓“衰其大半而止”,同时亦要注意毒药的减毒方法,注意毒药的炮制、配伍、煎服、剂型,并详察用药反应等等。

3. 把握以平为期 以平为期、调整阴阳平衡是中医治疗疾病的根本原则,在这一原则指导下,派生出许多具体的治疗原则和方法,有故无殒是其中之一,各种治疗总以快速恢复“平和”为目的。通过治疗,只要能使脏腑阴阳平衡协调,气血津液流通和畅,则邪之既去,正气乃生,如此方可有故无殒,实现以平为期。

体会

“有故无殒”丰富了对疾病尤其是妊娠病的治疗思想。实现“有故无殒”,既要坚持辨证论治,又要注意药物的双重性,且不可囿于妊娠之病。如此才能深刻理解“有故无殒”的思想本质。“有故无殒”通过妊娠期这一特殊的事例,告诉人们应用中药,不要孤立地看待药物本身有无毒性,要着眼于药物与机体,药物与证候之间的关系,强调有毒和无毒药物是相对的,在不同条件下作用不同,掌握合适的条件是趋利避害的有效途径和关键所在。中医认为“阴平阳秘,精神乃治”,“气血冲和,万病不生”。人体“有故”,其本质就是这种平衡失调。中医治疗就是用各种手段,以求得新的动态平衡。在“有故”的情况下,做到“无殒”,最终实现“以平为期”,这是中医治疗的最高目标,也是本文的目的与意义所在。

参 考 文 献

- [1] 张景岳.类经.北京:中国中医药出版社,1997:159
ZHANG Jing-yue. Lei Jing. Beijing: China Press of TCM, 1997:159
- [2] 达美君.简明中医语词辞典.上海:上海科学技术出版社,2004:56
DA Mei-jun. Concise Dictionary of TCM Terminology. Shanghai: Shanghai Scientific and Technical Publishers, 2004:56
- [3] 李经纬,余瀛鳌,蔡景峰.中医名词术语精华辞典.天津:天津科学技术出版社,1996:307
LI Jing-wei, YU Ying-ao, CAI Jing-feng. The Essence of TCM Terminology Dictionary. Tianjin: Tianjin Science and Technology Press, 1996:307
- [4] 周士礼.婴儿论.上海:上海科学技术出版社,1990:200
ZHOU Shi-li. Yinger Lun. Shanghai: Shanghai Scientific and Technical Publishers, 1990:200
- [5] 吴谦.医宗金鉴·杂病心法要诀.北京:人民卫生出版社,1963:1049
WU Qian. Yizong Jinjian · Zabing Xinfu Yaojue. Beijing: People's Medical Publishing House, 1963:1049
- [6] 高士宗.黄帝素问直解.北京:科学技术文献出版社,1990:636
GAO Shi-zong. Huangdi Suwen Zhijie. Beijing: Science and Technology Document Publishing House, 1990:636
- [7] 王冰.黄帝内经素问.北京:人民卫生出版社,1963:501,106
WANG Bing. Huangdi Neijing Suwen. Beijing: People's Medical Publishing House, 1963:501,106
- [8] 徐大椿.医学源流论.徐大椿医学全书.北京:人民卫生出版社,1988:169
XU Da-chun. Yixue Yuanliulun. XU Da-chun's Medical Works. Beijing: People's Medical Publishing House, 1988:169
- [9] 喻嘉言.医门法律.喻嘉言医学全书.北京:中国中医药出版社,1999:306
YU Jia-yan. Yimen Falv. YU Jia-yan's Medical Works. Beijing: China Press of TCM, 1999:306
- [10] 周子干.周慎斋医书.南京:江苏科学技术出版社,1987:233
ZHOU Zi-gan. ZHOU Shen-zhai's Medical Books. Nanjing: Jiangsu Science and Technology Press, 1987:233
- [11] 王肯堂.证治准绳.北京:中国中医药出版社,1997:122
WANG Ken-tang. Zhengzhi Zhunsheng. Beijing: China Press of TCM, 1997:122
- [12] 周学霆.三指禅.北京:人民卫生出版社,1956:94
ZHOU Xue-ting. Sanzhi Chan. Beijing: People's Medical Publishing House, 1956:94
- [13] 程文囿.程杏轩医案.曹炳章原辑.中国医学大成.北京:中国中医药出版社,1997:305
CHENG Wen-you. CHENG Xing-xuan's Medical Records. Originally Compiled by CAO Bing-zhang. A Great Collection of Chinese Medicine Book. Beijing: China Press of TCM, 1997:305
- [14] 黄宫绣.本草求真.上海:上海科学技术出版社,1959:265
HUANG Gong-xiu. Bencao Qiuzhen. Shanghai: Shanghai Scientific and Technical Publishers, 1959:265
- [15] 孙泰来,孙文来,孙文垣医案.曹炳章原辑.中国医学大成.北京:中国中医药出版社,1997:120
SUN Tai-lai, SUN Wen-lai. SUN Wen-yuan's Medical Records. Originally Compiled by CAO Bing-zhang. A Great Collection of Chinese Medicine Book. Beijing: China Press of TCM, 1997:120
- [16] 尤怡.金匱要略心典.北京:中国中医药出版社,1999:50
YOU Yi. Jingui Yaolue Xindian. Beijing: China Press of TCM, 1999:50
- [17] 卢之颐.本草乘雅半偈.北京:人民卫生出版社,1986:374
LU Zhi-yi. Bencao Chengya Banji. Beijing: People's Medical Publishing House, 1986:374
- [18] 赵佶.圣济总录.北京:人民卫生出版社,1962:2402
ZHAO Ji. Shengji Zonglu. Beijing: People's Medical Publishing House, 1962:2402

(收稿日期:2008年12月8日)