Deploying your first application on Code Engine



Estimated Time: 15 mins

In this lab you will learn how to deploy a Hello World web application from GitHub on Code Engine. IBM Cloud Code Engine has been made availble to you through this lab environment.


Learning Objectives:

Aftet completing this lab you will be able to:


- 1. Start Code Engine service to create applications
- 2. Use the code engine service to deploy an application and create a remote access URL for the application.
- 3. List the applications you have deployed.

Setting up Code Engine

1. On the menu in your lab environment, Click Cloud dropdown and choose Code Engine. The code engine set up panel comes up. Click Create Project.




2. The code engine environment takes a while to prepare. You will see the progress status being indicated in the set up panel.



3. Once the code engine set up is complete, you can see that it is active. Click on Code Engine CLI to begin the pre-configured CLI in the terminal below.

about:blank 1/4



4. You will observe that the pre-configured CLI statrup and the home directory is set to the current directory. As a part of the pre-configuration, the project has been set up and Kubeconfig is set up. The details that are shown on the terminal

```
ibmcloud ce project current
theia@theiadocker-lavanyas:/home/project$ ibmcloud ce project current
Getting the current project context...
OK
Name:
            Code Engine - sn-labs-lavanyas
            ee5183a9-4516-4bd1-8f4e-4a8615cafd81
ID:
Subdomain:
            v9oc2xsjxaz
Domain:
            us-south.codeengine.appdomain.cloud
Region:
            us-south
Kubernetes Config:
Context:
                       v9oc2xsjxaz
                       export KUBECONFIG="/home/theia/.bluemix/plugins/code-engine/Code E
Environment Variable:
sn-labs-lavanyas-ee5183a9-4516-4bd1-8f4e-4a8615cafd81.yaml"
theia@theiadocker-lavanyas:/home/project$ [
```

Deploying the first application

You will now use the CLI to deploy the Hello World application.

- 1. Run the following command to see the list of applications that exist.
- 1. 1
- 1. ibmcloud code-engine application list

Copied! Executed!

There will be no applications if this is the first time you are running the lab.

- 2. You can alternatively use the short for ibmcloud ce app in the place of ibmcloud code-engine application.
- 1 .
- 1. ibmcloud ce app lis

Copied! Executed!

- 3. You will deploy the simple flask web application which serves one REST API endpoint at the root level and returns the string Hello World. The code is provided in https://github.com/ibm-developer-skills-network/danum-pythonflaskserver. Run the following command to deploy the application.
- 1.
- 1. ibmcloud ce application create --name helloworld --build-source https://github.com/ibm-developer-skills-network/danum-pythonflaskserver --image us.icr.io/\${SN_ICR_NAMESPACE}/helloworld --registr

Copied! Executed!

```
theia@theiadocker-lavanyas:/home/project$ ibmcloud ce application create --name hellowor
https://github.com/ibm-developer-skills-network/danum-pythonflaskserver --image us.icr.i
ACE}/helloworld --registry-secret icr-secret --port 5000
Creating application 'helloworld'...
Submitting build run 'helloworld-run-221117-001735274'...
Creating image 'us.icr.io/sn-labs-lavanyas/helloworld:221117-0517-kam0s'...
Waiting for build run to complete...
Build run status: 'Running'
Build run completed successfully.
Run 'ibmcloud ce buildrun get -n helloworld-run-221117-001735274' to check the build run
Waiting for application 'helloworld' to become ready.
Configuration 'helloworld' is waiting for a Revision to become ready.
Ingress has not yet been reconciled.
Waiting for load balancer to be ready.
Run 'ibmcloud ce application get -n helloworld' to check the application status.
OK
https://helloworld.vaw1bizsrbq.us-south.codeengine.appdomain.cloud
the1a@the1adocker-Lavanyas:/home/project$
```

4. You will see that the command creates the application and also internally sets up the required infrastructure. It takes a a few seconds and it finally gives a confirmation along with the URL.

```
Run 'ibmcloud ce application get -n helloworld' to check the application status.

OK

Follow link (cmd + click)

https://helloworld.vaw1bizsrbq.us-south.codeengine.appdomain.cloud
theia@theiadocker-lavanyas:/home/project$
```

5. Press ctrl(Windows)/cmd(Mac) and the link that is created. Alternatively copy the link and paste it in a browser page and press enter. The hello world application page renders as given below.



Hello World!

- 6. To get the details of the application, run the following command.
- 1. 1
- 1. ibmcloud ce app get --name helloworld

Copied! Executed!

It gives detailed information about the application including the time of creation, resources used, number of instances etc.,

Congratulations! You have completed this lab successfully and deployed your first application on Code Engine.

Author(s)

Lavanya T S

about:blank 3/4

Changelog

 Date
 Version Changed by Change Description

 2022-11-14 0.1
 Lavanya
 Initial version created

(C) IBM Corporation 2023. All rights reserved.

about:blank 4/4