Supplementary Material

StegaGuard: A Controlled Robustness Study of Feature-Based Image Steganalysis under Algorithm and Payload Shift

This supplement lists the full results that the manuscript summarizes. Unless stated otherwise, values are means over seeds 42, 43 and 44 on the same 120 test source covers; they are repeated measurements on one partition, not independent samples.

Table S1. Detector × protocol × algorithm × payload results on the 120 test covers. ROC-AUC is mean ± sample SD over three seeds; F1 and BER use the validation-selected τ_{BER}; recall and FPR use the validation-selected τ_{low} (validation FPR ≤ 1%).

Detector	P	Algorithm	bpp	ROC-AUC	F1	BER	Recall@τ_{low}	FPR@τ_{low}
Residual-LR	P1	WOW	0.4	0.546 ± 0.000	0.528	0.463	0.058	0.042
			0.1	0.510 ± 0.000	0.509	0.475	0.050	0.042
		S-UNIWARD	0.4	0.565 ± 0.000	0.540	0.454	0.050	0.042
			0.1	0.505 ± 0.000	0.476	0.496	0.050	0.042
		HILL	0.4	0.570 ± 0.000	0.564	0.438	0.042	0.042
			0.1	0.514 ± 0.000	0.482	0.492	0.042	0.042
	P2	WOW	0.4	0.534 ± 0.005	0.566	0.472	0.072	0.042
			0.1	0.500 ± 0.001	0.547	0.487	0.056	0.042
		S-UNIWARD	0.4	0.549 ± 0.001	0.577	0.464	0.097	0.042
			0.1	0.504 ± 0.002	0.539	0.493	0.053	0.042
		HILL	0.4	0.551 ± 0.004	0.595	0.450	0.089	0.042
			0.1	0.505 ± 0.002	0.541	0.492	0.056	0.042
	P3	WOW	0.4	0.523 ± 0.002	0.584	0.482	0.061	0.053
			0.1	0.501 ± 0.002	0.562	0.500	0.056	0.053
		S-UNIWARD	0.4	0.555 ± 0.016	0.603	0.467	0.092	0.053
			0.1	0.502 ± 0.004	0.572	0.492	0.064	0.053
		HILL	0.4	0.546 ± 0.012	0.596	0.472	0.078	0.053
			0.1	0.511 ± 0.007	0.562	0.500	0.056	0.053
SRM+Ensemble	P1	WOW	0.4	0.714 ± 0.026	0.684	0.347	0.189	0.050
			0.1	0.539 ± 0.002	0.498	0.483	0.053	0.050
		S-UNIWARD	0.4	0.689 ± 0.008	0.669	0.360	0.114	0.050
			0.1	0.532 ± 0.015	0.501	0.482	0.061	0.050
		HILL	0.4	0.645 ± 0.009	0.636	0.386	0.108	0.050
			0.1	0.525 ± 0.009	0.501	0.482	0.056	0.050
	P2	WOW	0.4	0.713 ± 0.009	0.650	0.351	0.156	0.031
			0.1	0.550 ± 0.012	0.465	0.469	0.039	0.031
		S-UNIWARD	0.4	0.717 ± 0.006	0.648	0.353	0.097	0.031
			0.1	0.534 ± 0.009	0.464	0.471	0.025	0.031
		HILL	0.4	0.653 ± 0.018	0.585	0.394	0.072	0.031
			0.1	0.534 ± 0.007	0.459	0.475	0.028	0.031
	P3	WOW	0.4	0.686 ± 0.028	0.647	0.358	0.147	0.022
			0.1	0.546 ± 0.016	0.474	0.469	0.033	0.022
		S-UNIWARD	0.4	0.677 ± 0.022	0.610	0.383	0.131	0.022
			0.1	0.528 ± 0.005	0.450	0.485	0.019	0.022
		HILL	0.4	0.632 ± 0.010	0.586	0.400	0.083	0.022
			0.1	0.517 ± 0.010	0.445	0.489	0.036	0.022

Residual-LR shows a seed SD of 0.000 under P1, consistent with P1 involving no variant sampling and a deterministic fit. The FPR column is constant within each detector and protocol because the 120 test covers are scored identically in all six stego conditions. Multiplying the FPR by 3×120 and rounding to the nearest integer gives the false-positive totals of the manuscript (e.g. $0.042 \rightarrow 15/360$).

Table S2. Payload-shift comparisons (RQ3). ΔAUC = AUC(0.1 bpp) − AUC(0.4 bpp), paired on the 120 test covers, with 95% paired bootstrap intervals (resampling unit: source cover). ΔAUC is computed from unrounded AUCs and may differ by 0.001 from the rounded columns.

Detector	P	Algorithm	AUC 0.4	AUC 0.1	ΔAUC	95% CI
Residual-LR	P1	WOW	0.546	0.510	−0.036	[−0.063, −0.008]
		S-UNIWARD	0.565	0.505	−0.060	[−0.096, −0.029]
		HILL	0.570	0.514	−0.056	[−0.093, −0.020]
	P2	WOW	0.534	0.500	−0.034	[−0.058, −0.012]
		S-UNIWARD	0.549	0.504	−0.045	[−0.070, −0.022]
		HILL	0.551	0.505	−0.046	[−0.072, −0.020]
	P3	WOW	0.523	0.501	−0.022	[−0.046, −0.001]
		S-UNIWARD	0.555	0.502	−0.054	[−0.078, −0.030]
		HILL	0.546	0.511	−0.035	[−0.064, −0.006]
SRM+Ensemble	P1	WOW	0.714	0.539	−0.175	[−0.206, −0.144]
		S-UNIWARD	0.689	0.532	−0.157	[−0.186, −0.127]
		HILL	0.645	0.525	−0.120	[−0.149, −0.092]
	P2	WOW	0.713	0.550	−0.163	[−0.193, −0.134]
		S-UNIWARD	0.717	0.534	−0.183	[−0.211, −0.155]
		HILL	0.653	0.534	−0.119	[−0.150, −0.088]
	P3	WOW	0.686	0.546	−0.140	[−0.168, −0.111]
		S-UNIWARD	0.677	0.528	−0.149	[−0.177, −0.122]
		HILL	0.632	0.517	−0.115	[−0.145, −0.089]

Table S3. False-positive counts implied by the reported mean test FPR at τ_{low}. Each count is the unique integer k with k/360 rounding to the reported FPR; per-seed counts are not reported.

Detector	P	Mean test FPR	False positives (3 seeds)	Mean per run (of 120)
Residual-LR	P1	0.042	15/360	5.00
	P2	0.042	15/360	5.00
	P3	0.053	19/360	6.33
SRM+Ensemble	P1	0.050	18/360	6.00
	P2	0.031	11/360	3.67
	P3	0.022	8/360	2.67