

# Pull Request Helper



By Kayvan Nj

# Defaults

	Without PT link	With PT link
Commit message:	Specified in the prh_config.py	Title of PT story

# Defaults

	Without PT link	With PT link
Commit message:	Specified in the prh_config.py	Title of PT story
PR title:	Child branch name	Child branch name

# Defaults

	Without PT link	With PT link
Commit message:	Specified in the prh_config.py	Title of PT story
PR title:	Child branch name	Child branch name
PR body:	Specified in the prh_config.py	Default body + PT description

# Defaults

Commit message:

**-m <message>**

PR title:

PR body:

Without PT link

Specified in the prh\_config.py

Message only

Child branch name

Specified in the prh\_config.py

With PT link

Title of PT story

Message with removed PT link

Child branch name

Default body + PT description

# Defaults

Commit message:

**-m <message>**

PR title:

**-pt <title>**

PR body:

**Without PT link**

Specified in the prh\_config.py

Message only

Child branch name

Title only

Specified in the prh\_config.py

**With PT link**

Title of PT story

Message with removed PT link

Child branch name

Title only

Default body + PT description

# Defaults

Commit message:

**-m <message>**

PR title:

**-pt <title>**

PR body:

**-pb <body>**

**Without PT link**

Specified in the prh\_config.py

Message only

Child branch name

Title only

Specified in the prh\_config.py

Body + default body

**With PT link**

Title of PT story

Message with removed PT link

Child branch name

Title only

Default body + PT description

Body + Default body + PT description

# Options

Only required options:

If currently in a parent branch:

**-b <branch\_name>**

**-sb <branch\_name>**



# Options

Only required options:

If currently in a parent branch:

**-b <branch\_name>**

**-sb <branch\_name>**

*or*

If currently in a child branch:

**-upto <parent\_branch\_name>**

## **-b / -sb**

This is the only required option if `-upto` is not being used.

Use `-b` to specify the full branch name for the child branch you would like to create

```
(master) ~ prh -b d123_child_branch
```

Use `-sb` to automatically prefix the specified branch name with current branch name

```
(d123) ~ prh -sb child_branch
```

# -upto

Use this option if you are already in a sub branch and would like to commit and create PR to the parent branch

```
(d123_child_branch) ~ prh -upto master
```

# -a

To add a specific file/change and only that file/change to the commit

```
(master) ~ prh -b my_child_branch -a readme.md licenses.md
```

Use it with no arguments and it will not add any of the changes

```
(master) ~ prh -b my_child_branch -a
```

Don't use it at all? Add them all

It will notify you for all the changes and ask if you would like to continue with adding them all

# -m

To specify a commit message as well as Pivotal Tracker Story link

```
(master) ~ prh -b my_child_branch -m "What a great commit message"
```

```
(master) ~ prh -b my_child_branch -m "What a great commit message  
https://www.pivotaltracker.com/story/show/120123949"
```

```
(master) ~ prh -b my_child_branch -m  
https://www.pivotaltracker.com/story/show/120123949
```

# Demo

# What next???

More features and fixes are on their way, you can request new feature or report an issue through Github issue tracker

# Did you know you can contribute?

Yes, PRH is an open source application and meant to help all developers specifically ones with the same workflow as us in Doximity.



# Links

Main repo: <https://github.com/kayvannj/PullRequestHelper>

Issued or Feature requests: <https://github.com/kayvannj/PullRequestHelper/issues>

This slides: <https://github.com/kayvannj/PullRequestHelper/blob/master/slides.pdf>

# Questions?

Thank you

*THE END*