My Courses / Courses / Summer 2021 / CSC031701-U21E-1374 / Unit 07 - Front-end JavaScript / DavaScript Quiz

l on Tuesday, June 29, 2021, 11:17 PM
tate Finished
I on Tuesday, June 29, 2021, 11:30 PM
ken 12 mins 10 secs
ade 27.00 out of 30.00 (90%)
JavaScript that is executed in the browser is considered back-end JavaScript.
Select one:
○ True
False
Select the answer that BEST matches the following statement:
Use this function to select an element by id.
Select one:
getElementById
○ getElelmentsByTagName
○ getElementsByClassName
O querySelectorAll
O querySelector
In JavaScript, variables declared inside a function using var are considered local variables.
Select one:
True
○ False
Select the term below that best matches the following description:
Used to represent text in HTML elements in the DOM tree.
Select one:
Element Nodes
O Text Node
Attribute Node
O Document Node
Functions declarations in JavaScript are hoisted.
Select one:
True
○ False
1

Question 6	Select the answer that BEST matches the following statement:
Complete	This function will return a node given a CSS selector.
1.00 points out of 1.00	
01 1.00	Select one:
	○ getElementsByClassName
	querySelectorAll
	○ getElelmentsByTagName
	querySelector
	○ getElementById
Question 7 Complete	When using nested functions, inner functions do not have access to variables declared in outer functions.
1.00 points out	Select one:
of 1.00	○ True
	False
Question 8	In JavaScript, variables declared with let are hoisted.
Complete	
1.00 points out of 1.00	Select one:
01 1.00	True
	○ False
Question 9	
Complete	Select the term below that best matches the following description:
1.00 points out	Used to represent tag elements in the DOM tree.
of 1.00	Select one:
	Attribute Node
	Element Nodes
	Text Node
	O Document Node
Question 10 Complete	Attribute nodes are children nodes of element nodes.
1.00 points out	Select one:
of 1.00	○ True
	False
Question 11	Declared variables with no initial value are set to 0 .
Complete 1.00 points out	Select one:
of 1.00	○ True
	False
Question 12	querySelector is used to select nodes by MySQL.
Complete	Only of any an
1.00 points out of 1.00	Select one: True
	→ Huc

False

Question **13**Complete
1.00 points out

of 1.00

What is the output of the following code snippet:

```
let x = {
   name: "Tony",
   age: 45,
   school:"SFSU"
}

console.log(x[age]);
```

```
let x = {
    name: "Tony",
    age: 45,
    school:"SFSU"
}

console.log(x[age]);
```

Select one:

- Tony
- 45
- SFSU
- Error

Question **14**Complete
1.00 points out of 1.00

What HTML tag is used to add JavaScript code to an HTML document?

Select one:

- <scripted>
- <javascript>
- <script>
- <js>

Question **15**Complete
1.00 points out

of 1.00

One import feature of using JavaScript on the front-end is the manipulation of the DOM.

Select one:

- True
- False

Question **16**Complete
1.00 points out of 1.00

In JavaScript, Closures are required to preserve the arguments and variables in all scopes it references.

Select one:

- True
- False

Question 17 Complete	getElementById returns the first element that matches a given id value.
	Select one:
1.00 points out of 1.00	True
	○ False
Question 18	What is the JavaScript syntax for printing values to the console?
Complete	what is the Javascript syntax for printing values to the console!
1.00 points out	Select one:
of 1.00	print.console(5);
	print(5)
	console.log(5);
	console.print(5);
	• • • • • • • • • • • • • • • • • • •
Question 19	Select the term below that best matches the following description:
Complete	Acts as the root of the DOM tree.
1.00 points out of 1.00	
01 1.00	Select one:
	Attribute Node
	Text Node
	Element Nodes
	Document Node
Question 20	getElementById returns the last element found with a given id value.
Complete	Select one:
1.00 points out of 1.00	○ True
	False
Question 21	The DOM is a tree-like structure that represents an HTML document.
Complete	
0.00 points out	Select one:
of 1.00	○ True
	False
Question 22	0.1.411
Complete	Select the answer that BEST matches the following statement:
1.00 points out	This function will return a collection of nodes given an HTML tag.
of 1.00	Select one:
	○ getElementById
	querySelector
	. ,
	getElementsByClassName
	getElelmentsByTagName
	querySelectorAll

Question 23

Complete

1.00 points out of 1.00

When passing primitives in JavaScript, these are passed by value.

Select one:

- True
- False

Question **24**

Complete

1.00 points out of 1.00

What is the output of the following code snippet:

```
if( 1 == 1){
    let x = 6;
}
console.log(x);
```

Select one:

- 6
- undefined
- Error
- NaN

Question **25**Complete

1.00 points out of 1.00

DOM stands for Document Object Model

Select one:

- True
- False

Question **26**Complete

1.00 points out of 1.00 Variables in JavaScript declared and initialized with **const** keyword cannot have their value changed.

Select one:

- True
- False

Question **27**Complete

1.00 points out

of 1.00

JavaScript allows programmers to declare nested functions.

Select one:

- True
- False

Question 28

Complete

0.00 points out of 1.00

Select the term below that best matches the following description:

Used to represent the attributes of an HTML element in the DOM tree.

Select one:

- Text Node
- Document Node
- Element Nodes
- Attribute Node

Question 29

Complete

1.00 points out of 1.00

**What is the output of the following code snippet:

```
const x = 5;
x = 56;
console.log(x);
```

Select one:

- **61**
- **56**
- Error
- **5**

 ${\sf Question}~30$

Complete

1.00 points out of 1.00

Declared variables with no initial value are set to **undefined**.

Select one:

- True
- False



Jump to...



Academic Technology