

Started on	Saturday, June 19, 2021, 1:03 PM
State	Finished
Completed on	Saturday, June 19, 2021, 1:10 PM
Time taken	7 mins 16 secs
Grade	11.00 out of 15.00 (73%)

Question 1

Complete

1.00 points out of 1.00

Class attributes have higher specificity than id attributes.

Select one:

☐ True

☒ False

Question 2

Complete

1.00 points out of 1.00

The following: `nav > a` is an example of a simple selector.

Select one:

☐ True

☒ False

Question 3

Complete

0.00 points out of 1.00

In-line CSS is done by using an external stylesheet.

Select one:

☒ True

☐ False

Question 4

Complete

1.00 points out of 1.00

HTML Elements have the highest specificity.

Select one:

☐ True

☒ False

Question 5

Complete

1.00 points out of 1.00

The following: `li[id=header-item]` is an example of a attribute selector

Select one:

☒ True

☐ False

Question 6

Complete

1.00 points out of 1.00

The following : `.class` is an example of a simple selector.

Select one:

☒ True

☐ False

Question **7**

Complete

0.00 points out of 1.00

The following: `div[class=flex-item]` is an example of a simple selector

Select one:

- ☒ True
- ☐ False

Question **8**

Complete

1.00 points out of 1.00

Border is a part of the Box Model.

Select one:

- ☒ True
- ☐ False

Question **9**

Complete

1.00 points out of 1.00

CSS is about setting the semantic structure of a web page.

Select one:

- ☐ True
- ☒ False

Question **10**

Complete

1.00 points out of 1.00

Using the !important syntax on a CSS declaration forces that declaration to override other declarations.

Select one:

- ☒ True
- ☐ False

Question **11**

Complete

1.00 points out of 1.00

The following: `#nav-bar` is an example of a simple selector

Select one:

- ☒ True
- ☐ False

Question **12**

Complete

0.00 points out of 1.00

A CSS rule set is a set of rules and selectors.

Select one:

- ☒ True
- ☐ False

Question **13**

Complete

1.00 points out of 1.00

Margin is not a part of the Box Model.

Select one:

- ☐ True
- ☒ False

Question **14**

Complete

0.00 points out of 1.00

the following: `div[class=nav]` is an example of a attribute selector

Select one:

- ☐ True
- ☒ False

Question **15**

Complete

1.00 points out
of 1.00

CSS can allow developers to make good-looking pages.

Select one:

☒ True☐ False[CSS Grid Eample](#)

San Francisco State University

A California State University Campus

Jump to...

[Assignment 3 Introduction](#) ►
Academic Technology