

参考文献

- 蔡文琴. 2003. 现代实用细胞与分子生物学实验技术. 北京: 人民军医出版社
- 程宝鸾. 2001. 动物细胞培养技术. 广州: 华南理工大学出版社
- 高文和. 2001. 医学细胞生物学实验与习题. 天津: 天津大学出版社
- 蒋亚林, 陆寿珍, 沈大稜. 1996. 细胞生物学实验. 上海: 复旦大学出版社
- 李建武, 萧能应, 余瑞元, 等. 1994. 生物化学实验原理和方法. 北京: 北京大学出版社
- 李浚明. 2002. 植物组织细胞培养教程 (第二版). 北京: 中国农业大学出版社
- 李素文. 2001. 细胞生物学实验指导. 北京: 高等教育出版社/施普林格出版社
- 刘鼎新, 吕证宝. 1997. 细胞生物学研究方法与技术. 北京: 北京医科大学中国协和医科大学联合出版社
- 刘祖洞, 江绍慧. 1987. 遗传学实验 (第二版). 北京: 高等教育出版社
- 马利加 P, 克莱森 D F, 格瑞森姆 W, 等. 2002. 植物分子生物学实验指南. 刘进元, 吴庆余, 戴俊彪, 等译. 北京: 科学出版社
- 萨姆布鲁克 J, 拉塞尔 D W. 2002. 分子生物学实验指南 (第三版). 黄培堂, 王嘉玺, 朱厚础, 等译. 北京: 科学出版社
- 萨姆布鲁克 J, 弗里奇 E F, 曼尼阿蒂斯 T. 1993. 分子克隆实验指南 (第二版). 金冬雁, 黎盟枫, 杨文刚, 等译. 北京: 科学出版社
- 司徒镇强, 吴军正. 2004. 细胞培养 (修订版). 西安: 世界图书出版公司
- 斯佩克特 D L, 戈德曼 R D, 莱茵万德 L A. 2001. 细胞实验指南 (上、下册). 黄培堂, 周红, 郑涛, 等译. 北京: 科学出版社
- 魏群. 1999. 分子生物学实验指导. 北京: 高等教育出版社/施普林格出版社
- 辛华. 2001. 细胞生物学实验. 北京: 科学出版社
- 鄢慧民, 袁文静. 1994. 遗传学实验. 武汉: 武汉大学出版社
- 杨汉民. 1997. 细胞生物学实验. 北京: 高等教育出版社
- 章静波. 1995. 细胞生物学实用方法与技术. 北京: 北京医科大学中国协和医科大学联合出版社
- 郑国锷. 1979. 生物显微技术. 北京: 人民教育出版社
- 周维燕. 2001. 植物细胞工程原理与技术. 北京: 中国农业大学出版社
- Agard D A, Hiraoka Y, Shaw P, et al. 1989. Fluorescence microscopy in three dimensions. *Methods Cell Biol*, 30: 353-377
- Andersen J S, Lyon C E, Fox A H, et al. 2002. Directed proteomic analysis of the human nucleolus. *Curr Biol*, 12: 1-11
- Becker D M, Guarente L. 1991. High-efficiency transformation of yeast by electroporation. *Methods Enzymol*, 194: 182-187
- Bijlmakers M J, Marsh M. 2003. The on-off story of protein palmitoylation. *Trends Cell Biol*, 13: 32-42
- Bonneaud N, Ozier-Kalogeropoulos O, Li G Y, et al. 1991. A family of low and high copy replicative, integrative and single-stranded *S. cerevisiae*/E. coli shuttle vectors. *Yest*, 7: 609-615

- Brakenhoff G J, van Spronsen E A, van der Voort H T, et al. 1989. Three-dimensional confocal fluorescence microscopy. *Method Cell Biol*, 30: 379-398
- Brown D A, Rose J K. 1992. Sorting of GPI-anchored proteins to glycolipid-enriched membrane subdomains during transport to the apical cell surface. *Cell*, 68: 533-544
- Carlsson K P, Danielsson E, Len R, et al. 1985. Three-dimensional microscopy using a confocal scanning laser microscope. *Optics Lett*, 10: 53-55
- Celis J E. 2006. *Cell Biology A Laboratory Handbook* (3th ed). Copyright, Elsevier Inc.
- Coons A H, Creech A H, Jones R N. 1941. Immunological properties of an antibody containing a fluorescent group. *Proc Soc Exp Biol Med*, 47: 200-202
- Egger M D, Petran F M. 1967. New reflected light microscope for viewing unstained brain and ganglion cells. *Science*, 157: 305-307
- Fay F S, Carrington W, Fogarty K E. 1989. Three-dimensional molecular distribution in single cells analysed using the digital imaging microscope. *J Microsc*, 153: 133-149
- Gall J G, Pardue M L. 1969. Formation and detection of RNA-DNA hybrid molecules in cytological preparations. *Proc Natl Acad Sci USA*, 63: 378-383
- Gietz D, St Jean A, Woods R A, et al. 1992. Improved method for high efficiency transformation of intact yeast cells. *Nucleic Acid Res*, 20: 1425
- Hancock J E. 2003. Ras proteins: Different signals from different locations. *Nature Rev Mol Cell Biol*, 4: 373-384
- Harris J R, Graham J, Rickwood D. 2006. *Cell Biology Protocols*. England: John Wiley & Sons, Ltd.
- Hiraoka Y, Swedlow J R, Paddy M R, et al. 1991. Three dimensional multiple-wavelength fluorescence microscopy for the structural analysis of biological phenomena. *Semin Cell Biol*, 2: 153-165
- Holz C, Hesse O, Bolotina N, et al. 2002. A micro-scale process for high-throughput expression of cDNAs in the yeast *saccharomyces cerevisiae*. *Protein Expr Purif*, 25: 372-378
- Ikonen E, Simons K. 1997. Functional rafts in cell membranes. *Nature* 387: 569-572
- Janes P W, Ley S C, Magee A I, et al. 2000. The role of lipid rafts in T cell antigen receptor (TCR) signalling. *Semin. Immunol*, 12: 23-34
- Jonh A, Birnstiel M L, Joes K W. 1969. RNA-DNA hybrids at the cytological level. *Nature*, 223: 582-587
- Laemmli U K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227: 680-685
- Leung A K, Lamond A I. 2002. *In vivo* analysis of NHPX reveals a novel nucleolar localization pathway involving a transient accumulation in splicing speckles. *J Cell Biol*, 157: 615-629
- Lichtman J W, Sunderland W J, Wilkinson R S. 1989. High-resolution imaging of synaptic structure with a simple confocal microscope. *New Biol*, 1: 75-82
- Lisitsyn N, Wigler M. 1993. Cloning the differences between two complex genomes. *Science*, 259: 946-951
- Lodish Berk, Zipursky M, Baltimore D. 2000. *Molecular Cell Biology* (4th ed). New York: W. H. Freeman and Company
- Manes S, del Real G, Lacalle R A, et al. 2000. Membrane raft microdomains mediate lateral assemblies required for HIV-1 infection. *EMBO Rep*, 1: 190-196

- Merril C R, Dunau M L, Goldman D. 1981. A rapid sensitive silver stain for polypeptides in polyacrylamide gels. *Anal Biochem*, 110: 201-207
- Merril C R, Pratt M E. 1986. A silver stain for the rapid quantitative detection of proteins on thin layer plates. *Anal Biochem*, 156: 96-110
- Merril C R. 1990. Silver stain of proteins and DNA. *Nature*, 343: 779-780
- Neuhoff V, Arod N, Taube D, et al. 1988. Improved staining of proteins in polyacrylamide gels including isoelectric focusing gels with clear background at nanogram sensitivity using Coomassie brilliant blue G-250 and R-250. *Electrophoresis*, 9: 255-262
- Oakley B R, Kirsch D R, Morris N R. 1980. A simplified ultrasensitive silver stain for detecting proteins in polyacrylamide gels. *Anal Biochem*, 105: 361-363
- Ostermeyer A G, Beckrich B T, Ivarson K A, et al. 1999. Glycosphingolipids are not essential for formation of detergent-resistant membrane rafts in melanoma cells; Methyl-beta-cyclodextrin does not affect cell surface transport of a GPI-anchored protein. *J Biol Chem*, 274: 34459-34466
- Pauley J. 1990. *Handbook of Biological Confocal Microscopy*. New York: Plenum Press
- Pierce S K. 2002. Lipid rafts and B-cell activation. *Nature Rev Immunol*, 2: 96-105
- Polakowski T, Stahl U, Lang C. 1998. Overexpression of a cytosolic hydroxymethylglutaryl-CoA reductase leads to squalene accumulation in yeast. *Appl Microbiol Biotechnol*, 49: 66-71
- Romanos M A, Scorer C A, Clare J J. 1992. Foreign gene expression in yeast: a review. *Yeast*, 8: 423-488
- Rose A B, Broach J R. 1990. Propagation and expression of clone genes in yeast: 2-micron circle-based vectors. *Methods Enzymol*, 185: 234-279
- Schuck S, Honsho M, Ekroos K, et al. 2003. Resistance of cell membranes to different detergents. *Proc Natl Acad Sci USA*, 100: 5795-5800
- Shaw P J, Jordan E G. 1995. The nucleolus. *Annu Rev Cell Dev Biol*, 11: 93-121
- Shevchen A, Wilm M, Vorm O, et al. 1996. Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels. *Anal Chem*, 68: 850-858
- Shogomori H, Brown D A. 2003. Use of detergents to study membrane rafts: The good, the bad, and the ugly. *Biol Chem*, 384: 1259-1263
- Simons K, Toomre D. 2000. Lipid rafts and signal transduction. *Nature Rev Mol Cell Biol*, 1: 31-39
- Simons M, Keller P, De Strooper B, et al. 1998. Cholesterol depletion inhibits the generation of beta-amyloid in hippocampal neurons. *Proc Natl Acad Sci USA*, 95: 646-6464
- Singer S J, Nicolson G L. 1972. The fluid mosaic model of the structure of cell membranes. *Science*, 175: 720-731
- Spector D L, Goldman R D, Leinwand L A. 1998. *Cells: A Laboratory Manual*. New York: Cold Spring Harbor Laboratory Press
- Steinberg T H, Jones L J, Haugland R P, et al. 1996. SYPRO orange and SYPRO red protein gel stains: One-step fluorescent staining of denaturing gels for detection of nanogram levels of protein. *Anal Biochem*, 239: 223-237
- Switzer R C, Merrill C R, Shifrin S. 1979. A highly sensitive silver stain for detecting proteins and peptides in polyacrylamide gels. *Anal Biochem*, 98: 231-237
- Van der Goot F G, Harder T. 2001. Raft membrane domains: From a liquid-ordered membrane phase to a site of pathogen attack. *Semin Immunol*, 13: 89-97

- Vician L, Basconcillo R, et al. 1997. Abstract Identification of genes preferentially induced by nerve growth factor versus epidermal growth factor in PC12 pheochromocytoma cells by means representational difference analysis. *J Neurosci Res*, 50: 32-43
- Voets R, Lagrou A, Hilderson H, et al. 1979. RNA synthesis in isolated bovine thyroid nuclei and nucleoli; alpha-amanitin effect, a hint to the existence of a specific regulatory system. *Hoppe Seylers Z Physiol Chem*, 360: 1271-1283
- White J G, Amos W B, Fordham M. 1987. An evaluation of confocal versus conventional imaging of biological structures by fluorescence light microscopy. *J Cell Biol*, 105: 41-48
- Wilson T. 1990. *Confocal Microscopy*. London: Academic Press
- Xiao G O, Kino G S. 1987. A real-time scanning optical microscope. *SPIE Scan Imag Technol*, 809: 107-113
- Yan J X, Wait R, Berkelman T, et al. 2000. A modified silver staining protocol for visualization of proteins compatible with matrix-assisted laser desorption/ionization and electrospray ionization-mass spectrometry. *Electrophoresis*, 17: 3666-3672