

Index

Note

F indicates coverage in a Figure only, on a page separated from the indexed text treatment, T indicates inclusion in a Table, and P indicates a Panel.

Acronyms have generally been preferred to their expansions.

A

- A-kinase *see* cyclic-AMP-dependent protein kinase
- A-P (anteroposterior) axis
 - animal body plan 1218
 - anterior-posterior polarity 1018–1019
 - control by *Hox* genes in
 - vertebrates 1240–1241, 1242F
 - convergent extension 1261
 - polarization of the embryo 1227, 1229–1232
 - segmentation of the embryo 1233–1235
- A-to-I editing (adenine to inosine) 451–452
- A–V (animal–vegetal) axis 1227, 1238, 1239, 1240F
- AAA-ATPase 717
- AAA proteins 385, 763
- ABC (ATP-binding cassette)
 - transporters 646, 649–651, 1212
- Abcd1* gene 322–323F, 1212
- Abi* gene 1207
- abortive initiation 328F, 329
- abscission 1065, 1066F, 1157
- absorptive cells, intestinal 1281, 1282, 1283F
- Acanthamoeba* (*A. castellanii*) 985
- accessory proteins
 - actin accessory proteins 177, 958, 964, 965P, 970–971, 980–982
 - actin-severing proteins 970
 - cytoskeletal filament assembly
 - and 949, 955–956
 - intermediate filaments 1009
 - membrane transport 708
 - microtubules 991, 992F, 993, 994P, 1004
 - motor proteins as 949, 956
 - PCNA 262
 - RecA/Rad51 loading onto DNA 298, 300
 - in sarcomeres 980, 981F
 - Sec62 and Sec63 accessory proteins 708
 - transcription elongation in eukaryotes 335
 - see also* cytoskeleton; motor proteins
- accessory receptors 1389
- accumulation delays 1248, 1250
- ACE2 (angiotensin-converting enzyme 2)
 - receptors 1329, 1330
- acetoacetate 87
- acetyl CoA (acetyl coenzyme A)
 - as activated carrier (coenzyme A) 75, 76
 - from β -oxidation 724
 - biosynthetic role 1188
 - in the citric acid cycle 88, 817–818
 - fatty acyl CoA 87, 88F
 - from oxidation of fats 87–88, 817, 849
 - pyruvate conversion to 87F, 88, 92, 111P, 817, 818F, 849
 - structure 75F
- acetylation *see* histones; lysine; N-terminus
- acetylcholine
 - effects on different target cells 877, 898T, 904–905
 - effects on nitric oxide synthesis 908
 - as excitatory neurotransmitter 670
 - GPCRs activated by 892
 - as inhibitory neurotransmitter 670
 - structure 877F
- acetylcholine receptors
 - as drug targets 673
 - misfolding 766
 - muscarinic acetylcholine receptors 904–905, 908F
 - at neuromuscular junctions 671–672, 673, 1144F
 - nicotinic acetylcholine receptors 905
 - structure and function 671–672, 673
- acetylcholinesterase 151P, 671
- N*-acetylgalactosamine 773, 1129
- N*-acetylglucosamine (GlcNAc)
 - in GAGs 1129, 1130F
 - GlcNAc phosphotransferase
 - defects 779–780
 - in Golgi apparatus and ER 771, 772F, 773F, 777
 - structure 101P
- N*-acetylneuraminic acid (NANA) 614F
- Achaete* gene 1243
- Achaete*/Scute family 1242
- achondroplastic dwarfism 1274, 1275F
- acids, overview 52, 97P, 823
- aconitase 460
- ACTH (adrenocorticotrophic hormone) 782F, 896T
- actin 957–975
 - actin-based motility of
 - pathogens 1328–1329
 - bacterial homologs 1014, 1015
 - chemical inhibitors 963–964
 - critical concentration, C_c 960–961P, 963, 964, 968F, 991
 - cross-linking proteins 969
 - end-binding proteins 969
 - F-actin (*see* actin filaments)
 - G-actin 957–958
 - gene expression in different tissues 399F
 - isoforms 957–958, 984
 - monomer availability and 967, 968F
 - monomer structure 958F
 - myosin and 951, 977–981, 984, 1012, 1065
 - in non-muscle cells 984–986
 - polymerization by pathogenic bacteria 1328–1329, 1332, 1338
 - polymerization *in vitro* 960–961P, 962
 - separation from muscle samples 476
 - single-molecule localization
 - microscopy 584F
 - see also* cytoskeleton
- actin-binding proteins 964–969, 1151
- actin-depolymerizing factor (cofilin) 965F, 970, 971, 974, 1021, 1022F
- actin filaments
 - actin webs 966F, 969
 - in adherens junctions 953F, 967, 984, 1106, 1112–1113, 1263
 - arrays 966, 969, 971, 972F, 978
 - “arrowhead” conformation 958, 959F
 - assembly 953–955, 958–959, 960–961P, 962
 - Brownian ratchet 9, 10F, 956–957
 - budding of membrane vesicles
 - and 756
 - capping 965P, 968–969, 971
 - in the cell cortex 631–632, 951
 - D and T forms 961P, 962–963
 - electron microscopy 593F

- actin filaments (*continued*)
 elongation regulation by actin-binding proteins 967–968
 fluorescence microscopy 572F
 half-lives 964, 980–981
 helical structure 950P, 955, 958, 970F
 integrin links to 1148
 lag phase in filament growth 959, 960P, 962
 length determination 136
 linked actin molecules in 132, 140, 146
 localization of mRNA that encodes 455
 negative staining 132F, 591
 neuronal membranes 630
 nucleation in formation of 958–959, 960–961P, 962, 964, 966–969, 1338, 1339F
 overview 949, 950P, 951
 persistence length 958, 1008
 and plant cell walls 1159
 plus and minus ends 132F, 958, 959F, 960–961P, 962–963, 965P, 967–969
 polarity 952F, 954, 958, 959F
 sliding along myosin II fibers 977–981
 structure 958
 subunits 953–955, 958
 thin filaments 977, 979–981, 982, 983F, 1005
 transmission electron micrographs 132F, 591F, 592F
 treadmilling 961P, 962–963, 964, 974, 991
 tube formation 1263, 1264F
 underlying the plasma membrane 950P, 951
 visualizing with TIRF 587F
 actin gene 984
 actin-related proteins *see* Arp1; Arp2/3 complex
 actin-severing proteins 970
 α -actinin 965F, 969, 980, 981F, 985F, 1151
 action potentials (nerve impulses)
 defined 662
 firing frequency and distance 675
 firing frequency and PSPs 675, 676
 gap junctions and 1122
 in muscle contraction 981, 982F
 plasma membrane depolarization by 647, 662–665, 667F, 668–669, 673
 propagation 665F
 activated carriers
 acetyl CoA (acetyl coenzyme A) 75, 76
 carboxylated biotin 76F, 76T
 coupling with favorable reactions 70–71
 energy storage and transfer by 69–70
 FADH₂ as electron carrier 76
see also ATP; GTP; NADH; NADPH
 activating receptors on NK cells 1361–1362
 activation energies 63–64, 80, 148, 149, 152
 activator proteins *see* transcription activators
 active sites
 chemistry determined by conformation 142
 in enzyme activity 65, 142, 152, 153F
 and regulatory sites in allostery 155–156
 templating 152
see also binding sites
 active transport
 ATP hydrolysis 641, 642, 645, 646, 649
 ion-concentration gradients 603, 641, 642–644
 primary and secondary active transport 642
 three methods 641, 642F
 transporters and 640–651
 acute lymphocytic leukemia 216
 acute myeloid leukemia 216, 1185F, 1208
 acyl transferases 720
 adaptation
 of neurons to prolonged stimulation 676
 of system response to signals 885, 890–892, 909–910
 in the visual system 885, 891, 906
 adaptive immune system
 antibody responses 1364, 1372–1381
 apoptosis in 1090
 comparison to innate immune system 1353
 immunological memory 1367–1368, 1397
 immunological self-tolerance 1370–1372, 1386
 overview 1353, 1364–1372
 pathogen selection through 1341–1343
 primary and secondary immune responses 1367, 1368F
 slow or delayed response to pathogens 1354
 T cell-mediated immune responses 1364, 1382–1401
see also B cells; T cells
 adaptor molecules *see* aminoacyl-tRNA synthetases; transfer RNAs
 adaptor proteins
 AP2 (adaptor protein 2) 753–754, 756, 791–792
 arrestin 891, 906, 910
 for cadherins 1113
 catenins as 1113
 clathrin-coated vesicles 753–754, 756, 778
 Grb2 884F, 916
 interaction domains as 883, 884F
 nuclear import receptors and 739
 SH2 and SH3 domains in 915
 talin as 1147F, 1148, 1150, 1152
 vesicle transport model 775
 ADARs (adenosine deaminases acting on RNA) 451
 adducin 631F
 adenine (A)
 deamination to hypoxanthine 291
 DNA base pairing with thymine 4
 as DNA monomer 3–4, 185
 methylation to N⁶-methyladenosine 450–451
 as RNA monomer 5
 structure 104P, 187F
 adenocarcinomas 1165, 1174F, 1185F
 adenomas 1165, 1193–1194, 1195, 1196F
 adenomatous polyps 1193–1195
 adenovirus 1323T, 1324F, 1331, 1341, 1400F
 adenylyl cyclase
 activation 895, 897F, 898, 905, 907T, 909, 932–933
 bacterial toxins and 1320, 1328
 cyclic AMP synthesis 895, 932, 933F, 1320
 inhibition 895, 904, 907T, 1328
 adherens junctions
 actin filaments in 953F, 967, 984, 1106, 1112–1113, 1263
 assembly 1112–1113
 cell polarity and 1020F
 classical cadherins and 1107T
 cortical tension and 1112–1113, 1259
 in epithelial cells 953F, 1106, 1112–1114, 1115F, 1259, 1263
 response to force 1113–1114
 tissue remodeling 1114–1116
 adhesins 1327, 1328
 adhesion belt (zonula adherens) 1106F, 1114–1115, 1264F
 adipocytes 85, 87, 88F, 611
 adjuvants 1364, 1399
 ADP/ATP carrier protein 841
 ADP (adenosine diphosphate)
 phosphorylation 71, 81, 82F
 adult (tissue-specific) stem cells 1280–1281, 1285, 1291, 1294, 1300
Aequorea victoria 573
 aequorin 900, 901F
 aerobic lithotrophs 16
 aerobic respiration, defined 61
 affinity chromatography 484, 485, 486, 512
 affinity constant (K_a) 146
 affinity maturation 1377, 1379, 1380, 1398
 aflatoxins 1200
 AFM (atomic force microscopy) 168F, 180, 328F, 626F, 839F
 Africa, human origins 244, 245F
 African clawed frog *see Xenopus laevis*
 African lungfish (*Protopterus annectens*) 236F
 African sleeping sickness 1342
 agarose, in gel electrophoresis 484F, 500–501
 age
 and cancer 1167, 1201
 and DNA repair errors 293
 premature aging 283, 347, 530F, 539F
 stem-cell function and 1294–1296
 agent-based simulations 558
 aggrecan 1128F, 1131
 agrin protein 1144
Agrobacterium 541F
 AID (activation-induced deaminase) 1379, 1380–1381
 AIDS (acquired immune deficiency syndrome)
 Kaposi's sarcoma 1203
 susceptibility to infections 1389
see also HIV
 AIRE (autoimmune regulator) 1391
 AKAPs (A-kinase anchoring proteins) 896
 Akt protein kinase (PKB) 921–922, 1099F, 1188
 alanine, structure and properties 116F, 119P

- albinism 523F, 807, 1267
 aldoses 100P
 Alexa dyes 571
 alkalis *see* bases
 all-or-none responses, intracellular
 signaling 887F, 888, 889–890, 918
 alleles, defined 246, 305, 523
 allergic reactions 1375
 allostery
 activation of Ca²⁺/calmodulin 902
 allosteric enzymes 155–156
 allosteric proteins as switches 156, 158
 conformational coupling of binding sites 157–158
 cooperative allosteric transition 158–159, 241
 defined 155
 EF-Tu conformational change 166–167
 in GPCR kinases 910
 induced fit models 158–159
 inducing protein activation 888F, 902, 909, 910
 inducing protein degradation 386, 387F
 integrin activation by 1149–1150
 in ion channels 659, 886
 in motor proteins and protein machines 167–168, 169F
 in proton pumps 833F, 834–835
 and second messengers 910
 tryptophan repressor 411
 α helices
 in bacteriorhodopsin 626
 discovery and description 121
 helix–loop–helix motif 405P, 1242
 helix–turn–helix motif 404P, 413
 in the histone fold 198
 in homeodomain motif 404P
 in intermediate filaments 1007, 1008
 ion channels 658, 663F, 672F
 in leucine zipper motif 404P
 membrane anchoring 711
 in nascent proteins 380
 in protein folding motifs 121–122
 recognition helix 404P
 ribbon models 121, 122F
 as secondary structure element 123
 switch helix 163F, 166
 in transmembrane proteins 122, 617–619, 620, 709, 711
 in transporters 643
 in zinc fingers 405P
 alpha satellite DNA 214, 215
 α-synuclein 137F, 138F, 139
 α2 protein 127, 128F
 ALS (amyotrophic lateral sclerosis) 1011
 alternative pathway, complement system 1359
 alternative splicing
 constitutive alternative splicing 347, 447
 and definition of the gene 415, 448–449
 multiple proteins from 189, 340–341, 446–448
 positive and negative control 448
 regulation of 447–448
 RNA sequencing and 516, 517, 536
 α-tropomyosin gene 341F, 448
 and voltage-gated ion channels 668
 see also RNA splicing
 Alu sequences 236F, 314
 Alzheimer's disease 138, 139, 930, 1296
Amanita mushrooms 963, 964T
 Ames test for mutagenicity 1199
 amino acid starvation 458
 amino acids
 abbreviations 116F
 acidic side chains 119P
 activation by synthetase enzymes 362F
 addition to polypeptide chains 364–365
 basic side chains 118P
 biosynthesis 90, 91F, 92
 codons specifying 7, 359
 coupling to transfer RNAs 361–363
 covalent modifications of histone side chains 206–208
 essential amino acids 92
 glutamine synthesis 72, 73F
 mitochondrial conversion to acetyl CoA 90, 817, 818F
 in the nitrogen cycle 91–92
 nonpolar side chains 119P
 optical isomers 118P
 oxidation for energy 87, 92
 protein function and amino acid sequences 497–498, 511
 reactivity at protein active sites 142
 side chains 116, 118–119P
 structures and properties 54, 116F, 118–119P
 synthesis 820
 amino group 53, 97P
 aminoacyl-tRNA synthetases 362–364, 371
 amoebae 30F, 789, 972, 984–985, 1022, 1065F, 1336
 amoeboid cell migration 973F, 974
 AMPA receptors (α-amino 3-hydroxy 5-methyl 4-isoxazolepropionic acid) 677–678
 amphibians
 metamorphosis 1090, 1098, 1255
 newts 989F, 1298
 ploidy effects 1271
 see also frogs
 amphiphilic molecules
 behavior in water 8F, 607F
 defensins 1354
 defined 8, 605
 detergents 622, 623F
 lipids in cell membranes 8, 605–606
 membrane proteins 615–616, 756, 758
 micelles 607F
 NADH dehydrogenase α helix 829
 phospholipids 8, 606–608
 amplification (of DNA) *see* DNA cloning
 amplification (of signals)
 in the caspase cascade 1091–1092
 in intracellular signaling 880, 885, 900, 909, 918
 in microscopy 572–573
 of nerve impulses 662, 664
 amygdala 998
 amyloid fibrils 137–139
 amyloid plaques 930
Anabaena cylindrica 14F
 anabolic reactions
 anabolism as biosynthesis 58, 70F, 74, 90–91
 glycolysis and citric acid cycle products used in 90–91
 NADPH in 74–75
 anaerobic organisms
 anaerobic lithotrophs 16
 ATP synthase, reversed role as proton pump 839
 electrochemical gradients in 842
 glycolysis in 80, 84
 analytical methods
 for DNA 498–505, 512–518
 for proteins 487–498
 analytical ultracentrifuges 491
 anaphase, mitosis
 anaphase A 1062–1063
 anaphase B 1062, 1063
 anaphase chromosome 1056F
 chromatid separation 1028, 1062–1063
 in mitosis, overview 1049P, 1062–1063
 mitotic spindle regulation of contractile ring 1066–1067
 see also mitosis
 anaphase I, meiosis 1071, 1072F, 1075F, 1076
 anaphase II, meiosis 1072F, 1076
 anchorage dependence 1152
 anchoring fibrils 1133
 anchoring junctions 1106F, 1107–1108, 1124
 AND and AND NOT logic 554, 555, 556, 855
 anemia, spectrin deficiency 630–631
 aneuploidy in cancer 1185
 Angelman syndrome 438
 angina 908
 angiogenesis 911T, 1176
 animal–vegetal (A–V) axis 1227, 1238, 1239, 1240F
 animals
 conserved development mechanisms 1218–1219, 1240
 extracellular matrix in 1127–1146
 regenerative ability 1296–1299
 regulatory DNA and morphology 1245–1247
 size differences 1077
 ankyrin 631F
Anopheles mosquito 1321
 antenna chlorophylls 851–852, 856F
Antennapedia gene/complex 1232F, 1233, 1234, 1235, 1240, 1241F
 see also Hox genes
 anterior–posterior polarity 1018–1019
 see also A–P (anteroposterior) axis
 anterograde axonal transport 1002
 anteroposterior (A–P) axis *see* A–P (anteroposterior) axis
 anthrax 1320
 anthrax toxin 1319F, 1320
 anti-apoptotic Bcl2 family proteins 1096–1097, 1099, 1101, 1102
 anti-IAP proteins 1098
 anti-inflammatory drugs 899
 antibiotic resistance
 DNA-only transposons and 308

- antibiotic resistance (*continued*)
 horizontal gene transfer and 35, 308, 1346
 mechanisms of 1345
 methicillin-resistant *Staphylococcus aureus* (MRSA) 1326
 mobile genetic elements and 307–308
 multidrug resistance 1015
 plasmid segregation and 1015
- antibiotics
 bacterial targets 1345
 impact on human health 1344–1345
 as inhibitors of protein synthesis 376–377
 misuse 1346
 penicillin 307, 1316, 1344–1345, 1346
 ribosome response to 861–862
 selective toxicity 1345
 vancomycin 1345
- antibodies
 in affinity chromatography 484F, 486
 alternate cleavage and polyadenylation 449–450
 antigen binding sites 144–145
 blotting techniques 490
 defined 1364, 1372
 delivery of poisons 1209
 heavy chains 242F, 1373, 1375–1378, 1379, 1380
 as immunoglobulins 1372–1373
 immunogold electron microscopy 590
 immunological therapy for cancer 1209
 labeled, in electron microscopy 572
 labeled, in fluorescence microscopy 301F, 571, 572–573
 light chains 242F, 1373, 1375–1379
 major classes in humans 1373–1375
 membrane-bound antibodies 449–450
 number of potential antibodies 572, 1366
 overview 572
 polyclonal antibodies 479
 primary and secondary antibodies, immunofluorescence 572–573
 secreted by B lymphocytes 449–450, 1353, 1354F, 1364, 1366
 transport in newborns 793
 as triggers of phagocytosis 803
 see also immunoglobulins; monoclonal antibodies
- antibody responses, overview 1364, 1372–1381
- anticancer drugs see cancer treatment
- anticodons
 aminoacyl-tRNA synthetases and 364
 codon–anticodon matches 7, 367, 368F, 369–370, 374
 modified nucleotides in 361
 number in humans 361
 transfer RNA 7, 359
 wobble base-pairing 360, 367
- antidepressants 673
- antigen-presenting cells (APCs) 1362, 1363F, 1364, 1382–1383, 1386–1387, 1390
 see also dendritic cells
- antigenic determinants 1373F, 1376, 1377, 1382, 1395F, 1396F
- antigenic variation, and pathogen evolution 1341–1343
- antigens
 cancer cell neoantigens 1210–1212
 defined 144, 1364
 dendritic cell processing 1362, 1363F, 1386F
 in the lymphatic system 1368
 naïve lymphocyte response 1367, 1368, 1371
 recognition by adaptive immune system 144–145, 1342, 1364
 tumor-specific antigens 1210
- antiparallel, defined 121, 122F, 186
- antiporters (exchangers) 642, 644, 647, 648, 842
- Antirrhinum* (snapdragon) 30F, 519F
- antisense RNAs 456F, 471
- AP2 (adaptor protein 2) 753–754, 756, 791–792
- Apaf1 (apoptotic protease activating factor-1) 1095
- APC/C (anaphase-promoting complex/cyclosome)
 APC/C–Cdh1 1040F, 1042, 1045, 1080
 completion of mitosis 1060–1062
 control of proteolysis 1039F
 geminin degradation 1031F
 metaphase–anaphase transition 1033F, 1038–1040, 1045
 in selective protein degradation 930
 as ubiquitin ligase 165F, 386, 1039
 ubiquitylation of regulatory proteins 1041T
- APC protein (adenomatous polyposis coli) 930, 1195
- Apc* tumor suppressor gene 931, 1194–1195, 1196
- APCs (antigen-presenting cells) 1364, 1382–1383, 1386–1387, 1390
 see also dendritic cells
- aperture, in microscopes 566, 579
 see also numerical aperture
- apical constriction 1263–1264
- apical meristems see meristems
- Aplysia californica* 1270F
- apoferritin 597F
- apolipoprotein B 452, 791
- apoptosis 1089–1104
 in adaptive immune system 1090
 Bcl2 family proteins and 921F, 1095–1098, 1099, 1101, 1102
 blebbing 1089, 1092
 in *C. elegans* 39, 1270
 caspase cascade and 1091–1093, 1098
 contrasted with necrosis 1089, 1090F, 1100, 1190, 1358
 cytotoxic T cells and 1391–1392
 DNA fragmentation in 1092F
 in embryonic development 1089, 1090
 epithelial cells 1282
 extracellular signals and 876, 877F, 1078
 extrinsic pathway 1092, 1093–1094, 1098
 Golgi apparatus fragmentation 776
 inhibition by survival factors 1078, 1098–1099
 intrinsic pathway 1093, 1094–1098, 1099, 1102
- macrophages and 803
- mitochondrial proteins released during 863
- overview 803, 1089–1090
- p53 and 1082, 1097, 1190, 1204
- phagocytes and 1090F, 1092, 1100, 1101F
- phosphatidylserine in 613, 804
- reduction in cancer cells 1101, 1172, 1174
- regulation 1090
- response to irreparable DNA damage 1082
- response to viral infection 1361
- apoptosomes 1095, 1357
- apoptotic bodies 1089
- aquaporins 619F, 639, 644, 652–653, 794
- Arabidopsis thaliana* (*A. thaliana*)
 calcium biosensor in 577F
 generating mutations in 519
 genome 29T, 38, 941, 1157
 gravitropism 944F
 as model organism 29T, 38, 531
 mutant libraries 531
 ploidy effects on cell and organ size 1271F
 timing of flowering 1256F
 totipotent cells 541
 vacuoles 800F
- arabinose metabolism 554–555, 556
- AraC (transcription activator) 556
- arachidonic acid 899
- AraJ* gene (*E. coli*) 554–555
- archaea
 bacteriorhodopsin from 626
 CRISPR system 468–469
 eukaryotes relationship to 15
 overview 15
 prenyl chains in membrane lipids 610
 Sec61 complex 706F
 thermophilic 610
- ARF (auxin-response factor) proteins 757, 759, 915T, 943F
- ARF GAP 759
- arginine
 in ATP synthases 839
 deamination to NO 908
 structure and properties 116F, 118P
- Argonaute protein 461F, 463–464, 465, 466
 see also RISC
- Arp1 (actin-related protein 1) 1003
- Arp2/3 complex
 actin filament nucleation and branching 964, 965P, 966–967, 971, 973–974, 1021
 actin networks and 968–969, 971, 973
 bacterial recruitment 971, 1332, 1338, 1339F
 Rac activation 1022
- arrestins 891, 906, 910
- artemisinin 1345
- arthritis, as multigenic condition 526
- arthropods as vectors 1321, 1322, 1326, 1342
- Ascaris* (*A. lumbricoides*) 1314, 1315
- ascorbic acid (vitamin C) 1134
- Asgard archaeon 26
- asparagine 116F, 119P, 714–715
- aspartic acid 116F, 119P, 1091

- Aspergillus flavus* 1200F
 assembly factors 136–137
 association constant 146, 544
 astral microtubules 1050–1051, 1053, 1054, 1056, 1063, 1068F, 1069–1070
 asymmetric cell division 1069–1070, 1224, 1244–1245, 1293–1294
 asymptomatic carriers 1315, 1317
 ataxia telangiectasia (AT) 285T, 295, 1082
 ATF6 protein 718–719, 742
 ATG1 kinase complex 805, 806
 ATG8 and ATG9 proteins 805, 806
 atherosclerosis 791, 792
 ATM protein 285T, 295, 1080F, 1081, 1082
 Atoh1 (Atonal homolog 1) 1242
 atomic force microscopy (AFM) 168F, 180, 328F, 626F, 839F
 atoms and cells, scale of 564F
 ATP (adenosine triphosphate)
 as activated carrier 70, 71–72, 76
 binding in cyclin/Cdk complex 1034F
 from chloroplasts 684, 726, 811
 daily turnover in humans 835
 as energy carrier 8
 from fermentations 84
 from glycolysis 80–81, 82F, 83, 108–109P, 836, 842
 from mitochondria 684, 726, 811, 835–843
 from oxidative phosphorylation 90, 723, 811, 821, 836, 849
 powering condensation reactions 72, 73F, 76–78, 79F
 substrate of Src protein kinase 125F
 ATP-dependent chromatin remodeling complexes 200–202, 208
 ATP-driven pumps (transport ATPases) 641, 642, 646–651
 ATP hydrolysis
 actin catalysis of 954, 961P
 in active transport 641, 642, 645, 646, 649, 900
 chaperone operation 382, 756
 free energy changes (ΔG) 78, 824, 835–837
 by kinesins 1000
 macromolecular synthesis 76–78, 79F
 motor proteins 9, 167, 168F, 949, 956, 977
 by myosin heads 977, 978F
 NPC translocation 742
 in phospholipid translocators 721F
 in the proteasome 384, 385F
 protein import into chloroplasts 730–731, 733
 protein import into ER 708–709, 713
 protein import into peroxisomes 725
 spliceosome RNA
 rearrangements 342F, 343–345, 355
 usefulness in coupled reactions 71–72
 see also specific enzymes and reactions
 ATP synthases (F-type ATPases)
 aggregation 629
 α and β subunits 838
 in bacteria 838, 839, 840, 842
 c subunits 838F, 839
 chemiosmotic coupling and 812
 in chloroplasts 799, 844, 845, 850, 855–857
 electrochemical gradients and 625, 812, 835, 838–839
 in mitochondria 799, 817
 Na⁺-driven ATP synthase 842
 as protein machines 812, 817, 837–839, 844
 reversed role as proton pump 837, 839, 842, 869
 rotary catalysis in 837–839
 rotor rings 839
 structure 837–838
 torque produced 839
 turbine analogy 812, 835, 838–840
 ATP synthesis
 in chloroplasts 684, 726, 811
 electrochemical gradients and 90, 821
 electron-transport chain and 90
 in glycolysis 80–81, 82F, 83–84, 108–109P, 836
 in mitochondria 684, 726, 811, 835–843
 oxidative phosphorylation 90, 723, 811, 821, 836
 in stroma and thylakoid membrane 646, 844–845
 ATPases, F-type see ATP synthases
 ATR protein 1080F, 1081
 attenuated vaccines 1397, 1398T
 atypical protein kinase C (aPKC) 1019
 auditory epithelium 1290
 AUG codons (translation initiation/methionine) 359F, 373–374, 458
 augmin 994P, 996, 997F, 1052, 1055–1056
 Aurora kinases (Aurora-A and -B) 1047, 1055, 1058–1059, 1067
 autism 514, 527, 1399, 1401F
 autocrine signaling 875, 1360
 autoimmune diseases
 AIRE regulator 1391
 bullous pemphigoid 1148F
 FoxP3 gene and 1393F, 1394
 monoclonal antibody therapy for 479–480
 myasthenia gravis 1372
 self-reacting lymphocyte survival and 1100–1101
 type I diabetes 1289, 1372
 autophagosomes 695, 750F, 801F, 804–805, 806
 autophagy
 antimicrobial autophagy, or xenophagy 1340
 cargo-specific autophagy receptors 806
 engulfment during 694F, 695, 749, 750F, 804
 function 749, 802, 804–805
 as lysosome delivery pathway 749, 801–802
 manipulation by pathogens 1340
 mitophagy 806, 817
 nonselective autophagy 804, 805–806
 nutrient availability and 805–806
 selective autophagy 804, 806
 of sperm-derived mitochondria 866
 see also engulfment
 autophosphorylation
 CaM-kinase II 903F, 904
 phytochromes 944, 945F
 ribozyme 391F
 transautophosphorylation of KaiC 938
 transautophosphorylation of RTKs 912F, 913F
 autoradiography 220F, 275, 488, 490
 autosomes, defined 520P
 auxiliary proteins associated with ABC transporters 650
 auxilin 756
 auxin signaling in plants 941, 943–944, 945, 1159
 axial cores 1073, 1074F
 axin protein 930–931
 axonemal dyneins 1001, 1002F, 1004–1005
 axonemes 988F, 993F, 1004–1006, 1013F
 axons
 elongation 905
 growth cones 919, 972, 1022
 growth in cell culture 476, 477
 initial segment (axon hillock) 675
 micrographs 574F, 576F, 586F
 microtubule orientation 1002
 myelination 666
 retrograde and anterograde axonal transport 1002–1003
 role in neurons 661–662, 875
 AZT (azidothymidine) 1345
- ## B
- B cell lymphoma 1101
 B cell receptors (BCRs) 1373, 1374, 1375F, 1377, 1379–1380, 1394–1395, 1396
 B cells (B lymphocytes)
 activation by antigens 1366, 1368, 1373
 activation by effector T cells 1369
 antibody secretion by 449–450, 1353, 1354F, 1364, 1366
 as antigen-presenting cells 1386
 apoptosis during development 1090
 in Burkitt's lymphoma 1182
 C3b receptors 1359
 class switching 1377, 1379–1381, 1392, 1393, 1396F, 1398
 control of antibody forms 449–450
 development in bone marrow 1365–1366, 1374, 1377
 effector B cells 1366, 1367, 1369, 1373F, 1382
 electron micrograph 1366F
 extracellular signals and activation 1393
 gene segments and Ig genes 1377–1379
 immunoglobulins and 449–450, 1372–1381
 locating antigens and APCs 1368–1370
 memory B cells 1369, 1373, 1379 and monoclonal antibodies 479
 overview 1286T
 plasma cells developed from 1366, 1368, 1369, 1370
 see also naïve B and T cells
 B-Raf oncoprotein 1209
 β_2 -adrenergic receptors 893F
 B7 proteins 1395, 1396
 babies see infants

- BAC (bacterial artificial chromosome) 503
Bacillus anthracis 1319F, 1320
Bacillus subtilis 20, 224F, 1014F
 back splicing 449
 “backstitching” mechanism 258, 260, 281
 bacteria
 antibiotics from 376
 cell sizes 686
 control of translation 456
 diversity 13–15
 DNA analysis and phylogenetic classification of 1316
 DNA replication in 272–273, 274F, 277
 energy sources used 14
 Gram staining 650F, 1316
 horizontal gene transfer 35, 308, 1314, 1317, 1346
 ion channels 657–659, 660–661, 663
 mutation rates 253–254
 N-formylated peptide markers 1022
 overview 13–15, 1315–1317
 phagocytosis of 1331–1333
 post-translational protein translocation 707–709
 shapes and sizes 13F, 1316F
 small noncoding RNAs used against viruses 468–469
 structure 14F
 thermophilic bacteria 506F, 518
 transcription initiation in 328–331
 transcription regulators 410–414
 translation initiation in 374
 transposition frequency in 307
 transposon types, characteristic 314
 use in DNA cloning 501–503
 see also pathogenic bacteria; *specific bacteria*
 bacterial cytoskeleton 1013–1016
 bacterial flagella 1005
 bacterial origins
 of chemiosmosis 811, 842
 of mitochondria and chloroplasts 25–26, 687–688, 733, 859, 860F, 865–866
 bacteriophages
 bacteriophage lambda 34–35, 35, 1329
 bacteriophage P1 317F
 bacteriophage T4 34–35, 265F, 347, 523
 bacteriophage T7 262F
 CTX ϕ 1318, 1320
 defined 34, 1314
 as model organisms 34–35
 ocean viruses 35
 RS1 ϕ 1318
 virulence genes 1317
 bacteriorhodopsin 618F, 625–627, 630F, 641, 646
 see also rhodopsins
 baculoviruses 1098, 1338
 Bad protein 921F, 1096, 1097F, 1099
 Bak protein 1096, 1097, 1098
 Balbiani Ring genes 350
 BAM complex 733F
 band 3 protein 631F, 645
 band 4.1 protein 631F
 bands on chromosomes 191, 192F, 219–220
 bar-coded collections of mutant organisms 532
 BAR domains 755–756
 Bardet-Biedl syndrome 1006
 barrier DNA sequences 205F, 211F, 212–213, 422
 basal bodies 586F, 1006
 basal cell carcinomas 933, 1165
 basal lamina
 collagen type IV in 1133
 and epithelia 786, 1105–1107, 1117, 1128, 1141, 1142F, 1143–1144
 and epithelial cancers 1165F, 1168F, 1194
 functions 1143–1144
 neuromuscular junction regeneration 1144
 organization and structure 1141–1142, 1143
 as specialized extracellular matrix 1141
 base excision repair 288, 289F
 base-flipping 288, 290F, 451F
 base-pairing
 codon–anticodon matches 7
 in DNA antiparallel strand arrangement 186, 187F
 in DNA replication 4, 255–256
 DNA–RNA hybrid double helix 261
 and homologous recombination 296–297, 298
 recognition of outside edges of 402–403
 RNA as complementary to DNA 261, 325, 326F
 in RNA folding and templating 187–188, 324, 325F, 391
 in RNA interference 462–463, 464, 466
 wobble base-pairing 360, 367
 basement membrane see basal lamina
 bases (nucleotide)
 detection of damaged bases 290–292
 in DNA 3–4, 104P, 185–186
 in RNA 5, 104P, 324
 structures of 104P
 tautomeric forms 259
 unusual, in tRNAs 361
 bases (proton acceptors), overview 53, 97P, 823
 basophils 1286T, 1287F, 1374–1375, 1394
 Bax protein 1096, 1097, 1098
 BBP (branch-point binding protein) 342F, 343, 346
 Bcl2 family
 anti-apoptotic Bcl2 family proteins 1096–1097, 1099, 1101, 1102
 anticancer drugs and 1101–1102
 as apoptosis-inhibitory proteins 921F, 1095–1098, 1101
 in B cell lymphoma 1101
 Bad protein 921F, 1096, 1097F, 1099
 Bak protein 1096, 1097, 1098
 Bax protein 1096, 1097, 1098
 Bcl2 protein 1096
 BclxL (Bcl extra-large) protein 1096, 1097F, 1099, 1102
 BH3-only proteins 1096–1098, 1099, 1102
 Bid protein 1096F, 1097, 1098
 Bim protein 1096F, 1097, 1099F
 Noxa protein 1096A, 1097
 pro-apoptotic Bcl2 family effectors 1096, 1097F
 Puma protein 1096F, 1097
 regulation of the intrinsic pathway 1095–1098
 survival factors and 1099
 Bcr-Abl chimeric protein 1207, 1208
 Bcr gene 1207
 BCRs (B cell receptors) 1373, 1374, 1375F, 1377, 1379–1380, 1394–1395, 1396
 benign tumors 1164, 1165F
 benzo[a]pyrene 1200
 benzopyrene 289
 β -barrels
 in bacterial and mitochondrial outer membranes 728, 733, 814–815
 in porins 618, 620, 733, 814–815
 in transmembrane proteins 615F, 618, 619–621, 814–815
 β -lactamases 1345F
 β_2 -microglobulin 1384, 1385F, 1386, 1396
 β -oxidation, fatty acids 724
 β sheets
 amyloid fibrils as 137
 discovery and description 121
 DNA recognition motifs 405F
 immunoglobulin (Ig) domains 1376F, 1377
 parallel and antiparallel structures 121, 122F
 in protein folding motifs 121, 122F
 ribbon models 121, 122F
 as secondary structure element 123
 in zinc fingers 405P
 BH domains (Bcl2 homology) 1096
 BH3-mimetic drugs 1102
 BH3-only proteins 1096–1098, 1099, 1102
 bi-orientation 1057–1059, 1062, 1073, 1075, 1076
 Bicoid gene 1229, 1230F
 see also egg-polarity genes
 Bicoid protein 424–425, 455, 1229, 1231
 Bid protein 1096F, 1097, 1098
 Bim protein 1096F, 1097, 1099F
 binding constant 493
 binding sites
 allostery 155–156
 Ca²⁺/calmodulin 902
 conformational coupling 157–158
 creation by protein folding 141F
 cryptic binding sites 1114, 1140–1141
 equilibrium constants and 145–146
 evolutionary tracing of 142–143
 for GDP and GTP in G proteins 893–894
 helix–helix interaction 143F, 144
 integrins 1148, 1150
 intrinsically disordered regions (IDRs) as 168–169
 loop regions as 144–145
 protein subunits and 130–131
 RGD sequence 1139–1140, 1148, 1150
 ribosomes, for antibiotics 376, 377F
 ribosomes, for RNAs 367–368, 372, 373
 specificity 140–141
 surface–string interaction 143–144

- surface-surface interaction 143F, 144
 see also active sites; docking sites;
 ligands; *specific types of
 molecules and reactions*
 biofilms, and amyloid fibrils 139
 biological membranes see cell membranes
 biomass, distribution on Earth 15, 38
 biomolecular condensates
 biochemical factories 689, 690–693
 condensate within a condensate
 690, 691
 in different organisms 689F
 DNA repair proteins in 301
 formation and dissolution in response
 to need 693–694
 in gene control regions 416, 420
 liquid-liquid phase separation or
 liquid-liquid demixing 172–173,
 690
 multivalent scaffold
 macromolecules 171–172, 670,
 688, 690
 nascent pre-rRNA 688, 690
 nucleolus 25, 173, 221, 353–354,
 688–689, 690, 691F
 in nucleus 221, 355–357
 overview 171–172, 175T, 683, 688–690
 phase-separation studies of 173–174
 recruitment of macromolecules 688,
 695
 regulation by phosphorylation 693
 response to DNA damage 173F
 RNA organization of 470–471, 688
 signaling protein clusters 689, 690
 sizes 688
 transcription initiation and 420
 transcription regulators in
 eukaryotes 414, 416, 420–422
 types and locations 689T
 in X-inactivation 442
 biotin
 carboxylated biotin 76F, 76T
 as coenzyme 153–154
 nucleotide labeling 501F
 BiP (binding protein) chaperone
 protein 381, 708, 713, 731, 766
 see also hsp70 protein family
 1,3-bisphosphoglycerate 82F, 83, 84F,
 109P, 818
 bistability 551–553, 554, 888, 889F
Bithorax gene/complex 1233–1234, 1235,
 1240, 1241F
 see also *Hox* genes
 bivalents 1073, 1074F, 1076F, 1373
 BLAST (Basic Local Alignment Search
 Tool) 497
 blast crisis 1208
 blastemas 1298
 blastocyst stage 1302, 1304
 blastoderm stage 1228, 1229, 1230F,
 1233, 1236
 blastomeres
 and asymmetric cell division 1224
 differentiation 1220F, 1238
 maternal-zygotic transition 1218,
 1254–1255
 mouse 1227
 from zygote cleavage 1218, 1219F
 blastula stage 1219, 1230F, 1238
 blebbing 973F, 974, 1089, 1092, 1267,
 1361F
 blood cells
 formation in a hierarchical stem cell
 system 1288–1289
 human blood cells 1287F
 myeloid cells 1288
 types of 1286T, 1288F
 see also red blood cells; white blood
 cells
 blood clotting 1140, 1149
 blood vessels
 arteries 1136F, 1137
 elastin in 1137
 postcapillary venules 1368, 1369,
 1370F
 role of NO in smooth muscle
 relaxation 908
 BMP (bone morphogenetic protein)
 family 926, 1239–1240,
 1263–1264
 body patterning see spatial patterning
 body size
 determinants of 1269–1270, 1271
 duration of growth and 1275
 gigantism and dwarfism 1274–1275
 homeostatic control 1270, 1272–1273
 hormones and 1274–1275
 IGF1 and 1274
 regulation mechanisms 1270
 total cell mass regulation 1272–1273
 bond strengths 50, 51T
 bone marrow
 B-cell development in 1365–1366,
 1374, 1377
 plasma cell migration to 1368, 1370
 stem cells in 282, 1286–1289, 1291,
 1299
 bone remodeling and repair 1144
 Boolean networks 558
Bordetella pertussis 1319F, 1328
Borrelia burgdorferi 1314F, 1316F, 1336F
 bovine spongiform encephalopathy
 (BSE) 138
 BP230 adaptor protein 1107T, 1148
 brain
 CaM-kinase II in 903
 glucose and ketone bodies as energy
 sources 87
 glutamate-gated ion channels 677
 human, number of neurons 668
 mouse 580F, 586F, 665F
 proteins expressed in liver and 400F
 see also amygdala; hippocampus
 branch migration 303F, 304, 305
Branchless gene 1265F
 brassinosteroids 941
Brca1 and *Brca2* genes 285, 1185, 1205,
 1206F, 1212
Brca1 and *Brca2* proteins 301, 1205,
 1206
 breast cancer
 Brca1 and *Brca2* proteins and 301,
 1205
 chromosome abnormalities 1185F
 Her2 kinase and 1209
 incidence and mortality 1164F
 loss of *Rb* gene function 1182, 1205
 tumor growth 1165F
 Bri1 protein 941
 bright-field microscopy 567, 568, 580
 bristles, mechanosensory
 (*Drosophila*) 1243F
 bromodomains 418F
 Brown, Robert 9
 brown fat cells 841–842
 Brownian motion 9
 Brownian ratchet 9, 10F, 956–957
 brush-border cells 1281, 1282F, 1283F
 bubonic plague 14, 1326
 buffers 53
 bullous pemphigoid 1148F
 bundle-sheath cells 847–848
 bundling proteins 969
Burkholderia pseudomallei 1338
 Burkitt's lymphoma 1182, 1199F, 1202T
 burns, treatment 1299
- C**
 c-Cbl protein 914–915
 C-reactive protein 1357–1358, 1359
 C-region coding sequences 1377, 1378F,
 1380F
 c-Src gene 1180
 C-terminus
 amino acid addition to polypeptide
 chains 364–365
 attachment of GPI anchors 712, 713F
 ER retrieval signal at 768
 membrane anchoring 711, 712
 protein structure and 116F, 118P,
 122F
 RNA transcript cleavage site
 and 449–450
 signal sequences at 696
 soluble and membrane-bound
 immunoglobulins 1373, 1374
 C-to-U editing (cytosine to uracil) 451,
 452
 C3 complement component (C3a and
 C3b) 1359–1360
 C₃ plants 848
 C₄ plants 848
 C9 complement component 1359F,
 1360F, 1391
 CACA repeats, as markers 248, 509F
 CAD endonuclease (caspase-activated
 DNase) 1092F
 cadherins
 cadherin superfamily members 1108,
 1109F
 cell-cell junctions mediated by 1107,
 1108–1127
 in cell sorting 1110–1111, 1259
 classical cadherins 1107T, 1108,
 1109F, 1110F, 1113
 E-cadherins 1108, 1111, 1116F, 1332,
 1335F
 EC (extracellular cadherin)
 domains 1109, 1110F
 in embryonic development 1110–1111,
 1259–1260
 and homophilic adhesion 1108–1109,
 1110, 1111, 1113
 M-cadherins 1285F
 N-cadherins 1108, 1111, 1127
 nonclassical cadherins 1107T, 1108,
 1109F, 1113, 1117F
 P-cadherins 1108
 structure and function 1108–1109,
 1110F
 as transmembrane adhesion
 proteins 1107

- Caenorhabditis elegans* (*C. elegans*)
 adult worm 38F, 1253F
 anterior-posterior polarity 1018–1019
 apoptosis 1270
 asymmetric cell division 1070
 cell divisions 1253, 1270
 cell lineage 1253
 differentiation of germ cells 1292F, 1293
 distal tip cell 1292F, 1293
 endoreplication of genome 1270
 genes for voltage-gated ion channels 668
 genome size 29T, 39
 hermaphroditism 38F, 443, 1270
 heterochronic mutants 1253, 1254F
 human Bcl2 and 1096
 image deconvolution 578F
 kinesins 1000
 length 1314
 as model organism 29T, 38–39, 531, 1220
 MTOC 992F
 mutant libraries 531
 P-granules as biomolecular condensates 689F
 PAR proteins 1018–1019
 polyploidy and cell growth 1270
 RNA interference 533
 sarcomeres and titin protein 981
 somatic cell numbers 1270
 stem-cell niche 1292–1293
- CagA protein 1327F, 1328
 Cajal bodies 355, 356, 461
 CAK (Cdk-activating kinase) 1034, 1037, 1041T
 calcineurin 743F
 calcitonin 139F
 calcium (Ca²⁺) ions
 ATPase pump in muscle SR 647, 648F, 674, 700, 981–982
 buffering 820
 Ca²⁺-activated K⁺ channels 676
 Ca²⁺ gradient 647, 899
 Ca²⁺ pump (Ca²⁺ ATPase) 647, 648, 674, 700, 900, 902, 981–982
 Ca²⁺-release channels 647, 674
 Ca²⁺ spikes 901–902, 904F
 in cell adhesion 477, 1108, 1125
 in cell wall cross-linking 1157
 fertilization and 900F
 fluorescent biosensors and 576–577
 integrin binding and 1148
 IP₃ receptors and 898
 LTP and LTD and 678
 mitochondria and 820–821
 monitoring with indicators 576
 in muscle contraction 821, 981–984
 PKC and 899
 in the regulated secretory pathway 782
 release from ER 613
 as second messenger 879, 880, 909
 as signal mediator 899–900
 storage by ER 698, 699–700
 triggering membrane repair 786
 waves and oscillations 900–902, 903F, 904
- calcium oscillators 550, 900, 904
 calico cats 441–442
 callus 477–478, 540–541
- calmodulin 577F, 902, 903F, 904, 982–983
 calnexin 715–716, 766
 calreticulin 715–716
 Calvin cycle (Calvin–Benson–Bassham cycle) 813F, 846, 847F
 CaM-kinases (Ca²⁺/calmodulin-dependent kinases) 902–904, 905
 cancer 1163–1216
 aneuploidy in 1185
 Apc gene mutations and 931, 1195
 caused by infectious agents 1180–1181, 1201–1203
 cell motion in metastasis 973
 classification by causative mutation 1165
 classification by cell type 1165
 decreased apoptosis and 1101, 1172, 1174
 derived from one abnormal cell 1165–1166
 environmental and lifestyle factors 1198–1201
 epithelial-to-mesenchymal transitions 1197
 gene amplification and 1181, 1182
 genetic diversity 1168, 1192
 genome studies 1184–1185
 Hedgehog hyperactivity and 933
 hereditary cancers 1182
 incidence and mortality 1164F, 1167, 1199, 1200, 1201F
 incubation period 1167
 keratins in diagnosis 1009
 matrix degradation 1145
 as microevolutionary process 1163–1178
 multidrug resistance 650, 1212
 need for multiple mutations 254, 1166–1167
 origins in mutant clones 1163–1164
 p53 gene mutations and 1082, 1102, 1189, 1204
 pathogens contributing to 1326, 1327, 1328, 1341
 as preventable 1198–1199, 1200–1201, 1202–1203
 PTEN phosphatase mutations and 920, 1188–1189, 1191F
 Ras hyperactivity and 916, 1181
 Rb gene mutations and 1182
 RNA splicing errors and 347
 RTK regulation breakdown and 915
 self-renewal 1170–1171, 1290
 T cell inhibition of 1395
 telomerase production 1083, 1174
 tobacco smoking and 1167, 1198, 1199, 1200–1201
 see also carcinogenesis; tumors; specific types of cancer
- cancer cells
 abnormal proliferation 1164–1165, 1166–1167, 1168F, 1172, 1173–1174
 altered cell metabolism 1172, 1175
 altered control of growth and homeostasis 1172–1173
 cell migration 973
 chromatin changes 1185–1186
 cross-presentation and 1387
- defining behaviors and properties 1164–1165, 1171–1172
 epigenetic changes 1166, 1167, 1178, 1183–1184, 1185–1186, 1192, 1196–1197
 evasion of cell-death signals 1172, 1174–1175
 genetic instability 1168–1170, 1174, 1178–1179, 1196, 1204, 1205–1206, 1212
 genome sequencing 1166, 1167, 1180, 1184–1186, 1195, 1197, 1210
 heterogeneity 1192
 immunity and T-cell inhibitory receptors 1210–1211
 immunosuppression 1176, 1210–1212
 invasiveness 1164, 1177
 loss of anchorage dependence 1152
 low levels of MHC proteins 1351
 microenvironment manipulation 1172, 1175–1176, 1210–1212
 NK cells/T cells attacking 1361, 1392F
 oncogene dependence 1207
 somatic mutations in 254, 1166, 1178, 1184, 1186, 1210F
 transformed cell lines from 478
 transformed phenotype in culture 1172, 1173F, 1180
 variable differentiation in 1171, 1192
- cancer-critical genes 1178–1198
 cancer genome changes and 1184
 defined 1178–1179
 driver mutations 1178, 1186–1187, 1188, 1192, 1193F, 1210
 genome maintenance genes 1179
 identification 1179–1180
 missense mutations in 1184F
 passenger mutations 1178, 1180, 1186, 1193F, 1210
 Ras–MAP-kinase signaling pathway 1209F
 studies in mice 1190–1192
 see also gain-of-function mutations; loss-of-function mutations; oncogenes; tumor suppressor genes
- cancer stem cells 1170–1171, 1197, 1212
 cancer treatment 1204–1213
 cancer stem cells and 1171
 CAR T (chimeric antigen receptor T cell) therapy 1210
 cell-cycle checkpoints (regulatory transitions) and 1204
 combination therapies 1212–1213
 curable cancers 1204
 cytotoxic drugs 1204–1205, 1212
 difficulties in treatment 1204
 drug resistance 650, 1204, 1208, 1211, 1212
 drugs targeting Bcl2 family proteins 1102
 and genetic instability of cancer cells 1204, 1205, 1206F
 immune checkpoint inhibitors 1211
 immune response enhancement 1209–1210
 monoclonal antibodies 479, 1209, 1211

- PARP (polyADP-ribose polymerase)
 inhibitors 1205–1206, 1212
 personalized 1212–1213
 present and future 1212–1213
 radiation 1204, 1212–1213
 sequencing tumor genomes and 539
 synthetic-lethal treatments 1205
 targeting oncogenic proteins
 1207–1209
 targeting rapidly dividing cells 1171
 targeting Ras–MAP-kinase
 pathway 1209F
 targeting specific mutations
 1204–1205
 Taxol 964T, 991
 tumor-reactive T cells 1209–1210
- Candida albicans* 375, 1321, 1336F
- canonical Wnt pathway 930–931
- CAP (catabolite activator) protein 131F,
 412–413, 415, 555, 556
- cap snatching, viral mRNAs 1341
- capping
 actin filaments 965P, 968–969, 971
 decapping 459–460, 461F
 microtubules 961P, 989, 990F, 995
 of mRNA 5' ends 337–339, 455
- capsids, viral 135–136, 311, 1324–1325,
 1331, 1337
- CapZ capping protein 965F, 968–969,
 971, 980, 981F
- CAR T (chimeric antigen receptor T cell)
 therapy 1210
- carbohydrate layer on cell surfaces 621,
 622F
- carbohydrates
 plasma membrane protective
 layer 621
 synthesis in Golgi apparatus 765
see also monosaccharides;
 oligosaccharides;
 polysaccharides
- carbon cycle 61
- carbon fixation
 Calvin cycle (Calvin–Benson–Bassham
 cycle) 813F, 846, 847F
 carboxylation reaction 691, 846
 in chloroplasts 845–846, 847
 CO₂ pumping 848
 compartmentalization in some
 plants 846–849
 by cyanobacteria 691, 843
 “dark reactions” 845, 849
 overall reaction 843
 by plants 17, 691–692
 Rubisco in 691
- carbonic anhydrase 689F, 691, 692F, 849
- carbonyl group (–C=O) 53, 95P
- carboxyl group (–COOH) 52, 53, 95P, 97P,
 102P
- carboxylated biotin 76F, 76T
- carboxypeptidase 152–153
- carboxysomes 689F
- carcinogenesis
 chemical carcinogens 289, 1166,
 1167, 1199–1200
 link to mutagenesis 1166, 1199
 radiation and 1166, 1167
 viral carcinogens 1201
- carcinomas, defined 1102, 1165
- cardiac muscle *see* heart muscle
- cardiac myopathy 1011
- cardiolipin 820, 833
- CARDs (caspase recruitment
 domains) 1095F
- cargo receptors
 cargo-specific autophagy
 receptors 806
 clathrin-coated vesicles 753–754
 COPI-coated vesicles 767, 768
 COPII-coated vesicles 758F, 759,
 765–766
 secretory vesicles 780
 ubiquitin-dependent cargo
 receptors 780
- cargoes
 of motor proteins 956, 986
 and transport vesicles 749
- β-carotene 541
- carotenoids 852, 854F
- carrier proteins 876F, 936
- carriers *see* transporters
- cartilage 1128, 1129, 1131, 1132F, 1219F
- cartoons vs. quantitative approach 543,
 544F, 546, 556
- Cas (CRISPR-associated) proteins 469
- Cas9 530–531, 532
- casein kinase 1 (CK1) 930
- caspase cascades 1091–1093, 1098,
 1357, 1392F
- caspases
 in apoptosis 1091–1093, 1392
 caspase-1 1091, 1357
 caspase-3 1091, 1092, 1098, 1101F,
 1173F, 1392F
 caspase-6 1091, 1092
 caspase-7 1091, 1098, 1101F, 1392F
 caspase-8 1091, 1093F, 1094, 1095,
 1098
 caspase-9 1091, 1095, 1098
 caspase-10 1093F
 cytotoxic T cells and 1392
 executioner caspases 1091–1092,
 1093F, 1094, 1095, 1100, 1101F,
 1392
 IAPs and 1098
 initiator caspases 1091–1093, 1094,
 1095, 1098
- Caspr protein 666F
- catabolic reactions
 as food breakdown 58, 70F
 NADH in 74, 75F
 NADP⁺ reduction in 73, 75
 of sugars by glycolysis 80–84
- catalase 723, 724
- catalysts
 activation energy effects 63–64
 defined 6
 enzymes as 6, 55, 57–58, 64, 146–152
 life as autocatalytic process 6
 ribosomes as ribozymes 371–372
 ribozymes as catalysts 6F, 57, 76,
 389, 390–392
 rotary catalysis in ATP synthase
 837–839
 simultaneous acid and base
 catalysis 148–149
 speed of protein and ribozyme 390
- catalytic cascades (enzyme
 cascades) 880, 909, 934, 941,
 1079
- catastrophe, microtubules 989, 990F,
 995, 996–997
- catastrophe factors 997, 999
- catenins
 as adaptor proteins 1113
 α-catenin 1107T, 1113–1114, 1258
 β-catenin 930–931, 1107T, 1113,
 1194T, 1195
 γ-catenin (plakoglobin) 1117F
 p120-catenin 1107T, 1113, 1117F
- cattle, cloning 398F
- Caulobacter crescentus* 1015
- caveolae 611, 790, 926
- caveolins 790
- cavin proteins 790
- CBCs (cap-binding complexes) 339,
 346F, 349
- CBP (CREB-binding protein) 897
- CCR5 (chemokine receptor) 1329–1330
- CCR7 (chemokine receptor) 1383
- CD3 complex 1394
- CD4 co-receptor protein 1329, 1330F,
 1388T, 1389–1391, 1392,
 1395–96
- CD8 co-receptor 1388T, 1389–1390,
 1391, 1392, 1395–1396
- CD28 co-receptor 1395–1396
- CD31 protein 1369
- CD40 ligand 1395, 1396F
- CD40 receptors 1395, 1396F
- CD45 tyrosine phosphatase 1395F
- Cdc2 protein (now Cdk1) 1034T
- Cdc3 protein 1013F
- Cdc6 protein 1044, 1045
- Cdc10 protein 1013F
- Cdc12 protein 1013F
- Cdc20 protein 1039, 1040F, 1041T, 1042,
 1061F, 1062
- Cdc25 phosphatase 1034, 1037–1038,
 1041T, 1082
- Cdc42 915T, 919, 1016, 1017–1018,
 1019–1020, 1021
- Cdh1 protein 1039, 1040, 1041T, 1042,
 1045, 1079–1080
- Cdks (cyclin-dependent kinases)
 Cdk1 497F
 in cell cycle control system
 1033–1035, 1190
 in evolutionary tree 160F
 inactivation 744, 1040, 1061–1062,
 1078
 nuclear envelope disassembly 743
 phosphorylation of nucleoporins and
 lamins 743–744
 of vertebrates and budding
 yeast 1034T
- cDNA (complementary DNA) 503–504,
 507, 508F, 516, 536
- cDNA libraries 504
- Cdt1 protein 1031F, 1044, 1045
- cell adhesion
 CD31 protein 1369
 at cell–matrix junctions 1147
 loss of, in apoptosis 1092
see also cell–cell adhesion
- cell biology, defined 1
- cell cannibalism 1297
- cell–cell adhesion
 β-catenin and 930
 in the bloodstream 1125–1126
 desmosomes in 1009
 embryonic cell sorting 1110–1111,
 1259

- cell-cell adhesion (*continued*)
 - immunoglobulins in 1125, 1126–1127
 - mediation by glycolipids and glycoproteins 621
 - tissue remodeling 1108, 1114–1116
 - vertebrate embryo patterning 1250
- cell-cell contact
 - contact-dependent signaling 874–875, 928
 - desmosomes 1009
 - immunological synapses 1391, 1392F
 - lateral inhibition dependent on 928
 - Rac and Rho in actin organization at 1021, 1022F
- cell-cell junctions 1108–1127
 - anchoring junctions 1106F, 1107–1108, 1124
 - cadherin mediation 1107, 1259
 - focal adhesions 924
 - intermediate filaments and 950P
 - major forms 1106–1107
 - microtubules 995
 - repulsive interactions 1259–1260
 - see also cell-matrix junctions; gap junctions; tight junctions
- cell coats 621
- cell cortex
 - actin filaments in 631–632, 951, 967, 971–972, 973
 - cortical cytoskeleton 630–632
 - ERM proteins and 969
- cell cycle 1027–1088
 - accessory proteins and 956
 - changes in the nucleolus 354, 355F
 - endocycle (endoreduplication) 1029–1030
 - in eukaryotes 195–196, 276F, 1028–1030
 - G₀ phase 457, 1029, 1078–1079
 - G₂ phase 1028
 - gap phases 1028–1029, 1040
 - M and S phase 227
 - major events 1027–1030
 - mitosis 1046–1064
 - model organisms 1030
 - overview 195–196, 1027–1031
 - permanent arrest 1082
 - prometaphase 1047, 1048P, 1052, 1059, 1060, 1062F
 - Rb pathway 1187–1188, 1189F
 - regulatory transitions 1032–1033
 - response to DNA damage 295, 1080–1082
 - Saccharomyces cerevisiae* 36–37
 - Start (restriction point)
 - transition 1029, 1032–1033, 1034, 1038, 1041, 1081
 - suggested timekeeping role 1252
 - sympathetic neurons withdrawal from 1084
 - timing of phases 1027–1029, 1030–1031
 - variations 1029
 - see also cell division
- cell-cycle control system
 - G₂/M transition 1032, 1033, 1037, 1038, 1042, 1046–1047, 1081
 - metaphase-to-anaphase transition 1032, 1033, 1038–1040, 1046, 1047, 1060, 1062
 - overview 1031–1042
- phosphorylation and 1033, 1034–1036, 1037–1038, 1039–1040, 1041T
- regulatory proteins 1041T
- resetting 1045
- Start (restriction point)
 - transition 1029, 1032–1033, 1034, 1038, 1041, 1081
- transcriptional regulation in 1040
- cell-cycle network, negative feedback 550
- cell death, programmed see apoptosis
- cell determination 1220
 - see also differentiation
- cell division
 - asymmetric cell division 1069–1070, 1124, 1244–1245
 - contribution to body size 1269F
 - control of cell growth and 1077–1084
 - coordination of cell growth and 1084
 - cytoskeleton in 951, 952F
 - limits, for human cells 1082, 1173–1174
 - mitogens in 1078
 - see also cell cycle; meiosis; mitosis
- cell doctrine 563
- cell-fate determinants 1070, 1244–1245, 1293
- cell-free systems 486–487, 701–702
- cell growth
 - contribution to body size 1269F
 - control and the PI-3-kinase–Akt pathway 921–922
 - control of, in plants 1157–1158
 - control of cell division and 1077–1084
 - coordination of cell division and 1084
 - dependent on growth factors 1083
 - distinguished from cell proliferation 1078
 - see also growth factors
- cell lineage tracing 1280, 1284–1286, 1287, 1289, 1294
- cell lines
 - commonly used cell lines 478T
 - eukaryotic cell lines 478–480
 - immortalized cell lines 478
 - PtK epithelial cell lines 478
 - RNA interference 533
 - transformed cell lines 479
- cell mass regulation 1272–1273
- cell-matrix junctions
 - actin-linked cell-matrix junctions 1106F, 1107T
 - anchoring junctions 1107T
 - epithelial tissue 1106
 - hemidesmosomes 1009, 1010F, 1106F, 1107, 1117F, 1133, 1148
 - integrin mediation 1107, 1147–1148, 1151
 - overview 1105–1106, 1147
 - response to mechanical forces 1137–1138, 1153–1154
 - transmembrane receptors 1147–1153
 - see also extracellular matrix
- cell membranes
 - amphiphilic lipid molecules in 8, 605–606
 - domains 629–630
 - fluid structure 603–604, 605, 629
 - fusion prevented by membrane lipids 608–609
 - lipid composition 610T
- overview 603–604
- proportion of protein 615
- relative amounts in cell, by types 685T
- see also lipid bilayers; membrane proteins; membrane structure; plasma membranes
- cell memory
 - CaM-kinase II as molecular memory device 902, 903–904
 - and chromatin structure 203
 - defined 431
 - and differentiation 423, 427F, 431–433, 443–444, 1220, 1221–1222
 - in embryonic development 427F, 1220, 1221–1222, 1235–1236
 - Hox complexes and 1235–1236
 - and inductive signaling in patterning 1221–1222
 - intracellular signaling pathways 889, 904F
 - overriding with cell reprogramming 1300–1301
 - and positive feedback 432, 433, 443–444, 553, 889
 - reinforcement mechanisms 435–445
 - see also epigenetic inheritance
- cell migration
 - amoeboid cell migration 973F, 974
 - attachment to surfaces 973F, 974
 - blebbing cell migration 973F, 974, 1267
 - in cancer 973
 - cell sorting in 1259–1260
 - chain migration 1268
 - chemotaxis and 1022, 1023F, 1266–1267
 - clustered migration 1268
 - collective cell migration 1268–1269
 - cytoskeletal coordination in 972–974, 1023
 - in embryogenesis 972
 - external signals and 1022, 1023F, 1258–1259, 1266–1267
 - mesenchymal cell migration 973–974, 1260F
 - metastases and 973
 - modes of 972–974
 - physical forces acting on cells 1258–1260
 - polarization and 1020–1022
 - sheet migration 1268
 - survival factors and 1267–1268
 - in three dimensions 974–975
 - traction in 973F, 974
- cell necrosis see necrosis
- cell numbers
 - body size correlation with 1269
 - total cell mass regulation and 1272–1273
- cell plates 1068–1069, 1124, 1155
- cell polarization
 - distinct membrane domains 786
 - in epithelia 786, 953F, 1019–1020, 1117
 - microtubules 995, 1002
 - and migration 1020–1022
 - PAR proteins and 1018–1019, 1020
 - planar cell polarity 1261–1263
 - and Rho family proteins 1016–1018, 1020, 1021–1022, 1023F

- role of the cytoskeleton 953
- sorting of plasma membrane protein 786–787
- cell proliferation
 - accompanied by cell growth 1083–1084
 - in cancers 1164–1165, 1166–1167, 1168F, 1173–1174
 - by clonal expansion 867, 1366, 1367F, 1368
 - dependent on mitogens 1083
 - distinguished from cell growth 1078
 - extracellular matrix and 1151–1152
 - integrins in the control of 1152
 - in intestinal crypts 1193, 1195, 1281–1282, 1285F, 1291–1293
 - and organ or organism size 1269F
 - RTK/Ras/PI 3-kinase pathway 1187, 1188–1189
- cell reprogramming
 - de-differentiation 398F, 428, 429, 1289–1290
 - fibroblasts 428–429, 1303–1304
 - nuclear transplant into foreign cytoplasm 397–398, 1301
- cell signaling 873–948
 - alternative routes in gene regulation 928–940
 - combinatorial signaling in development 1222
 - coordination of spatial patterning 1221–1222
 - corralling and 632
 - extracellular matrix role in 1145–1146
 - intrinsically disordered regions in 690
 - monitoring by fluorescent biosensors 576–577
 - in plants 940–945
 - principles of 873–892
 - proteoglycan and glycoprotein regulation of 1145–1146
 - through enzyme-coupled receptors 911–928
 - through G protein-coupled receptors 892–911
 - see also* inductive signaling; *specific topics*
- cell size
 - body size correlation with 1269
 - cell cycle and 1271–1272
 - and ploidy 1270, 1271–1272
 - regulation by growth factors and mitogens 1084
 - regulation by vacuoles 800, 801F
 - total cell mass regulation and 1272–1273
- cell sorting 1110–1111, 1177, 1259–1260
- cell stress *see* stress
- cell-surface proteins
 - diffusion coefficient measurement 628
 - displayed by dendritic cells 1363F, 1383–1384
 - Ig superfamily 1396, 1397F
 - oligosaccharides on 774
 - and phagocytosis 804, 1358
- cell-surface protrusions
 - and bacterial movement 1338
 - blebbing 973F, 974, 1267
 - in cell migration 972–974, 1021, 1022, 1023, 1261, 1267
 - pedestals 1328
- role of the cytoskeleton 952–953, 1338
- ruffles 802, 1330, 1332
- stereocilia 986
- cell-surface receptors
 - activating receptors on NK cells 1361–1362
 - corralling 632
 - death receptors 1093, 1098, 1100
 - degradation in lysosomes 794–795
 - immunoglobulins as 1373
 - inhibitory receptors 804, 1100, 1210–1211, 1361, 1362F
 - intracellular signaling molecules and 879–881
 - ion-channel-coupled receptors 877F, 878, 905
 - signal transduction mechanisms 878–879
 - survival factor binding 1099
 - transmembrane proteins 616, 627, 632
 - virus receptors 1329–1330, 1331F
 - see also* enzyme-coupled receptors; G-protein-coupled receptors; TCRs
- cell survival
 - extracellular matrix and 1151–1152
 - integrins in the control of 1152
 - mouse epithelial cell lifetimes 1282
 - p53 pathway 1187, 1188, 1189–1190
 - Paneth cells 1282F
 - PI 3-kinase and 921F
 - regulation of 1288
- cell turnover 1089, 1165, 1167, 1280, 1282F, 1297
- cell types
 - and cell cycle length 1079
 - and cell wall composition 1155
 - characteristics preserved in cancers 1165
 - different effects of acetylcholine 877F
 - from induced pluripotent stem cells 428–429, 1304, 1306, 1307F
 - number in the human body 1279
 - RNA splicing and protein variants 448
 - transdifferentiation 1306–1308
 - see also* differentiation; tissues
- cell walls
 - in archaea 15
 - in bacteria 13, 134, 149, 1005, 1014–1015
 - composition 1155
 - formation in cytokinesis 1068
 - plant cell growth and cell wall orientation 1157–1158
 - in plants 27, 1014, 1068, 1154–1159
 - plasmodesmata 651, 1123–1124, 1154F
 - primary cell walls 1155, 1156–1157, 1158F
 - secondary cell walls 1155, 1157, 1158
 - tensile strength 1155–1156, 1158F
 - in yeast 36, 37F
- cells
 - appearance at different magnifications 564
 - biochemical similarity 8
 - characteristics of 2–10
- composition by weight 54F
- extracts, in studies of cell function 482–483
- growing in culture 476–480
- isolation from tissues 476–477
- mathematical analysis of function 542–558
- mechanical interaction with extracellular matrix 1137–1138
- number in human body 2
- regeneration and repair 1296–1300
- sizes in eukaryotes and bacteria 686
- subcellular fractionation 480–482
- universality of 1–2
- water content of 569
- cellular blastoderms 1228, 1233
- cellularization 785, 786F, 1070, 1071F, 1236–1237
- cellulase 496F
- cellulose 1155, 1156–1159
- cellulose synthase 1157, 1158–1159
- CENP-A (centromere protein-A) variant of histone H3 208F, 213–214, 215
- central dogma 321, 462
- central nervous system, neural stem cells 1299–1300
- central spindle 1065, 1066F, 1067, 1068F
- central tolerance 1371
- centralspindlin 1066F, 1067, 1068F
- centrifugation and the ultracentrifuge 480–482, 490–491
- centrioles 992–993, 1006, 1050, 1051F, 1053, 1054F
- centromeres
 - centromeric chromatin 213–215
 - creation of human centromeres 214F
 - de novo* centromere formation 214, 215
 - function in cell cycle 196, 213–215
 - heterochromatin surrounding 421, 466
 - positions in human chromosomes 192F
 - structure 213–214
 - see also* kinetochores
- centrosomes
 - biomolecular condensates 689F
 - cell polarity and 1023, 1055
 - duplication 993, 1019F, 1051F, 1053, 1054F
 - licensing of duplication 1054
 - maturation 1052
 - micrograph 1051F
 - microtubules and 190F, 950P, 991–993, 994P, 995, 1002–1004
 - in mitosis 1048–1049P, 1050–1051, 1055
 - as organelles 690
 - PAR proteins and 1018, 1019F
 - pericentriolar material in 689F, 993, 1050, 1052, 1054F
 - see also* centrioles; MTOCs
- ceramide 721–722
- cervical cancers (uterine cervix) 1168F, 1185, 1201, 1202–1203, 1326
- CESA (cellulose synthase) genes 1157
- cesium chloride 481, 482
- CFTR (cystic fibrosis transmembrane conductance regulator) gene/protein 651

- CG islands 436–438
 CG sequences (CpG sequences)
 loss of, in vertebrates 436–438
 methylation 291, 435–436
 TLR9 recognition 1355, 1356T, 1360
 CGN (*cis* Golgi network) 769F, 770, 771F, 775F
 Chagas disease (*Trypanosoma cruzi*) 1334
 chain migration 1268
 channelrhodopsins 627, 678–679
 channels 651–679
 aquaporins 619F, 639, 644, 652–653, 794
 conformational changes 639
 distinguished from transporters 637, 639, 652
 evolution 644
 inverted repeats 644
 membrane electrical properties and 651–679
 passive transport 637, 639, 640, 651, 652, 655
 see also gap junctions; ion channels; porins; protein translocators
 chaperones, molecular
 BiP (binding protein) 381, 708, 713, 731, 766
 calnexin 715–716, 766
 calreticulin 715–716
 ER lectins 715–716, 717
 glyco-code 774
 hsp60 381, 382, 731
 hsp70 family 381–382, 708, 713, 728F, 729, 731, 756
 hsp90 382, 383F
 mitochondrial precursor proteins and 729, 731
 preventing folding in the ER and cytosol 707F, 708, 717, 766F
 and protein folding 121, 380–382, 383F, 712–714, 716F, 718F
 recognizing unfolded proteins 713
 ribosome assembly 354, 372
 see also histone chaperones
 chaperonins 382, 383F
 charge separation in photosynthesis 851, 852F, 853, 855, 860F
 checkpoints
 cancer therapy and 1204
 immune checkpoints 1210–1211
 spindle assembly 1062
 chemical bonds
 bond strengths 50, 51T
 and chemical groups 53, 94–95P
 covalent bonds 50, 51T, 94P
 polar covalent bonds 50–51, 52, 62
 see also noncovalent interactions/noncovalent bonds
 chemical carcinogens 289, 1166, 1167, 1199–1200
 chemical components of cells 17, 49–57
 see also elements
 chemical equilibrium, defined 68
 chemical groups 53, 94–95P
 chemical shifts 496
 chemical synapses 669–670, 875, 1122
 chemiosmotic coupling
 bacterial origins 811, 842
 in the citric acid cycle 818, 821
 defined 811
 electrochemical gradients 812, 822
 electron-transport chain 812, 818
 evolution 811, 856–857
 oxidative phosphorylation 821–822
 stages of chemiosmotic process 811–812
 use by chloroplasts 844, 849
 see also ATP synthases; electron-transport chains
 chemokine receptors 1329
 chemokines 1329, 1330F, 1358
 see also interleukins
 chemotaxis 1022, 1023F, 1266–1267, 1328
 chiasmata 1074
 chick embryos
 fibroblasts and collagen 1133F
 neural tube 1111F, 1264F
 repulsive interactions and tissue boundaries 1260F
 somite formation 1249F
 chicken, genome size 236
 chimeric animals 1302F, 1304
 chimeric proteins 1207
 chimpanzees
 comparative genomics 230, 232–233, 234, 243, 245
 divergence from humans 234, 236, 238, 240, 314
 phylogenetic tree 20, 232F, 234F
 ChIP (chromatin immunoprecipitation) analysis 220, 538, 539F
 Chk1 protein kinase 1081–1082
 Chk2 protein kinase 1081–1082
Chlamydomonas (*C. reinhardtii*) 1002F, 1004F, 1006
 chloramphenicol 376–377
 chlorophyll
 antenna chlorophylls 851–852, 856F
 chlorophyll A₀ 855
 energy/electron transfer 812, 844–845, 850–851
 in LHCs (light-harvesting complexes) 851–852
 P₆₈₀ chlorophyll 853, 854F
 resonance energy transfer 850, 851–852
 special pairs 850, 851–852, 853, 854F, 855F
 structure 850
 see also photosystems
 chlorophyll–protein complexes 850–851, 852
 see also photosystems
 chloroplast precursor proteins 734F, 735
 chloroplasts 843–861
 ATP production in 684, 726, 811
 bacteria similarities to 865–866
 collaboration with mitochondria 849
 compared with mitochondria 843–844
 distribution in cytokinesis 1069
 DNA in 811, 815T
 double membrane 24, 25, 688, 726
 electron-transport chain in 812, 813F, 851, 853, 854, 857–859, 860F
 endosymbiont hypothesis 26–27, 843–844
 energy-conversion metabolism, summary 845F
 evolution 26–27, 733, 859F, 860F
 fat and starch storage in 86
 fission 865
 genome 844, 861–868, 865
 growth and fission 727
 GTP and ATP hydrolysis 733
 as intracellular compartments 684
 micrographs 27F, 86F, 843F
 nuclear-encoded proteins 811, 861, 862, 865
 organelle-encoded proteins 861, 865, 868
 overview 24, 26, 811
 as plastids 684, 726
 postulated evolutionary pathways 859F
 protein transport into 726, 733–735
 RNA editing and processing 866
 self-splicing RNAs 347
 stroma 726, 727F, 734, 844, 852
 structure 27F, 726, 727F, 844
 thylakoid space 726, 727F, 734, 853, 854, 855, 856
 transcription and translation system 862, 865, 867–868
 see also photosynthesis; thylakoid membranes
 chloroquine 651, 1345
 Choedin protein 1239, 1240F
 cholecystokinin 1283F
 cholera 614, 895, 1313, 1315F, 1318, 1320
 cholera toxin 614, 895, 1319F, 1320, 1328
 cholesterol
 binding to Hedgehog proteins 932
 in cell membranes 603F, 610T, 611F
 flip-flops between lipid layers 608
 latent gene regulation 719, 742, 743F
 in LDLs 791–792, 793F
 in lipid bilayers 606, 608, 609–610, 611F
 receptor-mediated endocytosis of 791–792, 793F
 and the steroid hormones 103P, 936
 structure 75F, 103P, 606F
 in synaptic vesicles 785F
 synthesis 75F, 95F, 720, 721
 transport in lipoproteins 722
 cholesterol esters 611, 612F, 722, 791–792
 chondrocytes 1128
 chondroitin sulfate 1130F, 1131F, 1266
 chromatids see sister chromatids
 chromatin
 changes contributing to cancer 1185–1186
 changes following nuclear transplantation 1301–1302
 closed, inactive chromatin 204
 defined 190, 197
 DNA packaging in 189–203, 204
 euchromatin 204, 205, 226F, 227, 1045
 insertion of histone variants 208
 non-histone proteins 197, 204, 206, 220, 225
 open, active chromatin 204
 propagation of changes 205–206, 207, 210–212
 types of protein in 197
 zigzag model 202
 see also heterochromatin; histones

- chromatin assembly factors *see* histone chaperones
- chromatin domains
and barrier sequences 205F, 211F, 212–213, 422
loop structures 217–218, 220, 221, 222F, 223–225
reader-writer complexes 212–213
- chromatin immunoprecipitation 220, 538, 539F
- chromatin modification
by reader-writer complexes 210–212, 215, 216F, 437F
timing of plant flowering 1256–1257
by transcription activators 417–418
- chromatin remodeling complexes
developmental timing and chromatin remodeling 1249, 1251
for DNA replication 279
nucleosome changes and 200–202, 208
required by RNA polymerase II 334F, 335
and transcription activators 418
and transcription regulators 409, 417–418, 421F
and transcription repressors 421F
- chromatin structure
and chromosome duplication 1045
chromosome-wide gene expression changes 440–442
effect on DNA function 203–217
and epigenetic inheritance 203–204, 215, 216F, 440–442
and induced pluripotency 1304–1305, 1306
loop structures 217–218, 220, 223–225
multiple forms 220
- chromatography
affinity chromatography 484, 485, 486, 512
column chromatography of proteins 483–485
gel-filtration chromatography 483–485, 490–491
HPLC (high-performance liquid chromatography) 485, 493
hydrophobic chromatography 483, 484
immunoaffinity chromatography 484, 486
ion-exchange chromatography 483, 484F, 485F, 489
- chromokinesins 1053
- chromophores
plant photoproteins 944
retinal 154, 626, 679, 906
see also GFP (green fluorescent protein)
- chromosome abnormalities
aberrant human chromosomes 192F
among different cancer types 1185
breast cancer 1185F
in CML 1166, 1207
nonhomologous end joining and 293–294
ovarian cancer cells 1185
Philadelphia chromosome 1166, 1207–1208
- chromosome condensation 228, 1047, 1169F
- chromosome conformation capture
methods 221–223, 225–226
- chromosome crossovers
crossover control 305
frequency in humans 525
in meiosis 302, 303F, 304–306, 1073, 1074–1075, 1076–1077
as result of homologous recombination 520P
- chromosome duplication 1043–1045, 1045
- chromosome painting 191, 221F
- chromosome puffs 220
- chromosome segregation
errors and cancer 1169, 1183
in meiosis 1071, 1072F, 1075–1076, 1077
in mitosis 1039, 1046, 1049P, 1050, 1056, 1062–1063, 1072F
nondisjunction 1077
as universal event in cell cycle 1027, 1028F
- chromosome translocations
in CML (chronic myelogenous leukemia) 1166, 1207
defined 521P
globin gene family 242F
reciprocal chromosomal translocation 192F
- chromosomes
anaphase chromosome 1056F
bands and banding patterns 191, 192F, 219–220
chromatin loop structures 217–218, 220, 221, 222F, 223–225
chromosome-wide changes 440–442
compartments 226
control of duplication 1043–1045
different chromosome numbers in related species 193F
distribution in the nucleus 220–221, 222
DNA packaging in chromatin 189–203
DNA replication within 272–284
early discoveries 183–184
electrophoresis of whole chromosomes 500
essential components of 195–197
forces on, in the mitotic spindles 1058–1060
giant chromosomes, *Drosophila melanogaster* 39
global structure 217–229
human chromosome 4 192F
human chromosome 5 505F
human chromosome 6 192F, 1385
human chromosome 9 1166, 1207F
human chromosome 13 1182
human chromosome 22 193F, 197, 1166, 1207F
human chromosome set 191F
Ig chain loci 1377
in interphase 195–198, 220–221, 222–223
lampbrush chromosomes 217–218, 220, 221, 225
light microscopy 218F
in metaphase 520P, 1056F
non-crossover events 304, 305, 306
organization 221–225, 227–228
polytene chromosomes 218–220, 225
role in mitotic spindle formation 1055–1056
- rRNA genes 354
TADs (topologically associated domains) 222–223
see also homologous chromosomes; *specific human chromosomes*
- chromothripsis 1169–1170, 1185
- chronic lymphocytic leukemia 1102F
- chronic myelogenous leukemia (CML) 1166, 1207–1208
- chymotrypsin 127, 128, 129F
see also serine proteases
- CICR (Ca²⁺-induced calcium release) 900
- cilia
built from microtubules 1004–1005
microtubules and 950P, 951
olfactory receptors 884, 905
pathogen adherence discouraged by 1354
planar cell polarity and 1262–1263
primary cilia 884, 906F, 932, 933F
stereocilia 951, 953, 969, 986, 1262
see also axonemes
- ciliates 30F, 31F, 375
- ciliopathies 1006
- circadian clocks 937–939, 1251, 1256
- circadian rhythm 928
- circular DNA
Bacillus subtilis 224F
in bacteria, generally 190, 223, 273, 281
in chloroplasts 26
conservative site-specific recombination 315F
in *E. coli* 35, 36F, 258F, 273, 280, 410
in plasmids 502
single-molecule real-time (SMRT) sequencing 515, 516F
SMC protein complexes and 223–225
- circular RNA 449
- circumferential belts 984
- cis-acting epigenetic mechanisms 444
- cis-acting lncRNAs 470F, 471
- cis-double bonds, in phospholipid tails 605, 609
- cis Golgi network (CGN) 769F, 770, 771F, 775F
- cis-regulatory sequences
chromatin immunoprecipitation and 538
CRE as 897
as enhancers 416
Eve gene 424, 425
in gene control regions 414–415, 416
and genome annotation 516
hormone–glucocorticoid receptor complex and 430–431
Igf2 gene and 438, 440F
insulators and 422, 438
logic operations using 433
master transcription regulators and 429, 430, 432
nucleosomes and 408–409
as operators 411
reporter genes and 534–535
sequence logos 406
transcription regulator recognition and binding, in bacteria 402, 403, 406–410, 411, 412
transcription regulator recognition and binding, in eukaryotes 414–416, 417, 425, 429, 430–431, 433, 438

- cisternae, Golgi apparatus
 cisternal maturation mechanism 775
 as compartments in Golgi stack 769–771
 EM tomogram 595F
 as intracellular compartments 684
 proteoglycan assembly in 772–773
 vesicles 751, 752F
 see also Golgi apparatus
- cisternae, rough ER 699F
- citric acid cycle (Krebs cycle)
 acetyl CoA in 88, 818
 citrate and 89, 819
 FADH₂ in 88, 89, 110P, 111P
 materials for biosynthetic pathways produced 90–91
 mitochondria and 88, 89, 732, 817–818
 NADH production in 88–90, 110–111P
 in network of metabolic pathways 92, 93F
 overview 88–90, 110–111P
 in plants 849
 pyruvate oxidation 88, 110P
- CK1 (casein kinase 1) 930
- CKIs (Cdk inhibitor proteins) 1035, 1039, 1040, 1041T, 1079–1080, 1081
- Cl[−] (chloride ion) channels 651, 670, 673
- clamp loader 262–263, 264F, 265F, 268
- class switch recombination 1380–1381
- class switching 1377, 1379–1381, 1392, 1393, 1396F, 1398
- classical pathway, complement system 1359, 1364
- clathrin-coated pits
 clathrin-coated vesicles formed from 789, 792
 defined 752
 formation 754F, 755F, 757F
 lifetime 789
 micrographs 587F, 753F, 789F, 790F
 pinocytic vesicle formation 789
 receptor-mediated endocytosis 791–792, 793, 910
 recycling endosomes and 794–795
 and virus entry into host cells 1330
- clathrin-coated vesicles
 adaptor proteins 753–754, 756, 778
 assembly 752–753, 754F, 756F
 buds 752, 753F, 754F, 756
 cargo receptors 753–754
 coat disassembly 758, 759
 coat structure 736, 752, 753F, 754F
 cytoplasmic proteins in vesicle formation 756
 electron micrographs 752F, 753F
 formation from plasma membrane 789F
 formed from clathrin-coated pits 789, 792
 lifetime 789
 protein delivery to 796, 915
 SEM image 593F
 transport from Golgi apparatus, endosome, and plasma membrane 751, 780
 triskelions 752–753, 754F
 and virus entry into host cells 1330
- claudin-1* gene 1120
- claudins 1120–1121, 1122
- cleavage furrows 1049P, 1064, 1065, 1067, 1068
- CLEM (correlative light microscopy and electron microscopy) 597–598
- client macromolecules 688, 690, 714
- clonal analysis 1284F
- clonal deletion 1370, 1371, 1379, 1390, 1395
- clonal expansion 867, 1366, 1367F, 1368
- clonal inactivation/clonal anergy 1370, 1371
- clonal suppression 1371, 1390
- clones
 cattle 398F
 clonal evolution during tumor progression 1167–1168
 mutant clones and cancers 1163–1164
 subclones in cancer 1168, 1192, 1193F, 1194
- Clostridium difficile* 1349
- CLRs (C-type lectin receptors) 1355, 1356T
- cluster analysis 536–537
- clustered migration 1268
- CMC (critical micelle concentration) 622, 623F
- CMG helicase 266, 278F, 281
- CML (chronic myelogenous leukemia) 1166, 1207–1208
- CMOS (complementary metal-oxide semiconductor) sensors 568, 580, 589
- CNS see central nervous system
- co-immunoprecipitation 493
- co-repressors 416, 420, 423, 425, 426
- co-stimulatory proteins/signals
 B7 proteins 1395, 1396
 dendritic cell expression 1362, 1363F, 1371, 1384, 1395, 1396F
 helper T cells 1371, 1393, 1395, 1396F
 naïve lymphocyte response 1367F, 1368F, 1371, 1373, 1391
- co-translational processes
 contrasted with post-translational translocation 708F
 protein import into ER 704, 706, 707F, 708
 size limits 781
- co-transporters see symporters
- coactivators 415F, 416–417, 418, 419–420, 423, 425, 426F
- coat-recruitment GTPases 756–759, 760, 761, 762
- coated vesicles
 different coats for different transport steps 751, 752F
 four types 751–752
 see also clathrin-coated vesicles; COPI-coated vesicles; COPII-coated vesicles; retromer-coated vesicles
- coatomer 767
- Cockayne syndrome 285T, 290
- codominant alleles, defined 520P
- codon bias 517
- codons (nucleic acids)
 amino acid equivalents 7, 359
 codon–anticodon matches 7
 defined 7, 359
 start (initiation) codons 359F, 373–374
 stop codons 359F, 374–375, 692
 synonymous codons 233, 359F
 wobble base-pairing 360, 367
- coenzyme A 75, 88F, 105P
 see also acetyl CoA
- coenzyme Q (ubiquinone) 825P, 826, 827–829, 830–831, 832, 833
- coenzymes and vitamins 154
- cofactors
 electron-transport chain 824, 826–827, 828, 833F, 834F
 photosystems 850, 853F, 854F
- cofilin (actin-depolymerizing factor) 965F, 970, 971, 974, 1021, 1022F
- coherent feed-forward motif 555–556, 556
- cohesins
 cleavage and removal 1047, 1060–1061, 1075F, 1076
 DNA loop creation 225
 fluorescent antibody to 581F
 ring formation 224F, 1050
 sister chromatids held together by 227F, 1045–1046, 1060–1061, 1071, 1073F, 1074F, 1075F
- coiled-coils
 α helices in 122, 123F, 132, 144, 1007
 dynein 1002F
 golgins 775
 intermediate filaments 132, 955, 1007–1009, 1013F
 kinesin tails 1000, 1001F
 leucine zipper motif 404P
 myosin II 976
 SAS-6 centriolar protein 993F
 septins 1013F
 SMC proteins 223, 224F
 see also DNA supercoiling
- coincidence detectors 885
- colchicine 964T, 991, 998, 1002, 1062
- colitis 1349
- collaboration, in multicellular organisms 1163
- collagen
 α chains 1132, 1133
 assembly 759, 1134
 dendritic cell migrating in collagen gel 974, 975F
 evolution by DNA duplication 1133
 proteolytic cleavage in assembly 137
 secretion by fibroblasts 477
 superhelices 1132, 1143
 tensile strength 1135, 1143
 triple helix 132–133, 1132
 type I collagen 1132–1133, 1134T, 1135
 type II collagen 1134T, 1135
 type IV collagen 1128F, 1133, 1134T, 1141, 1143–1144, 1144, 1145, 1146
 type VII collagen 1133, 1134T
 type IX collagen 1133, 1134T, 1135, 1136F
 type XII collagen 1133, 1134T, 1135
 type XVII collagen 1107T, 1133, 1134T
 type XVIII collagen 1133, 1134T, 1148
 collagen family proteins
 as extracellular matrix macromolecules 1128, 1132–1133

- fibril-associated collagens 1133, 1134T, 1135–1136
- fibrillar collagens 1128F, 1133, 1134T, 1135, 1140, 1143
- network-forming collagens 1133, 1134T
- nonfibrillar collagens 1134T
- pro- α chains 1133–1134
- procollagen 759, 775, 1134
- types and their properties 1134T
- collagen fibers 1106F, 1128–1129, 1133, 1138
- collagen fibrils 1128F, 1129, 1131, 1132F, 1133–1136, 1137–1138
- collagenases 476, 1145
- collective cell migration 1268–1269
- colorectal cancer
- Apc* tumor suppressor gene and 930, 931, 1194–1195, 1196
 - common genetic abnormalities 1194–1195
 - deaths 1193
 - defects in mismatch repair system 269, 1195–1196
 - driver mutations 1193F
 - epigenetic changes 1196
 - genetic instability 1169F, 1195–1196
 - hereditary nonpolyposis colorectal cancer (HNPCC) 269, 1195–1196
 - K-Ras* 1194, 1196
 - metastasis 1174F, 1194, 1197
 - p53* and 1194, 1196–1197
 - tumor progression 1192–1194, 1196–1197
- column chromatography of proteins 483–485
- combinatorial controls
- combinatorial signaling in development 1222
 - Eve* gene 424–426
 - gene expression and cell type 427–429, 1231
 - microRNAs 464
 - of transcription regulators 425–426, 427–428, 430–431, 554–555
- combinatorial diversification 1377–1378
- combinatorial regulatory codes 176
- commensal microbes 1347–1348, 1354, 1355, 1362, 1375, 1394
- commensalism 1347–1348
- committed precursors *see* transit-amplifying cells
- committed progenitor cells 1288
- comparative genomics 232, 518
- compartmentalization of cells
- aggregation of proteins in compartments 769
 - compartments involved in vesicle transport 750F
 - identity markers of compartments 751
 - overview 683–697
 - protein movement between compartments 694–696, 697
 - relative volumes of major types 684T
 - see also* biomolecular condensates; organelles
- complement system
- activation of 1355, 1357, 1358–1359, 1373, 1374, 1380
 - alternative pathway 1359
 - classical pathway 1359, 1364
 - complement cascade 1359
 - early complement components 1359
 - immunoglobulin activation of 1373, 1374, 1380
 - late complement components 1359–1360
 - lectin pathway 1359
 - and phagocytosis 804, 1360
 - regulation of 1360
- complementary DNA (cDNA) 503–504, 507, 508F, 516, 536
- complementation tests 521P, 523
- Complex I *see* NADH dehydrogenase complex
- Complex II *see* succinate dehydrogenase
- Complex III *see* cytochrome *c* reductase
- Complex IV *see* cytochrome *c* oxidase
- complex oligosaccharides 101P, 771–772
- complexins 783
- computer analogy, cell signaling 892
- computer models *see* models (simulations)
- computer techniques
- need for quantitative analysis 44–45
 - protein structure displays 123
 - in structured illumination microscopy 580–581
- concentration gradients
- Ca^{2+} gradient 647, 899
 - contribution to electrochemical gradients 639, 640F, 656P
 - defined 639
 - driving passive transport 639, 640F
 - germ cell migration 1267F
 - ion-concentration gradients and active transport 603, 641, 642–644
 - ion concentrations inside and outside cells 638T
 - K^{+} gradients 648, 655, 657
 - morphogens 1222–1223, 1229, 1236–1238
 - Na^{+} gradients 642–643, 644–645, 648, 842
 - osmotic gradients 652
- concentration thresholds, signal-processing 888
- condensation reactions
- direct-monomer activation 78, 79F
 - as energetically unfavorable 55F, 72, 77
 - formation of macromolecules by 55
 - hydrolysis as the reverse 55F, 77
 - polymer-end activation 78, 79F
 - powered by ATP 72, 73F, 76–78, 79F
- condensins 224F, 225, 227, 1047, 1050
- conditional mutations 521P, 522
- cone photoreceptors (cones) 906, 1006
- confluence 1172
- confocal fluorescence microscope, design 578–579
- confocal microscopy 578–580, 585, 586F
- conformation
- defined 117, 121
 - of macromolecules generally 55–56
 - of proteins 56F
 - see also* protein structure
- conformational changes
- in allosteric enzymes 155–156
 - movement produced 166–167, 168F, 169F
- see also specific types of molecules and reactions*
- congenital aniridia 1242, 1243F
- congenital disorders of glycosylation 773
- conjoined twins 1239F
- conjugate vaccines 1398–1399
- conjugation, and horizontal gene transfer 1317
- connective tissues
- collagens in 1132–1133
 - derivation from extracellular matrix 1105
 - extracellular matrix as stress-bearing component of 1105, 1106F
 - fibroblasts in 1128, 1133F
 - myoblast patterning 1266
- connexins 1122–1123
- connexons (hemichannels) 1121F, 1122–1123
- conoids 1333
- consensus nucleotide sequences
- marking introns 341F
 - for RNA splicing 341
 - in transcription 330, 333F, 348F
 - in translation 373, 374
- consensus recognition sequences 373
- conservative site-specific recombination 306, 315–317
- conserved DNA
- coding sequences 230, 1221
 - multispecies conserved sequences 230, 237–238
 - noncoding sequences 230, 237–238, 239
- conserved genes
- eukaryotic cell cycle 1030
 - gene families common to all domains 21, 22T
 - membrane transport proteins 9
 - ribosomal RNA (rRNA) 12, 18–19
- conserved proteins
- actin as 957
 - Bcl2 family of proteins 1096
 - conserved functions in homologous proteins 1218F
 - Hedgehog protein 932
 - histones as 200, 202, 208
 - Sec61 complex 705
 - tubulin 987
- conserved RNA motifs 390
- conserved systems
- in cell polarization 1016
 - in cell signaling 874, 883, 914, 916–917, 932, 1225
 - cytochrome *c* oxidase 832F
 - cytochrome *c* reductase 830
 - in early development 1218–1219, 1221
 - inductive signaling pathways 1221
 - MAP kinase module 917
 - N*-linked glycosylation 774
 - signal-recognition particles 702–703
- constant region, Ig light and heavy chains 1375, 1380
- constitutive secretory pathway 776, 777, 779, 782, 784
- contact-dependent secretion systems 1320–1321, 1328
- contact-dependent signaling 874–875, 928
- contact inhibition 1173F

- contractile bundles 972F, 984, 1113, 1115, 1116F
- contractile rings
in cell division 951, 952F, 984
in cellularization 1070
in cytokinesis 984, 1012, 1022F, 1049P, 1064–1066, 1067–1068
septins and 1012, 1067
in telophase 1049P
- contrast, in light microscopy 567–568
- convergent extension 1260F, 1261, 1263
- Coolair* RNA 1256
- cooperative allosteric transition 158–159, 241
- cooperative binding
by repressors and activators 417, 419, 551
transcription regulators 407–409, 416, 417, 419, 551
- coordination of cell signaling
responses 886
- COPI-coated vesicles
assembly on Golgi apparatus 751, 756–757, 767
budding from Golgi apparatus 767
cargo receptors 767, 768
coat disassembly 759
electron micrograph 752F
EM tomograms 595F
GTPase control of assembly 756–758
interaction with ER retrieval signals 768
as retrieval pathway 767
vesicle transport model 775
- COPII-coated vesicles
assembly and budding on the ER 751, 757–758, 759, 765–766, 767
cargo receptors 758F, 759, 765–766
coat disassembly 758–759, 767
electron micrograph 752F
GTPase control of assembly 756–757
procollagen packaging 759
protein packaging 765–766
- copper
in cytochrome c oxidase 826, 828, 832, 833F, 834F
in ethylene receptors 942
in plastocyanin 854
- core genome 1318
- cornea 1010, 1128, 1135
- coronaviruses 42–43, 1323T, 1324F
see also SARS-CoV-2
- corrals 632
- cortical arrays, microtubules 1068F, 1158, 1159
- cortical cytoskeleton 630–632
- cortical rotation 1227–1228, 1238
- cortical tension 1112–1113, 1259, 1260
- cortisol 430–431, 896T, 936
- coupled reactions
additive standard free energy changes (ΔG°) 69
energetically favorable and unfavorable reactions 66–67, 69, 70–71, 83–84
energetically unfavorable reactions 66–67
favorable reactions with activated carriers 70–71
mechanical model 70–71
- coupled transporters 641, 642–643, 644
- coupling
between binding sites 157–158
energetically favorable and unfavorable reactions 66–67, 69, 70–71, 83–84
heat production to increasing order 60–61, 66–67
- covalent bonds 50, 51T, 94P
- COVID-19 pandemic of 2020 42–43, 311, 596F, 1313, 1399
see also SARS-CoV-2
- COVID-19 vaccines 1398T, 1399, 1400F
- cowpox (vaccinia) 1397
- Coxiella burnetii* 1334F, 1340
- CpG sequences see CG sequences
- CPSF (cleavage and polyadenylation specificity factor) 348
- CRE (cyclic AMP response element) 897
- Cre recombinase 530F
- CREB (CRE-binding protein) 897, 902
- CreERT2* gene 1284F, 1285F
- crescentin 1015
- Creutzfeldt–Jakob disease (CJD) 138
- Crick, Francis 184
- CRISPR (clustered regularly interspersed short palindromic repeat) system 468–469, 530–531, 532–533
- cristae (crista space, in mitochondria) 726, 727F, 814, 817, 822, 833–834, 840–841
- cristae junctions 814, 815F, 817
- critical concentration (C_c)
actin 960–961P, 963, 964, 968F, 991
critical micelle concentration 622, 623F
defined 959, 960–961P, 962
tubulin 960–961P, 989, 990F, 991, 998
- CRL4–Cdt2 1041T, 1045
- Crm1 receptor 453
- Crohn's disease 1355
- cross-beta filaments 137–138
- cross-linking
among signaling proteins 883, 884F
of cellulose by glycans 1155, 1156–1157
chromatin immunoprecipitation 538, 539F
DNA repair mechanisms and 296, 299
elastin 169, 170F, 1135
in expansion microscopy 585
extracellular proteins 133–134
with glutaraldehyde 569
Hi-C technique 222F
polyacrylamide 487
t-loops and 282
- cross-linking glycans 1155, 1156–1157
- cross-presentation, dendritic cells 1387
- cross-strand exchange (Holliday junctions) 302, 303F, 304–305
- cross-talk between signaling systems 422, 881, 883, 918–919
- crossover control 305
- crossover interference 1077
- crossovers see chromosome crossovers
- crRNAs (CRISPR RNAs) 468–469, 470
- cryoEM (cryo-electron microscopy)
amyloid fibril 138F
analysis of large macromolecular assemblies 497, 596–597, 598
- image processing 594P, 595–596
- Sec61 translocator 706, 707F
- single-particle reconstruction 497, 594P, 595, 597F
- T4 bacteriophage 34F
- x-ray crystallography compared to 594P, 596
- cryptic binding sites 1114, 1140–1141
- “cryptic” splice sites/signals 345, 347
- cryptochromes 938F, 945, 1256
- crypts, intestinal 1193, 1195, 1281–1282, 1285F, 1291–1293
- CstF (cleavage stimulation factor) 348, 450
- CT (computed tomography) 578, 593, 1164F
- CTCF insulator protein 225, 422F, 440F, 442
- CTCs (circulating tumor cells) 1177
- CTLA4 (cytotoxic T-lymphocyte-associated protein 4) 1395–1396
- CTR1 protein 942
- cullins 165, 171
- “culture shock” 478
- cultured cells
abnormal behavior of cancer cells 1172, 1173F
differentiation retention in 477
eukaryotic cell lines 478–480
growth on solid surface 477
homogeneous population of 476, 478
light microscopy 477F
organoids from stem cells 477, 1292
- curare 673
- cut-and-paste transposition 308–309, 311, 314
see also transposable elements; transposition; V(D)J recombination
- CXCL7 receptor 1268
- CXCL12 ligand 1266–1267, 1268
- CXCR4 (chemokine receptor) 1266, 1268, 1329–1330
- Cy3 and Cy5 dyes 571
- cyanides 832
- cyanobacteria
ATP synthases 839
carboxysomes 689F
circadian clocks 938–939
and the origins of aerobic life 857–859
and the origins of chloroplasts 859, 860F
photosynthesis in 843, 853, 854F, 857–859, 860F
- cyclic AMP (cAMP)
AraJ gene and 555
as binding site ligand 141F
CAP protein and 412, 555, 556
chemotaxis by *Dictyostelium* 1022
in cholera 614, 895
degradation by cyclic AMP phosphodiesterase 895
fish melanosomes and 1003–1004
G protein regulation of 895–896
gene transcription and cAMP concentration 897
in heart muscle 897
as second messenger 879, 880, 888, 895, 909
structure 895F
synthesis by adenylyl cyclase 895, 932, 933F, 1320

- cyclic-AMP-dependent protein kinase (PKA) 888, 896–897, 902, 932
 cyclic-AMP-gated cation channels 905
 cyclic AMP phosphodiesterases 895
 cyclic GMP (cGMP) 905, 906, 908–909, 940
 cyclic-GMP-gated cation channels 906
 cyclic GMP phosphodiesterase 905, 906, 907T, 909
 cyclic-nucleotide-gated ion channels 905
 cyclin–Cdk complexes
 Cdk and cyclins of vertebrates and budding yeast 1034T
 cyclic assembly and activation 1033
 G₁-Cdk 1034T
 see also G₁/S-Cdk; M-Cdk; S-Cdk
 cyclin-dependent kinases see Cdk
 (cyclin-dependent kinases)
Cyclin E gene 1274F
 cyclins
 as conditionally short-lived 386
 G₁ cyclins (D cyclins) 1034, 1079
 G₁/S cyclins 1033, 1034, 1039, 1042F, 1079–1080
 M-cyclins 1033, 1034, 1037, 1039, 1040, 1061, 1063
 major classes of 1033–1034
 S-cyclins 1033, 1034, 1040, 1041, 1042F, 1079–1080
 of vertebrates and budding yeast 1034T
 cycloheximide 376–377
 cyclopamine 933
 cyclopia 933
 cyclosome see APC/C
 cyclosporin A 743F
 Cyk4 protein 1067F
 cysteine
 in intermembrane-space proteins 731
 selenocysteine 376
 structure and properties 116F, 119P
 tetracysteine tags 1123F
 see also disulfide bonds
 cystic fibrosis 347, 651, 766
 cystine 639
 cystinuria 638–639
 cytochalasins 963, 964T
 cytochrome *b₆-f* complex 850, 853, 854–856, 859
 cytochrome *b₅₆₂* 125F
 cytochrome *c*
 as electron carrier 827F, 828, 830–831, 832F, 833, 1094
 release in apoptosis 863, 1094–1096, 1097F, 1098
 structure of heme group 826F
 cytochrome *c* oxidase (Complex IV) 827F, 828, 831–832, 833F, 834F, 835F, 860F
 cytochrome *c* reductase (Complex III) 827–828, 829–831, 832, 834F, 859
 cytochrome oxidases 641
 cytochrome P-450 oxidases 1200
 cytochrome P450 family, in detoxification 699
 cytokine receptors 924–926
 cytokines
 and class switching 1380
 co-stimulatory signals from 1395
 from dendritic cells 1362, 1384
 and helper T cell fate 1393–1394
 from helper T cells 1379
 IL1 and TNF α as 934
 in the inflammatory response 1357
 mammalian response to dsRNA 1360
 pro-inflammatory cytokines 1357, 1358, 1374
 cytokinesis
 contractile ring and 984, 1012, 1022F
 distribution of membrane-enclosed organelles 1069
 ESCRT mechanism 797
 overview 1028, 1029F, 1049P, 1064–1071
 in plants 1067, 1068–1069
 plasma membrane enlargement 785
 see also M phase
 cytokinins 941
 cytoplasm
 defined 13, 23, 684
 role in nuclear reprogramming 1301
 cytoplasmic dyneins 1000–1001, 1002, 1003, 1006
 cytoplasmic inheritance 866
 cytoplasmic proteins in vesicle formation 756
 cytoplasmic tyrosine kinases 914, 919, 923–924
 cytosine (C)
 deamination of
 5-methylcytosine 291F, 292, 436, 438F
 deamination to uracil 286–287, 288F, 291F, 292, 436, 1379, 1381
 DNA methylation at 291F, 292, 435–436
 as DNA monomer 4, 185
 3-methylcytosine 290
 5-methylcytosine (5-methyl C) 291F, 435, 436, 438F, 450F
 as RNA monomer 5
 structure 104P, 187F
 cytoskeleton 949–1026
 bacterial and viral use, for movement 1338–1339
 bacterial cytoskeleton 1013–1016
 cell migration and 972–974
 coordination among elements 1023
 dynamic behavior 632, 951–952
 epithelial cells 1105–1106
 eukaryotic cells 23–24
 filament assembly 953–955
 function 949–957
 integrin links to 1148
 linker proteins 1011–1012, 1023, 1150
 and membrane protein diffusion 630–632
 mitochondria association with 813
 noncovalent interactions in 954–955
 receptor coupling by Rho family 919–920
 reorganization in cell division 951, 952F
 self-assembly of filaments 898, 954
 thermal stability 954F
 see also accessory proteins; actin; actin filaments; intermediate filaments; microtubules; myosin
 cytosol
 defined 24, 683
 pH regulation 644–645, 648, 799, 800
 RNA virus replication 1329
 as site of protein synthesis 683, 684
 transport between nucleus and 735–745
 cytotoxic T cells
 CD8 expression 1389–1390, 1391
 class I MHC presentation 1384, 1386, 1387
 dendritic cell activation of 1387, 1391, 1393
 foreign protein recognition 651, 1384, 1386
 intracellular pathogens and 1382
 killing target cells 651, 1386F, 1387, 1391–1392
- D**
- D* gene segments (diversity segments) 1377, 1378F, 1382
 D–V (dorsoventral) axis
 animal body plan 1218
 cortical rotation, *Xenopus* 1227–1228, 1238
 Dorsal transcription regulator and 1236–1238
 polarization of the embryo 1227, 1229–1230
 in vertebrate embryos 1238, 1239, 1240F
 Dally and Dally-like proteoglycans 1146
 DAMPs (damage-associated molecular patterns) 1357
Danio rerio see zebrafish
 DAPI dye 184F, 301F, 356F, 571F
 dark-field microscopy 567–568
 databases, gene sequences and genomes
 DNA libraries 503–505
 gene function and 20
 genomic libraries 503
 human mutations 44
 identification of conserved sequences 237
 mutation libraries 39, 531–533
 databases, protein
 growing number of entries 128
 mass spectrometry 491
 and protein structure prediction 497–498
 DDK kinase 1044
 ddNTPs (dideoxyribonucleoside triphosphates) 513
 de-differentiation 398F, 428, 429, 1289–1290
de novo DNA methyl transferases 436
de novo mutations 245–246, 247, 254, 527
 deadenylases 460F, 464
 deamination
 adenine to hypoxanthine 291
 adenine to inosine 360F, 361, 451
 arginine to NO 908
 cytosine to uracil 286–287, 288F, 291F, 292, 436, 451, 1379, 1381
 of DNA yielding “unnatural” bases 291–292
 guanine to xanthine 291
 of 5-methylcytosine 291F, 292
 RNA editing 451–452
 death receptors 1093, 1098, 1100
 decapping mRNA 459–460, 461F

- deconvolution of images 578, 580, 585
decorin 1128F, 1131
deep RNA sequencing (RNA-seq) 399F, 516, 517–518, 536–538, 539F
deer tick (*Ixodes scapularis*, blacklegged tick) 1314F
default pathway see constitutive secretory pathway
defensins 1283, 1354, 1358
degradation complex and β -catenin 930, 931
degrons 164
degrowth 1297
Deinococcus radiodurans 518
delayed feed-forward loop 891
delayed K⁺ channels 664, 675–676
delayed negative feedback 549–550, 891, 900, 938, 1250
delayed-response genes 1080F
deletion mutations 521P, 522F
Delta protein 928–929, 1243–1244, 1251, 1292
denaturation of DNA 501F, 505
denaturing of proteins 121, 489, 623
dendrites, role in neurons 661–662
dendritic cells
 activation and maturation 1383
 as antigen-presenting cells 1211–1212, 1362, 1363F, 1383–1384, 1386
 antigen processing 1362, 1383, 1386F
 cell-cell adhesion molecules 1384
 co-stimulatory protein
 expression 1362, 1363F, 1371, 1384, 1395, 1396F
 cross-presentation 1387
 cytokines from 1362, 1384
 cytotoxic T cells and 1387, 1391, 1393
 hematopoiesis 1288
 linking innate and adaptive immune systems 1362, 1363F
 MHC proteins on 1362, 1383, 1384
 micrographs 1383F
 migration to lymph nodes 974, 974F, 1211–1212, 1362, 1363F, 1368, 1383
 and negative selection in thymocytes 1390
 surface proteins displayed 1363F, 1383–1384, 1387
 T cell activation by 1371, 1382, 1383–1384, 1386, 1391, 1395
 T cell binding and activation 1382–1383, 1389
dengue fever 1326
Denisovans 245F
dense-core secretory granules 780
 see also secretory vesicles
deoxyribose 92, 104P, 324F, 393
dephosphorylation
 and Cdk, in mitosis 744, 1034, 1038, 1039, 1040F, 1047, 1061–1063
 in cell signaling 880F, 926, 938, 939F
 inositol phospholipids 754
 ion channel regulation 648F, 654
 nuclear envelope and lamina reassembly 744, 1061
 nuclear import regulation 743F
 protein phosphatases 159, 160, 879
 spindle disassembly 1061
depth of field 566F, 592, 593
depurination 286T, 287F, 288F, 289
dermatan sulfate 1129
desensitization see adaptation
Desert gene 932
designed proteins 178–179
desmin 1007T, 1011, 1012, 1116
desmin filaments 1116
desmocollins 1107T, 1108, 1109F, 1117F
desmogleins 1107T, 1108, 1109F, 1117F
desmoplakin 1107T, 1117F
desmosomes 1009, 1106–1107, 1108, 1113, 1114, 1116, 1117F
desmotubules 1124
desynapsis 1074
detergents 622–625, 827
determinate growth 1275
deterministic models 557
detoxification
 carcinogen activation and 1200
 and effects of oxygen 858
 by peroxisomes 724
 in smooth ER 699
development of multicellular organisms 1217–1278
 cell memory in 1220, 1221–1222
 combinatorial signaling in development 1222
 developmental timing 1248–1257
 fundamental processes in animals 1217
 growth 1269–1275
 mechanisms of pattern formation 1226–1248
 morphogenesis 1257–1269
 overview 1217–1226
 see also cell proliferation;
 differentiation; embryonic development; morphogenesis;
 spatial patterning
developmental biology
 adult tissue maintenance and repair 1225–1226
 goal of developmental cell biology 1217
 model organisms 1220
 see also development of multicellular organisms; embryonic development
developmental timing
 accumulation time/accumulation delays 1248, 1250
 cell-intrinsic mechanisms and cell fates 1251–1252
 gene expression oscillations 1249–1251
 gene switching delays 1248–1249, 1251
 gestation time/gestation delays 1248, 1249, 1250
 maternal-zygotic transition 1219, 1254–1255
 metamorphosis of amphibians 1255
 molecular lifetimes and 1248–1249
 nuclear-to-cytoplasmic ratio and 1254–1255
 overview 1248
 plant flowering times 1256–1257
diabetes
 brown fat cell protection against 843
 loss of β -cells and 1289, 1296, 1306, 1372, 1391
 as multigenic condition 526
 Type I as autoimmune disease 1289, 1372
diacylglycerol 879, 898, 899, 920, 923F
diakinesis 1074
Diap gene 1274F
Dicer enzyme 463F, 464, 465, 466
Dictyostelium 1022
dideoxy sequencing 500F, 512–514
dideoxyribonucleoside triphosphates (ddNTPs) 513
Didinium 31F
differential equations
 coupled differential equations 549
 and deterministic models 557
 negative feedback 549
 for positive feedback 552
 protein concentrations and 546–547
 and transient behavior 545–546
differential-interference-contrast microscopy 567F, 568, 569
differentiation
 cell memory and 423, 427F, 431–432, 443–444, 1220
 cell types, four general statements about 399
 and de-differentiation 398F, 428, 429, 1289–1290
 defined 1217
 embryoid bodies from iPSs 1307F
 genetic mechanisms
 maintaining 423–425
 reprogramming cell types 428–429
 retention in culture 477
 RNAs and proteins in different cell types 398–399, 400
 stepwise commitment in hematopoiesis 1288
 terminal differentiation 876, 1079, 1170–1171, 1220
 transcription regulator
 activation 1241–1242
 variations in cancer cells 1171
 without changes in gene sequence 397–398
 see also development of multicellular organisms; terminally differentiated cells
diffraction
 interference effects 565–566
 limit to resolution 566, 580, 588
 optical diffraction effects 565–566, 572F
 see also x-ray crystallography/x-ray diffraction
diffusion
 Brownian motion and 9
 corrals as diffusion barriers 632
 cytoskeleton and membrane protein diffusion 630–632
 within lipid bilayers 608, 609F, 627–629, 641
 membrane proteins 627–629, 630–632
 morphogens 1222–1223, 1225, 1229, 1237
 passive diffusion into nuclei 736–737, 739–741, 742
 and reaction rates 65–66
 rotational diffusion 627
 and signal molecule gradients 1222–1223, 1237, 1239

- of small molecules across membranes 638
- diffusion coefficients 608, 628, 747
- digital image processing 568–569, 581, 588, 594P, 595–596
- digitonin 827
- digoxigenin 501
- dihydrouridine 360F, 361F
- dihydroxyacetone 100P
- dihydroxyacetone phosphate 100P, 108P
- dilated cardiomyopathy 984
- dimerization/dimers
 - ATP synthases 840
 - caspases 1091, 1092F, 1093F, 1094, 1095
 - cytochrome c oxidase 832F
 - cytochrome c reductase 827, 830F
 - dynamin 816F
 - fibronectin 1139, 1140
 - integrins 1148–1149, 1150
 - NF κ B proteins 934
 - of RTKs on ligand binding 912–913
 - single-pass transmembrane proteins 618F, 619
 - STAT proteins 924–925
 - T cell receptors 1382–1383
 - transcription regulators 404–405P, 406–407
 - tyrosine-kinase-associated receptors 923
- N,N*-dimethylguanosine 361F
- dimorphism, pathogenic fungi 1321
- DIPG (diffuse intrinsic pontine glioma) 216
- diploid cells, defined 1071
- diplotene 1074, 1077
- direct-monomer activation 78, 79F
- disaccharides 101P
- DISC (death-inducing signaling complex) 1093F, 1094, 1095
- discontinuous responses 888, 889
 - see also switches
- diseases
 - analysis using stem cells 1308–1309
 - congenital disorders of glycosylation 773
 - environmental factors 526, 1198–1201
 - and imbalance in microbiota 1348–1349
 - linked to integrin defects 1148–1149
 - linked to mitochondrial mutations 866–867
 - linked to mutations 379, 526, 527, 539, 668
 - lysosomal storage diseases 779–780
 - membrane transport protein mutations 638–639
 - potential uses of RNA interference 467
 - RNA splicing errors and 347
 - spectrin deficiency 630–631
 - see also specific diseases
- Dishevelled protein 930, 931F
- dissociation constant (K_d) 146, 493, 544, 962
- distal tip cell 1292F, 1293
- disulfide bonds
 - breaking by reducing agents 487–488
 - in extracellular proteins 133–134
 - in fibronectin 1139, 1140
- immunoglobulin (Ig) domains 1376–1377
- in keratins 1009
- in laminin 1142
- mitochondrial protein import 730F, 731
- proteins in lumen and cytosol 713–714
- single-pass transmembrane proteins 621F
 - between two cysteine side chains 119, 133–134
- diurnal rhythms (circadian clocks) 937–939, 1251, 1256
- Dlg (Discs-large protein) 171
- DNA (deoxyribonucleic acid)
 - analytical methods 498–501, 512–518
 - base-pairing with RNA 261, 325, 326F
 - as carrier of genetic information 2–3, 184, 187–189, 253
 - chromatin effect on DNA function 203–217
 - cleavage by restriction nucleases 222F, 498–499
 - content measurement in cells 1081
 - denaturation of 501F, 505
 - detected in chromosomes 184
 - distinctions from RNA 324, 393
 - in eukaryotic nucleus 189
 - 5' end 185–186
 - fragmentation in apoptosis 1092F
 - gel electrophoresis separation 499–501
 - hairpin helices 262, 263F
 - heteroduplex DNA 298, 299F, 304–305, 306
 - hydrogen bonding 4–5, 185
 - linker DNA between nucleosome core particles 198
 - manipulation 501–512
 - in mitochondria and chloroplasts 811, 815
 - packaging within chromosomes 189–203
 - polarity 185–186
 - renaturation of 505
 - “sticky ends” on fragments 499F, 510
 - structure and function 3–4, 185–189
 - synthesis 79F, 256F, 257F
 - synthetic DNA 511
 - 3' end 185–186
 - Watson–Crick model 184, 185
 - see also double helix; genes; mitochondrial DNA; recombinant DNA technology
- DNA cloning
 - cDNA cloning 503–504, 507, 508F
 - defined 501–502
 - DNA libraries from 503–505
 - genomic DNA cloning 503–505
 - by Gibson assembly 510–511
 - plasmids and 502–503, 510–511
 - proteins in quantity from 245, 480, 495, 511–512
 - in recombinant DNA technology 501
 - using PCR 506–507, 510–511
- DNA damage
 - alterations and lesions requiring DNA repair 286F, 286T, 287F
 - from anticancer drugs 1204
- apoptosis response 1090–1091, 1094, 1097
- cell cycle response 295, 1080–1082
- by chemical carcinogens 289, 1166, 1200
- direct chemical reversal of damage 290
- p53 regulatory pathway 1190
- response in cancer cells 1180
- spontaneous alterations requiring DNA repair 286F
- telomeres and response 282, 294
- see also DNA repair; double-strand breaks
- DNA demethylases 290, 436
- DNA duplication 241–242, 1133
- DNA fingerprint analysis 248, 508, 509F, 510
- DNA glycosylases 288, 289F, 290F, 291–292, 436
- DNA gyrase 337
- DNA helicases
 - CMG helicase 266, 278F, 281
 - Mcm helicases 1043–1045
 - as motor protein 167
 - nucleotide excision repair 289F, 290
 - production by expression vector 512F
 - replication role 261–262, 264, 266, 270F, 273, 277, 278F
 - in S-phase 277, 1043–1045
 - structure 262F
 - Xpd knockout mice 530F
- DNA inversion 315
- DNA labeling 501
- DNA libraries 503–505
- DNA ligases
 - in recombinant DNA technology 502, 503F, 510
 - repair function 285T, 288, 289F, 290, 294F, 299, 309F
 - replication function 258, 261, 280–281, 502
 - use in DNA cloning 502, 510
- DNA looping 412–414, 415F, 416, 422, 442
- DNA methylases 274F, 437F, 442, 443F, 468
- DNA-only transposons 231F, 307–309, 310F, 311
- DNA polymerases
 - discovery 256
 - DNA repair 261F, 280–281, 288, 290, 299
 - DNA synthesis reactions 256–257, 258
 - exonucleolytic proofreading 259, 260T
 - and PCR 506–507, 510
 - polymerase α (Pol α) 266, 281F
 - polymerase δ (Pol δ) 266, 266F, 280
 - polymerase ϵ (Pol ϵ) 266
 - proofreading by 258–259
 - RNA polymerases compared 259–260, 325–327
 - as self-correcting 259
 - 3'-to-5' proofreading
 - exonuclease 259, 267, 312
 - translesion DNA polymerases 292, 293F
 - viral use of host 1340–1341
 - x-ray crystallography/x-ray diffraction 257F, 259F

- DNA primase 260–261, 264, 266, 273, 274F, 281F
- DNA primers
in cDNA synthesis 504F
dideoxy sequencing 513F
in PCR 506, 507, 508, 509F, 510–511, 512F
quantitative RT-PCR 536
single-molecule real-time (SMRT) sequencing 516F
see also RNA primers
- DNA probes 505, 510–511, 535, 571F
- DNA repair 284–295
base excision repair 288, 289F
defects in cancers 1166, 1169F, 1204, 1205, 1206F
detection of damaged bases 290–292
direct chemical reversal of damage 290
diseases linked to 285T
nucleotide excision repair 285T, 289–290
sliding clamps 293F
see also DNA damage; double-strand breaks; error correction; homologous recombination; mismatch repair system
- DNA replication 255–284
“backstitching” mechanism 258, 260, 281
base-pairing 4, 255–256
and the cell cycle 276, 1042–1045
in chromosomes 272–284
clamp loader 262–263, 264F, 265F, 268
elongation phase 1043
end-replication problem 281
errors in cancer 1182
hereditary information copied during 3–5, 253
initiation and completion 272–284
initiation in two steps 1043–1045
mechanisms 255–272
proofreading 258–259, 260T, 267–269
as semiconservative 256, 257F, 482, 1053–1054
sliding clamps 262–263, 264F, 266–268, 280
templating in 3–5, 187–188, 255–256, 393
termination 280–281
topoisomerase and the winding problem 269, 270
see also DNA polymerases; Okazaki fragments; replication forks; replication origins
- DNA segment shuffling 19
- DNA sequences
Alu sequences 236F
bar-coded mutants 532
barrier DNA sequences 205F, 211F, 212–213, 422
changes in cancer cells 1166, 1169, 1181, 1184–1185
gene function deduced from 20–21, 229
human β -globin gene 189F, 236F
inferring for ancient genomes 244–245
maintenance of 253–255
variants, defined 246
- see also genome sequencing; human genome
- DNA sequencing methods
dideoxy sequencing 500F, 512–514
Illumina sequencing 514, 515F, 536
nanopore sequencing 515
second-generation sequencing technologies 514
single-molecule real-time (SMRT) sequencing 514–515, 516F
third-generation sequencing methods 514–516
- DNA supercoiling
created by RNA polymerases 335–337
positive and negative 336–337
the replication winding problem 269, 270
- DNA transcription see transcription
- DNA tumor viruses 1191, 1201–1203
- DNA viruses 1323, 1329, 1341
- docking sites
PI(3,4,5)P3 as 920–921
plasma membrane 920–921
protein tyrosine kinases 1153
receptor tyrosine kinases 912, 913–914
specificity of 881, 882F, 883
STAT proteins and cytokines 924
- dodecyl maltoside 827
- dogs, size differences 1269, 1273, 1274
- dolichol 714–715
- dolichol phosphate 103P, 715F
- Dolly the sheep 1301
- domains in lipid bilayers 610–611, 629–630
- domains (protein) see protein domains
- domains (taxonomic)
bacteria, archaea, and eukaryotes 2, 11–12
common gene families 21, 22T
- dominant alleles, defined 520P
- dominant mutations
cancer-critical genes 1179, 1181
defined 523
dominant-negative mutations 521P
gain-of-function as typically 523, 1179F, 1181
- Dorsal transcription regulator 742F, 934, 1236–1237
- dorsoventral (D–V) axis see D–V (dorsoventral) axis
- dosage compensation and sex chromosomes 440–443
- double bonds
cis-double bonds 605, 609
unsaturated fatty acids 102P, 605, 609F
- double helix
DNA structure 4F, 184, 186–187, 402F
DNA–RNA hybrid double helix 261
hydrogen bonding 4–5, 185, 186, 187F
major groove 187F, 402–403, 404–405P, 406, 436
minor groove 187F, 199–200, 402, 403F
recognition of outside edges of base pairs 402–403
suitability for repair 288, 290
superhelical tension, DNA 335–337
- double-reciprocal plots 151P
- double-strand breaks (DNA)
in cancers 1185, 1205
homologous recombination 293, 294F, 295, 296, 297–300, 1205
in meiosis 302, 1073, 1076–1077
nonhomologous end joining 293–294, 295, 298, 301, 308
repair mechanisms 292–295, 530, 1205
segmental duplications from 240
strand exchange (strand invasion) 282F, 296, 297F, 298–299, 300–301, 302
topoisomerase II and 270
see also DNA damage
- double-stranded RNA (dsRNA)
RNA editing and 451F, 452
RNA interference and 464, 466, 533–534
TLR3 recognition 1355, 1356F, 1356T, 1360
as viral characteristic 1360
- Down syndrome 1077
- doxycycline 528F
- Dpp* gene (Decapentaplegic) 1237–1238, 1272F, 1273
- Dpp* signaling protein 1146
- driver mutations 1178, 1186–1187, 1188, 1192, 1193F, 1210
- Drosophila* (*D. melanogaster*)
airways 1265F
alternative splicing in 447
asymmetric cell division 1070
asymmetric egg 1227, 1228
bands and interbands on chromosomes 219–220
body segmentation 1230–1234
Branchless gene 1265F
central nervous system 1251
characteristic transposon types 314
circadian clock 938
collective cell migration 1268
Dally and Dally-like proteoglycans 1146
Dlg protein discovery 171
Dorsal protein in 934
Dpp signaling protein 1146
engrailed protein 127, 128F
epithelial polarity 1020
Eve (even-skipped) gene 423–426, 430, 535F
Eyeless transcription regulator 428, 429F, 1218F, 1242, 1243F
fungal infection 1355F
genetic switches 423–424
genome size 29T, 40
giant chromosomes 39
Hedgehog proteins in 932
Hippo pathway 1273–1274
homeodomain motif 127, 128F, 404P
imaginal discs 171, 1020F, 1272–1273
intracellular network of protein interaction 177F
mechanotransduction 1114
as model organism 29T, 38, 39–40, 531, 1030, 1220
mRNA localization in egg 455
mutant libraries 39, 531
Notch receptor in 928–930
P element 448, 519

- polytene chromosomes 218–220, 225
 position effect variegation 205–206, 212
 RNA *in situ* hybridization 535F, 571F
 RNA interference 533
 Sev, Sos and Grb2 Ras GEFs 916
 shibire mutant 757F
 stem-cell niche and plane of germ cell division 1294
 Toll receptors 934, 1230F, 1355
White gene 205
 wing hairs 1262–1263
- Drosophila* embryos
 body segmentation 1230–1238
 cellularization 785, 786F, 1070, 1071F
 control of nuclear transport 742
 convergent extension 1261
 discovery of signaling pathways 1225
 egg-polarity genes 1229–1231, 1232F, 1235
 gap genes 1230, 1231–1232, 1233
 germ-band extension 1116
 hierarchy of gene regulatory interactions 1230, 1231–1232, 1234–1235
 mechanisms of genetic control of development 1228–1238
 mitosis without cytokinesis 1070, 1071F
 pair-rule genes 1230–1232, 1233
 segment-polarity genes 1231, 1232, 1233
 stripes 424–426
 syncytium 424F, 742F, 785, 1070, 1071F, 1228
 transcription regulators 423–426
- drug discovery
 computer-based 498
 stem cells and 1308
- drug resistance
 cancer treatment 650, 1204, 1208, 1211, 1212
 malaria 651
 multidrug-resistant cancers 650, 1212
 pathogens 1344–1346
see also antibiotic resistance
- drug targets
 acetylcholine receptors 673
 Bcl2 family proteins 1102
 GABA receptors 673
 GPCRs or GPCR-coupled signaling pathways 893
 transmitter-gated ion channels 673
- drug treatment, predicting individual responses 539
- Dscam* gene 447F
Dscam proteins 447F
 dual-specificity phosphatases 880
 dwarfism, pituitary and
 achondroplastic 1274, 1275F
 dynactin 1002–1003
 dynamic instability, microtubules 961P, 988–991, 998, 1052
 dynamic range, intracellular signaling 885
 dynamic systems and differential equations 545–546
 dynamin and dynamin-related proteins 756, 757F, 762, 816, 866
- dyneins
 axonemal dyneins 1001, 1002F, 1004–1005
 cytoplasmic dyneins 1000–1001, 1002, 1003, 1006
 microtubule-based motor proteins 999, 1000–1001, 1002F, 1063
 and the mitotic spindle 1052, 1057, 1063
 and outer nuclear membrane in mitosis 744
 viruses and 1339
- dysbiosis 1348–1349
 dyskeratosis congenita 283
 dystroglycan 1143
 dystrophin 1286
- ## E
- E1 (ubiquitin-activating enzyme) 163–164
 E2 (ubiquitin-conjugating enzyme) 164, 165F
 E2F proteins 1079–1080
 E3 *see* ubiquitin ligases
 early cell plate 1069
 early endosomes
 delivery to 750F, 778, 792
 maturation 762, 788–789, 795–796
 micrograph 793F
 recycling endosomes and 793–794
 retrieval from 750F, 792–793
 Smad activation 926
 sorting by 787F, 788, 792
 transcytosis and 787, 793, 794F
- EB1 proteins 998
 Ebola virus 1323T, 1324, 1338, 1399
 EC (extracellular cadherin) domains 1109, 1110F
- ecdysone 936
 ECM *see* extracellular matrix
 EcoRI nuclease 499F, 500F, 502F
 Ect2 1066, 1067, 1068F
- ectoderm
 formation during gastrulation 1219
 formation in vertebrate embryos 1239
 neurogenic ectoderm 1237F, 1238, 1267
- ectosymbiotic associations 17
- eczema 1009
- edema factor 1319F, 1320
- EdU (5-ethynyl-2'-deoxyuridine) 1030
- EF-G elongation factor 368, 369F
- EF-Tu protein 166, 368–369
- effector B and T cells
 effector B cells 1366, 1367, 1369, 1373F, 1382
 effector T cells 1366, 1367, 1369–1370, 1382, 1386, 1391–1394, 1395
 and immunological memory 1367–1368
 in lymphocyte differentiation 1367
- effector proteins
 extracellular bacterial pathogens 1320–1321, 1327F, 1328–1329, 1332
 intracellular bacterial pathogens 1335, 1336
 intracellular eukaryotic parasites 1333
 in intracellular signaling 874, 879, 885, 896, 909, 919
- efflux transporter proteins 943, 944F
- EGF (epidermal growth factor)
 action via receptor tyrosine kinases 911T
 broad specificity 1078
 as mitogen 1078
 production of embryoid bodies 1307F
- EGF receptors
 activation of EGF receptor kinase 913
 lysosomal degradation 795
 mutation in glioblastoma 1181–1182
 targeting in lung cancers 1208–1209
- egg-polarity genes 1229–1231, 1232F, 1235
- eggs
 diversity in animals 1226–1228
 growth without cell division 1084
 hereditary information in fertilized egg cell 2, 3F
- eicosanoids 899
- eIFs (eukaryotic initiation factors)
 eIF2 transcription initiation factor 457, 1361
 eIF4E transcription initiation factor 373, 458, 459, 1083, 1083F
 eIF4G transcription initiation factor 373, 459
- Ein3 protein 942
- EJCs (exon junction complexes) 342–343F, 345, 349, 378
- elastase 127, 128
see also serine proteases
- elastin
 cross-linking 169, 170F, 1135, 1137
 in the extracellular matrix 169, 1129, 1136–1137
 as intrinsically disordered polypeptide 169, 170F
- electrochemical gradients
 and active transport by transporters 641, 642–643, 647, 648
 in chemiosmotic coupling 812, 822
 composed of membrane potentials and concentration gradients 639, 640F, 656P, 822
 mitochondrial membranes 90, 730, 734F, 822–823
 Na⁺ gradients in anaerobes 842
 and passive transport 640F, 651
 potential energy storage 637
 powering ATP synthase 625, 812, 835, 838–839
 thylakoid membrane 733, 845F
- electrochemical proton gradients
 ATP synthesis and 107P, 823, 845, 852F, 853, 857
 chemiosmotic coupling 812F
 creation by proton-pumping complexes 828, 829, 831, 835, 841
 proton-motive force 822
 reverse electron flow through NADH dehydrogenase 860F
 as source of energy 90, 107P, 823
see also electrochemical gradients; proton gradients
- electrogenic pumps 647, 649, 655, 657
- electron-dense materials 572, 589, 590–591, 723F
- electron-density maps 495, 594F, 596F, 597F

- electron microscopes
 CLEM (correlative light microscopy and electron microscopy) 597–598
 cryo-electron microscopy 497, 594P, 595–597
 EM tomography 593, 595, 598
 FIB–SEM (focused ion beam–scanning electron microscopy) 598, 599F
 image processing 588, 594P, 595–596
 immunogold electron microscopy 590
 negative staining 132F, 591, 595, 631F
 resolution 588, 595–597
 SEM (scanning electron microscopy), overview 591–593
 shadowing 591, 593F
 single-particle reconstruction 497, 594P, 595, 597F, 625
 specimen preparation 588, 589–590
 staining 589, 590–591, 593, 595
 three-dimensional imaging 591, 592–593, 594P, 595F, 598, 599F
 trade-offs 598–599
 transmission electron microscope (TEM) 588F, 589, 591, 594P, 595
 x-ray crystallography compared to 594P, 596
- electron transfers in oxidation and reduction 62–63
- electron-transport chains
 ATP production 90
 in chemiosmotic coupling 812, 818
 in chloroplasts 851, 853, 854, 857–859, 860F
 cofactors 824, 826–827, 828, 833F, 834F
 combustion compared to 821F
 comparison in mitochondria and chloroplasts 730, 731, 760F
 in early living cells 857–859
 electrochemical gradient and 731, 812
 electrons from NADH 81, 89, 90
 free energy changes (ΔG) 824, 825P, 828, 833
 location in mitochondrial cristae 814, 817, 818
 mitochondrial protein imports 730, 731
 O₂ reduction to water 90
 proton gradients and 90
 proton pumps of 90, 823–835
 redox potential 730, 731
- electrons
 damage to proteins 595
 wavelength 588
- electroporation 528
- electrospray ion source 492, 493
- electrostatic attractions
 cation– π interactions 99P
 as noncovalent attraction 51, 52F, 99P, 117, 120F
- elements required for living cells 17, 49
- elongation factors
 association with RNA polymerase II 335, 418
 EF-G 368, 369F
 EF-Tu 166, 368–369
 function 166, 335, 368–369
- elongation phase, DNA replication 1043
- EM (electron microscope)
 tomography 593, 595, 598
- embryogenesis, cell migration in 972
- embryoid bodies from iPSs 1307F
- embryonic development 1217–1278
 apoptosis in 1089, 1090
 cadherin-dependent cell–cell adhesion 1110–1111, 1259–1260
 cell memory 427F, 1220, 1221–1222, 1235–1236
 combinatorial signaling 1222
 developmental timing 1248–1257
 epithelial-to-mesenchymal transitions 1197
 fundamental processes in animals 1217
 genome activation 1219
 germ cells and somatic cells 1230
 mechanisms of pattern formation 1226–1248
 morphogenesis 1257–1269
 overview 1217–1226
 polarization of the embryo 1226–1228
 spatial patterning in 1221–1225
 tissue morphogenesis 1129–1130
 see also cell proliferation; development of multicellular organisms; differentiation; morphogenesis
- embryonic stem (ES) cells
 degenerative disease treatment 1308
 in drug discovery 1308
 ES-critical genes 1303–1304
 genetic engineering and 1303
 Nanog regulator 406F, 420F, 539F
 pluripotency 477, 1302, 1303
 production of 1302
 transcription network 430F
 transcription regulators 1303–1305
 transgenic mice 529F, 530
- embryos
 cell-cycle control system 1032
 inductive signaling, vertebrate embryos 1238–1239, 1249
 nervous systems, vertebrate embryos 1111F
 parthenogenetic embryos 1056
 spatial patterning, vertebrate embryos 1238–1240
 see also blastula stage; chick embryos; Drosophila embryos; frog embryos
- emergent properties 49
- EMT (epithelial-to-mesenchymal transition) 1197
- ENCODE 230
- endocrine cells, in signaling 875
- endocycle (endoreduplication) 1029–1030
- endocytic pathway
 compartment equivalent to cell exterior 749
 road map of 750F
 see also endocytosis; vesicle transport
- endocytic vesicles
 delivery to endosomes 761F, 762
 phagosomes as 802
 pinocytosis 788
 synaptic vesicles from 784
 see also endosomes
- endocytic–exocytic cycle 789
- endocytosis 788–798
 of activated TGF β receptors 926
 defined 24, 749
 as lysosome delivery pathway 684, 801–802
 phagocytosis as 802
 and receptor down-regulation 891, 910
 receptor-mediated endocytosis 764, 779, 791–792, 910, 1331
 of RTKs 914–915
 synaptic vesicles 784
 virus infection by 764, 1330, 1331F
 see also endosomes; phagocytosis; pinocytosis
- endoderm 1219–1220, 1230, 1238, 1239, 1263
- endolysosomes
 conversion to lysosomes 799, 800F
 formation from late endosomes 795, 799, 800F
 membrane fusion 788F, 789, 799, 802
 protein cleavage in 1399F
 receptor-mediated endocytosis of LDL 793F
- endonucleases
 AP endonuclease 288, 289
 mRNA destruction 460
 nonretroviral retrotransposons 308T, 314
 tRNA splicing 361F
- endoplasmic reticulum (ER) 698–723
 BiP (chaperone protein) 381, 708, 713, 731, 766
 calcium (Ca²⁺) ion storage 698, 699–700
 cisternae in rough ER 699F
 COPII-coated vesicle assembly on 751, 757–758, 759
 distribution in cytokinesis 1069
 ER exit sites 765, 766, 767F, 769–770
 ER retention signals 695–696, 712
 ER retrieval signals 768
 ER signal sequences 696, 701, 702–705, 706, 709, 710F
 functions 24, 698–701
 as intracellular compartment 684
 junction complexes with mitochondria 722
 lipid bilayer assembly 720–722
 lipoprotein production in smooth ER 699
 lumen 686, 698, 699F, 708, 709–710, 712–715
 membrane area 685, 698
 membrane asymmetry 711
 membrane protein assembly at ER 684
 micrographs 698F, 699F, 700F
 microsomes from 480, 482, 700–701
 microtubules in organization 1002
 mitochondrial contacts with 813–814
 mRNA localization and 454
 nuclear envelope connection to 189, 190F
 nuclear envelope re-formation after mitosis 745
 organelle contact sites 700, 722
 outer nuclear membrane connection to 189, 698, 699F, 735F, 736
 post-translational import 707–709
 protein glycosylation 714–715

- protein retrotranslocation 384, 716–717, 718
- protein transport to the Golgi apparatus 684, 695, 699, 765–776
- rough ER 684, 686, 698–699, 700, 701–702, 712–715, 1366
- smooth ER 684, 686, 698–700, 701
- source of lipid droplets 612
- tail-anchored proteins 711, 712F
- transitional ER 689
- transmembrane protein capture 694, 701
- transmembrane protein production 699
- water-soluble protein translocation 701
- see also ER resident proteins; sarcoplasmic reticulum
- endoreplication 1270, 1271–1272
- endosomes
- conversion to lysosomes 777
 - endocytic vesicles received 761F, 762
 - endocytosis and 749
 - as intracellular compartments 684, 749
 - maturation 762, 777, 788–789, 795–796
 - normal lysosome fusion prevented by pathogen 1335–1336
 - pH in lumen 778
 - pore formation by viruses 1331
 - Rab proteins on membranes 761, 762
 - recycling endosomes 760T, 788, 793–794
 - retromer-coated vesicle assembly on 757, 759
 - in road map of secretory and endocytic pathways 750F
 - Toll-like receptors 1356F
 - transport from Golgi apparatus to 776–780
 - tubule formation 759
 - see also early endosomes; late endosomes
- endosymbiont hypothesis 25–27, 686–688, 733, 843–844, 861
- endosymbiotic associations 17
- endothelial cells, in blood vessels 790, 908, 1125–1126, 1264, 1357, 1368–1369
- endothermic reactions 106P
- energetically favorable reactions
- coupling to unfavorable reactions 66–67, 69, 70–71
 - defined 63, 67
 - DNA supercoiling as favorable 336
 - spontaneous reactions and 63, 66–67
 - see also free energy changes
- energetically unfavorable reactions
- ADP phosphorylation 71, 81, 82F
 - condensation reactions as unfavorable 55F, 72, 77
 - coupling to favorable reactions 66–67, 69, 70–71
 - defined 67
- energetics
- combustion and oxidative phosphorylation 821–822
 - extraction of energy from food 80–93, 108–111P
 - of glycolysis 83, 814
 - see also free energy
- energy-converting organelles 811–872
- see also chloroplasts; mitochondria
- energy storage as fat and glycogen 85–86
- energy storage as starch 86
- Engrailed* gene 571F, 1232, 1233
- Engrailed protein 1232F
- engrailed protein (*Drosophila*) 127, 128F
- engulfment
- autophagy 694F, 695, 749, 750F, 804
 - new compartment formation 694F, 695
 - nuclear envelope re-formation after mitosis 694F, 695
 - phagocytosis 801, 804
- enhancers 206, 334, 416
- see also cis-regulatory sequences
- enkephalins 781
- enterocytes see absorptive cells, intestinal
- enteroendocrine cells 1281, 1282, 1283F
- enthalpy (*H*) 106–107P
- entrainment 937, 938F, 939
- entropy 58–59, 66, 107P
- see also free energy changes
- enveloped viruses
- entry into host cell 764, 1330–1331
 - HIV 764
 - SARS-CoV-2 43F, 764
 - viral envelopes 1314, 1324–1325, 1330
- environmental cues
- cell migration 1258–1259, 1266–1267
 - metamorphosis of amphibians 1255
 - plant flowering times 1256–1257
- environmental factors and disease risk and 526, 1198–1201
- enzyme cascades 880, 909, 934, 941, 1079
- enzyme-coupled receptors 911–928
- insulin receptor as 884F
 - overview 878F, 879
 - receptor serine/threonine kinases as 926–927, 941
 - see also cell-surface receptors; Ras-MAP-kinase signaling pathway; receptor tyrosine kinases
- enzyme kinetics 147F, 148, 150–151P
- see also reaction rates
- enzymes
- activation energy effects 63–64, 148, 149, 152
 - allosteric enzymes 155–156
 - as catalysts 6, 55, 57–58, 64, 146–152
 - classes and nomenclature of 146, 147T
 - equilibrium point not changed by 64–65
 - feedback inhibition of 155, 156
 - kinetics 147F, 148, 150–151P
 - metabolic pathways generated by 57, 64–65, 146, 155
 - positive and negative regulation 155, 157F, 158
 - simultaneous acid and base catalysis 148–149
 - speed of molecular motions and 66–67
 - stabilization of transition states 148, 152, 153F
 - substrate binding by 64, 146–148
 - turnover number (k_{cat}) 148, 150P, 151P
 - zymogens as proenzymes 795
- enzyme-substrate complexes
- active sites and 65F
 - formation by collision 66
 - lysozyme-polysaccharide complex 149, 152, 153F
- eosinophils 569F, 1286T, 1287F, 1288, 1358, 1375
- EPEC (enteropathogenic *E. coli*) 1328, 1329
- ephrin-Eph signaling 1260–1261
- ephrin proteins 911T, 919, 1260, 1292
- epidermis
- anatomy, in green plants 843F
 - formation from ectoderm 1219F
 - multilayered structure in animals 1282–1284
 - squames, or scales 1283
 - stem cells in 1282–1284
- epidermolysis bullosa 1009–1010, 1143
- epigenetic changes
- in cancer cells 1166, 1167, 1178, 1183–1184, 1185–1186, 1192, 1196–1197
 - cooperation with genetic changes 1186
 - nuclear reprogramming and 1301–1302
 - tumor suppressor gene inactivation 1183–1184
- epigenetic inheritance
- and chromatin structure 203–204, 215, 216F, 440–442
 - defined 444
 - of gene expression 443–445
 - mechanisms acting in *cis* and *trans* 444
 - see also cell memory
- epilepsy 668
- epinephrine 888, 892, 893F, 896T
- epistasis analysis 523–524
- epithelia
- basal lamina and 786, 1105–1107, 1117, 1128, 1141, 1142F, 1143–1144
 - cell-cell junctions 1105–1106, 1108, 1114–1121, 1126–1127
 - cell-matrix attachments 1106F
 - hemidesmosomes in 953F, 1148
 - mesenchymal interactions 1264–1265
 - planar cell polarity 1261–1263
 - protection by mucus 773, 774, 1326–1328, 1354
 - sheet migration 1268
 - simple columnar structure 1106, 1117, 1142F
 - stem cells in 1281–1284, 1290
 - tube formation 1263–1264
- epithelial barrier to infection 1315, 1326–1328, 1354
- epithelial cells
- adherens junctions 953F, 1106, 1112–1114, 1115F, 1259
 - apical and basolateral domains 629, 786, 787F, 953, 1019–1020, 1117–1118
 - apical constriction 1263–1264
 - apoptosis 1282

- epithelial cells (*continued*)
 basal surfaces 1106F, 1107
 carcinomas as cancers of 1102, 1165
 cell shapes 1258–1259
 convergent extension 1260F, 1261, 1263
 in culture 477
 cytoskeletons 1105–1106
 fluorescence microscopy 572F, 586F
 keratin filaments in 1007T, 1009
 lateral surfaces 1106
 lifetimes of mouse intestinal epithelial cells 1282
 migration 973
 polarization 786, 953F, 1019–1020, 1117
 PtK cell lines 478
 transcellular transport of solutes 645–646, 1118
- epithelial-to-mesenchymal transition (EMT) 1197
- epithelial tubes 1115, 1264–1265
- epitope tagging 486
- Epstein–Barr virus 1202T, 1323T
- equilibrium, defined 68, 145
- equilibrium binding experiments 493, 494F
- equilibrium constant (*K*)
 actin polymerization 960P, 962
 defined 68
 protein binding strength and 145–146, 493
 protein–promoter complexes 544
 relationship to standard free energy changes (ΔG°) 68–69, 145–146, 837F
- equilibrium potential, Nernst equation 656P
- equilibrium reactions
 ATP synthesis and hydrolysis 837
 energetics of 68–69
 enzymes and 64–65
- equilibrium sedimentation 482
- ER *see* endoplasmic reticulum
- ER exit sites 765, 766, 767F, 769–770
- ER resident proteins
 aggregation of proteins in compartments 769
 BiP protein as 713, 768
 entry into transport vesicles 765, 766F
 ER retention signals 695–696, 712
 protein folding and chaperones 712–714, 716F, 718F
 retention mechanisms 768–769
 retrieval pathways 765, 767, 768
 Sec61 protein translocator as 724, 731
 sorting signals and 694, 695–696
see also endoplasmic reticulum
- ER retrieval signals 768
- ER signal sequences 696, 701, 702–705, 706, 709, 710F
- eraser enzymes 211F, 212, 216, 451
- Erk (MAP kinase; MAPK) 917–918, 922F
- ERM protein family (ezrin, radixin, and moesin) 965F, 969
- error correction
 in DNA synthesis 258–260
 editing by tRNA synthetases 363–364
 misincorporated ribonucleotide removal 268, 269, 326
- strand-directed mismatch repair 260, 267–269
see also DNA repair; proofreading; quality control
- error rates
 DNA replication and RNA synthesis 244T
 meiosis 1077
 and viral evolution 1343–1344
- errors in data 558
- erythrocytes *see* red blood cells
- erythroid cells 427
- erythromycin 377F, 377T
- erythropoietin 925T, 1078
- ES cells *see* embryonic stem (ES) cells
- ES-critical genes 1303–1304
- Escherichia coli* (*E. coli*)
 ABC transporters 650
 adhesins 1327
 arabinose metabolism 554–555, 556
 cell division frequency 263, 267
 circular DNA 35, 36F, 258F, 273, 280, 410
 consensus nucleotide sequence and sequence logo 330F
 conserved DNA 18F
 DNA replication 273, 274F, 280
 double membrane 650
 enteropathogenic *E. coli* (EPEC) 1328, 1329
 F plasmid 503
 flagellum genes 523
 genome 29T, 35, 36F, 273, 410, 1318
 genome-wide screens 532F
 as Gram-negative 1316F
 homologous recombination 296, 298, 304F
 horizontal gene transfer in 35
 Lac operon 412, 413F
 micrographs 14F, 36F, 1327F
 as model organism 29T, 33, 35
 mutation rates 253–254
 pili 1327
 promoters 330F, 410–411
 rRNA genes 351
 single-molecule localization microscopy 584F
 strand-directed mismatch repair 267
 tryptophan operon 410–411
 tryptophan repressor 404F, 410–411, 412, 415, 423
 two-dimensional gel electrophoresis 490F
 uropathogenic strains 1327
- ESCRT protein complexes 796–798, 1065
- essential amino acids 92
- estradiol 936F
- ethanol from fermentation 84, 88
- ethidium bromide 500F, 501, 1092
- ethylene 941, 942, 943, 1159
- euchromatin 204, 205, 226F, 227, 1045
see also chromatin; heterochromatin
- eukaryotes
 ABC transporters in 650
 archaea relationship to 15
 cell cycle 195–196, 276F, 1028–1030
 cell features 23F
 cell lines 478–480
 cell sizes 23
 distinction from prokaryotes 13, 22–23
- DNA localization in nucleus 189
- DNA packaging 189–191
- DNA repair 290, 295, 296, 301
- DNA replication 265–267, 273–277, 280–281
- genomes 13
- hybrid eukaryotic genomes 27–28
- last common ancestor 940
- models for evolution of 26F, 27F, 811
- mRNA compared to prokaryotes 338F
- number of proteins in eukaryotic cells 683
- numbers of ribosomes 365
- organelles, overview 23–25, 683–686
- overview 13, 22–23
- as pathogens 1314, 1321–1322, 1333–1334
- phylogenetic trees (tree of life) 27F, 32F
- plasma membrane composition 606, 609–610, 613–614
- RNA interference in 462–463
- RNA polymerases in 331T
- from RNA to protein, summary 387–388
- single-celled eukaryotes 23, 30–31
- transcription initiation 331–335
- transcription regulators 414–422
- translation initiation 373–374, 456–457, 458, 459F, 1341
- transposition frequency in 307
see also organelles
- eukaryotic initiation factors (eIFs) 373, 457, 458–459
- eukaryotic parasites
 antigenic variation 1342
 invasion of host cells 1333–1334, 1333F
 life cycles 1321–1322
 lysosome-dependent/independent pathways 1334
 moving junctions 1333
 parasitophorous vacuoles 1333
see also specific types
- eukaryotic pathogens 1314, 1321–1322, 1333–1334, 1345
- Eve* (*Even-skipped*) gene 423–426, 430, 535F, 1231
- evolution
 cancer as microevolutionary process 1163–1178
 cellular respiration 831
 chemiosmotic processes 811, 856–857
 chloroplasts 733
 convergent evolution 733
 critical steps in human evolution 238–239
 DNA duplication and 241–242, 1133
 energy-converting organelles 811
 genomes 229–249
 globin gene family 241–242
 infection as driver 1388
 internal membranes of eukaryotic cells 686–688
 ion channels 663, 668, 671, 678
 major events during 858F
 molecular clocks 233–234
 nonsense-mediated decay role in 379
 NPCs and vesicle coats 736
 organelles 686–688, 811

peroxisomes 723
 photochemical reaction centers 857
 photosynthesis 843
 in plants compared with animals 940, 941F
 protein kinases 160
 protein synthesis 392–393
 RNA splicing 347–348
 sources of genetic variation 19–20, 21, 231
 vertebrates 239–240
 viruses 1343–1344
 see also natural selection
 evolutionary tracing 142–143
 exchangers (antiporters) 642, 644, 647, 648, 842
 excitatory neurotransmitters 670–671, 677
 excitatory postsynaptic potential (excitatory PSP) 674–675, 676F, 677
 excitatory synapses 674, 677
 executioner caspases 1091–1092, 1093F, 1094, 1095, 1100, 1392
 ExM (expansion microscopy) 585, 586F, 587
 exocrine cells
 aquaporins 652
 pancreatic 685T, 698, 699F
 exocytosis
 defined 24, 749, 776
 in endocytic–exocytic cycle 789
 of lysosomes and multivesicular bodies 807
 of residual bodies 803
 synaptic vesicles 669, 782–783, 784
 from TGN 776–781
 exomes 1184, 1185
 exon skipping 345, 347
 exons (expressed sequences)
 average size in eukaryotes 517
 defined 195, 230, 339
 evolution rate 233F
 exon definition hypothesis 345–346, 347
 in human genome 193F, 230, 340F
 recombination 242–243
 size range 230, 345–346
 exonucleases
 in coronavirus replicase complex 312
 in DNA cloning by Gibson assembly 510
 exonucleolytic proofreading 259, 260T
 mRNA destruction 459
 3′-to-5′ proofreading
 exonuclease 259, 267, 312
 exosomes 349, 361, 807
 exothermic reactions 106P
 explants 476
 expression vectors 511–512, 532
 see also plasmids
 extracellular bacterial pathogens 1319–1321, 1327F, 1328–1329, 1332
 extracellular cadherin (EC) domains 1109, 1110F
 extracellular matrix
 in animals 1127–1146
 basal lamina as 1141
 classes of macromolecules in 1128–1129

contribution to body size 1269
 degradation 1144–1145
 fibrous proteins 133–134
 isolating and culturing cells 476–477
 modification by cancers 1145, 1176
 overview 1105, 1127–1128
 pH of extracellular fluid 779
 plant cell walls as 1123
 stress-bearing component of connective tissue 1105, 1106F
 see also cell–matrix junctions
 extracellular signal molecules
 activation of intracellular signaling pathways 874
 binding to intracellular receptors, structures 936F
 binding to specific receptors 875–876, 878
 effects on cells 876–877
 in intercellular communication 873, 874
 proteins that act via RTKs 911T
 responses and concentration 886–888, 890
 TGF β superfamily 926–927, 1273
 transcription regulation 426–427, 430–431, 928–940
 extracellular signals
 growth regulation 1273
 range 874–875
 response to concentration changes 890–892
 responses as programmed 876–877
 responses speeds 886F
 transcription regulator activation by 426–427, 430–431, 928–940
 extrinsic pathway, apoptosis 1092, 1093–1094, 1098
 Eyeless transcription regulator (Pax6) 428, 429F, 1218F, 1242, 1243F
 eyes
 cornea 1010, 1128, 1135
 eye organoid formed from ES cells 1306, 1307F
 lens 1108, 1137

F

F-box proteins 164–165, 1039–1040
 F-type ATPases see ATP synthases
 FACS (fluorescence-activated cell sorters) 1031F, 1287
 Factor VIII gene 314, 322–323F, 340F
 Factors V and VIII, lectin binding 766
 facultative pathogens 1317
 FAD (flavin adenine dinucleotide) 826
 FADD adaptor protein 1093F, 1094
 FADH₂ (reduced flavin adenine dinucleotide)
 as activated carrier 76
 in the citric acid cycle 88, 89, 110P, 111P, 836T
 in electron-transport chain 90, 826, 828F, 832
 in oxidative phosphorylation 90
 FAK (focal adhesion kinase) 924, 1107T, 1151, 1152–1153
 familial hypertrophic cardiomyopathy 984
 FAP (familial adenomatous polyposis coli) 1394–1395

Fas death receptors 1093, 1100, 1391
 Fas ligand 1093–1094, 1098, 1391
 fast green 569F
 Fat cadherin 1109F
 fate maps 1230F, 1238
 fats
 energy storage as 85–86, 849
 oxidation to acetyl CoA 87–88, 724
 in plants 849
 fatty acids
 breakdown in peroxisomes 724
 fatty acyl CoA 87, 88F
 as mitochondrial fuel 817, 818F
 oxidation to acetyl CoA 87–88, 724, 817, 849
 product yields from oxidation 836T
 saturated fatty acids 102P, 605, 609F
 structures and properties 54, 102–103P
 unsaturated fatty acids 102P, 605, 609F
Fbx15 gene 1304F
 Fc receptors, and phagocytosis 794F, 803, 804F, 1374–1375, 1380, 1396
 FDG (fluorodeoxyglucose) 1164F
 feed-forward loops/motifs
 coherent feed-forward motif 555–556, 556
 delayed feed-forward loop 891
 incoherent feed-forward motif 555–556
 logic operations 433, 555
 persistent input and 556
 feedback inhibition 155, 156
 feedback loops
 autocatalytic process 6
 and cell memory 432–433
 mitogen-activated transcription 1079–1080
 need for quantitative analysis 44–45
 schematic diagrams 44–45
 in signaling systems 885, 888–890, 891, 906, 918, 937–939
 see also negative feedback loops; positive feedback loops
 feedback regulation
 cholesterol biosynthesis 742, 743F
 feedback inhibition of enzymes 155, 156
 generating Ca²⁺ waves 900–902
 of organ size 1270
 in photosynthesis 845
 in stem-cell division 1171
 see also negative feedback; positive feedback
 FepA protein 620
 fermentations 108
 ferredoxin 852F, 854F, 855, 856F
 ferritin 460F
 fertilization
 Ca²⁺ changes 900F
 centrosome from sperm 1056
 membrane fusion in 763
 Xenopus egg rotation 1227–1228, 1238
 fetal hemoglobin 241–242
 FG repeats (phenylalanine–glycine) in NPCs 736, 737F, 739, 740, 741F, 742

- FGF receptors
and achondroplasia 1274, 1275F
and branching morphogenesis 1264, 1265F
- FGFs (fibroblast growth factors)
action via receptor tyrosine kinases 911T
in branching morphogenesis 1264–1265
FGF10 1264, 1265F
interaction with heparan sulfate 1145
presomitic mesoderm and 1250
production of embryoid bodies 1307F
proteoglycans and 1145–1146
- fibril-associated collagens 1133, 1134T, 1135–1136
- fibrillar collagens 1128F, 1133, 1134T, 1135, 1140, 1143
- fibrillin 1137
- fibrinogen 1149
- fibroblasts
actin organization and Rho proteins 1017
caveolae 790F
clathrin-coated vesicles 753F, 789
collagen secretion by 477
in connective tissue 1128
in culture 477, 1082–1083
cytoskeleton in cell division 951, 952F
endocytosis 789
extracellular matrix organization 1128, 1137–1138
on fibronectin-coated substratum 1152F
filopodia 952F, 972F
focal adhesions and 1148
gene expression patterns 537
Golgi apparatus 770F, 777
inducing cell–cell adhesion 1111
intermediate filaments 1009
migration 973
nuclear and mitochondrial DNA, staining 861F
nucleolus 353F, 355F
nucleus of human 353F
pinocytosis 789
polarity 952F
radiation damage to DNA 301F
replicative cell senescence 283, 478, 1082–1083, 1173, 1303
reprogramming 428–429, 1303–1304, 1305, 1307
tumor-associated fibroblasts 1176
viewed in different microscope types 568F
- fibroin 121
- fibronectin
in basal lamina 1141
disulfide bonds 1139, 1140
extracellular matrix
organization 1138–1139
fibronectin type 3 domains 129F, 130F, 1126F, 1139, 1140F, 1141, 1146
integrin binding 1139–1140
interaction with VEGF and HGF 1146
RGD sequence in 1139, 1148, 1150
secretion and assembly 1135, 1140–1141
size and shape 128F
syndecans and 1132
fibronectin-coated substratum 1152F
fibronectin fibrils 1140–1141
fibronectin receptor 1148
fibronectin repeats, type III 129F, 130F, 1126F, 1139, 1140F, 1141, 1146
fibrous proteins 133–134, 1128–1129
FIB–SEM (focused ion beam–scanning electron microscopy) 598, 599F
field-emission guns 588, 593
filaggrin 1009
filamin 965F, 969
filopodia
actin filaments in 951, 1017F
axon growth cones 972
Cdc42 and 1017, 1021
of fibroblasts 952F, 972F
fimbrin 965F, 969
first law of thermodynamics 59–60, 106P
fish
melanosomes in 1003–1004
sticklebacks 1246–1247
see also zebrafish
FISH (fluorescence *in situ* hybridization) 505F
5' end, DNA 185–186
fixatives
electron microscopy 589, 591
light microscopy 569
fixed anions 652, 655
FK506 743F
flagellae
bacterial flagellae 1005, 1316
built from microtubules 1004–1005
flagellar motors 842
flagellin 316, 1005
Flamingo cadherin 1109F, 1262F
flavin adenine dinucleotide *see* FADH₂
flavin mononucleotide (FMN) 826, 827, 829, 834F
Flc (*flowering locus C*) gene 1256–1257
flip-flop transcription circuits 433
flip-flops between lipid layers 608, 609F, 627, 720
FLIP protein 1094, 1098
flippases 608, 721F, 722, 1100
flora 1354
flow cytometry 557, 1031
flowering times in plants 1256–1257
fluorescein 570F, 571
fluorescence-activated cell sorters (FACS) 1031F, 1287
fluorescence anisotropy, protein interactions 494
fluorescence microscopy
confocal microscopy 578–580, 585, 586F
ExM (expansion microscopy) 585, 586F, 587
with FRET to show protein–protein interactions 494, 575–576
light-sheet microscopy 585, 586–587
of living cells 563, 573–575, 580
localization of specific molecules 535, 570–573, 598
microtubules 566, 572F
overview 570
TIRF (total internal reflection fluorescence microscopy) 584F, 587
trade-offs 598–599
use of multiple probes 535F, 571, 572F
variability in protein expression levels 557
see also light microscopes and light microscopy; superresolution techniques
fluorescence recovery after photobleaching (FRAP) 172F, 576, 628–629
fluorescence resonance energy transfer (FRET) 494, 575–576
fluorescent antibodies
against axon terminals 675F
detection of specific proteins 572–573
DNA probes and 505F, 535F, 571F
against microtubules 572F
in structured illumination microscopy 581F
tagging of individual proteins 573–575
visualizing cell components 572F
fluorescent biosensors 576–577
fluorescent dyes
antibody blotting techniques 490
DNA labeling 501F, 536F
examples 571
excitation and emission wavelengths 571F
Illumina sequencing 514, 515F
quantitative RT-PCR 536
in single-particle tracking 629, 632
fluorescent proteins
gene fusion and 528, 535
in microscopy 563, 571F, 573–577, 584
photoactivation 575–576
as reporter proteins 535, 574F
RFP (red fluorescent protein) 571F, 574
see also GFP
fluorochromes
electron excitation 570F
in FRET 575
rapid fading of organic fluorochromes 571
two-photon effect 580F
see also GFP
fluoroquinolones 271F
FMN (flavin mononucleotide) 826, 827, 829, 834F
FNR (ferredoxin-NADP⁺ reductase) 852F, 854F, 855, 856F
focal adhesions
actin network and 1017F, 1148
fibroblasts and 1148
fibronectin and 1141F, 1152F
integrins and 924, 1017, 1023, 1148, 1152
stress fibers and 950P, 984, 1017
tyrosine phosphorylation at 1152–1153
vimentins and 1023
food
authenticating, using PCR 507–508
extraction of energy from 80–93, 108–111P
storage as fats, starch, and glycogen 85–86
forensic science 247–248, 507–508, 509F, 510

- formins
 actin nucleation 964, 965P, 967, 968F, 971, 1018, 1021
 activation by RhoA 1066
 association with Rho-GTP 1018
 in contractile ring formation 1065
 cross-linking of actin and microtubules 1023
N-formylmethionine 373, 861, 1022
 Förster resonance energy transfer *see* fluorescence resonance energy transfer; FRET
 fossil record
 phylogenetic trees and 233–234
 sequence information 244
 time of divergence of vertebrates 41F
 founder effects 244
 FoxP3 transcription regulator 1393F, 1394
Francisella tularensis 1340
 FRAP (fluorescence recovery after photobleaching) 172F, 576, 628–629
 free energy (G)
 consumption by living things 2, 7–8
 defined 63, 66, 107P
 expenditure in accurate translation 370–371
 importance for cells 106P
 protein folding and 121, 380
 sources of for living things 15–17
 see also activation energies
 free energy changes (ΔG)
 actin filament elongation 962
 ATP formation and hydrolysis 78, 824, 835–837
 concentration of reactants 67, 825, 836–837
 electron-transport chain 824, 825P, 828, 833
 favorable and unfavorable reactions 66–67, 69
 microtubule polymerization/dissociation 989
 Nernst equation derivation 656P
 oxidative phosphorylation 820
 redox potential and 824, 825F
 in redox reactions 823
 spontaneous reactions 58, 59F, 63, 66–67, 106P, 107P, 823
 transcriptional synergy 419
 see also entropy; standard free energy changes
 FRET (fluorescence/Förster resonance energy transfer) 494, 575–576
 Frizzled protein 930–931, 932, 1262F
 Frizzled receptors 930–931, 932
 frog eggs 397–398, 1064F, 1227–1228
 frog embryos
 convergent extension 1261
 early stages of development 40F, 1219F
 evidence for differentiation without gene sequence changes 397–398
 germ layers and basic body plan 1219F, 1239
 response to progesterone 890F, 918
 frogs
 myosin thick filaments 980
 neuromuscular junctions 671F
 nuclear transplant into foreign cytoplasm 397–398, 1301
 ploidy effects on body size 1271
 Rana pipiens 40F
 tadpole skin collagen 1135
 see also Xenopus laevis
 frontotemporal dementia 347
 fructose 100P
 fruit fly *see Drosophila*
FT (flowering locus *T*) gene 1256–1257
 FtsZ proteins 865, 1014
Fugu rubripes (puffer fish) 29, 236–237
 fumarase 151P
 fumarate 111P, 826, 828, 832
 fungi
 antibiotics from 376
 dimorphism 1321
 as eukaryotes 27
 molds and mildews 1315F, 1321
 Neurospora and defining the gene 448
 pathogenic fungi 1314, 1321, 1355F
 see also yeasts
 fura-2 indicator 576F, 900
 FUS protein 173F
 fusion proteins (made by fusion)
 defined 486
 in FRET 575F
 GFP fusion proteins 535, 574, 575F, 628, 770F
 with glutathione S-transferase (GST) 486
 fusion proteins (promoting membrane fusion) 609, 762–764
 Fyn protein kinase 923–924
- G**
 G-protein-coupled receptors (GPCRs)
 activation of G proteins 893–895
 bacteriorhodopsin and 627
 CXCR4 as 1266
 desensitization by phosphorylation 909–910
 epinephrine effects 888, 892, 893F, 896T
 Lgr5 as 1282
 overview 878–879, 892–893
 signaling overlaps with RTKs 923
 in smell and vision 893, 905–907
 structure 892–893
 see also cell-surface receptors
 G proteins (heterotrimeric GTP-binding proteins)
 activation by GPCRs 627, 878, 880
 G₁₂ form 904, 907T, 1023F
 G₁₃ form 907T, 1023F
 G_i (inhibitory G protein) 893F, 895, 904, 907T, 924, 1328
 G_o form 907T
 G_{olf} form 905, 907T
 GPCR activation of 893–894
 G_q form 898, 899F, 907T, 908F, 921
 G_s (stimulatory G protein) 895–896, 897F, 898, 907T, 909, 924
 G_t (transducin) 906, 907T, 909
 major families 907T
 overview 893–895
 regulation of ion channels 905
 signaling via phospholipids 898–899
 structure 893F
 subunits 893–894
 G₀ phase 457, 1029, 1078–1079
 G₁-Cdk 1034, 1041, 1042F, 1079–1080
 G₁ cyclins (D cyclins) 1034, 1079
 G₁ phase
 Cdk inactivity in 1040, 1078
 in cell cycle 276F, 1028
 chromosomes 520P
 environment monitoring during 1029
 helicases loaded onto DNA by ORC 277, 278F
 Start (restriction point) transition 1029, 1032–1033, 1034, 1038, 1041, 1081
 G₁/S-Cdk
 activation 1033F, 1041, 1042F, 1078
 in centrosome duplication 1053, 1054F
 cyclic assembly 1033F
 in G₁ 1040
 mitogens and 1078, 1079–1080
 regulation of 1041T
 in vertebrates and budding yeast 1034T
 see also cyclin-Cdk complexes
 G₁/S cyclins 1033, 1034, 1039, 1042F, 1079–1080
 G₂/M transition 1032, 1033, 1037, 1038, 1042, 1046–1047, 1081
 G₂ phase, cell cycle 1028
 G418 antibiotic 1304F
 GABA (γ -aminobutyric acid)
 as inhibitory neurotransmitter 670, 673
 receptors as drug targets 673
 Gag gene, HIV 453F
 GAGs (glycosaminoglycans)
 chondroitin sulfate 1130F, 1131F, 1266
 dermatan sulfate 1129
 as extracellular matrix macromolecules 765, 1128, 1129
 glycosaminoglycan chains 765, 773, 779
 heparan sulfate 1129F, 1132, 1139F, 1145–1146, 1223, 1329
 heparin 1129F, 1139F
 hyaluronan 1128F, 1129–1130, 1131F
 keratan sulfate 1129, 1131F
 linkage to core protein in proteoglycans 1130–1132
 pectins as resembling 1157
 see also proteoglycans
 gain-of-function mutations
 in cancer 1179–1180, 1186
 defined 521P, 1179
 IDH (isocitrate dehydrogenase) 1186
 Lin14 gene 1254F
 as typically dominant 523, 1179F, 1181
 Ubx genes 1234F
 galactocerebrosides (neutral glycolipids) 614F
 galactose 100P
 β -galactosidase (β -gal) 413F, 424F, 535F
 galacturonic acid 1155, 1157
 GalS repressor protein 555
 gametes
 abnormal 1077
 defined 1071
 mitochondria in 866

- gametes (*continued*)
 in plants 1256
 spermatozoa 629–630, 813, 814F
 see also eggs; meiosis
 γ -TuRC (γ -tubulin ring complex) 991–992,
 993, 995–996, 997F, 1052, 1055
 gangliosides 613–614
 gap genes 1230, 1231–1232, 1233
 gap junctions
 connexins 1122–1123
 in epithelial cells 1106F, 1107
 innexins 1122
 pore size 1122
 structure and function 651–652,
 1121–1122
 see also channels
 gap phases, cell cycle 1028–1029, 1040
 GAPs (GTPase-activating proteins)
 ARF GAP 759
 association with cytosolic
 cytoskeleton 740
 control of coat-recruitment
 GTPases 757
 control of GTP-binding proteins 757,
 880, 891
 inactivation of GTPases 880, 919, 1017
 Ran GAPs 740, 741, 742, 744
 Ras GAPs 916, 917F
 Rho GAPs 919, 1066F
 gas constant (*R*) 67, 107P
 gastrula-stage embryos 40F, 1115–1116,
 1219
 gastrulation
 cell adhesion and migration 1258,
 1259, 1260F, 1261, 1263
 germ layer formation during 1219
 pluripotency loss 1219–1220
 zebrafish 1260F
 Gata4 transcription factor 1308
 gated transport 694, 705–707, 738
 gating
 gap junctions 1123
 ion channels 654, 658–660, 661,
 662–665, 666–677
 lateral gating of protein
 translocators 705–707, 709–710,
 711F
Gcn4 mRNA 458
Gcn4 protein 458
 GDIs (guanine nucleotide dissociation
 inhibitors) 617, 760, 761F, 919,
 1017
 GDP (guanosine diphosphate) eIF2
 binding 457
 GEFs (guanine nucleotide exchange
 factors)
 activation of GTPases 880, 919,
 1016–1017, 1055
 association with nuclear
 chromatin 740
 control of coat-recruitment
 GTPases 757–758
 control of GTP-binding proteins
 757–758, 880
 Rab GEFs 760, 761, 762F
 Rac GEFs 1023
 Ran GEF 740, 744
 Ras GEFs 916, 921, 923F
 Rho GEFs 804, 919, 1018, 1019F,
 1066F, 1067
 Sar1 GEF 757, 758F
 gel electrophoresis
 in DNA cloning 503
 of DNA molecules 499–501
 protein fractionation 487–490, 512F
 pulsed-field gel electrophoresis 500
 SDS-PAGE 487–489, 623
 two-dimensional gel
 electrophoresis 489–490
 Western blotting 490
 gel-filtration chromatography 483–485,
 490–491
 gelsolin 965F, 970
 geminin 1031F, 1045
 gene amplification and cancer 1181,
 1182
 gene control regions 414–415, 416, 420,
 424, 425
 gene conversion
 homologous recombination and 302,
 305–306
 tumor suppressor genes and 1183
 gene duplication
 collagen 1133
 and divergence 240–241
 diversification in signaling 1222
 evolution of globins 241–242
 hemoglobin 241–242
 matrix proteins 1139
 as mechanism for innovation 19, 20,
 21F, 240–241
 transporters and ion channels
 643–644, 663
 whole-genome duplications 240–241
 in yeast 240
 gene expression 397–474
 chromatin loops and 220, 221, 222F
 chromosome-wide changes 440–442
 circadian clocks and 937–938
 cluster analysis and 536–537
 combinatorial controls 424–426,
 427–429, 430–431, 554–555
 conservative site-specific
 recombination and 316
 control of, overview 397–402
 delayed-response genes 1080F
 efficiency of 323
 epigenetic inheritance of 443–445
 epistasis analysis 523–524
 and gene function 518–542
 gene switching, time required
 for 1248–1249, 1251
 heterochromatin limitation of
 204–205, 421
 immediate early genes 917, 1080
 localization with *in situ*
 hybridization 535, 571
 localizing using reporter genes
 534–535
 monitoring in *Saccharomyces*
cerevisiae 37–38
 monoallelic gene expression 443
 mRNA degradation control 401
 oscillations 1249–1251
 overview 5, 188
 post-transcriptional controls 445–462
 protein activity control 401
 protein degradation control 401
 quantitative measurements 536
 Ras-MAP-kinases signaling and 916,
 917
 Ras proteins and 802, 915
 regulation at steps in DNA-to-protein
 pathway 401–402
 regulation by noncoding RNAs 462–471
 regulation in transcription 328
 repression by DNA methylation 436
 response to external signals 400–401,
 555, 556, 928–935
 riboswitches and 446, 456F
 RNA-processing control 401
 RNA-seq and 399F, 516, 517–518,
 536–538, 539F
 RNA transport and localization
 control 401
 serial organization 1235
 slow signaling response to changes
 in 886
 transcriptional control 401, 402–423
 translational control 401, 454–455,
 456F, 457, 458–459
 variability between cells 557
 and vertebrate evolution 239–240
 see also transcription regulators;
 translation
 gene families
 arising from gene duplication 20, 21F,
 240
 in *Bacillus subtilis* genome 20
 common to all domains of life 21, 22T
 evolution of globins 241–242
 gene function
 classical genetics studies 519,
 520–521P, 522
 cluster analysis and 536–537
 deducing from DNA sequences
 20–21, 229
 deducing from mutations 30F, 32–33,
 519, 522, 524, 527–528, 529–530
 essential genes of unknown
 function 532
 gene expression and 518–542
 testing with RNA interference
 533–534
 gene knockouts 527, 529, 530, 534, 1191
 gene regulation see transcription
 regulators
 gene segments and Ig genes 1377–1379
 gene silencing, position effects 205, 211,
 215
 gene switching delays 1248–1249, 1251
 gene transcription see transcription
 gene transfer from organelles 862–863
 see also horizontal gene transfer
 general recombination see homologous
 recombination
 general transcription factors
 assembly at promoter 332, 414, 415
 RNA polymerase II and 331, 332–335,
 414, 415F, 417–418
 TFIIA 332F, 333T
 TFIIB 332F, 333T
 TFIID 332–333, 415F, 418F, 1341
 TFIIE 333T
 TFIIIF 333T
 TFIIH 332F, 333–334, 335, 339
 transcription initiation 331, 332–334,
 414
 see also RNA polymerase II
 general translation factors 458
 genes
 coding for multiple proteins 337, 340,
 341F

- defined 7, 191, 415, 448–449, 520P
horizontal and vertical transfer 19
identifying new genes by ribosome
profiling 539
mechanisms for innovation in 19–20,
21F
mitochondrial, in different
species 862–863
nature of hereditary information 39,
183
number coding human proteins 13,
29T, 44, 128, 130, 189, 195, 340,
399
specific deletion 317
see also cancer-critical genes;
conserved genes
- genetic code
amino acid equivalents of codons 7, 359
discovery 188, 358–359
possible origins 392–393
redundancy 359
universality 2–3
variations in 375–376, 864
- genetic engineering
bacteria 14–15
conservative site-specific
recombination in 317
embryonic stem cells and 1303
epitope tagging 486
genome engineering/editing 527–528
introducing altered genes into
cells 511, 512F, 528, 679
introducing altered genes into germ
line 528–530
microinjection of altered genes 528
tags for protein purification 486
transgenic organisms 528–533
using the CRISPR system 469,
530–531, 532–533
see also mouse, transgenic
- genetic instability, cancer cells
1168–1170, 1174, 1178–1179,
1196, 1204, 1205–1206, 1212
- genetic recombination
in meiosis 520P, 1071, 1072F, 1073,
1074
site-specific recombination 306,
315–317, 530, 1377, 1382
V(D)J recombination 294F, 309,
1377–1379, 1380–1381
see also homologous recombination
- genetic screening
genome-wide screens 532F, 534F
for mutant phenotypes 206, 519, 522,
523, 524, 531, 532F
RNA interference and 534F
timing of embryonic
development 1252–1253
- genetically encoded fluorescent
biosensors 576–577
- genome annotation 516–518
- genome engineering/editing 527–528
- genome maintenance genes 1179
- genome map distance 520
- genome sequencing
advances in 475, 498, 512–516
bacteria 1317–1318
cancer cells 1166, 1167, 1180,
1184–1186, 1195, 1197, 1210
and conserved regions 18–19, 230,
237–238
and evolutionary tracing 142–143
exome sequencing 1184
genome annotation 516–518
and phylogenetic trees 11–12
speed of 514, 516
tumor biopsies 1213
viruses 1323
- genome sizes
in archaea 13
in bacteria 13
chicken 236
chloroplasts 865
compared 28–29, 191–192
in *E. coli* 29T, 35, 273
in *Fuga rubripes* 236–237
in mammals 236
minimum 10
number of nucleotide pairs in
humans 29T, 40, 185, 230, 235,
238
protein-coding genes in human
genome 13, 29T, 44, 128, 130,
189, 195, 340, 399
- genome-wide association studies 247,
526, 527
- genomes
aggregated, human microbiome 1348
ancient genomes 244–245
arrangement of genes 193–195,
321–323
of chloroplasts 844, 861–868
comparative genomics 232, 518
defined 3, 188–189, 520P
diversification of 10–22
evolution 229–249
extinct species 514
hybrid eukaryotic genomes 27–28
mitochondrial genomes 25, 861–868
single-stranded genomes of small
viruses 288, 390, 1323
see also human genome;
mitochondrial DNA
- genomic analysis, and the tree of life 1–2,
11–12, 18–19
- genomic imprinting 438–440, 443, 444
- genomic libraries 503
- genotypes, defined 519, 520P
- germ-band extension 1116
- germ cells
differentiation 1293
distinction from somatic cells in
development 1230
functions 254, 255F
migration 1266F, 1267F
mutation in 254
- germ layers
formation during gastrulation 1219
patterning in vertebrate
embryos 1239–1240
see also ectoderm; endoderm;
mesoderm
- germ line
introducing altered genes 528–530
mutation rates 254
RNAi protection 466–467
- germinal centers 1370F, 1379–1380,
1381F, 1393
- Get1 and Get2 receptor proteins 711,
712F
- Get3 targeting factor 711, 712F
- GFP (green fluorescent protein)
GFP fusion proteins 535, 574–576,
575F, 628, 770F
post-translational modifications 573
protein interactions 575–576
as reporter protein 535, 574
site-directed mutagenesis 573–574
structure 573F
GGGTTA repeats 281, 282
Giant transcription repressor 424–425
gibberellins 941
Gibbs free energy (G) *see* free energy
Gibson assembly 510–511
gigantism 1274, 1275F
Glanzmann disease 1149
GlcNAc *see* N-acetylglucosamine
GlcNAc phosphotransferase 779–780
Gleevec (imatinib) 1207–1209
Gli1, Gli2, and Gli3 regulator proteins 932,
933F
- glial cells
intermediate filaments in 1007T,
1010F
myelin formation 666
from neural crest cells 1267,
1299–1300
from neural stem cells 1299–1300
oligodendrocytes 666
Schwann cells 666, 671F
timing mechanisms in
development 1251, 1252F
- glioblastoma 1181–1182, 1185, 1187,
1188
- α -globin 131, 241, 426–427
- β -globin 131, 189F, 236F, 241–242, 340F,
347F
- globins, evolution 241–242
- globular proteins, filaments from 131–132
- glucagon 139F, 896T
- glucocorticoid receptor 409F, 430–431
- glucocorticoids, liver and fat cell response
to 400–401
- glucosamine 101P
- glucose
abnormal metabolism in cancer
cells 1175
ARP yield from oxidation 836
in cellulose 1156
Na⁺-powered glucose
symporter 643F, 645F
product yields from oxidation 836T
structure 100P
transcellular transport 645F
see also glycolysis
- glucose 6-phosphate in glycolysis 84F,
85, 91F, 108P
- glucose addition by glucosyl
transferase 716
- glucose transport and Na⁺
gradients 643F, 645F
- glucose transporters 641, 794, 1118F
- glucose trimming 716
- glucosidase 716
- glucosyl transferase 716
- glucuronic acid 101P, 1130F
- glutamate as neurotransmitter 670, 671,
677–678
- glutamate-gated ion channels 672, 677
- glutamic acid, structure and
properties 116F, 119P
- glutamine 72, 73F, 116F, 119P
- glutamine synthetase 73F

- glutaraldehyde 569, 799F
glutathione S-transferase (GST) 486
glycans, cross-linking 1155, 1156–1157
glyceraldehyde 100P
glyceraldehyde 3-phosphate
 in carbon-fixation reactions 845, 846, 847F, 849
 conversion to biosynthetic or storage molecules 849
 in glycolysis 81F, 82F, 83, 108–109P, 818
glyceraldehyde 3-phosphate dehydrogenase 82F, 83, 109P
glycerol 80, 87, 102P, 918F
glycerophospholipids 605
 see also *specific types*
glycine 116F, 119P, 132, 670, 1132, 1136
glycobiology 772
glycocalyx 621
glycogen 77F, 85–86, 101P, 888, 896T, 898T
glycogen synthase kinase 3 (GSK3) 930
glycolipids 103P, 606, 610T, 612F, 613–614, 1125
glycolysis
 ATP production by 80–81, 82F, 83–84, 108–109P, 836, 842
 in cancer cells 1175, 1188
 coupled reactions 82F, 83–84
 materials for biosynthetic pathways produced 90–91
 in network of metabolic pathways 92, 93F
 in plants 846, 849
 standard free energy change (ΔG°) 83
 steps in pathway 81F, 82F, 108–109P
 superiority of oxidative phosphorylation 814
glycophorin 618F, 631F
glycoproteins
 cell–cell adhesion mediated by 621
 distinguishing proteoglycans 1131
 as extracellular matrix macromolecules 776, 1128, 1145–1146
 extracellular matrix organization by 1138–1139
 laminin 1128F, 1141, 1142–1143, 1144, 1145, 1148–1149
 nidogen 1128F, 1141, 1143
 regulation of cell signaling 1145–1146
 selectin binding to 1125
 variant-specific glycoprotein (VSG) 1342
 see also collagen; fibronectin
glycosaminoglycans see GAGs
glycosidases 771, 772
glycosphingolipids 721, 773, 786, 790
glycosyl transferases 771, 772, 773, 774, 1130
glycosylation
 congenital disorders of glycosylation 773
 in the ER 714–715
 membrane proteins 621, 622F, 714–715, 799
 N-linked glycosylation 715, 716F, 773F, 774
 of Notch protein 774
 O-linked glycosylation 773, 774
 in protein folding 716–717
 purpose of 773–774
glycosylphosphatidylinositol (GPI) anchors 611F, 615F, 616, 621, 712, 713F, 786–787, 1132
glyoxylate cycle 724
glyoxysomes 724, 725F
 see also peroxisomes
glypicans 1132, 1146
GM₁ ganglioside 614
GMCSF (granulocyte–macrophage-colony-stimulating factor) 925T
goblet cells, intestinal 1281, 1282, 1283F
gold, colloidal 572
gold particles 590, 629, 738
“golden rice” 541–542
Golgi apparatus
 cis- and *trans*-faces 770
 cis Golgi network (CGN) 769F, 770, 771F, 775F
 COPI-coated vesicle assembly on 751, 756–757
 electron micrographs 37F, 590F, 595F
 function 24, 765
 glycosphingolipid and sphingomyelin synthesis 721
 Golgi stacks, structure and function 769–770, 771F, 775–776, 780, 781F
 as intracellular compartment 684
 lipid transport from the ER to 684, 699
 localization 770F
 matrix proteins 775–776
 micrographs 767F, 769F, 770F
 oligosaccharide processing 714F, 771–774
 organization by microtubules 769, 775, 1002
 protein transport from the ER to 684, 695, 699, 765–776
 proteoglycan assembly 772–773, 1130
 transport mechanisms 774–775
 transport to cell exterior 777, 780–788
 transport to endosomes and lysosomes 776–780
 see also cisternae, Golgi apparatus; TGN (*trans* Golgi network)
golins 775–776
gonorrhea 308, 1360
gorillas, comparative genomics 232F, 234F, 245
gout 1357
GPCR kinases (GRKs) 910
GPCRs see G-protein-coupled receptors
GPI anchors (glycosylphosphatidylinositol) 611F, 615F, 616, 621, 712, 713F, 786–787, 1132
Gpr161 protein 932, 933F
Gram-negative bacteria
 contact-dependent secretion systems 1320–1321, 1327F, 1328, 1332, 1335–1336
 double membrane 14F, 649–650, 687–688, 1316F
 lipopolysaccharide (LPS) 650F, 1316F, 1355
 porins 733
Gram-positive bacteria 14F, 650F, 1345F, 1346
Gram staining 650F, 1316
grana, thylakoid membrane 843F, 844, 852
granulocytes 1286T, 1288
 see also basophils; eosinophils; neutrophils
granzymes 1391–1392
graphene 588F
GRASPs (Golgi reassembly and stacking proteins) 775, 776F
gravity and plant growth 942F, 943, 944F
Grb2 adaptor protein 884F, 916
great apes 232, 234, 243
Greatwall protein kinase 1035, 1036F, 1038
green algae 627, 678
green fluorescent protein (GFP) see GFP
green sulfur bacteria 857
GRKs (GPCR kinases) 910
GroEL molecular chaperone 382F, 594P
Groucho co-repressor 930
growth
 and degrowth 1297
 determinants of 1269–1270, 1271
 determinants of body size 1269–1270, 1271
 determinate and indeterminate growth 1275
 extracellular signals and 1273
 homeostatic control 1270, 1272–1273
 hormones and 1274–1275
 inhibition by TGF β 1078
 regulation mechanisms 1270, 1272–1274
 total cell mass regulation 1272–1273
growth cones, axons 919, 972, 1022
growth factors
 control of cell growth 1078, 1083
 defined 1078
 mTOR and 922
 PI 3-kinase and 1083
growth hormone (GH)
 gigantism and dwarfism 1274–1275
 JAK–STAT signaling pathway and 924, 925T
 production through DNA cloning 539
 see also plant growth regulators
GSK3 (glycogen synthase kinase 3) 930, 931F, 941
GST (glutathione S-transferase) 486
GTP (guanosine triphosphate) 89–90, 110P, 111P
GTP-binding proteins see GTPases
GTP cap, microtubules 961P, 989, 990F, 995
GTP hydrolysis
 ATP production 89–90
 microtubules 954, 988, 991
 mitochondrial fission 816
 in nuclear import 740
 protein import into chloroplasts 733
 in protein synthesis 166, 368–369, 371, 373F
 in Rab5 domains 761F
 transport vesicle assembly 756, 757F
 tubulin catalysis of 954, 961P
GTPases (GTP-binding proteins)
 as cell regulators 162, 163F, 740–741
 EF-Tu 166–167, 368–369
 G protein α -subunit as 894
 septins as 1012, 1013
 as switches 162, 163F, 740–741, 757, 880, 916

see also monomeric GTPases; *specific types*
 guanine (G)
 deamination to xanthine 291
 as DNA monomer 3–4, 185
 O⁶-methylguanine 290
 structure 89F, 104P, 187F
 synthesis and riboswitches 446F
 guanyl transferases 339
 guanylyl cyclase 905, 906, 908–909
 guide RNAs
 CRISPR system 530–531, 532
 lncRNAs 470
 precursor rRNA modifications 352, 353F
 RNA interference 462
 siRNAs 465

H

H3K9me3 class of heterochromatin 204F, 210–211, 212F, 214F, 215, 216F, 226, 421, 465
 H3K27me3 class of
 heterochromatin 204F, 210–211, 212F, 216F, 217, 226, 421
 HaeIII nuclease 499, 502F
Haemaphysalis 1061F
 hair cells, auditory
 differentiation 1242
 mechanically gated ion channels 659
 myosins in 986
 planar cell polarity 1262–1263
 stereocilia 951, 953, 969, 986, 1262
 hairpin helices, DNA 262, 263F
 hairpin helices, RNA 328F, 329, 330, 349, 390F, 451
 Hairy protein (*Drosophila*) 455F
 Haiti, cholera outbreak 1313, 1318
 half-lives
 connexins 1123
 extracellular, of nitric oxide (NO) 908
 messenger RNA 459
 and time to steady state 887
Halobacterium salinarum 626, 629, 630F, 646
 halteres 1233, 1234F
 handedness of helices 132, 133F
 haploid cells, defined 1071
 haploid–diploid cycle 36–37, 520P
 haplotype blocks 525–526
 HARs (human accelerated regions) 238
 HATs (histone acetyl transferases) 206, 418F
 HDACs (histone deacetylase complexes) 206, 212, 421F, 1306F
 HDL (high-density lipoproteins) in nanodiscs 625
 heart attacks
 apoptosis and 1100
 muscle replacement by scar tissue 1296
 muscle replacement by transdifferentiation 1309
 heart muscle
 actin and myosin isoforms 984
 adherens junctions in 1114
 contraction 978, 984, 1122
 desmin filaments 1116
 effects of acetylcholine 904–905
 effects of cyclic AMP 897
 gap junctions in 1121–1122
 localization of mitochondria 813, 814F
 myosin II in 977
 replacement by scar tissue 1296
 from transdifferentiation of fibroblasts 1307–1308
 heart tissue morphogenesis 1130
 heat
 endothermic and exothermic reactions 106P
 entropy and heat transfer 107P
 generation by brown fat 841–842
 order generated by release of 58–61, 66–67
 release by biological reactions 59–60, 66
 heat-shock proteins (hsp)
 hsp60 381, 382, 731
 hsp70 381–382, 708, 713, 728F, 729, 731, 756
 hsp90 382, 383F
 as molecular chaperones 380–382, 717
 Hedgehog genes 1231F, 1232
 Hedgehog pathway 1221, 1225, 1232
 Hedgehog proteins 932–933, 1232, 1291
 see also Sonic hedgehog (Shh) protein
 helicase loaders 273
 helices
 actin filaments 950P, 955, 958, 970F
 collagen triple helix 132–133, 1132
 DNA, hairpin helices 262, 263F
 handedness 132, 133F
 microtubules 988, 992F
 reasons for abundance 132
 recognition helix 404P
 RNA, hairpin helices 328F, 329, 330, 349, 390F, 451
 S4 helix 663, 664F
 superhelices, collagen 1132, 1143
 see also α helices; coiled-coils; DNA supercoiling; double helix
Helicobacter pylori 1201F, 1203, 1313, 1327–1328
 helitrons 309, 310F
 hellebore pollen 592F
 helper T cells (T_H cells)
 B cell activation 1371, 1373, 1374, 1379, 1382, 1393
 CD4 expression on 1389, 1390, 1391
 class switch recombination 1380
 co-stimulatory proteins/signals 1371, 1393, 1395, 1396F
 cytokines produced 1379, 1393F
 dendritic cell activation 1382
 effector helper T cells 1382, 1384, 1391, 1392–1394, 1396F
 follicular helper T cells (T_{FH} cells) 1393, 1395, 1396F, 1399F
 HIV invasion of 1389
 inducing cytokines 1393
 macrophage activation 1382, 1393–1394
 possible differentiation 1393–1394
 recognition of peptide–MHC complexes 1384, 1387–1388, 1396F
 T_H1 cells 1393, 1395
 T_H2 cells 1393, 1394
 T_H17 cells 1393, 1394
 hematopoiesis 1288F
 hematopoietic progenitor cells 1288F
 hematopoietic stem cells
 hierarchical hematopoietic system 803, 1288–1289
 multipotent hematopoietic stem cells 1287, 1288F, 1365–1366
 serial transplantation 1294–1296
 transplantation 1286–1288, 1291, 1294–1296
 see also stem cells
 hematoxylin 569
 heme group
 biosynthesis 820
 in cytochrome c 826, 827
 and iron, in hemoglobin 154–155
 structure 131F, 241F
 hemicellulose 765
 hemichannels (connexons) 1121F, 1122–1123
 hemidesmosomes 1009, 1010F, 1106F, 1107, 1117F, 1133, 1148
 hemoglobin
 α - and β -globin subunits 131, 189F, 241
 cooperative allosteric transition 241
 expression in red blood cells 399
 fetal hemoglobin 241–242
 gene duplications and evolution 241–242
 heme groups in 154–155
 see also α -globin; β -globin
 hemophilia 314, 322–323F, 340F, 526
 heparan sulfate 1129F, 1132, 1139F, 1145–1146, 1223, 1329
 heparin 1129F, 1139F
 hepatitis-B and -C viruses 1201, 1202T, 1203, 1323T
 hepatocytes
 derivation from megakaryocytes 1070
 gene expression during development 437F
 homeostatic control 1289
 I-cell disease 779–780
 lipoprotein particle production 699
 relative amounts of membrane types 685T
 relative volumes of intracellular compartments in 684T
 smooth ER in 699
Her genes 1250F
 Her2 (human epidermal growth factor receptor 2) protein 1209
 Herceptin (trastuzumab) 1209
 herd immunity 1399, 1401
 hereditary cancers 269, 1182, 1183F
 hereditary nonpolyposis colorectal cancer (HNPCC) 269, 1195–1196
 heredity
 as characteristic of life 2
 DNA and the mechanism of 184, 187–189
 see also epigenetic inheritance
 hermaphroditism, *C. elegans* 38F, 443, 1270
 herpes simplex virus 1323T, 1329
 herpesvirus family 1202T, 1323F, 1324, 1337F, 1338, 1339
Hes genes 1250–1251

- heterochromatin
 amount in human genome 211
 around centromeres 421, 466
 condensed DNA in 204–205
 constitutive heterochromatin 204F,
 205, 211, 214F, 465
 defined 204, 1045
 distribution in the nucleus 220–221,
 225–227
 facultative heterochromatin 204F,
 205, 211
 gene expression restricted in
 204–205, 421
 and gene silencing 205, 211, 215
 H3K9me3 class 204F, 210–211, 212F,
 214F, 215, 216F, 226, 421, 465
 H3K27me3 class 204F, 210–211,
 212F, 216F, 217, 226, 421
 inheritance of 206, 207, 215, 216F
 oncohistone mutations 216–217
 pericentric heterochromatin 214F
 RNA interference and 465–466
 spreading along chromosome
 205–206, 207, 210–212
 transcription repression 421, 436,
 437F, 465
 in X-inactivation 441
 see also chromatin; euchromatin; HP1
- heterochronic genes 1253, 1295F
- heteroduplex DNA 298, 299F, 304–305,
 306
- heterokaryons 479F, 628
- heteronuclear 2D NMR 496
- heterophilic binding 1109F, 1125, 1126
- heterotypic membrane fusion 766, 805
- heterozygosity, loss of 300
- hexokinase 140, 146
- HGF (hepatocyte growth factor) 1146
- HHV-8 (human herpesvirus 8) 1202T,
 1203
- Hi-C, chromosome conformation capture
 method 221–223, 225–226
- HIFs (hypoxia-inducible factors) 1265
- high-mannose oligosaccharides 771–772,
 774
- Hill coefficients 551, 552–553
- HindIII nuclease 499F, 500F
- Hippo pathway 1273–1274
- hippocampus 677–678, 995F, 1299, 1300
- histamine 1286, 1374
- histidine 116F, 118P, 486, 850
- histone acetylases 213
- histone chaperones
 CAF1 chaperones 280
 FACT chaperone 280
 histone exchange 201F
 NAP1 chaperone 280F
 replication forks and 279, 280
 and transcription activators 417, 418
- “histone code” 208–209
- histone demethylases 206, 212, 436,
 1306F
- histone H1 (linker histone) 202, 203F,
 1302
- histone methyl transferases 206, 421F,
 1306F
- histone-modifying enzymes 334F, 335,
 417, 442
- histone tails, *N*-terminal
 meaning of specific modifications
 208–209, 210
- and nucleosome core particle
 structure 199F, 200
 in nucleosome stacking 202
 side chain modifications 206–208,
 418
- histone variants
 CENP-A (centromere protein-A)
 variant 208F, 213–214, 215
 chromatin structure variety and 200
 fibroblast reprogramming and 1305,
 1306F
 structures 208F
- histones
 covalent modifications, effect on
 function 208–210
 covalent modifications,
 nomenclature 210
 covalent modifications of side
 chains 206–208
 DNA compaction in chromosomes 55
 evolutionary conservation 200, 202,
 208
 histone fold 198, 199F
 histone octamer 198, 199, 200, 201F,
 215, 279, 1045
 multiple gene copies 279
 nuclear reprogramming 1302
 in nucleosome core particles
 197–198, 199F
 protein modules binding 129F
 separation from thymus
 samples 476
 synthesis and the cell cycle 279
- Histoplasma capsulatum* 1321
- histoplasmosis 1321
- HIV (human immunodeficiency virus)
 budding from cell 797
 and cancer 1202T, 1203
 CD4 and chemokine receptors used
 by 1389
 DNA copy insertion into host
 genome 311F, 453
 drug resistance 1345
 early phase of infection 453
 genome 453F, 1323T, 1341
 invasion of helper T cells and
 macrophages 1389
 late phase of infection 453
 membrane fusion with host cell 764,
 1330, 1331F
 pandemic 1343F, 1344
 receptors required for cell entry
 1329–1330
 regulated nuclear transport and
 452–453, 454F
 replication errors and evolution
 1343–1344
 transcription attenuation 445–446
 see also AIDS; retroviruses
- HLA-A, HLA-B, and HLA-C
 proteins 1385, 1388T
- HLA-DP, HLA-DQ, and HLA-DR
 proteins 1385, 1388T
- HNPCC (hereditary nonpolyposis
 colorectal cancer) 269,
 1195–1196
- hnRNPs (heterogeneous nuclear
 ribonucleoproteins) 346F, 349
- Holliday junctions (cross-strand
 exchange) 302, 303F, 304–305
- homeobox, defined 1234
- homeobox-containing genes 571F, 1234
 see also *Hox* complex; *Hox* genes
- homeodomain 127, 128F, 404P, 406F,
 1234
- homeodomain family of proteins 127,
 128F, 404P, 406
- homeostasis
 growth and body size control 1270,
 1272–1273
 hepatocyte numbers 1289
 neuron firing behavior control 668
 river analogy 1279–1280, 1281
 telomeres, control mechanism 282,
 283F
 vacuoles as homeostatic device 800
- homeotic mutations 1234
- homeotic selector see *Hox* genes
- homing receptors 1369
- Homo sapiens*
 conserved DNA 18F, 230
 genome size 13, 29T, 40, 44
 as model organism 29T, 38, 44,
 524–525, 1030
- homogenates
 from cell disruption 480
 cell-free systems 486–487
- homolog pairing 1071, 1073, 1074
- homologous chromosomes (homologs)
 bivalents 1073, 1074F, 1076F
 defined 190–191, 1071
 desynapsis 1074
 and imprinting 438, 439F
 orthologs and paralogs as 20, 21F
 presynaptic alignment 1073
 segregation in meiosis I 1071, 1072F,
 1075–1076, 1077
 synapsis 1073, 1074F
 synaptonemal complexes 581F,
 1073–1074
- homologous genes 39–40, 229, 530
- homologous proteins, species
 interchangeability 1218
- homologous recombination 296–306
Brca1 and *Brca2* defects 285,
 1205–1206
 in cancer cells 1174, 1175, 1205,
 1206
 cellular regulation of 300–301, 305
 double-strand break repair 293, 294F,
 295, 296, 297–300, 1205
 gene conversion and 302, 305–306
 maternal and paternal
 chromosomes 296, 300, 302,
 303F, 305, 306F
 in meiosis 296, 301–302, 303F, 304–306
 overview 296
 stalled or broken replication forks
 rescued 296, 299–300, 301F
 strand exchange (strand
 invasion) 282F, 296, 297F,
 298–299, 300–301, 302
 in transgenic organisms 528, 529,
 530, 531F, 532F
 see also DNA repair
- homophilic binding
 cadherins and 1108–1109, 1110,
 1111, 1113
 contrasted with heterophilic 1109F
- immunoglobulin superfamily
 and 1126
- sealing strands 1119

- homotypic membrane fusion 766–767, 775, 785, 805
- homunculus 1226
- Hooke, Robert 475, 1154
- horizontal gene transfer 19, 21, 35, 308, 1317, 1342, 1346
- hormones
- in extracellular signaling 875, 885
 - gene expression response to 400–401, 430–431
 - and growth 1274–1275
 - moderated by cyclic AMP 896T
 - plant growth regulators (plant hormones) 941–944, 1159
 - production through DNA cloning 512
 - steroid hormones 103P, 430–431, 699, 935, 936
 - timing of developmental transitions 1255
 - see also specific hormones*
- horseshoe crab 244
- housekeeping genes 437
- Hox* complex
- cell memory and 1235–1236
 - in mammals 1240, 1241F
 - regulation of expression 1235–1236
 - serial organization of gene expression 1234–1235, 1240, 1241F
- Hox* genes (homeotic selector genes)
- A–P axis control in vertebrates 1240–1241, 1242F
 - A–P axis pattern refinement 1233–1234
 - Antennapedia* gene/complex 1232F, 1233, 1234, 1235, 1240, 1241F
 - Bithorax* gene/complex 1233–1234, 1235, 1240, 1241F
 - chromosomal locations 1235F
 - positional values/labels and 1233, 1234, 1240–1241
 - rhombomeres and 1240, 1260F
 - serial gene expression 1234–1235, 1240
 - see also* homeobox-containing genes
- Hox* proteins 1234–1235, 1240–1241
- HP1 (heterochromatin-specific protein) 207, 212F, 213F, 214F, 226
- HPLC (high-performance liquid chromatography) 485, 493
- HPV (human papillomavirus) 1202–1203, 1323
- hsp60 molecular chaperones 381, 382, 731
- hsp70 protein family 381–382, 708, 713, 728F, 729, 731, 756
- see also* BiP (binding protein)
 - chaperone protein
- human body
- daily ATP turnover in 835
 - limit on number of cell divisions 1082
 - microbiota sites in 1347
 - mutation rate 1163, 1167
 - number of cell types 1279
 - number of cells 2, 1163, 1165, 1347
 - number of lymphocytes 1365
 - tRNA and anticodon numbers 361
- human brain, number of neurons 668
- human chromosome 4 192F
- human chromosome 5 505F
- human chromosome 6 192F, 1385
- human chromosome 9 1166, 1207F
- human chromosome 13 1182
- human chromosome 22 193F, 197, 1166, 1207F
- human female, errors in meiosis 1077
- human genome
- amount of transposable elements in 194, 231F
 - analysis, and medical treatment 539
 - arrangement of genes 193–195, 322F, 323
 - chimpanzee genome compared to 230, 232–233, 234, 243, 245
 - chromosome deletions, specific to humans 238–239
 - complexity 130
 - conserved regions as functional 230–231
 - evidence of migrations 244, 245F
 - haplotype blocks 525–526
 - human mitochondrial genome 193, 862F, 863, 864, 866, 867
 - mobile genetic elements in 307, 314
 - mouse genome compared with 230, 233F, 234–236, 314–315
 - mutation rates 247–248, 254
 - nucleotide pairs in mitochondria 193F, 863F
 - number of genes coding for collagens 1132
 - number of genes coding for intermediate filaments 1007, 1009
 - number of genes coding for ion channels 676
 - number of genes coding for phosphatases and kinases 879, 880
 - number of genes coding for receptor proteins 874, 893
 - number of genomes sequenced 229
 - number of lncRNAs produced 469
 - number of microRNAs produced 463
 - number of nucleotide pairs 29T, 40, 185, 230, 235, 238
 - number of protein-coding genes 13, 29T, 44, 128, 130, 189, 195, 340, 399
 - percentage of genes expressed 399
 - proportion of cancer-critical genes 1187
 - protein-coding gene features 194T
 - reference human genome assembly 246, 247T
 - replication origins 275, 277
 - sample section of chromosome 22 193F
 - sample section of X chromosome 322F, 323
 - scale of some genome features 194F
 - variation 44, 245–248, 248
 - vital statistics for 194T
- Human Genome Project 246, 247T
- human microbiota 14F, 1313, 1326, 1347–1349
- human population
- genome-wide association studies 247, 526, 527
 - number of individuals 44
 - population growth and genetic variation 243–244
 - self-documentation 44
- Hunchback transcription activator 424–425, 1232F, 1251, 1251F
- huntingtin gene 237F
- Huntington's disease 237F
- Hurler's disease 779
- hyaluronan 1128F, 1129–1130, 1131F
- hyaluronidase 1130
- hybridization
- detection of nucleotide sequences 505–506
 - FISH (fluorescence *in situ* hybridization) 505F
 - in recombinant DNA technology 505–506
 - in situ* hybridization 505, 535, 536, 537F, 570–572, 585
- hybridomas 478–479
- hydride ion (H⁻), defined 73
- hydrocarbons, as hydrophobic 51, 94P, 96P
- hydrodynamic measurements, protein complexes 490–491
- hydrogen bonds
- in the α helix and β sheet 122, 617–618
 - in β -barrels 618, 619, 620
 - in cellulose 1156–1157
 - DNA double helix 4–5, 185, 186, 187F
 - glycolipids 613
 - in hybridization 505
 - as noncovalent attractions 50–51, 96P, 98P, 117, 120F
 - in the nucleosome 198–199
 - transmembrane proteins 617–618
 - in tRNA 359
 - in water 50–51, 96P, 98P, 142, 653
- hydrogen nuclei in NMR 496
- hydrogen peroxide in peroxisomes 24, 724
- hydrogenation and dehydrogenation reactions 62–63
- hydrolases
- acid hydrolases 795, 798, 799, 805
 - activity in endosomes 796
 - lysosomal hydrolases 777–780, 795–796, 799
 - in lysosomes 798–799, 800F, 805
 - transport to endosomes 795
- hydrolysis, as reverse of condensation reactions 55F, 77
- see also* ATP hydrolysis; GTP hydrolysis
- hydrolytic editing 364
- hydronium ion (H₃O⁺) 52, 97P, 653
- hydropathy plots 618–619
- hydrophilic molecules, overview 51, 96F, 605, 606–607
- hydrophobic chromatography 483, 484
- hydrophobic forces 51–52, 99P, 103P, 117, 120F, 381
- hydrophobic molecules
- membrane-bending proteins 633
 - overview 51, 96P, 605, 606–607
 - and quality control mechanisms 384
 - transmembrane proteins 615, 617, 618, 619–620, 623–624, 627
- hydrothermal vents 16–17
- β -hydroxybutyrate 87
- hydroxyl group (–OH) 53
- hydroxyl ion (OH⁻) 53, 97
- hydroxyllysine 715, 774, 1134, 1135F

hydroxyproline 715, 1132F, 1134, 1157
 hygromycin B 377F
 hyperpolarization 668, 670, 674–675, 906, 907F
 hypervariable immunoglobulin regions/ loops 1376, 1377
 hypopigmentation (albinism) 523F, 807
 hypothalamus 586F, 679F, 937
 hypoxanthine 291
 hypoxia 1190, 1265
 hypoxia-inducible factors (HIFs) 1265
 hysteresis 552

- I**
- I-cell disease (inclusion-cell disease) 779–780
 IAPs (inhibitors of apoptosis) 1098
 ICAD (inhibitor of CAD) 1092F
 ICAM1 1125F, 1149
 ICAMs (intercellular cell adhesion molecules) 1126
 identical twins 508
 IDH (isocitrate dehydrogenase) 111P, 1186
 iduronic acid 1129F, 1130F
 IFT (intraflagellar transport) 1001, 1006
 Ig see immunoglobulins
 Ig-like domains 1382, 1383F, 1389, 1396, 1397F
 Ig superfamily 1396, 1397F
 IGF family (insulin-like growth factors) 921
 IGF1 (insulin-like growth factor-1) 911T, 1274
 IGF1 receptor 912F
Igf2 (insulin-like growth factor-2) gene 438–439, 440
 IGFBP (insulin-like growth factor-binding protein) 1139F
 I κ B kinase kinase (IKK) 934F
 I κ B proteins 934
 ILK (integrin-linked kinase) 1151
 Illumina sequencing 514, 515F, 536
 image deconvolution 578, 580, 585
 image processing 568–569, 581, 588, 594P, 595–596
 imaginal discs (*Drosophila*) 171, 1020F, 1272–1273
 imatinib (Gleevec) 1207–1209
 immediate early genes 917, 1080
 immortalized cell lines 478
 immune checkpoint inhibitors 1211
 immune checkpoints 1210–1211
 immune rejection, transdifferentiation and iPS cells 1308
 immune response
 cancer treatment using 1209–1210
 immunological memory 1367–1368, 1397
 phase variation and 316
 primary immune response 1367, 1368F
 secondary immune response 1367, 1368F
 see also adaptive immune system; innate immune system
 immune system 1353–1404
 see also adaptive immune system; innate immune system; mucosal immune system
- immunization
 as basis of vaccination 1364
 primary and secondary immune responses 1367, 1368F
 “self” molecules 1370
 immunoaffinity chromatography 484, 486
 immunoblotting (Western blotting) 490
 immunofluorescence microscopy 572–573
 immunoglobulin fold 129
 immunoglobulin (Ig) domains 1376–1377, 1396, 1397F
 immunoglobulin (Ig) superfamily in cell–cell adhesion 1125, 1126–1127
 immunoglobulins (Ig)
 affinity maturation 1377, 1379, 1380, 1398
 antigen binding sites 144–145
 antigenic determinants 1373F, 1376, 1377, 1382, 1395F, 1396F
 B cell receptors (BCRs) 1373, 1374, 1375F, 1377, 1379–1380, 1394–1395, 1396
 and B lymphocytes 449–450, 1372–1381
 as bivalent molecules 1373
 class switching and 1377, 1379–1381, 1392, 1393, 1396F, 1398
 constant region, in light and heavy chains 1375, 1380
 evolution 1396
 exon recombination and 242–243
 gene segments and Ig genes 1377–1379
 heavy chains 242F, 1373–1374, 1375–1378, 1379, 1380
 hypervariable loops 1377
 hypervariable regions 1376, 1377
 IgA 1373, 1375, 1377, 1380
 IgD 1373, 1374, 1375T, 1377, 1379–1380, 1394
 IgE 1373, 1374–1375, 1376F, 1377, 1380, 1394
 IgG 1373, 1374, 1375T, 1377, 1380, 1399F
 IgM 1373, 1374, 1375T, 1376F, 1377, 1379–1380, 1394, 1398
 immunoglobulin fold 129
 immunoglobulin (Ig) domains 1376–1377, 1396, 1397F
 immunoglobulin module structure 129F
 light chains 242F, 1373, 1374F, 1375–1379
 major classes of 1373–1375
 mechanisms of Ig diversification, summary 1381F
 primary IG repertoire 1377, 1381
 secondary classes 1380
 secondary Ig repertoire 1377, 1380
 soluble and membrane-bound 1373, 1374
 variable regions, in light and heavy chains 125F, 1375–1377
 V(D)J recombination and 294F, 309, 1377–1379, 1380–1381
 see also antibodies
 immunogold electron microscopy 590
 immunological memory 1367–1368, 1397
- immunological self-tolerance
 AIRE gene in 1391
 central tolerance 1371
 defined 1364
 FoxP3 in 1393F, 1394
 mechanisms of 1370–1372
 MHC–peptide complexes in 1386, 1387, 1390
 peripheral tolerance 1371, 1390, 1395
 regulatory T cells and 1371, 1386, 1387, 1390, 1394
 immunological synapses 1391, 1392F
 immunoprecipitation
 in affinity chromatography 486
 chromatin immunoprecipitation 220, 538, 539F
 co-immunoprecipitation 493
 immunosuppressive drugs 743F
 imprinting, genomic 438–440, 443, 444
 in phase, defined 565
in vitro, defined 476
in vivo, defined 476
 incoherent feed-forward motif 555–556
 incontinentia pigmenti 322–323F
 independent-choice mechanism (stem cells) 1294, 1295F
 indeterminate growth 1275
Indian hedgehog gene 932
 indirect immunocytochemistry 572–573, 572F, 573
 indole-3-acetic acid 943F
 induced fit 158–159, 369–370
 induced proximity 883
 induced regulatory T cells (induced T_{reg} cells) 1393F, 1394
 inductive signaling
 coordination of spatial patterning 1221–1222
 morphogens in 1222–1223, 1225
 sequential induction 1225, 1232
 in vertebrate embryos 1238–1239, 1249
- infants
 anatomical abnormalities 1225
 antibody transport in newborns 793
- infection 1313–1352
 epithelial barrier to infection 1315, 1326–1328, 1354
 infectious diseases, mortality 1313
 see also pathogens
 inflammasomes 1320, 1357
 inflammatory response 1356–1358, 1361, 1400F
 influenza virus
 effect on host-cell transcription 1341
 evolution by recombination 1344
 genome reassortment 1344
 high mutation rate 312–313
 infection by endocytosis 764, 1330, 1331F
 influenza A 1323T, 1330, 1344
 negative strand genome 1341
 pandemics 1344
 as primary pathogen 1314
 RNA genome 312–313, 1341
 RNA polymerase 1341
 and sialic acid sugars on gangliosides 614
 structure 1324F
 influx transporter proteins 943
 ING PHD protein domains 209F

- inhibitory neurotransmitters 670–671, 673
 inhibitory postsynaptic potential (inhibitory PSP) 674–675, 676F
 inhibitory receptors 804, 1100, 1210–1211, 1361, 1362F
 inhibitory signals, sequential 880–881
 inhibitory Smads 926
 inhibitory synapses 674
 initiation factors
 eIFs (eukaryotic initiation factors) 373, 457, 458–459
 IRES (internal ribosome entry site) 459
 phosphorylation 457, 458
 initiator caspases 1091–1093, 1094, 1095, 1098
 initiator proteins 272–273, 274F, 276, 277
 innate immune system
 brief immune response 1353
 comparison to adaptive immune system 1353
 epithelial barrier to infection 1315, 1326–1328, 1354
 natural killer (NK) cells 1286T, 1288, 1361–1362, 1366, 1391, 1392F
 overview 1353, 1354–1364
 speed of response 1354
 see also complement system; PRRs (pattern recognition receptors)
 innate lymphoid cells (ILCs) 1362, 1366
 see also NK (natural killer) cells
 inner boundary membrane 814, 815F, 817
 innexins 1122
 inorganic molecules, defined 53
 iNOS (inducible NOS) 908
 inosine 360F, 361, 451
 inositol 1,4,5-trisphosphate (IP₃) 898–899, 900, 901F, 908, 909, 920
 inositol phospholipid signaling pathways 898–899, 909, 913–914, 914F
 inositol phospholipids see PIPs
 insect vectors 1321, 1322, 1326, 1342
 insertional mutagenesis 519, 524
 insulator DNA sequences 427F, 438–439
 insulator proteins 225, 422F, 440F, 442
 insulin
 action via receptor tyrosine kinases 911T
 deletion of thymocytes recognizing 1391
 PI-3-kinase–Akt signaling pathway and 921
 production through DNA cloning 539
 proteolytic cleavage in assembly 137
 recycling endosomes and 794
 secretion by pancreatic β -cells 698, 719, 1289, 1306
 insulin receptor 794F, 883, 884F, 911T, 913
Int1 gene 930
 integrases 308T, 311, 313, 453F
 integration, intracellular signaling systems 885
 integrins
 active and inactive
 conformations 1149–1150, 1151F
 α - and β -subunits 1147, 1148–1149, 1149T, 1150
 $\alpha_6\beta_1$ integrin 1148–1149
 $\alpha_7\beta_1$ integrin 1149
 $\alpha_L\beta_2$ integrin (LFA1) 1125F, 1149
 binding sites 1148, 1150
 in cell adhesion 924, 1017, 1023
 clustering 1151, 1152
 cytoplasmic tyrosine kinases and 923, 924
 fibronectin binding 1139–1140
 intracellular signaling proteins and 1152–1153
 linked to integrin defects 1148–1149
 as matrix receptors 1147
 mediation of cell–cell adhesion 1108, 1125–1126, 1149
 mediation of cell–matrix junctions 1107, 1147–1148, 1151
 structure 1147
 as transmembrane adhesion proteins 1107, 1147
 types of 1149T
 interaction domains 883–884, 913–914, 921
 interbands on chromosomes 219–220
 interchromatin granule clusters 355, 356F, 357
 interference effects, in microscopy 565–566, 580–581
 interferons
 interferon- α (IFN α) 925T, 1360
 interferon- β (IFN β) 1360
 interferon- γ (IFN γ) 925T, 1357, 1360, 1394
 type I interferons 1360–1361
 type II interferons 1360
 interleukins (IL)
 IL1 934, 1307F, 1357
 IL2 1390, 1393F
 IL3 1307F
 IL4 1393F, 1394
 IL5 1393F, 1394
 IL6 1357, 1393, 1394
 IL10 1393F, 1394
 IL12 1357, 1393
 IL13 1393F, 1394
 IL17 1357, 1393F, 1394
 IL18 1357
 IL21 1393, 1396F
 IL22 1394
 IL23 1394
 intermediate filaments 1007–1016
 assembly and dissociation 954, 955, 1008–1009
 bacterial homologs 1015
 in cell migration 1023
 desmosomes and 1009, 1106, 1116, 1117F
 fibrous proteins in 132
 flexibility and stretch 955
 hemidesmosomes and 1009, 1010F, 1148
 major types in vertebrate cells 1007T
 and the nuclear envelope 951
 and the nuclear lamina 189, 190F, 950P
 overview 949, 950P, 951, 1007
 persistence length 1008
 structure 1007–1009
 see also cytoskeleton
intermediate neuroblasts defective gene 571F
 intermembrane space, mitochondria 726, 727–728, 729, 731–732, 733, 814–815, 841
 internal membranes
 chloroplasts 27F, 727F, 733, 734, 735, 811
 endosymbiont hypothesis 26, 686–688
 inner mitochondrial membrane 726, 727–728, 729–732, 811
 inner nuclear membrane 22, 686, 735–736, 744–745
 protection by hydration shell 609
 protein content 615
 see also thylakoid membranes
 interphase
 as cell cycle stage 196, 1028
 chromosome state in 195–198, 220–221, 222–223
 components 1028, 1029F
 interpolar microtubules see non-kinetochore microtubules
 intestinal crypts 1193, 1195, 1281–1282, 1285F, 1291–1293
 intimin protein 1328
 intracellular developmental programs 1251
 intracellular membrane traffic 749–810
 exocytosis from *trans* Golgi network 776–781
 mechanisms of membrane transport 751–765
 protein transport to the Golgi apparatus 765–776
 see also endocytosis; endosomes; lysosomes; vesicle transport
 intracellular networks of protein interaction 176–177
 intracellular pathogens
 escape from phagosome into cytosol 1334–1335
 intracellular bacterial pathogens 1319, 1329, 1331, 1335F
 intracellular eukaryotic parasites 1333–1334
 mechanisms for entering host cells 1329–1334
 membrane traffic disruption by 1335–1338
 trigger mechanism of invasion 1332–1333, 1336
 zipper mechanism of invasion 1332, 1335, 1338F
 see also viruses; *specific pathogens*
 intracellular receptors 876F, 935–936, 937F
 see also nuclear receptor superfamily
 intracellular signaling cascades see enzyme cascades
 intracellular signaling complexes 882–884, 896, 913, 920
 intracellular signaling pathways
 activation by extracellular signal molecules 874
 combating noise 881
 double-negative activation 880–881
 dynamic range 885
 inhibitory signals in 880–881
 integration 885

- intracellular signaling pathways (*continued*)
 interaction domains 883–884, 913–914
 persistence of response 885
 in plants 940–945
 response behaviors 885–886
 response speeds and turnover rate 886–887
 response timing 885
 robustness 881
 sensitivity of target cells 885
 signal processing and
 distribution 885, 887F
 see also signaling pathways
intracellular signaling proteins
 binding to plasma membrane
 lipids 616, 617
 induced proximity 883
 integrins and 1152–1153
 interaction domains 883–884,
 913–914, 921
 PI and PIP kinases and PIP
 phosphatases and 613, 755
 signal processing and
 distribution 874, 885, 887F
 signaling proteins controlled by
 phosphorylation 879–880
intraepithelial neoplasia 1203
intraflagellar transport (IFT) 1001, 1006
intragenic mutation, defined 16
intraluminal vesicles 788, 795, 796–798,
 800F, 807
intrinsic pathway, apoptosis 1093,
 1094–1098, 1099, 1102
intrinsically disordered regions
 (IDRs) 126, 168–169, 690
intron sequence ambiguities 447
introns (intervening sequences)
 consensus nucleotide sequences 341F
 defined 195, 340
 discovery 448
 evolution rate 233F
 and exon recombination 242
 in human genome 193F, 340
 removal by IRE1 718
 removal from tRNA precursors
 339–341, 342F, 346, 347–348, 361
 self-splicing 325F, 347
 size range 345
invasion 952
invariant transmembrane proteins 1373,
 1383, 1384F, 1394
invasin protein 1332
inversion mutations 521P
inverted nuclei 226F, 227
inverted repeats 308F, 308T, 309F,
 643–644, 706F
ion-channel-coupled receptors 877F, 878,
 905
 see also cell-surface receptors
ion channels 653–679
 all-or-nothing opening 666–668
 allostery in 659, 886
 α helices 658, 663F, 672F
 compared to transporters 652
 cyclic-nucleotide-gated ion
 channels 905
 depolarizing and hyperpolarizing 668
 evolution 663, 668, 671, 678
 G protein direct regulation 905
 gating 654, 658–660, 661, 662–665,
 666–677
 ion selectivity 652, 653–655, 657–658
 mechanosensitive ion channels
 659–661, 1258
 open and closed conformations 654F,
 659, 661F, 679
 paracellular pores as 1120
 pore helices 658, 659
 refractory period 654, 664, 901F
 selectivity filters 654, 658, 659F, 663F
 sequential activation in neuromuscular
 transmission 673–674
 see also channelrhodopsins; channels;
 specific types of gated channels
ion-exchange chromatography 483, 484F,
 485F, 489
ion-gated channels 654
ion-sensitive indicators 576
ion sources, mass spectrometry 491–492,
 493
ionotropic receptors 669, 670–671, 672,
 677F
 see also ion-channel-coupled receptors;
 transmitter-gated ion channels
ions, inorganic, concentration inside and
 outside cells 638T
IP₃ see inositol 1,4,5-trisphosphate
IP₃ receptors (IP₃-gated Ca²⁺-release
 channels) 898, 899F, 900, 901F
iPS cells (induced pluripotent stem
 cells) 428–429, 432, 1304–1305,
 1306–1309
IRE1 protein kinase 598F, 718–719
IRES (internal ribosome entry sites) 459,
 1341
iron
 and atmospheric oxygen levels 858
 in cytochrome c and
 hemoglobin 154–155, 826
 in electron-transport chain 820,
 826–827, 827, 829, 830F,
 831–832, 833F, 834F
 iron starvation 460
 post-translational controls and
 460–461
 transferrin transport of 793
iron-sulfur clusters
 chloroplasts 820, 850, 855F
 mitochondria 820, 826–827, 829,
 830F, 831–832, 833F, 834F
IRS1 (insulin receptor substrate 1) 884F,
 913
islets of Langerhans 1289
isocitrate 110P
isoelectric focusing 489, 490F
isoelectric points 400F, 489, 490F
isoleucine, structure and properties 116F,
 119P
isomers of monosaccharides 100P
isopeptide bonds 162
isoprene 103P
isotopic labeling
 equilibrium sedimentation 482
 radioisotope labeling 488, 490, 501
Ixodes scapularis (deer tick, blacklegged
 tick) 1314F
- J**
J gene segments (joining
 segments) 1377, 1378F, 1382
JAK–STAT signaling pathway 924–926, 1360
- Janus kinases (JAKs) 924
jellyfish 573
Jenner, Edward 1397
“jumping genes” see mobile genetic
 elements
junction complexes/junctional complexes
 ER with mitochondria 722
 integrin clusters and 1151
 tight junctions 1106F, 1120–1121
junctional diversification 1378
junctional epidermolysis bullosa 1143
- K**
K⁺ channels
 Ca²⁺-activated K⁺ channels 676
 delayed K⁺ channels 664, 675–676
 rapidly inactivating K⁺ channels
 676
 selectivity 657–658
 structure 657–659
 types 675–677
 voltage-gated K⁺ channels 663, 664F,
 668
K-fibers 1050, 1051F
K⁺ gradients 648, 655, 657
K⁺ leak channels 655, 657
K-Ras proto-oncogene 1194, 1196
Kai proteins 938–939
Kaposi’s sarcoma 1202T, 1203
Kartagener’s syndrome 1005
karyopherins
 nuclear export receptors 351F, 453,
 739, 742
 nuclear import receptors 739–740,
 742, 744
 nuclear transport receptors 350, 739,
 741F
karyotypes
 abnormalities and cancer 1169–1170,
 1182, 1185
 human chromosome set 191F
KASH proteins 1012, 1023
katanin 994P, 998, 999F
Kcnq1 gene 440
KDEL receptors/sequences 768–769
keratan sulfate 1129, 1131F
keratin filaments 1116
keratinocytes 807, 1116, 1165, 1283F
keratins
 α -keratin 121, 132
 in epithelial cells 1007T, 1009
 in intermediate filaments 1007T,
 1009–1010, 1116, 1148
 type I and type II keratin
 proteins 1007T, 1009
 α -ketoglutarate 90, 111P
 α -ketoglutarate dehydrogenase
 complex 111P
ketone bodies 87, 817, 818F
ketoses 100P
kidney glomeruli 1141
killer (cytotoxic) lymphocytes 1093
 see also cytotoxic T cells
kinase cascades 880, 1079
kindlin 1107T, 1147F, 1151F
kinesins
 binding to microtubule plus
 ends 996–997
 kinesin-1 1000, 1001F
 kinesin-4 1053, 1055F, 1060

- kinesin-5 1000F, 1052, 1054, 1055F, 1056, 1063
 kinesin-10 1053, 1055F
 kinesin-13 994P, 997, 1000
 kinesin-14 1000F, 1052, 1053
 as motor proteins 115, 167, 999–1000, 1001F, 1336, 1339
 structures 1000F
 viruses and 1002
 kinetic binding experiments 493
 kinetic proofreading 344, 370
 kinetic rate constants 493, 550F
 kinetochore fibers 1058
 kinetochore microtubules 1048–1049P, 1050, 1051F, 1056, 1057, 1059, 1063F
 kinetochores
 bi-orientation 1057–1059
 chromosome attachment to mitotic spindle 196, 213, 1028, 1056–1059
 kinetochore microtubules 1048–1049P, 1050, 1051F, 1056, 1057, 1059, 1063F
 in meiosis 1075–1076
 micrographs 1056F, 1057F
 in mitosis 1048–1049P, 1050, 1051F, 1056–1057
 plus-end polymerization at 1056–1057
 sister-chromatid attachment to spindle 196, 1028, 1056–1057
 tension and microtubule attachment 1058–1059
 see also centromeres
Kit gene/kinase
 mutation effects in human and mouse 32–33, 42F, 1268F
 stem cell factor and 1267–1268
 KKXX sequences 768
 Klf4 transcription regulators 429F, 430F, 1304–1305
 see also OSKM factors
K_m (concentration at half-maximal reaction rate) 147F, 148, 150–151P, 641, 642
 Kozak sequence 373
 KRAB-ZPF proteins 468
 Krebs cycle see citric acid cycle
 kringle domains 129F
Krüppel gene 1230, 1231F
Krüppel transcription repressor 424–425, 1251
 Ku protein 294F
 kuru 138
- L**
- L1 element see LINES
 L15 protein 372F
Lac operator 413F
Lac operon 412, 413F
Lac repressor 412, 413F
 β-lactamases 1345F
 lactate (lactic acid)
 production in cancer cells 1175F
 production in muscle 84, 88
 lactic dehydrogenase 125F
LacZ gene 413F, 424F, 1233F, 1285F
LacZ protein 1233F, 1285F
 lag phase, actin filament growth 959, 960P, 962
 lagging chromosome, in cancer 1169
 lagging strand
 “backstitching” mechanism 258, 260, 281
 defined 258
 DNA synthesis 258, 261, 262–263, 266
 mismatch proofreading system 267–268, 269
 RNA primer synthesis 260
 single-strand DNA-binding (SSB) proteins and 262, 263F
 see also Okazaki fragments
 lamellae 1156, 1157, 1158
 lamellipodia
 actin filaments in 951, 1022F, 1261
 Cdc42 and 1017
 cell migration 952F, 972, 973F, 974, 1017F, 1267F
 convergent extension 1260F, 1261
 in fibroblasts 952F, 972, 1017F
 Rac and 1017, 1022
 lamin proteins 735, 1055
 laminin receptor 1148–1149
 laminins 1128F, 1141, 1142–1143, 1144, 1145, 1148–1149
 laminopathies 1011
 lampbrush chromosomes 217–218, 220, 221, 225
 lariat formation, RNA splicing 340, 341, 342F, 344, 346F, 347
 lasers
 confocal microscopy 579, 580F
 in FRAP 576, 628
 light-sheet microscopy 585, 586
 multiphoton imaging 580F
 photoactivation/photoswitching of fluorescent tags 583–584
 point spread function 582
 STED (stimulated emission depletion) microscopy 583
 in TIRF microscopy 587
 last common ancestor
 eukaryotes 940
 of humans and chimpanzees 232F
 of humans and mice 234
 species divergence and 18–19, 41F
 late endosomes
 delivery to lysosomes 750F, 779, 792, 799, 800F
 early endosome maturation and 762, 788, 795–796
 endolysosome formation 795, 799, 800F
 macropinosomes and 802
 Rab proteins 760T, 762, 795
 latent transcription regulators
 β-catenin 930
 feedback regulation of cholesterol biosynthesis 742, 743F
 Hedgehog as 932–933
 NFκB proteins as 934
 Notch protein as 928–930
 plant photoproteins and 945
 in regulated proteolysis 928–929, 932–935
 Smad family proteins as 926
 SREBP (sterol response element binding protein) 743F
 STAT proteins as 924
 lateral inhibition, Notch mediated 928, 1224, 1242–1244, 1245, 1292
 latrunculin 963, 964T
 LC-MS/MS (liquid chromatography tandem mass spectrometry) 493
 Lck protein kinase 924, 1389, 1395F
 LDL receptors 791–793, 795
 LDLs (low-density lipoproteins) 791–792, 793F
 LDV sequence (Leu-Asp-Val) 1148
 leading strand
 defined 258
 DNA synthesis 258, 260–261, 262, 264, 266
 mismatch proofreading system 268
 proofreading 259F
 RNA primer 260, 261
 “leaky scanning” 373, 458
 lectin pathway, complement system 1359
 lectins
 carbohydrate layer affinity 621
 in cell recognition 614
 cell–cell adhesion 774
 ER chaperones as 715–716, 717
 export from ER 765–766
 glyco-code 774
 mannose-binding lectin (MBL) 766, 1357, 1359
 recognition of sugar chains by 774
 selectins as 1125, 1369
 LEF1/TCF transcription regulator 931
 left–right (L–R) axis 1218, 1227
 Lefty protein 1239, 1240F
Legionella (*L. pneumophila*) 803, 1334F, 1335F, 1336
 Legionnaires’ disease 803, 1313, 1336
Leishmania 1334F, 1336F
 length, measurement units 565
 leptin genes 232F, 233F
 leptotene 1074
Let7 gene 1253
 lethal factor 1319F, 1320
 lethal mutations 254, 441, 521P, 522, 529
 leucine, structure and properties 116F, 119P
 leucine-rich repeats 941, 1355, 1356F
 leucine zipper motif 404P
 leukemias
 acute lymphocytic leukemia 216
 acute myeloid leukemia 216, 1185F, 1208
 blast crisis 1208
 as cancers of white blood cells 1165
 chronic lymphocytic leukemia 1102F
 chronic myelogenous leukemia (CML) 1166, 1207–1208
 treatment using bone marrow or stem cells 1287F, 1299
 leukocyte adhesion deficiency 1149
 leukocytes see white blood cells
 LeuT protein 644F
 Leydig cells 699F
 LFA1 (α_Lβ₂ integrin) 1125F, 1149
 Lgr protein 931
Lgr5 gene 1285
Lgr5 protein 1282, 1284, 1285, 1292
 LHCs (light-harvesting complexes) 851–852
 life, origins of 2, 389–393
 ligand-gated channels 654, 670, 677
 ligand-modulated transcription regulators 935–936

ligands

- binding and linkage 157–158
- binding and RTK dimerization 912–913
- defined 140
- extracellular signal molecules as 876
- see also binding sites

light-activated cation channels see

channelrhodopsins

light-driven proton pumps 625–627, 641, 642F, 646

light microscopes and light

microscopy 563–588

- bright-field microscopy 567, 568, 580
- CLEM (correlative light microscopy and electron microscopy) 597–598
- confocal microscopes 578–580, 585, 586F

continuing utility 563

dark-field microscopy 567–568

differential-interference-contrast microscopy 567F, 568, 569

image deconvolution 578, 580, 585

image processing 568–569, 581

living cells 567–568, 573–576, 580

low-light photography 568

multiphoton imaging 580

PALM (photoactivated localization microscopy) 583–584

phase-contrast microscopy 567F, 568

resolution 563, 564–567

stains for 563, 569–570

STORM (stochastic optical reconstruction microscopy) 583–584

three-dimensional imaging 577–578, 579–580, 581, 585, 586–587

tissue sample preparation 569–570

trade-offs 598–599

see also fluorescence microscopy; superresolution techniques

light reactions 844–845, 846, 849, 850, 855–856

light-sheet microscopy 585, 586–587

lignin 1155

LIM kinase 1021, 1022F

Lin4 gene 1253*Lin14* gene 1253, 1254F*Lin41* gene 1253

Lincoln, Abraham 1137

lineage tracing of cells 1280, 1284–1286, 1287, 1289, 1294

LINEs (long interspersed nuclear elements) 231F, 313–314

linkage and ligand binding 157–158

linkage tetrasaccharides 1130

linker DNA between nucleosome core particles 198

linker histones (histone H1) 203F, 1302

linker proteins

Brn1 1050F

cytoskeleton 1011–1012, 1023, 1150

lipid anchors 616–617, 633, 713F, 760

see also GPI anchors

lipid bilayers 605–615

aggregates 103P

assembly in the ER 720–722

association of membrane proteins with 615–616

deformation by membrane-bending proteins 632–633

domains 610–611, 629–630

effects of composition 609–610

flip-flops between monolayers 608, 609F, 627, 720

fluidity 603–604, 605, 608–610

formation by phospholipids 8F, 103P, 606–608

fusion 763

lateral diffusion in 608, 609F, 627–629

lipid asymmetry 612–613, 720

membrane transport proteins in 9

osmium tetroxide binding 591

overview 8–9, 604–605

permeability to different classes of molecules 638, 639F

phase transitions 609, 610–611

self-assembly 8–9, 604, 606–608

as self-sealing 103P, 607–608

small molecule diffusion across 641

spontaneous formation 8–9

synthetic 608–609, 637–638, 639F

temperature effects 610

lipid droplets 85, 86F, 87, 88F, 103P, 611–612

lipid kinases 613

lipid rafts/raft domains 611, 613, 629, 712, 786

lipid transfer proteins 722

lipids

phosphorylation 914

production by ER 684, 698–699

structures and properties 102–103P

transfer at organelle contact

sites 700, 722

see also specific types

lipoprotein production in smooth ER 699

liposomes 608–609, 611F, 625, 763

lissencephaly 1003

Listeria monocytogenes

actin-based movement 956–957, 971

autophagy avoidance by 1340

binding to E-cadherin 1332

Brownian ratchet 956–957

cytoskeleton used for movement 971, 1338, 1339F

escape from phagosome 1334F, 1335

virulence gene translation

temperature 456F

listeriolysin O 1335

lithotrophic organisms 16

liver

balance between cell death and cell division 1090

carcinogen activation by 1119–1120

conversion to nerve cells 428

hepatocytes and I-cell disease

779–780

membrane-enclosed organelles 684T, 685F, 685T

peroxisomes 724

proteins expressed in brain and 400F

relative amounts of membrane types

in cell 685T

response to glucocorticoids 400–401

stem cells 1289

urea cycle 820

vasopressin-induced Ca^{2+}

oscillations 901F

liverwort 865

living cells

bilayer formation and 608, 611

light microscopy of 567–568, 573–575, 580

lncRNAs (long noncoding RNAs) 237,

327, 415, 416F, 439–440,

442–443, 469–471

local mediators 875, 924, 926, 932, 936

see also cytokines

logic functions

AND logic 554, 556

AND NOT logic 554, 555, 556F

OR logic 554F

logic operations see switches

long noncoding RNAs (lncRNAs) 237,

327, 415, 416F, 439–440,

442–443, 469–471

loop structures

chromatin 217–218, 220, 221, 222F, 223–225

DNA looping 412–414, 415F, 416, 422, 442

 K^+ ion channels 658

see also feedback loops

loss-of-function mutations

defined 521P, 1179

disease predisposition and 527, 1182, 1186

following gene duplication 240

Lin14 gene 1254F

tumor suppressor genes and

1179–1180

as typically recessive 523, 1179F, 1180

Ubx genes 1234F

loss of heterozygosity 300

Lou Gehrig's disease 1011

low-complexity domains 169, 172

low-light photography 568

lox sites 530

LPS (lipopolysaccharide) 650F, 1316, 1318, 1340, 1355

L–R (left–right) axis 1218, 1227

LRP (LDL-receptor-related protein) 930, 931F

LRR (leucine-rich repeat) receptor kinases 941

LTD (long-term depression) 678

LTP (long-term potentiation) 677–678

luciferase 1191F

luciferin 1191F

lumens

communication via transport vesicles 686

endoplasmic reticulum 686, 698,

699F, 708, 709–710, 712–715

gut lumen 793, 1019–1020, 1115F, 1117–1118, 1173, 1281–1282

lung cancer 1167, 1185, 1201F, 1209

lungs, development and structure

1264–1265

luteinizing hormone 896T

Lyme disease 1314F, 1336F

lymph, defined 1365

lymph nodes

anatomy 1370F

B- and T-cell activation in 1362, 1363F, 1365F

cancer metastasis and 1177, 1194

dendritic cell migration to 974, 974F, 1211–1212, 1362, 1363F

lymphocyte migration into 1369

- lymphatic system
 lymphocyte recirculation 1368–1370
 metastases use of 1177
 see also lymphoid organs
- lymphocytes
 autoimmune diseases and 1100–1101
 carbohydrate layer on cell surface 622F
 clonal expansion 1366, 1367F, 1368
 clonal selection 1367
 differentiation 1366–1368
 elimination by apoptosis 1090
 and immunological memory 1367–1368
 in inflammatory response 1357
 killer (cytotoxic) lymphocytes 1093
 L-selectin and 1125
 locating antigens and APCs 1368–1370
 maturation 1367–1368
 migration 1266, 1369
 number in human body 1365
 recirculation through lymphatic system 1368–1370
 tyrosine-kinase-associated receptors and 923
 see also B cells; naïve B and T cells; T cells; white blood cells
- lymphoid cells 1288
 see also lymphocytes; natural killer (NK) cells
- lymphoid follicles 1369, 1370F, 1379, 1393
- lymphoid organs
 central (primary) lymphoid organs, defined 1365F, 1366
 human lymphoid organs 1365
 peripheral (secondary) lymphoid organs, defined 1365F, 1366
 and self-tolerance 1370–1372
- lymphoid progenitor cells 1288F, 1365–1366, 1367F, 1389, 1390F
- lymphomas 1101, 1164F, 1165, 1182, 1299
- Lyn protein kinase 924
- Lynch syndrome see HNPCC
- lysine
 elastin cross-linking 1135
 incompatibility of methylation and acetylation 213
 KKXX sequences 768
 modifications on nucleosomal histones 206, 207–208, 213
 structure and properties 116F, 118P
- lysosomal secretion 807
- lysosomal storage diseases 728–729
- lysosome-dependent/independent pathways 1334
- lysosomes
 acidity of 798
 autophagy 694F, 749
 defined 798, 799
 delivery pathways 801–802
 down-regulation of signaling receptors 794–795
 from endosome maturation 777
 exocytosis 807
 fusion with autophagosomes 804, 805F
 fusion with phagosomes 803, 1355
 glycosylated membrane proteins 799
- heterogeneity 799
 as intracellular compartments 684
 maturation 799, 800F
 micrographs 799F
 plant and fungal vacuoles 800–801
 structure and function 24, 684, 749, 777–778, 798–799
 transport from Golgi apparatus to 776–780
- lysozyme
 antibacterial activity 134, 1316
 catalysis by 149, 152, 153F
 disulfide bonds in 134
 structure 152F
- M**
- M-Cdk
 activation 1033F, 1035, 1037, 1038
 inactivation in G₁ 1040
 mitosis triggered by 1042, 1046–1047, 1050, 1052, 1061
 phosphorylation of substrates 1035, 1036, 1038, 1039, 1040F, 1052, 1054
 PP2A-B55 inactivated by 1035, 1062
 in vertebrates and budding yeast 1034T
 see also cyclin–Cdk complexes
- M-cyclins 1033, 1034, 1037, 1039, 1040, 1061, 1063
- M phase
 chromosome changes 227, 276
 overview 1028, 1048–1049P
 see also cell cycle; cytokinesis; mitosis
- M6P (mannose-6-phosphate) receptor
 proteins 777–779, 780
- macromolecules
 classes in extracellular matrix 1128–1129
 conformations 55–56
 defined 49
 direct-monomer activation 78, 79F
 distribution in cells, by weight 54F
 formation by condensation reactions 55, 76–78, 79F
 importance in biology 49, 54–56
 localization using immunogold electron microscopy 590
 noncovalent interactions 52, 55–56, 98P, 145, 146F
 polymer-end activation 78, 79F
 self-assembly 171–173
 visualization using cryo-electron microscopy 497, 594P, 595–597
 visualization using negative staining 591
 visualization using TIRF 587
- macrophages
 as antigen-presenting cells 1386
 hematopoiesis 803, 1288
 HIV invasion of 1389
 HIV susceptibility 1329–1330
 inducible NOS (iNOS) 908
 in inflammatory response 1357
 inhibitory receptors 804, 1100
 intracellular pathogen survival in 1331
 pinocytosis 789
 as professional phagocytes 802–803, 1100, 1354–1355, 1358
 selectivity 1100
- macropinocytosis 790, 801, 802, 1330
 see also pinocytosis
- macropinosomes 790–791, 802
- Mad2 protein 1062
- magnesium in chlorophyll 826, 850F
- magnesium (Mg²⁺) ions 678, 1148
- magnetosomes 1016
- magnification and appearance of cells 564F
- maintenance methyl transferases 435–436
- maize 581F, 1247
- major groove, DNA double helix 187F, 402–403, 404–405P, 406, 436
- malaria 651, 1313, 1321–1322, 1326, 1334, 1388
 see also *Plasmodium*
- MALDI (matrix-assisted laser desorption ionization) 491–492
- malignant tumors, defined 1164, 1165F
- maltoporin 620
- MamK protein 1016
- mammals
 conserved body plan 240
 hematopoietic stem cells 1286–1287, 1288F
 imprinting restricted to 440
 ion concentrations inside and outside cells 638T
 LTP in the hippocampus 677–678
 mouse as model organism for 41–42
 phylogenetic tree 234F
- manganese clusters 853
- mannose 100P
- mannose-6-phosphate (M6P) 778
- mannose-6-phosphate (M6P) receptor
 proteins 777–779, 780
- mannose trimming 717
- MAP kinases (mitogen-activated protein kinases)
 activation as all-or-none 890F, 918
 mammalian Raf, Mek and Erk kinases 917
 MAP kinase modules 916–919
 MAPK (MAP kinase; Erk) 917–918, 922F
 MAPKK (MAP kinase kinase; Mek) 917, 918F, 1320
 MAPKKK (MAP kinase kinase kinase; Raf) 917, 918, 942
 Ras activation 916–918, 1079
 see also Ras–MAP-kinase signaling pathway
- MAPs (microtubule-associated proteins)
 MAP2 994P, 995F, 996
 in mitosis 1052
 overview 994P, 995–996
 tau protein 139, 994P, 995F, 996
 XMAP215 997
 see also centrosomes
- Marfan syndrome 1137
- mass spectrometry (MS) 491–493, 610
- mast cells 1374–1375, 1394
- master transcription regulators 429–430, 432, 1242, 1393F
- maternal-effect genes 1230
- maternal effect in early embryo 1228, 1236, 1238, 1254

- mathematics in biology 542–558
 importance of quantitative
 approaches 44–45, 542–543
 numerical integration 545–546
 regulatory networks and molecular
 interactions 543–548
 schematic cartoons compared
 to 543, 544F, 546, 556
 see also differential equations; models;
 quantitative approaches
 mating factors 873, 874, 893, 918
 matrix (matrix space) in
 mitochondria 726, 727F, 814,
 815F, 817–818
 matrix metalloproteases 1145
 matrix receptors 1147
 see also integrins; proteoglycans
 MBL (mannose-binding lectin) 766, 1357,
 1359
 Mbl protein 1014
 Mcm helicases 1043–1045
 MCSF (macrophage-colony-stimulating
 factor) 911T
 Mdm2 protein 1081–1082
 MDR (multidrug resistance) protein 650
Mdr1 gene 1212
 measles 1323T, 1324, 1341, 1353, 1399,
 1401F
 measles, vaccination 1353, 1398T, 1399,
 1401F
 mechanically gated (mechanosensitive)
 channels 654, 659–661
 mechanotransducers 1258
 mechanotransduction 1113–1114,
 1153–1154
 Mediator protein 334–335, 414, 415F,
 417, 420
 Mef2c transcription factor 1308
 megakaryocytes 190, 1070, 1288
 meiosis
 anaphase I 1071, 1072F, 1075F,
 1076
 anaphase II 1072F, 1076
 arrested meiosis in human
 females 1077
 chromosome crossovers in 302, 303F,
 304–306, 1073, 1074–1075,
 1076–1077
 chromosome segregation 1071,
 1072F, 1075–1076, 1077
 comparison with mitosis 1072F,
 1075F
 genetic recombination in 520P, 1071,
 1072F, 1073, 1074
 Holliday junctions in 302, 303F,
 304–305
 homologous recombination and 296,
 301–302, 303F, 304–306
 lampbrush chromosomes in
 oocytes 217–218
 meiosis I 1071, 1072F, 1073–1077
 meiosis II 1071, 1072F, 1075, 1076,
 1077
 metaphase I 1075F
 metaphase II 1075F
 non-crossover events 304, 305, 306
 nondisjunction 1077
 overview 1071–1077
 pachytene chromosomes 581F
 prophase I (meiotic prophase) 1073,
 1074
 in *Saccharomyces cerevisiae* 36–37
 telophase II 1075F
 Mek (MAP kinase kinase; MAPKK) 917,
 918F
 melanocytes 807
 melanomas 216, 1164F, 1165, 1185,
 1209, 1210, 1211
 melanosomes 807, 1003–1004
 melatonin 937
 melioidosis 1338
 membrane-associated proteins 615F, 616
 membrane attack complexes 1360
 membrane-bending proteins 632–633,
 736, 754F, 755–756
 membrane disruption, by viruses 1331
 membrane-enclosed compartments,
 properties 175T
 membrane fusion
 endolysosomes 788F, 789, 799, 802
 heterotypic membrane fusion 766,
 805
 homotypic membrane fusion
 766–767, 775, 785, 805
 regulation of 763–764
 SNARE proteins in 615F, 760,
 762–763, 764, 1330
 viral infection and 764, 1330, 1331F
 membrane potentials
 changes mediating fast
 responses 886
 contribution to electrochemical
 gradients 639, 640F, 656P, 822
 defined 639, 655
 ionic basis 657F
 protein import into mitochondria
 730–731, 732
 resting membrane potentials 655,
 657, 662, 664, 670, 672
 role of K⁺ leak channels 655
 see also voltage-gated channels
 membrane proteins 615–633
 amphiphilicity 615–616, 756, 758
 assembly at endoplasmic
 reticulum 684
 association with lipid bilayers
 615–616
 asymmetric distribution 617, 621,
 629, 711
 ATP synthases as 838–840
 attachment of GPI anchors 712, 713F
 cellulose synthase 1157, 1158–1159
 composition, regulation by
 transcytosis 793–794
 confined to specific domains 629–630
 cytoskeleton and membrane protein
 diffusion 630–632
 densities in cristae 817, 844
 detergent solubilization and
 purification 622–625, 827
 diffusion 627–629, 630–632
 functional reconstitution 624F, 625
 glycosylation 621, 622F, 714–715, 799
 in large complexes 627
 lysosomal 799
 overview 604, 615
 peripheral membrane proteins
 616–617, 783F
 phospholipase C- β as 898
 phospholipid translocators as 608
 proportion in cell membranes, by
 mass 615
 restricting lateral mobility of plasma
 membrane proteins 629, 630F
 see also transmembrane proteins
 membrane structure 603–636
 double membranes of
 chloroplasts 24, 26, 688
 double membranes of
 mitochondria 24, 26, 688,
 814–815
 overview 603–604
 see also cell membranes; lipid
 bilayers; membrane proteins;
 plasma membranes
 membrane traffic, intracellular see vesicle
 transport
 membrane transport of small molecules
 metabolic energy devoted to 637
 passive transport by channels 637,
 639, 640, 651, 652, 655
 passive transport by transporters 639,
 640, 641, 642, 645
 principles of 637–640
 membrane transport proteins
 active transport 640
 evolutionary conservation 9
 genes coding for 9, 637, 650
 inner mitochondrial membrane
 transport proteins 841–842
 kinetics of 641
 for membrane-bound organelles 684
 as multipass transmembrane
 proteins 616, 625, 639, 732
 as proportion of membrane
 proteins 637
 role 9, 637, 638–639
 specificity of 638
 see also active transport; channels;
 passive transport; transporters
 membraneless organelles see
 biomolecular condensates
 memory and learning 897, 904
 see also cell memory; molecular
 memory devices
 memory cells
 formation from effector cells
 1367–1368, 1382
 memory B cells 1369, 1373, 1379
 memory T cells 1368, 1369, 1382,
 1383, 1391
 tissue-resident memory T cells 1368
 and transmembrane
 polypeptides 1394
 Mendelian inheritance
 contrasted with cytoplasmic
 inheritance 866
 cytoplasmic inheritance contrasted
 with 866
 imprinting contrasted with 439F
 and mouse genome 439F
 single-gene disorders 526
 β -mercaptoethanol 487–488, 489
 meristems 477, 577F, 1155, 1157, 1256,
 1275
 mesenchymal cells
 branching morphogenesis 1264–1265
 epithelial-to-mesenchymal
 transitions 1197
 interactions with epithelium
 1264–1265
 migration 973–974, 1260F, 1261
 mesoderm

- convergent extension 1260F
 egg-polarity gene systems and 1230
 formation during gastrulation 1219, 1220F
 formation in vertebrate embryos 1239
 presomitic mesoderm 1249–1250, 1251
 tissues derived from 1219, 1220
Twist expression 1237
 mesophyll cells 725F, 843F, 847–848
 messenger RNA (mRNA)
 accumulation delays 1248, 1250
 accumulation time/accumulation delay 1248, 1250
 bacterial as polycistronic 374, 866
 capping and polyadenylation 337–339, 455
 cloning 503–504
 cluster analysis 537F
 covalent modification of nucleotides in 450–451
 destruction of 459–460
 eukaryotic and prokaryotic mRNA 338F
 export from the nucleus 349–351, 453, 736, 742
 “factories” 357
 5′-end cap snatching 1341
 gene expression, mRNA degradation control of 401
 half-lives 459
 localization in eggs 1227, 1229, 1230F
 localization in the cytosol 453–456
 localization with *in situ* hybridization 535, 571
 nonsense-mediated decay 378–379, 453–454
 nonsense-mediated mRNA decay 378–379
 overview 5, 327
 passage through ribosome 366–367
 polyribosome formation 375, 704, 705F
 pre-mRNA modification and RNA splicing 337, 338–341, 342F, 343–349
 quality control in translation 378–380
 regulation of transport from the nucleus 452–453, 454F
 ribosomal binding site 367, 372
 ribosome profiling and 538–539, 540F
 RNA editing 451–452
 stability and gene expression 459–461
 3′-end processing 348–349
 translation 366–368, 369F, 370
 untranslated regions (UTRs) 455–456, 460, 463, 464
 metabolic pathways
 enzyme catalysis in 57, 64–65, 146, 155
 epistasis analysis and 523–524
 feedback inhibition 155, 156F
 glycolysis and the citric acid cycle among 92, 93F
 organization and regulation 92–93
 metabotropic receptors 670–671
 metamorphosis 1090, 1098, 1255, 1272F, 1275
 metaphase, mitosis
 chromatid alignment 1028, 1048P
 chromosomes in 520P, 1056F
 cytoplasmic extract 483F
 in mitosis, overview 1048P
 see also mitosis; mitotic spindles
 metaphase I, meiosis 1075F
 metaphase II, meiosis 1075F
 metaphase plates 1059, 1060
 metaphase-to-anaphase transition 1032, 1033, 1038–1040, 1046, 1047, 1060, 1062
 metastasis
 cell migration and 973
 colorectal cancer 1174F, 1194, 1197
 CTCs (circulating tumor cells) 1177
 defined 1164
 micrometastases 1177F, 1178
 monitoring in mice 1191
 as multistep process 1176–1177
 and natural selection 1168
 uncertainties over 1197
Methanococcus jannaschii 18F, 706F
 methionine
 as initiator of protein synthesis 359F, 373, 380, 862
 SRP protein 703
 structure and properties 116F, 119P
 methyl group (–CH₃) 53, 94P
 methyl transferases
 de novo DNA methyl transferases 436
 histone methyl transferases 206, 421F
 maintenance methyl transferases 435–436
 1-methyladenosine 450F
*N*⁶-methyladenosine 450–451
 methylation
 adenine to *N*⁶-methyladenosine 450–451
 of CG sequences 291, 435–436
 changes in cell reprogramming 1302
 DNA damage from 286F, 286T
 DNA transcription repressed by 436
 of GATC residues in mismatch repair 74F, 267
 and genomic imprinting 438–440
 and induced pluripotency 1305
 inheritance of DNA methylation patterns 435–436, 437F
 of ribose in mRNA 338F
 of ribose in rRNA 352, 353F
 of tumor suppressor genes 1183–1184
 see also cytosine; lysine
 3-methylcytosine 290
 5-methylcytosine (5-methyl C) 291F, 435, 436, 438F, 450F
 7-methylguanosine 338F, 339
 Mg²⁺ ions 678, 1148
 MHC (major histocompatibility complex)
 gene complex 1361, 1385F, 1388
 MHC proteins 1382–1401
 antigen binding 1364, 1383, 1384–1388
 antigen-recognition domain 130, 1385F
 class I MHC 1361, 1362F, 1384–1386, 1387–1390, 1391, 1392
 class II MHC 1384–1385, 1386–1388, 1389–1390, 1392–1393, 1399F
 on dendritic cells 1362, 1383, 1384
 low levels on cancer cells 1361
 peptide-binding groove 1384–1385, 1388
 polymorphism 1385F, 1388
 structures and properties 1384–1385, 1388T
 suppression by viruses 1361–1362
 in T-cell-mediated immune responses 1364, 1384–1388, 1396F
 Mia40 protein 730F, 731
 micelles 103P, 607, 622, 623F
 Michaelis-Menten equation 150–151P
 microbiome 1348
 microbiota 14F, 1313, 1326, 1347–1349
 microfibrils 1137, 1156–1159
 microfilaments see actin filaments
 β₂-microglobulin 1384, 1385F, 1386, 1396
 microinjection of altered genes 528
 micrometastases 1177F, 1178
 micropinocytosis 802
 microRNAs (miRNAs) see miRNAs (microRNAs)
 microscopy 563–602
 see also specific types
 microsomes 480, 481F, 482, 700–702
 microtomes 569, 589, 590
 microtubule-associated proteins (MAPs) 139, 994P, 995–996, 997
 see also centrosomes
 microtubule flux 1059, 1060F, 1063
 microtubule-organizing centers (MTOCs) 950P, 991, 992, 993, 995
 microtubules 987–1007
 accessory proteins 991, 992F, 993, 994P, 1004
 assembly 953–955
 astral microtubules 1050–1051, 1053, 1054, 1056, 1063, 1068F, 1069–1070
 capping 961P, 989, 990F, 995
 catastrophe 989, 990F, 995, 996–997
 in cell migration 1023
 in cell wall orientation 951, 1158–1159
 chemical inhibitors 964T, 991
 in cilia and flagella 951, 972, 1004–1005
 cortical arrays 1068F, 1158, 1159
 cryoEM reconstruction of structure 596F
 D and T forms 988–989
 depolymerization 1051, 1052, 1057, 1059–1060, 1062
 drug effects 991
 dynamic instability 961P, 988–991, 998, 1052
 end-binding proteins and 996–998, 1057
 fluorescence microscopy 566, 572F
 Golgi apparatus 769, 775
 GTP hydrolysis 954, 988, 991
 kinetochore microtubules 1048–1049P, 1050, 1051F, 1056, 1057, 1059, 1063F
 mitochondria and 813
 mitotic spindle formation 949F, 951, 1000, 1050–1052

- microtubules (*continued*)
 motor proteins and 999–1004, 1338–1339
 non-kinetochore microtubules 1050, 1051F, 1052, 1053F
 nucleation 991–993, 996
 organization in different cell types 993, 995
 overview 949, 950P, 951
 persistence length 988, 1008
 plus and minus ends 960P, 987F, 988, 991
 polarity 954, 988
 rescue 989, 990F, 999
 severing and tubulin sequestering proteins 998–999
 subunits 953–955, 987–989, 990F, 991, 992F
 vesicular tubular clusters and 767
 see also cytoskeleton; tubulins
- microvilli 646, 950P, 951, 952, 953F, 986, 1281
- midbody 1065, 1066F
- minor groove, DNA double helix 187F, 199–200, 402, 403F
- miRNAs (microRNAs) 327, 451, 457, 463–465, 466, 471
 base-pairing with lncRNAs 471
 coded by heterochronic genes 1253
 regulation of developmental transitions 1252–1253, 1254
 translation blocked by 327, 451, 457, 463–466
 see also RISC
- misfolded proteins see protein misfolding
- mismatch repair system
 colorectal cancer, defects in 269, 1195–1196
 gene conversion from 306
 MutS in 268F, 1195
 strand-directed mismatch repair 260, 267–269
 see also DNA repair
- mitochondria 813–823
 acetyl CoA production 87–88
 apoptosis 820
 ATP production in 684, 726, 811, 835–843
 chloroplast and mitochondrial electron-transport chains compared 860F
 chloroplasts compared with 843–844
 contacts with ER 813–814
 cristae (crista space) 726, 727F, 814, 817, 822, 833–834, 840–841
 cristae junctions 814, 815F, 817
 cytoskeletal microtubule association 813
 degradation of 816–817
 distribution in cytokinesis 1069
 double membrane 24, 26, 688, 814–815
 endosymbiont hypothesis 25–26, 687–688, 733
 fission 727, 814–815, 816, 865–866
 fusion 816–817
 heat-shock proteins (hsp60 and hsp70) 381, 728F, 729, 731
 human mitochondrial genome 193, 862F, 863, 864, 866, 867
 inner boundary membrane 814, 815F, 817
 intermembrane space 726, 727–728, 729, 731–732, 733, 814–815, 841
 as intracellular compartments 684
 junction complexes with ER 722
 lipid imports 722
 matrix (matrix space) 726, 727F, 814, 815F, 817–818
 micrographs and microscopy 814F, 815F, 816
 mitophagy 806, 817
 nuclear-encoded proteins 728, 730–731, 811, 823, 861–862, 863F, 867
 organelle-encoded proteins 832F, 861, 863, 865, 868
 overview 24, 25, 811, 813–823
 oxidation of fats to acetyl CoA 87–88, 724
 pH gradient 822
 postulated evolutionary pathways 859F
 protein imports powered by electron-transport chain 730, 731
 protein synthesis 726, 728, 863
 protein transport into 726–733, 734
 pyruvate conversion 88
 reticulum 816
 roles in cellular metabolism 818–821
 self-splicing RNAs 347
 separation by centrifugation 480
 site of the citric acid cycle 88, 89, 732
 structure 25F, 726, 727F, 814–815
 transcription and translation system 862, 863F, 864, 867–868
 urea cycle 820
 yeasts 816F
- mitochondrial carrier family 841
- mitochondrial DNA
 dense gene packing 864
 in different cells and tissues 815T
 diseases linked to mutations 866–867
 genetic code variants 376
 genomes in different species 862–863
 human mitochondrial genome 193, 862F, 863, 864, 866, 867
 maternal inheritance 866, 867
 mitochondrial genomes 25, 861–868
 mutation rate 233–234, 867
 relaxed codon usage 864
 variant genetic code 864
- mitochondrial membranes
 β -barrels in outer membrane 728, 733, 814–815
 electrochemical gradients 90, 730, 734F, 822–823
 inner membrane 726, 727–728, 729–732, 814, 815F, 817
 inner membrane transport proteins 841–842
 outer membrane 726, 727–728, 729–730, 733, 814–815
 proportion of protein 615
 small molecule transport across 732
- mitochondrial precursor proteins 727, 729–730, 731
- mitochondrial reticulum 816
- mitogen-activated protein kinase (MAP kinase) cascade 1079
- mitogens
 in cell division 1078, 1079–1080
 effects on G₁-Cdk and G₁/S-Cdk 1078, 1079–1080
- mitophagy 806, 817
- mitosis 1046–1064
 in the cell cycle 1028, 1029F, 1046–1064
 chromosome compaction in 197, 227–228
 chromosome painting 191
 chromosome segregation 1039, 1046, 1049P, 1050, 1056, 1062–1063, 1072F
 comparison with meiosis 1072F, 1075F
 defined 1028
 five stages of 1046, 1048–1049P
 M-Cdk and 1042, 1046–1047, 1050, 1052, 1054, 1061
 nuclear envelope disassembly and reassembly 743–745
 prometaphase 1047, 1048P, 1052, 1059, 1060, 1062F
 in *Saccharomyces cerevisiae* 36, 37F
 without cytokinesis 1070, 1071F
 see also cell cycle; M phase
- mitotic chromosomes
 bands and banding patterns 191, 192F
 condensed state 195F, 196, 227–228
 in *Drosophila* 219F
 micrographs 191F, 196F, 1047F, 1048–1049P
- mitotic index 1031
- mitotic recombination 1183
- mitotic segregation in mitochondrial inheritance 866, 867
- mitotic spindles
 acentrosomal spindles 1056
 assembly 1048P, 1052–1056
 in asymmetric cell division 1070
 bipolarity 1047, 1050, 1053–1054, 1055–1056
 centrosome role 993, 1006F
 chromosome attachment 196, 213, 1028, 1056–1059
 chromosome role in formation 1055–1056
 disassembly 1061, 1063
 forces on chromosomes 1058–1060
 kinesins and 1052–1053, 1054, 1055F, 1056, 1060, 1063
 metaphase 483F, 1050, 1051–1052
 microtubules and 949F, 951, 1000, 1050–1052
 positioning role in cytokinesis 1066–1067, 1070
 self-organization by motor proteins 1055–1056
 sister-chromatid attachment 196, 1028, 1056–1057
 spindle assembly checkpoints 1062
- MLCK (myosin light-chain kinase) 983–984, 985F, 1022F
- mobile genetic elements
 antibiotic resistance and 307–308
 benefits to the cell 307
 conservative site-specific recombination 306, 315–317
 in corn 1247F
 human genome 307, 314
 mutations and 307, 308, 314–315
 transposition and 306–315
 viruses as 309–311
 see also transposable elements

- model organisms 31–45
 in animal developmental biology 1220
 cell cycle 1030
 cultured cells 476
 examples 33–45
 genome sizes 28F, 29T
 mutation libraries 531–533
 mutations 525, 531
 study of, overview 2, 31–32
 see also *specific organisms*
- models (protein structure) 124F, 495, 1250–1251
- models (simulations) 557–558
- modulated repetition 1233
- moiré patterns 580, 581F
- molds (fungi) 1321
- molecular clocks 233–234
- molecular memory devices 902, 903–904
- molecular switches see switches
- molecular weights
 analytical ultracentrifugation 490–491
 SDS–PAGE separation 488
- molnupiravir 313
- MOMP (mitochondrial outer membrane permeabilization) 1095–1098
- monoallelic gene expression 443
- monoclonal antibodies
 cancer treatment 1209, 1211
 epitope tag recognition 486
 from hybridomas 478–479
 in microscopy 572
 against T cell inhibitory proteins 1396
 trastuzumab 1209
 as treatments for human diseases 479–480
- monocytes 1286T, 1287F, 1288, 1357
- monomeric GTPases
 cell-surface receptors and 880
 Ras proteins as 162, 163F, 166, 915
 in Rho family 904, 1016
- monosaccharides
 aldoses and ketoses 100P
 α and β links 101P
 derivatives 101P
 isomers 100P
 ring and complex formation 100–101P
 structures and properties 54, 100–101P
- monoubiquitylation 163F, 795
- morphogenesis
 branching morphogenesis 1264–1265
 defined 1217
 in embryonic development 1129–1130, 1257–1269
 folding of epithelial sheets 1115, 1258
 hyaluronan role in tissue morphogenesis 1129–1130
 lung development 1264–1265
 in plants 541, 577
 tissue morphogenesis 1129–1130
 see also development of multicellular organisms
- morphogens
 Bicoid as 1231
 concentration gradients 1222–1223, 1229, 1236–1238
 diffusion 1222–1223, 1225
 Dorsal as 1237
 Dpp 1272F
 graded effects 926, 1222–1223
 range 1225
 response timing 885
- morphological diversity,
 sticklebacks 1246–1247
- mosaicism 441–442, 443
- mosquitoes 1321, 1322, 1326
- motor neurons 671, 674, 675, 919, 1011, 1144
- motor proteins
 ATP hydrolysis 9, 167, 168F, 949, 956, 977
 directional movement 167, 168F, 956
 functions 9, 949
 and microtubules 1338–1339
 and mitotic spindles 1051, 1052–1053, 1054, 1055–1056, 1057, 1059, 1063
 Rab effectors as 760
 unidirectional ratchets 167
 viruses and 1338–1339
 visualizing with TIRF 587
 see also accessory proteins; dyneins; myosin; protein machines
- mouse (*Mus musculus*)
 apoptosis in embryonic development 1090F, 1098–1099
 brain 580F, 586F, 665F, 1299F
 cancer-critical gene function 1190–1192
 chimeric mice 1302F, 1304
 development from egg 3F, 1227
 embryonic development of paw 1090F, 1098–1099
 evolution rate 233F
 genome comparison with human 230, 233F, 234–236, 314–315
 genome size 29T
 germ-free mice 1348
 hematopoietic stem cell transplantation 1286–1288, 1291, 1294–1296
 Hox gene effects 1242F
 immunological self-tolerance in 1370
 imprinting in 438–439
 intestinal epithelial cell lifetimes 1282
 iPS cell incorporation 1304
 liver 1274F
 macrophage 803F
 as model organism 29T, 38, 41–42, 531, 1220
 myosin gene mutation effects 984F
 olfactory bulb neurons 1299
 optogenetic control of aggression neurons 679F
 transposons in genome 314–315
 X-inactivation in 442F, 443F
- mouse, transgenic
 knockout mice 529, 530F
 oncogene collaboration 1190–1192
 premature aging 283, 530F
 procedures for making gene replacements in 529F, 541
 RNA interference in 533–534
 telomere studies 283
- mouse–human hybrid cells 627–628
- moving junctions 1333
- Mre11 285T, 298, 301F, 302, 303F
- MreB protein 1014
- mRNAs see messenger RNA
- mRNPs (messenger ribonucleoproteins) 742
- MRSA (methicillin-resistant *Staphylococcus aureus*) 1326
- MS (mass spectrometry) 491–493
- MS/MS (tandem mass spectrometry) 491–493
- MscL channel (mechanosensitive channel of large conductance) 661
- MscS channel (mechanosensitive channel of small conductance) 661
- MTOCs (microtubule-organizing centers) 950P, 991, 992, 993, 995
 see also centrosomes
- mTOR (mammalian target of rapamycin)
 mTOR complex 1 (mTORC1) 805–806, 922, 1083
 mTOR complex 2 (mTORC2) 921F, 922
- mucins 773
- mucosal immune system 1348
- mucus
 epithelia protection by 773, 774, 1326–1328, 1354
 flushing of 1326
 glycoproteins in 773, 774
 from goblet cells 1281, 1282F, 1283F
 from intestinal epithelial cells 786, 1354
 movement by cilia 1004, 1263, 1326
- multicellularity
 development defined by genome 29–30
 evolution in plants and animals 940, 941F
- multidrug resistance (MDR) protein 650
- multidrug-resistant cancers 650, 1212
- multinucleated cells see syncytia
- multipass transmembrane proteins
 association with lipid bilayers 615F
 defined 618, 639
 hydrophobic transmembrane segments 710–711
 ion-channel-coupled receptors as 878
 KDEL receptor as 768
 membrane transport proteins as 616, 625, 639, 732
 rhodopsin/bacteriorhodopsin as 625–627
 seven-pass transmembrane proteins 892, 893F, 911, 930
 structure 620–621
 see also transmembrane proteins
- multi-photon imaging 580
- multiple sclerosis 666
- multispecies conserved sequences 230, 237–238
- multiubiquitylation 163F, 795
- multivesicular bodies 788F, 796–797, 807
- muntjac deer 193F
- Mus musculus* see mouse
- muscarinic acetylcholine receptors 904–905, 908F
- muscle cells
 Ca²⁺ pump in SR 647, 648F, 674, 700
 in culture 477
 localization of mitochondria 813
 myoblast migration 1266–1267
 myotendinous junctions 1148
 neuromuscular junctions 671
- muscle contraction
 actin and myosin in 977–981
 calcium (Ca²⁺) ions in 981–984
 smooth muscle 978, 983–984
 speed of 980

- muscle specific homeobox* gene 571F
 muscular dystrophy 1011, 1144, 1149, 1286
 mutagenesis
 Ames test for 1119
 carcinogenesis link to 1166
 chemical and radiation
 mutagenesis 519
 insertional mutagenesis 519, 524
 random mutagenesis 519
 site-directed mutagenesis 511, 573–574
 mutations
 classical genetics approaches 519, 520–521P, 522
 complementation tests 521P, 523
 conditional mutations 521P, 522
 de novo mutations 245–246, 247, 254, 527
 deducing gene function from 30F, 32–33, 519, 522, 524, 527–528, 529–530
 defined 253
 deletion mutations 521P, 522F
 disease risk and 379, 526, 527, 539
 driver mutations 1178, 1186–1187, 1188, 1192, 1193F, 1210
 effects of mitochondrial DNA
 mutations 866–867
 fixation of 243–244
 in germ cells and somatic cells 254
 heterochronic mutants 1253, 1254F
 identification through DNA
 analysis 524
 intragenic mutation, defined 16
 inversion mutations 521P
 lethal mutations 254, 441, 521P, 522, 529
 libraries of 531–533
 mobile genetic elements and 307, 308, 314–315
 molnupiravir and 313
 multiple mutations in cancer
 development 254, 1166–1167
 mutation rates, overview 253–254
 neutral mutations 18, 243–244
 oncohistone mutations 216–217
 passenger mutations 1178, 1180, 1186, 1193F, 1210
 and RNA splicing patterns 347
 silent mutations 254
 somatic mutations in cancer
 cells 254, 1166, 1178, 1184, 1186, 1210F
 suppressor mutations 521P
 temperature-sensitive
 mutations 521P, 522
 types of 521P, 1179
 see also dominant mutations;
 gain-of-function mutations;
 loss-of-function mutations; point
 mutations; recessive mutations
 mutator genes 267
MutL and *MutS* genes 268F, 1195
 mutualism 1347–1348
 myasthenia gravis 1372
Myc oncogene 1191–1192
Myc regulating protein
 in cancers 1182
 cell growth regulation 931, 1079, 1080F, 1182
 fibroblast reprogramming 1304
 p53 response 1190
 see also OSMK factors
Mycobacterium tuberculosis 1315, 1331, 1334F, 1335
Mycoplasma genitalium 10, 177, 532
 myelin membrane 615
 myelin sheath 666, 724F
 myelination of neurons 666, 724
 myeloid cells 1288
 myelomas 1165
 myoblasts 477F, 763, 979F, 1266–1267, 1273, 1285–1286
 MyoD transcription regulator 428, 429, 1241–1242, 1303, 1307
 myofibrils 979, 980, 981–982, 1004
 myosin
 access to actin bundles 969, 974
 actin and, in muscle contraction
 977–981
 in actin arrowheads 958, 959F
 ATP hydrolysis by 977, 978F
 in the contractile ring 951, 984, 1012, 1065
 lever arm 977, 978F, 986F
 as motor protein 55, 167, 168F, 951, 976–977, 1258
 in non-muscle cells 984–986
 see also cytoskeleton
 myosin gene mutations 984, 986
 myosin I 985, 986
 myosin II
 adherens junction links 984, 1112–1114
 bipolar thick filaments 976–977, 979–980, 981, 985F
 in cell motility 974, 1021
 heavy chains 976, 984, 985, 1022F
 light chains 976, 977, 984, 985F, 1021, 1022F
 movement cycle of myosin II 977, 978F
 sliding along actin fibers in muscle
 contraction 977–981
 stress fibers and 969
 structure 976
 myosin superfamily 976–977, 985F
 myosin V 168F, 986, 1018F
 myosin VI 985–986
 myostatin 1273
 myotendinous junctions 1148
 myotonia 668
 myotonic dystrophy 347
 myristic acid 616, 617F
 MZT (maternal–zygotic transition) 1219, 1254–1255
- N**
- N*-formylated peptides 1022
N-linked glycosylation 715, 716F, 773F, 774
N-linked oligosaccharides
 complex oligosaccharides 101P, 771–772
 high-mannose oligosaccharides 771–772, 774
 membrane protein glycosylation 714–715, 716F, 717, 770, 771–772
 processing in Golgi apparatus 771–774
N-terminal histone tails see histone tails,
 N-terminal
N-terminus
 acetylation and degradation 387
 anchoring Src kinases 118P
 cadherin linking 1110F
 polypeptide backbone 116F, 118P, 122F, 124F
 propeptides on protein
 precursors 781, 1134–1135
 protein structure and 116F
 signal sequences at 695–696, 712, 725–726, 727, 729, 732, 734
N-WASP protein 1338, 1339F
 Na^+ – Ca^{2+} exchanger 647, 900
 Na^+ -driven Cl^- – HCO_3^- exchanger 644
 Na^+ gradients 642–643, 644–645, 648, 842
 Na^+ – H^+ antiporter (exchanger) 644, 842
 Na^+ -independent Cl^- – HCO_3^-
 exchanger 644–645
 Na^+ – K^+ pump (Na^+ – K^+ ATPase) 624F, 648–649, 655, 657
 Na^+ -linked symporters 642–643, 645, 673
 NAD^+ (nicotinamide adenine dinucleotide)
 as activated carrier 73–75
 as electron carrier 73, 812, 818–819, 824
 as reducing agent 75
 regeneration 81, 819
 NADH (reduced nicotinamide adenine
 dinucleotide)
 as activated carrier 70, 73–75, 76, 80
 in catabolic reactions 74–75, 81
 as electron donor 81, 89, 90, 812, 824
 electron transfer through respiratory-
 chain complexes 827–828
 in electron-transport chain 81, 90, 827–828
 production by glycolysis 81, 82F, 83, 108–109P
 production in the citric acid cycle
 88–90, 110–111P, 817–818
 respiratory-chain complexes
 and 827–828
 shuttle system for electrons 820
 NADH dehydrogenase complex (Complex
 I) 827, 828–829, 830F, 831, 834F, 835F, 860F
 NADP^+ (nicotinamide adenine dinucleotide
 phosphate)
 as activated carrier 73–75
 cap on mRNA 339
 as electron carrier 73–75
 regeneration 74
 NADPH (reduced nicotinamide adenine
 dinucleotide phosphate)
 as activated carrier 70, 73–75, 76T
 in anabolic reactions 74–75
 as hydride ion carrier 73–74, 75F
 in photosynthesis 813F, 845–846, 847F, 849, 853, 855–856
 production of 74F
 as reducing agent 75, 819, 857, 858
 NADPH oxidase complex 135/8
 naïve B and T cells
 co-stimulatory signals and 1367F, 1368F, 1371, 1373
 immature naïve B cells 1374
 locating antigens and APCs 1368–1370

- in lymphocyte differentiation 1367
- mature naïve B cells 1367F, 1374, 1379
- naïve T cells, activation 1371, 1383–1384, 1386, 1391, 1395
- naïve T_C cells 1391, 1392–1393
- naïve T_H cells 1392–1394, 1396F
- NANA (*N*-acetylneuraminic acid) 614F, 771F, 772F
 - see also sialic acids
- nanodiscs 625
- Nanog* gene 420F, 1304F, 1305F
- Nanog (transcription regulator) 406F, 420F, 539F
- nanomachines see protein machines
- nanoparticles
 - immunogold electron microscopy 590
- nanoparticles, gold 590, 629, 738
- nanopore sequencing 515
- Nanos protein 1230F
- natural killer (NK) cells 1286T, 1288, 1361–1362, 1366, 1391, 1392F
- natural regulatory T cells (natural T_{reg} cells) 1394
- natural selection
 - mutation and 18–19
 - and pathogens 1341–1342
 - protein structure and 126–127
 - purifying selection 233, 237, 243, 244
 - and tumor progression 1163–1164, 1167–1168, 1178, 1192
- NCAMs (neural cell adhesion molecules) 1126, 1397F
- Ndc80 complex 1056–1057, 1058, 1059
- Neanderthals 234, 244, 245F, 321, 514
- nebulin 980, 981F
- necroptosis 1089
- necrosis
 - after heart attack or stroke 1100
 - contrasted with apoptosis 1089, 1090F, 1100, 1190, 1358
 - of neutrophils 1358
 - as typical of cancer cells 1174, 1190
- nectins 1126–1127
- negative feedback
 - APC/C–Cdc20 1040F
 - c-Cbl protein 914
 - in cell regulation 549–550
 - in cell signaling 885, 888–890, 891, 914
 - circadian clocks and 937–939
 - delayed negative feedback 549–550, 891, 900, 938, 1250
 - Hes* genes 1250
 - JAK–STAT signaling pathway 925–926
 - MAP kinases 918
 - NFκB pathway 935
 - oscillations and 549–550, 889F, 890, 900, 901F, 1250–1251
 - PKA activity 897
 - quantitative analysis 549–550
 - rate constant fluctuations 550F
 - rod photoreceptors (rods) 906
 - Smad signaling pathway 926–927
 - Wnt signaling pathway 931
- negative feedback loops
 - gene expression 1250–1251
 - keeping gene expression close to standard level 433
 - quantitative approaches 549–550
 - in transcription circuits 433F
- negative regulation 155, 157F, 158
- negative selection 1390–1391
- negative staining 132F, 591, 595, 631F
- Neisseria gonorrhoeae* 1342, 1360
- Neisseria meningitidis* 1342–1343, 1398T
- Neisseria* spp. 1342
- nematodes see *Ascaris*; *Caenorhabditis elegans*
- neoblasts 1297–1298
- neoplasms, defined 1164
 - see also cancer; tumors
- Nernst equation 655, 656P, 822F
- nerve cells see neurons
- nerve impulses see action potentials
- network-forming collagens 1133, 1134T
- network motifs in gene regulatory circuits 433–434
- neural crest cells 972, 1022, 1111, 1267–1268
- neural stem cells 1299–1300
- neural tube 1110F, 1111, 1115F, 1263, 1264F, 1267
- neuraminidase 131F
- neurites 995
- neuroblasts 1251, 1252, 1297, 1298F
- neurodegenerative diseases
 - Alzheimer's disease 138, 139, 930, 1296
 - amyloid fibrils in 137–138
 - Huntington's disease 237F
 - neurofilaments in 1011
 - Parkinson's disease 137F, 138–139, 347, 806, 817, 1296, 1306
 - plectin gene mutations and 1012
 - stem cell potential 1299, 1300, 1308
- neurofilament proteins (NF-L, NF-M and NF-H) 1007T, 1010–1011
- neurofilaments 1010–1011, 1012
- neurogenic ectoderm 1237F, 1238, 1267
- neuromuscular junctions 671–672, 1144
- neuromuscular transmission and ion channels 673–674
- neuronal doctrine 476
- neurons
 - adaptation to prolonged stimulation 676
 - computation by single neurons 674–677
 - in culture 476, 477
 - firing rate 664, 675–676
 - fluorescence microscopy 574F, 576F, 580
 - growth cones 919, 972, 1022
 - homeostatic control of firing behavior 668
 - intermediate filaments 1010–1011
 - lateral inhibition 928
 - liver cell conversion to 428
 - long-distance signaling by 875
 - microtubule-associated proteins 995
 - motor neurons 671, 674, 675, 919, 1011, 1144
 - mRNA localization 454
 - myelin sheathing 666, 724F
 - myelination 666, 724
 - olfactory receptor neurons 905
 - optogenetic control in mice 679F
 - postsynaptic membrane 670, 671F, 674, 677
 - presynaptic and postsynaptic cells 669, 670, 677–678
 - presynaptic membrane 669, 670, 671F, 673
- signaling mechanisms in 662
- single-molecule localization microscopy 584F
- stathmin role in amygdala 998
- structure and function 661–662
- survival factors 1099
- sympathetic neurons 1084
- synaptic vesicles 646, 669, 671F, 782–784, 785F
- turnover rate 1299
- types and firing properties 668
- types of ion channels 654, 672–673
- see also axons; central nervous system; dendrites; glial cells; synapses; transmitter-gated ion channels
- “neurospheres” 1299, 1300F
- Neurospora* 448
- neurotransmitter receptors
 - ionotropic receptors 669, 670–671, 672, 677F
 - metabotropic receptors 670–671
- neurotransmitter transporters 643, 644F, 669, 673
- neurotransmitters
 - binding to transmitter-gated channels 670
 - excitatory neurotransmitters 670–671, 677
 - as extracellular signaling molecules 875, 885
 - inhibitory neurotransmitters 670–671, 673
 - plasma membrane depolarization by 670, 672, 673, 674–676, 677–678
 - in synaptic vesicles 669F, 782–783
 - uptake by Na⁺ symporters 643, 669, 673
 - see also transmitter-gated ion channels
- neurotropic alphaherpesviruses 1339
- neutral mutations 18, 243–244
- neutrophils
 - chemotaxis 1022, 1023F, 1328
 - cytoskeletal rearrangements 951–952
 - derived from hemopoietic stem cells 803
 - functions 1286T
 - hematopoiesis 1288
 - in inflammatory response 1357
 - micrograph 1287F
 - as professional phagocytes 802–803, 1354–1355, 1358
 - pursuit of bacteria 951–952
- newts 989F, 1298
- NF-AT (nuclear factor of activated T cells) 743F
- NFκB signaling pathway 934–935, 1236, 1357
- NGF (nerve growth factor) 911T, 915, 918, 1084
- NHEJ see nonhomologous end joining
- NHL (non-Hodgkin's lymphoma) 1164F
- nicotinic acetylcholine receptors 905
- nidogen 1128F, 1141, 1143
- nitric oxide (NO) 908–909
- nitrogen cycle 61, 91–92
- nitrogen fixation 17, 91
- nitroglycerine 908

- NK (natural killer) cells 1286T, 1288, 1361–1362, 1366, 1391, 1392F
- NLRs (NOD-like receptors) 1355, 1356T, 1357
- NMDA receptors (*N*-methyl-D-aspartate) 677–678
- NMR (nuclear magnetic resonance) spectroscopy
- protein structure 126F, 496–497
- of transcription regulators 403
- nocodazole 964T, 991, 1002
- NOD-like receptors (NLRs) 1355, 1356T, 1357
- Nodal proteins 1239–1240
- nodes of Ranvier 666
- Noggin protein 1239, 1240F
- noise
- in data points 558
- in intracellular signaling 881
- in microscope images 293, 567, 595
- non-crossovers 304, 305, 306
- non-histone proteins 197, 204, 206, 220, 225
- non-Hodgkin's lymphoma (NHL) 1164F
- non-kinetochore microtubules 1050, 1051F, 1052, 1053F
- non-Mendelian inheritance 439F, 866, 867
- noncoding DNA
- conserved 230, 237–238, 239
- differences in amount of 192, 195
- in humans and other species 28
- mutation rates 18
- in the nucleolus 355
- see also introns
- noncoding RNAs (ncRNAs)
- genes in human genome 194T, 322–323F, 327, 399
- HAR1F (human accelerated region 1F) 238
- lncRNAs (long noncoding RNAs) 237, 327, 415, 416F, 439–440, 442–443, 469–471
- overview 327
- regulation of gene expression 462–471
- RNA sequencing and 517–518
- synthesis and processing in nucleus 351–352
- template in telomerase 281, 327
- Xist lncRNA 442–443, 462, 470, 471
- see also ribosomal RNA; RNA; small noncoding RNAs; transfer RNAs
- noncovalent interactions/noncovalent bonds
- bond strength 50F, 51T
- cytoskeletal filaments 954–955
- dissociation of bound molecules 66
- in macromolecules 52, 55–56, 98P, 145, 146F
- membrane-associated proteins 615F, 616
- overview 51–52, 98–99P
- in protein folding 56F, 117, 120F
- see also electrostatic attractions; hydrogen bonds; hydrophobic forces; van der Waals attractions
- nondisjunction 1077
- nonenveloped viruses 1325, 1330, 1331
- nonfibrillar collagens 1134T
- nongenetic variability 557
- nonhomologous end joining (NHEJ)
- homologous recombination and 294F, 298
- Ku protein required 294F
- repair of double-strand breaks 293–294, 295, 298, 301, 308
- nonretroviral retrotransposons 308T, 313–314
- nonsense-mediated mRNA decay 378–379
- norepinephrine 673
- NOS (NO synthases) 908
- Notch protein
- activation by proteolytic cleavage 928–930
- homologs 1222
- O-glycosylation 774
- Notch signaling pathway
- in development 1221, 1222, 1225, 1251
- diversity 1222
- Hes* genes 1250–1251
- notch-mediated lateral inhibition 928, 1145, 1224, 1242–1244, 1292
- stem cell maintenance 1292, 1293
- in vertebrate segmentation 1251
- notochords 1219F, 1260F, 1266F
- Notum 931
- Noxa protein 1096A, 1097
- NPCs see nuclear pore complexes
- NPFs (nucleation-promoting factors) 966–967, 968F, 1021, 1328, 1332, 1338
- NSF protein 763, 767F
- NtrC protein 413F
- nuclear envelope
- DNA localization and 189
- as feature of eukaryotes 23
- inner nuclear membrane 22, 686, 735–736, 744–745
- intermediate filaments and 951
- linker proteins 1011–1012
- in mitosis 743–745, 1047, 1048–1049P, 1054–1056, 1057, 1064
- outer nuclear membrane 189, 686, 698, 699F, 735–736, 744
- re-formation after mitosis 694F, 695, 745
- see also nuclear pore complexes
- nuclear export receptors 351F, 453, 739, 742
- nuclear export signals 741, 742, 743F
- nuclear import receptors 739–740, 742, 744
- nuclear import signals 738F, 743F
- see also nuclear localization signals
- nuclear lamina
- disassembly 1054, 1092
- heterochromatin and 226F, 227
- intermediate filaments and 189, 190F, 950P, 1007T
- in mitosis 743–744, 1054, 1064
- re-formation 1064
- role 735–736
- SUN–KASH proteins and 1012
- nuclear lamins
- A-type lamins 1011
- caspase cleavage of 1092
- disassembly 1009, 1092
- functions 735–736, 1007, 1011
- gene duplication 1007
- nuclear localization signals 738–739, 742, 745
- nuclear pore complexes (NPCs)
- arrangement 736, 737F
- chromatin tethering to 213F
- export of mRNA-protein complexes 350–351, 736, 742
- FG repeats (phenylalanine–glycine) in NPCs 736, 737F, 739, 740, 741F, 742
- gated transport 694
- import receptor interactions 739
- overview 686, 736–738
- phosphorylation in mitosis 1054
- Ran GTPase and 740–741
- re-formation 1064
- structure 736, 737F
- virus entry 1331
- see also nuclear envelope
- nuclear pores 23, 189, 350–351, 736
- nuclear receptor superfamily 935–936
- see also intracellular receptors
- nuclear RNA exosome 349, 361
- nuclear-to-cytoplasmic ratio 1254–1255
- nuclear transplantation 397–398, 1301, 1302
- nuclear transport receptors 350, 739, 741F
- nucleation
- actin filament formation 958–959, 960–961P, 962, 964, 966–969, 1338, 1339F
- microtubules 991–993, 996
- nucleic acid synthesis 77F, 78F, 79F
- nucleic acid vaccines 1398T, 1399
- nucleocapsids 1324–1325, 1337
- nucleoids 861F
- nucleolus
- biomolecular condensates 25, 173, 221, 353–354, 355–357, 688–689, 690, 691F
- cell cycle and 354, 355F
- nucleolar fusion 354F, 355F
- as organelle 690
- ribosome assembly 25, 353–355, 356F, 366, 372, 688
- snoRNAs in 352, 688
- structure 353F, 354F, 690, 691F
- nucleoporins 736, 737F, 738, 739, 744
- nucleoside triphosphate hydrolysis see ATP hydrolysis; GTP hydrolysis
- nucleosome assembly factors 1045
- nucleosome core particles
- DNA packaging in 198–200
- histone octamer in 198, 199, 200, 201F, 215, 279, 1045
- histone proteins in 197–198, 199F
- structure 198–200
- nucleosomes
- assembly behind replication forks 279–280
- as basic chromosome structures 197–198
- “breathing” 408
- chromatin remodeling complexes and 200–202, 208
- cooperative binding and 408–409
- defined 198
- DNA bending in 199–200
- DNA replication and 266, 272, 279–280

- fibroblast reprogramming as iPS 1305
 hydrogen bonds 198–199
 linker DNA between nucleosome core particles 198
 nucleosome sliding 200, 201F
 RNA polymerase II and 331, 334, 335, 337
 structure 198–200
 tetranucleosomes 202
 x-ray crystallography/x-ray diffraction 199F, 202
 zigzag model for stacking 202
 nucleotide excision repair 285T, 289–290
 nucleotide-gated channels 654
 nucleotide-sugar intermediates, in glycosylation 715
 nucleotides
 biosynthesis 92
 complementarity 4
 covalent modification in tRNA 361
 functions 105P
 in the nitrogen cycle 92
 nomenclature 105P
 as nucleic acid monomers 3–4, 5, 105P, 185, 186F
 number of pairs in human genome 29T, 40, 185, 230, 235, 238
 structures and properties 3–4, 54, 104–105P
 see also bases
 nucleus
 biomolecular condensates 221
 chromosome distribution in 220–221, 222
 DNA in 23, 189, 190F
 DNA virus replication 1329
 euchromatin distribution in 226F, 227
 heterochromatin distribution in 220–221, 225–227
 as intracellular compartment 684
 inverted nuclei 226F, 227
 mRNA “factories” 357
 noncoding RNA synthesis and processing in 351–352
 nuclear localization signals and 738–739, 742, 745
 pre-ribosomal particles, export 736
 protein import 736, 738–741
 RNA export 349–351, 452–453, 454F, 736, 742
 structure 23F, 190F, 221
 subnuclear biomolecular condensates 355–357
 transplanted into enucleated eggs 397–398, 1301
 transport between cytosol and 735–745
 nullcline analysis 552, 553F
 numerical aperture 566, 570F, 588, 601
 numerical integration 545–546
- O**
 O-linked glycosylation 773, 774
 O-linked oligosaccharides 715
 O⁶-methylguanine 290
 obesity 1200, 1289, 1348
 obligate pathogens 1317
 occludin 1120–1121
 ocean viruses 35
- Oct4 gene 1303, 1304–1305
 Oct4 transcription regulators 409F, 429F, 430F, 539F, 1303, 1304
 see also OSKM factors
 β-octylglucoside 622, 623F
 Okazaki fragments
 joining by DNA ligase 258, 261, 502
 mismatch repair proteins and 267–268
 synthesis 258, 260, 261, 262–263, 264, 266, 280
 see also lagging strand
 oleic acid 102P
 olfactory epithelium 1290, 1299F
 olfactory neurons 1290, 1299
 olfactory receptors 884, 893, 905, 1299F
 oligodendrocytes 666
 oligonucleotides
 affinity chromatography 484
 DNA helicase and 290
 as DNA primers 504F, 511
 as probes 511, 571
 oligosaccharides
 glucose trimming 716
 mannose trimming 717
 N-linked oligosaccharides 714–715, 716F, 717, 770, 771–772
 precursor oligosaccharides in ER 714–715, 716
 processing in the Golgi apparatus 714F, 771–774
 protein folding and 715–716
 structure and properties 101P
 oligosaccharyl transferases 714–715, 771F
 Omi protein 1098
 OmpA protein 620F
 OMPLA protein 620F
 oncogene dependence 1207
 oncogenes
 collaborative action 1191–1192
 discovery 1180–1181
 DNA sequence changes 1184–1185
 gain-of-function mutations and 1179
 Myc 1191–1192
 oncohistone mutations 216–217
 Ras 802, 1180–1181, 1191–1192
 v-Src 1180
 from viruses 1180
 see also cancer-critical genes; proto-oncogenes
 oncohistone mutations 216–217
 oocytes see eggs
 open reading frames (ORFs)
 eukaryotic transcription initiation regulation 458
 mass spectrometry analysis 491
 matching to protein databases 491, 517
 protein-coding genes in 517
 ribosome profiling technique 539
 uORFs (upstream open reading frames) 458
 operators 410F, 411, 413F
 see also cis-regulatory sequences
 operons 410–412, 413F
 opportunistic pathogens 1314, 1317, 1321, 1326, 1348
 opsonization 1358F
 optic cup 1307F
 optical microscopy see light microscopes
- optical sections 578, 579F, 580, 586F, 587F
 optical techniques, protein interactions 493–494
 optogenetics 679
 OR logic 554F
 ORC (origin recognition complex) 276–277, 278F, 279, 1043F, 1044–1045
 order
 in biological organisms 57F, 58–61
 disorder as entropy 58–59, 66, 107P
 generated by release of heat 58–61
 thermodynamics of 58–61
 organelle contact sites 700, 722
 organelles
 biparental inheritance 866
 construction of 697
 distribution in cytokinesis 1069
 distribution in cytoplasm 25F
 endosymbiont hypothesis 25–27, 686–688, 733, 861
 energy-converting organelles 811–872
 evolution 686–688
 gene transfer to the nucleus 862–863
 growth and proliferation 733, 861, 865–866
 lipid droplets 612F
 maternal inheritance 866, 867
 membrane-enclosed 23–25, 603, 609, 683–688, 956, 1003, 1069
 movement by microtubules and motors 1002–1004
 overview 23–25, 683–686, 690
 protein movement between cell compartments 694–696, 697
 Rab proteins on membranes 760T, 761–762
 road map of protein traffic between 694F
 from subcellular fractionation 480
 three families of 688
 topological relationships 686–688
 volumes in a liver cell 684T
 see also eukaryotes; specific types
 organic chemistry
 chemical bonds and groups 53, 94–95P
 defined 49
 organic molecules, defined 53
 Organizer signaling center 1238–1239
 organoids 477, 1192, 1193F, 1213, 1292, 1306, 1307F, 1308–1309
 organotrophic organisms 15–16
 organs
 generation from stem cells 1306
 grafted/transplanted 1270, 1388
 regeneration of 1296, 1298–1299
 size regulation 1270, 1271F
 sizes of transplanted 1270
 transcription regulators and creation of 1241–1242
 see also lymphoid organs
 origins of life 2, 389–393
 origins of replication see replication origins
 orphan receptors 893, 936
 orthologs 20, 21F, 41, 128

- oscillations
 Ca²⁺ waves 900–902, 903F, 904
 circadian clocks 937–939
 gene expression 1249–1251
 metaphase chromosomes 1059
 negative feedback effects 549–550,
 889F, 900, 901F, 935F, 937–939,
 1250–1251
 NF κ B activation 935F
 and robustness 554
 vertebrate segmentation 1249–1251
- OSKM factors (Oct4, Sox2, Klf4, and
 Myc) 1304–1305
- osmium 591, 770
- osmotic equilibrium 1156
- osmotic gradients 652
- osmotic pressure 800
- osmotic stress 918, 1190
- osteoblasts 973, 1128, 1227
- osteoclasts 973
- out of phase, defined 565
- ovarian cancer 285, 1185, 1187–1188
- ovulation 1077
- OXA complex (cytochrome oxidase
 activity) 728, 732
- OXA-like pathway 734F
- oxaloacetate 89, 90, 110P, 111P
- oxidation 61, 62–63
- oxidative phosphorylation
 ATP production 90, 723, 811, 821,
 836, 849
 in cancer cells 1175
 chemiosmotic coupling 821
 free energy changes (ΔG) 820
 mitochondrial cristae and 817
 in plants 849
- oxidative stress 1190
- oxygen
 in chemiosmotic coupling 812, 821
 C–O chemical groups 95P
 as electron acceptor 824, 859
 in evolution of large organisms 831
 origins of atmospheric 857–859
 from photosynthesis 812–813, 843,
 853
 production by cyanobacteria 843
 protection from toxic effects 858
 reduction in electron-transport
 chain 90, 812–813, 831–832
 utilization in peroxisomes 724
- P**
- P-bodies (processing bodies) 461, 464,
 470
- P element, *Drosophila* 448, 519
- P-glycoprotein (MDR) 650
- P-granules 1070F
- ³²P labeling 501
- P-type pumps (P-type ATPases) 646,
 647–648
- p21 protein 1041T, 1081, 1190
- p27 protein 1035F, 1040, 1041T
- p53 pathway 1187, 1188, 1189–1190
- p53 protein
 adenoviruses and 1341
 apoptosis-promoting function 1082,
 1097
 cell-cycle arrest 1083, 1102, 1197
 and colorectal cancer 1194,
 1196–1197
- loss of function in cancers 1102,
 1196–1197, 1204
 modes of action 1190F
- papillomaviruses and 1203
- post-translational modification 176
- target of Chk1 and Chk2
 kinases 1081–1082
 as transcription regulator 1190
- P₆₈₀ chlorophyll 853, 854F
- pachytene 581F, 1074
- packaging proteins 759
- PaclM protein 1015
- pair-rule genes 1230–1232, 1233
- pairing of homologs 1071, 1073, 1074
- pairing sites 1073
- PAK protein kinase 1017–1018,
 1021–1022
- PALM (photoactivated localization
 microscopy) 583–584
- palmitic acid 102P, 616–617
- PAMPs (pathogen-associated molecular
 patterns)
 dendritic cell activation 1363F
 peptidoglycans and LPSs as 1316
 recognition by PRRs 1354, 1356,
 1357, 1358, 1364, 1383, 1399
 in vaccines 1399
- PAMs (protospacer adjacent motifs) 469F,
 531F
- pancreas
 acinar cells 784
 β -cell renewal 1289
 exocrine cells 685T, 698, 699F
 negative selection to protect 1391
 relative amounts of membrane types
 in exocrine cells 685T
 stem cells 1289
- pandemics
 bubonic plague 14
 cholera 1318
 COVID-19 42–43, 311, 596F, 1313,
 1399
 HIV 1343F, 1344
 influenza 1344
 tuberculosis 14
- Paneth cells 1281, 1282, 1283F, 1292
- pangenome 1318
- PAP (poly-A polymerase) 348
- Pap smear 1203
- papillomaviruses 1201, 1202–1203,
 1323T, 1324F, 1326
- PAPS (3'-phosphoadenosine-5'-
 phosphosulfate) 773
- Par-3 polarity protein 1021
- PAR proteins 1018–1019, 1020
- parabiosis 1295F, 1296
- paracellular pores 1120
- paracellular transport 1118
- paracortex 1369, 1370F
- paracrine signaling 875, 930, 1360
- paralogs 20, 21F, 128, 1242F
- Paramecium* 1004
- parasitism 1314F, 1347
- parasitophorous vacuoles 1333
- parathyroid hormone 896T
- Parkin ubiquitin ligase 806, 817
- PARP (polyADP-ribose polymerase)
 inhibitors 1205–1206, 1212
- parthenogenesis 1056
- partitioning defective (*par*) genes 1018
- parvin 1151
- parvoviruses 1324
- passenger mutations 1178, 1180, 1186,
 1193F, 1210
- passive transport
 by channels 637, 639, 640, 651, 652,
 655
 by transporters 639, 640, 641, 642,
 645
- patch-clamp recording 660, 666–668
- Patched* genes 933
- Patched receptors 932, 933F
- pathogenesis, defined 1315
- pathogenic bacteria
 antigenic variation 1342–1343
 autophagy manipulation by 1340
 cytoskeleton used for movement 971,
 1338–1339, 1339F
 extracellular bacterial
 pathogens 1319–1321, 1327F,
 1328–1329, 1332
 intracellular bacterial pathogens 1319,
 1329, 1331, 1335F
 overview 1314
 phagocytosis by host cells
 1331–1333
 trigger mechanism of invasion
 1332–1333, 1336
 zipper mechanism of invasion 1332,
 1335, 1338F
 see also bacteria
- pathogenic fungi 1314, 1321, 1355F
- pathogenicity islands 1317, 1318, 1328
- pathogens 1313–1347
 actin-based motility of
 pathogens 1328–1329
 bacterial pathogens 1314
 cell biology of infection 1325–1347
 cross-species transmission 1329,
 1344
 drug resistance 1344–1346
 engulfment by phagocytic cells 1358
 epithelial barrier to infection 1315,
 1326–1328, 1354
 eukaryotic pathogens 1314,
 1321–1322, 1333–1334
 evolution by antigenic variation
 1341–1343
 evolution of secretory systems 1321
 evolution of virulence genes
 1317–1319
 evolution to exploit biology of
 host 1315, 1326–1327, 1331,
 1335, 1338–1339
 evolution to manipulate
 autophagy 1340
 extracellular bacterial
 pathogens 1319–1321, 1327F,
 1328–1329, 1332
 facultative and obligate
 pathogens 1317
 fungal pathogens 1314
 host interactions 1314–1315
 host specificity 1317
 insect vectors 1321, 1322, 1326,
 1342
 intracellular bacterial pathogens 1319,
 1329, 1331, 1335F
 opportunistic pathogens 1314, 1317,
 1321, 1326, 1348
 overview 1313–1314, 1315F
 primary pathogens 1314–1315

- protozoan pathogens 1314,
1321–1322, 1334
viral pathogens 1201–1202, 1314,
1323T
see also eukaryotic parasites;
infection; intracellular pathogens;
pathogenic bacteria; viruses
Pax6 gene (*Eyeless*) 1218F, 1242, 1243F
paxillin 1107T, 1152
PCNA 262
PCR (polymerase chain reaction)
in diagnostic and forensic
applications 507–510
DNA cloning using 506–507, 510–511
DNA fingerprint analysis 248, 508,
509F, 510
DNA polymerases and 506–507, 510
DNA sequence production 510
protein production 511–512
“purifying” DNA 506
quantitative RT-PCR 536
PD1 (programmed cell death 1)
receptors 1211, 1395–1396
PDGF (platelet-derived growth factor)
action via receptor tyrosine
kinases 911T
as mitogen 1078
production of embryoid bodies 1307F
PDGF receptors 911T, 912–913, 914F
PDI (protein disulfide isomerase)
713–714, 717
PDK1 (phosphoinositide-dependent
protein kinase 1) 921
PDL1 ligand 1211
Pdm transcription regulator 1251
PDZ domains 1120, 1121F
pectins 765, 1155, 1156F, 1157
pedestals 1328
pemphigus 1116
penicillin 307, 1316, 1344–1345, 1346
Penicillium 1346
penis, cyclic GMP in 909
pentose phosphate pathway 819
peptide-binding grooves, MHC
proteins 1384–1385, 1388
peptide bonds
amides 95P
energetics of 67
formation of 116F
hydrogen bonding 98P
in peptides and proteins 95P, 115,
116F, 118P
in protein synthesis 364–365, 366,
368, 371–372
see also polypeptides
peptide synthetase 392
peptidoglycans 650F, 1014–1015, 1316,
1346
peptidyl transferases 368, 374, 706
peptidyl-tRNAs 365, 374
Per protein 938F
perforin 1391, 1392F
pericentriolar material 689F, 992F, 993,
1006F, 1050, 1051F, 1052, 1054F
perinuclear space 736
periodic table 49F
peripheral tolerance 1371
periplasm (periplasmic space) 650F, 733,
1316F
periplasmic substrate-binding
protein 650F
peristalsis 978, 1122, 1326, 1327, 1354
PERK protein kinase 718, 719
perlecan 1128F, 1141, 1143
permeases *see* transporters
peroxidases 793F
peroxins 725–726
peroxisome proliferation-activated
receptors (PPARs) 936
peroxisomes
Abcd1 gene and 322–323F
electron micrographs 725F
evolution 723
function 24, 723–726
as intracellular compartments 684
oxidation of fats to acetyl CoA 724
peroxisomal sorting signals 697
persistence length 958, 988, 1008
pertussis (whooping cough) 895, 1328
pertussis toxin 895, 1319F, 1328
PET (positron emission
tomography) 1164F
Pex1 and Pex6 ATPase 725, 726
Pex5 import receptor 725–726
Peyer’s patches 1365F, 1368
pH
acidity of lysosomes 798
KDEL receptor affinity and 768
pH scale 52, 97P
regulation by vacuoles 800
regulation in cytosol 644–645, 648
pH gradients
contribution to electrochemical
gradients 822–823
electrochemical proton gradient
and 822
isoelectric focusing 489, 490F
in mitochondria 822
see also proton gradients
PH (pleckstrin homology) domains 883,
884F, 916F, 920F, 921
phagocytosis
antibodies as triggers of 803
apoptosis and 1090F, 1092, 1100,
1101F
of bacteria 1331–1333
defined 24, 788, 802
as lysosome delivery pathway
801–802
phosphatidylserine and 613, 804,
1092, 1100, 1101F
plasma membrane enlargement 786F
professional phagocytes 802–803,
1100, 1354–1355, 1358
by protozoa 802
by white blood cells 24F
see also macrophages; neutrophils
phagolysosomes 1355, 1358, 1363F,
1387
phagosomes
autophagosomes 695, 750F, 801F,
804–805, 806
fusion with lysosomes 803, 1355
Legionella pneumophila and 803, 1334F
Listeria monocytogenes and 1334F,
1335
PRRs and 1354–1355
Salmonella enterica and 1335–1336
phalloidins 963, 964T, 977F, 1017F
pharmaceuticals, production through DNA
cloning 512, 539
see also drug discovery
phase, light waves 565
phase-contrast microscopy 567F, 568
phase diagrams 174
phase-separation studies 173–174
phase transitions, in lipid bilayers 609,
610–611
phase variation in bacteria 316
phenacyclidine 677
phenobarbital 1090
phenotypes
behavioral changes 519
defined 519, 520P
stochastic effects on 557
synthetic phenotypes 524
transformed phenotype of cancer
cells 1172, 1173F
phenylalanine 116F, 119P, 360F
phenylalanine-glycine (FG) repeats in
NPCs 736, 737F, 739, 740, 741F,
742
pheromones 905, 918
Philadelphia chromosome 1166,
1207–1208
Phormidium laminosum 14F
phosphate bond energies 84
phosphate group ($-\text{PO}_3^{2-}$) 53, 95P,
104P
phosphates and phosphoanhydrides
71–72, 84, 95P, 105P, 824
phosphatidylcholine
abundance in cell membranes
605–606, 610T
choline in head group 604F, 612
structure 102P, 604F, 605F, 820F
synthesis 720, 820
transfer to mitochondria 722
phosphatidylethanolamine 605–606,
610T, 612, 720, 805, 820, 1100
phosphatidylinositol (PI)
interconversion with PIPs 754, 755F,
761, 797, 920
modification to create binding
sites 613
synthesis 720, 820
see also PIPs
phosphatidylserine
abundance in cell membranes
605–606, 610T, 612–613
inner layer of lipid bilayer 612–613,
1100
negative charge on 612
and phagocytosis 613, 804, 1092,
1100, 1101F
and PKC 899
structure 605F
synthesis 720, 820
transfer to mitochondria 722
phosphodiester bonds
breaking and reformation by DNA
topoisomerase 269–270, 271F
breaking by AP endonuclease 288,
289F
formation by DNA ligase 261F
in nucleic acids 186F, 187F
phosphodiesterases *see* cyclic AMP;
cyclic GMP
phosphoenolpyruvate 109P, 848
phosphofructokinase 108P
3-phosphoglycerate 82F, 83, 109P, 846,
848
phosphoglycerate kinase 82F, 83, 109P

- phosphoinositide 3-kinase (PI 3-kinase) 613, 761, 804, 914, 920–922
 phosphoinositide phosphatases 920
 phosphoinositides (inositol phospholipids) *see* PIPs
 phospholipase C (PLC) 613
 phospholipase C- β (PLC β) 898, 899F, 907T, 913–914, 920, 923F
 phospholipase C- γ (PLC γ) 913, 914F, 920, 923F
 phospholipase C- ζ (PLC ζ) 900F
 phospholipid flippases 1100
 phospholipid scramblase 1100
 phospholipid translocators 608, 612, 720, 721F
 phospholipids
 as amphiphilic 8, 606–608
 cis-double bonds in tails 605, 609
 G protein signaling through 898–899
 micelles 607
 mobility in lipid bilayers 608, 609
 monolayer surrounding lipid droplets 612
 in plasma membranes 8
 sites of synthesis 720, 820
 spontaneous bilayer formation 8F, 103P, 606–608
 structures and properties 102P, 604F, 605
 phosphorylation
 of amino acid side chains of proteins 159–161
 autophosphorylation 391F, 903F, 904, 912F, 913F, 938, 945F
 in cell-cycle control system 1033, 1034–1036, 1037–1038, 1039–1040, 1041T
 GPCR desensitization by 909–910
 initiation factors 457, 458
 of lipids 914
 M-Cdk phosphorylation of substrates 1035, 1036, 1038, 1039, 1040F, 1052, 1054
 nuclear localization and export signals 742
 of nucleoporins and lamins by Cdk 743–744
 photophosphorylation 849–850
 regulating biomolecular condensates 693
 regulating protein degradation 386, 387F
 regulating protein function 159–162
 self-phosphorylation of P-type pumps 646
 of serine in RNA polymerase tails 332F, 333–334, 335, 338, 339, 345
 of serine on nucleosomal histones 206
 signal response speeds 886–887
 signaling proteins controlled by phosphorylation 879–880
 tyrosine phosphorylation at focal adhesions 1152–1153
 see also oxidative phosphorylation
 phosphotyrosine docking/binding sites 884F, 912, 913–914, 924
 photoactivation, defined 575
 photobodies 689F
 photolyses 945
 photophosphorylation 849–850
 photoproteins 944–945
 photoreceptive epithelium 1290
 photorespiration 691, 724, 725F, 847, 848–849
 photoswitchable probes 583, 584
 photosynthesis 843–861
 and atmospheric oxygen 14, 857–859
 ATP production 811
 carbon-fixation reactions (“dark reactions”) 845, 849
 charge separation in 851, 852F, 853, 855, 860F
 as complementary to respiration 61
 electron and proton movements in thylakoid membranes 855, 856F
 electron-transfer process 850–851
 energy-conversion metabolism, summary 845F
 green sulfur bacteria 857
 photosynthetic electron-transfer reactions (“light reactions”) 844–845, 846, 849, 850, 855–856
 reducing agents and 857
 thylakoid membrane as site of 849–850
 see also chloroplasts
 photosynthetic electron-transfer reactions (“light reactions”) 844–845, 846, 849, 850, 855–856
 photosynthetic/photochemical reaction centers 627, 844–845, 851–853, 857
 photosystems
 antenna chlorophylls 851–852, 856F
 cofactors 850, 853F, 854F
 electron-conversion processes 812, 813F
 LHCs (light-harvesting complexes) 851–852
 photophosphorylation 850–851
 photosynthetic/photochemical reaction centers 627, 844–845, 851–853, 857
 photosystem I 813F, 852, 853, 854–855, 856F
 photosystem II 627, 641, 813F, 852–854, 856F
 and thylakoid membrane 849–850, 852–853, 855–856
 see also photosynthesis; thylakoid membranes
 phototrophic organisms 16
 phototropin 945
 phragmoplast 1068–1069
 phylogenetic trees
 eukaryote evolution 27F, 32F
 fossil record and 233–234
 genomic analysis and 1–2, 11–12, 18–19, 232, 233–234
 humans and great apes 232F
 mammals 234F
 primary branches (domains) 2, 11–12
 phytochromes 944–945, 1256
 PI 3-kinase (phosphoinositide 3-kinase)
 activation by Rab5 761
 and cell survival 921F
 in chemotaxis 1022
 classes 1a and 1b 920–921
 as growth factor 1083
 lipid phosphorylation 761, 804, 914, 920
 signaling protein recruitment 613, 914
 PI 3-kinase/Akt/mTOR signaling pathway 922, 1188–1189
 PI-3-kinase–Akt signaling pathway 921–922
 see also RTK/Ras/PI 3-kinase pathway
 PI and PIP kinases and PIP phosphatases 754–755
 Piezo ion channels 660, 1258
PIK3CA gene 1184F
 pili 1316, 1327
 pilin gene/protein 1342
 pinch 1151
 pineal gland 937
 Pink1 protein kinase 806, 817
 pinocytosis
 macropinocytosis 790, 801, 802, 1330
 micropinocytosis 802
 overview 788, 789–790
 pioneer factors 409, 436
 PIP-binding domains 755, 756F
 PIPs (phosphatidylinositol phosphates, phosphoinositides)
 AP2 binding to 753
 in clathrin coat assembly 754–755, 756
 functions in cell signaling 610, 755
 functions in guiding membrane traffic 610
 interconversion with phosphatidylinositol (PI) 754, 755F, 761, 797, 920
 intracellular location 755F
 marking organelles and membrane domains 754–755
 membrane bending and 633
 PI(3,4,5)P₃ (PI 3,4,5-trisphosphate) 755F, 804, 920–921, 1022, 1188–1189
 PI(3,4)P₂ (PI 3,4-bisphosphate) 755F, 920F
 PI(3)P (PI 3-phosphate) 755F, 761, 778, 797, 805, 920
 PI(4,5)P₂ (PI 4,5-bisphosphate) 754F, 755F, 791, 804, 898–899, 920, 1022
 PI(4)P (PI 4-phosphate) 755F, 920F
 PI(5)P (PI 5-phosphate) 755F
 in signaling complex formation 882F, 883
 see also phosphatidylinositol
 piRNAs (piwi-interacting RNAs) 327, 463, 466–467, 468
 pithovirus 1324
 pituitary gland 782F, 901, 1246, 1274, 1275F
Pitx1 gene 1246
 Pitx1 protein 1246
 PKA (protein kinase A) 888, 896–897, 902, 932
 PKB (protein kinase B) 921–922, 1099F, 1188
 PKC (protein kinase C) 612–613, 898F, 899, 914, 1019
 plague 14, 1326
 plakins 1011, 1012, 1023
 plakoglobin (γ -catenin) 1107T, 1113, 1117F

- plakophilin 1107T, 1117F
 planar cell polarity 1261–1263
 planar polarity pathway 1260F, 1262F, 1263
 planarian worms 537F, 1297–1298
 plant growth regulators (plant hormones) 941–944, 1159
 plants
 Arabidopsis as model organism 38
 auxin signaling in 941, 943–944, 945, 1159
 C₃ plants 848
 C₄ plants 848
 cell growth and cell wall orientation 1157–1158
 cell size and ploidy 1271–1272
 cell walls 27, 1014, 1068, 1154–1159
 cytokinesis in 1067, 1068–1069
 energy storage as starch 86
 fats and starch in seeds 86
 flowering times 1256–1257
 gravity and plant growth 942F, 943, 944F
 growth regulators (plant hormones) 941–944, 1159
 intracellular signaling pathways 940–945
 and nitrogen-fixing bacteria 17
 peroxisomes in 724, 725F
 receptor serine/threonine kinases in 941
 regeneration in culture 477–478
 RNA interference and viruses 465
 root cells 569F
 transgenic plants 540–542
 plasma cells 1366, 1368, 1369, 1370
 plasma membranes
 carbohydrate layers protecting 621, 622F
 cell polarization and 786–787
 complex composition in eukaryotes 610
 defined 603
 depolarization by action potentials 647, 662–665, 667F, 668–669, 673
 depolarization by neurotransmitters 670, 672, 673, 674–676, 677–678
 endosome recycling 762, 796
 hyperpolarization 670, 674–675, 906, 907F
 lipid composition 610T
 overview 8–9, 603–604
 pinocytic vesicle formation 789
 postsynaptic membrane 670, 671F, 674, 677
 potential enlargement by secretory vesicles 785–786
 presynaptic membrane 669, 670, 671F, 673
 proportion of protein in membranes 615
 recruitment of intracellular signaling proteins 755
 red blood cell 603F, 605, 610, 612, 630, 631F
 repair 785–786
 restricting lateral mobility of plasma membrane proteins 629, 630F
 structure 603
 synaptic vesicles removed from 784
 transport from TGN to cell exterior 777, 780–788
 virus fusion 764, 1330, 1331F
 plasmalogens 724, 726
 plasmid vectors 502–503, 511F, 541F
 plasmids
 BAC (bacterial artificial chromosome) 503
 in DNA cloning 502–503, 510–511
 as expression vectors 511–512
 F plasmid 503
 Gibson assembly 510–511
 plasmid vectors 502–503, 511F, 541F
 segregation 1015–1016
 tumor viruses 1201, 1202, 1203
 virulence plasmids 1317
 plasmodesmata 651, 1123–1124, 1154F
Plasmodium falciparum 651, 1321–1322, 1326, 1334, 1345
 plastocyanin 853, 854, 855, 856F
 plastoquinol 854
 plastoquinones 827F, 852F, 853, 855, 856F
 platelets
 derivation from megakaryocytes 1070
 from hematopoietic stem cells 1286
 integrins 1149, 1150, 1151F
 mediation of blood clotting 1149
 P-selectins 1125
 PLC see phospholipase C
 pleckstrin homology (PH) domains 883, 884F, 916F, 920F, 921
 plectin 994F, 1011–1012, 1107T, 1148
 Plk1 kinase 1047, 1054F
 Plk4 kinase 1053, 1054F
 ploidy
 and cell size 1270, 1271–1272
 increase after whole-genome duplications 240
 pluripotent cells
 blastula stage 1219
 defined 477, 1302
 fertilized egg 1220, 1302
 loss in gastrulation 1219–1220
 neoblasts 1297
 see also stem cells
 plus-end depolymerization of microtubules 1059
 plus-end polymerization of microtubules 1056–1057
 +TIPs (plus-end tracking proteins) 994F, 997–998, 1023
 podosomes 975
 point mutations
 cancer genomes 1185
 defined 231, 521P
 immunoglobulins 1377
 proto-oncogenes converted into oncogenes 1180–1181
 Ras oncogenes 1180–1181
 RNA splicing errors and 347
 site-directed mutagenesis 511, 573–574
 tumor suppressor genes 1183
 point spread function 578, 581–583
 polar covalent bonds 50–51, 52, 62
 polar ejection force (polar wind) 1060
 polarization of the embryo 1226–1228
 polarized cells see cell polarization
 polarized light 494
 poliomyelitis 1315F, 1325
 poliovirus 1315F, 1323T, 1324, 1325, 1331, 1340, 1341
 pollen 592F
 Polo-like (Plk) kinases 1047, 1053, 1054F
 poly-A-binding proteins 348, 349, 351F, 373F, 460F
 polyacrylamide-gel electrophoresis (PAGE) for DNA 500–501, 513
 protein fractionation 487–490, 512F
 SDS–PAGE 487–489, 490F
 two-dimensional gel electrophoresis 489–490
 polyadenylation
 effects on resultant protein 450
 of mRNA 3' ends 338, 348F, 349, 350
 poly-A shortening 459–460, 461, 464
 regulated RNA cleavage and polyadenylation 449–450
 polycistronic mRNA 374, 866
 Polycomb group proteins 1235–1236, 1256
 polycomb repressive complex (PRC) 211, 212F
 polycomb repressive complex 2 (PRC2) 597F
 polyisoprenoids 103P
 polymer-end activation 78, 79F
 polymerase α (Pol α) 266, 281F
 polymerase δ (Pol δ) 266, 266F, 280
 polymerase ϵ (Pol ϵ) 266
 polymers see macromolecules
 polymorphisms
 haplotype blocks and 525–526
 MHC proteins 1385F, 1388
 SNPs 246, 525, 526, 527
 polymorphonuclear leukocytes see neutrophils
 polyomaviruses 614
 polypeptides
 amino acid addition 364–365
 ER membrane transport 705–710
 intrinsically disordered regions (IDRs) 126, 168–169, 690
 number of possible variations 126–127
 proteins as 6, 115
 steric restrictions on bond angles 117
 synthesis outside ribosomes 392
 see also protein(s)
 polyploid cells 219, 1185, 1270–1271, 1272
 polyproteins 781
 polyps, adenomatous 1193–1195
 polyribosomes 375, 704, 705F
 polysaccharides
 glycogen as 77F, 85
 Golgi apparatus synthesis 765
 lysosome action on 149, 152, 153F
 pectins 765, 1155, 1156F, 1157
 structure and properties 101P
 synthesis by condensation reactions 55, 77F
 see also cellulose
 polytene chromosomes 218–220, 225
 polyubiquitin chains 162–163, 164, 165, 384, 385F, 386, 717
 polyubiquitylation 163F, 795, 1098
 population size
 and neutral mutations 243–244
 and response smoothing 889

- porins
 aquaporins 619F, 639, 644, 652–653, 794
 in bacteria and mitochondria 652, 733F, 814–815
 β -barrel formation 618, 620, 733
 malto porin 620
 see *also* channels
- porphyrin rings 826, 850
- position effect variegation 205–206, 207, 210, 212, 215
- position effects
 embryonic transcription
 regulators 424–425, 426
 and gene silencing 205, 211
- positional values/labels and *Hox* genes 1233, 1234, 1240–1241
- positive feedback
 Ca^{2+} waves and oscillations 900, 901F, 904F
 cell-cycle transitions 1036–1038
 cell memory and 432, 433, 443–444, 553
 CICR (Ca^{2+} -induced calcium release) 900
 cooperative binding and 551
 de novo pattern generation 1223
 indirect feedback loops 433F
 iPS conversion 1304
 in lateral inhibition 1223–1224
 in M-Cdk activation 1037–1038
 MAP kinase 918
 mutual antagonism as 1038
 quantitative approaches 552–553
 Rab proteins on endosome membranes 761
 self-amplification of cell differences 1224
 self-amplification of nerve impulses 662, 664
 in signaling pathways 888–891
- positive feedback loops
 cell memory and 432, 433, 443–444, 553
 dendritic cells 1395
 flip-flop transcription circuits 433
 indirect positive feedback loops 432
 in inflammatory response 1357, 1361
 M-Cdk in 1038
 quantitative approaches 552–553
 RNA interference 465
 in signaling pathways 888–890
 switches and bistability 551–553, 888
- positive regulation 155, 157F, 158
- positive selection 1390, 1394
- post-transcriptional controls 445–462
- post-translational processes
 contrasted with co-translational translocation 708F
 imports to chloroplasts 733, 734F
 imports to mitochondria 728–729, 731
 mapping modifications using tandem mass spectrometry 492
 modification of GFP 573
 translocation to ER 707–709, 713, 716–717
 transmembrane protein integration into ER membrane 709, 711–712
- postcapillary venules 1368, 1369, 1370F
- powdery mildew 1315F
- poxviruses 1324, 1329, 1330
- PP2A proteins (protein phosphatase 2A) 1035, 1036F, 1037F, 1038–1039, 1041T, 1062
- PPARs (peroxisome proliferation-activated receptors) 936
- PRC (polycomb repressive complex) 211, 212F, 597F
- pre-mRNA modification and RNA splicing 337, 338–341, 342F, 343–349
- pre-pro-proteins (pre-peptides) 781
- precision medicine 229, 248
- premature aging 283, 347, 530F, 539F
- prenyl groups 610, 616–617
- preprophase band 1067, 1068F
- Presenilin 930
- presomitic mesoderm 1249–1250, 1251
- presynaptic terminals 785F
- prickle cells 1283F
- primary active transport 642
- primary axes, embryo polarization 1226–1228
- primary cell walls 1155, 1156–1157, 1158F
- primary cilia 884, 906F, 932, 933F, 1005–1006, 1012, 1013F
- primary ciliary dyskinesia 1005
- primary cultures 477
- primary IG repertoire 1377, 1381
- primary immune response 1367, 1368F
- primary pathogens 1314–1315
- primary structure of proteins 123
- primary tumors 973, 1165, 1178, 1197, 1198
- primer strand, RNA see RNA primers
- prion diseases 138–139
- pro-apoptotic Bcl2 family effectors 1096, 1097F
- probability
 statistical methods 558
 thermodynamics and 58, 66, 106–107P
- procollagen 759, 775, 1134
- professional phagocytes 802–803, 1100, 1354–1355, 1358
- profilins 965F, 967, 968F, 1021F
- progenitor cells
 committed progenitor cells 1288
 de-differentiation and 1289–1290
 hematopoietic progenitor cells 1288F
 hierarchy of proliferation and differentiation 1280–1281
 multipotent progenitor cells 1281, 1288
 positive feedback loops 432
 timing mechanisms 1251–1252
 unipotent progenitor cells 1281
 see *also* transit-amplifying cells
- progesterone 890F, 918
- programmed cell death see apoptosis
- proinsulin 137F, 781F
- prokaryotes
 as bacteria and archaea 13–15
 circular DNA in 190, 223, 273, 281
 distinction from eukaryotes 13, 22–23
 see *also specific topics*
- prolactin 924, 925
- proline
 in collagens 1132, 1134, 1136
 in elastin 1136
- hydroxyproline 715, 1132F, 1134, 1157
 structure and properties 116F, 119P
- prometaphase 1047, 1048P, 1052, 1059, 1060, 1062F
- promoters
 binding by activators 411–412, 543–546, 548–549, 551
 binding by repressors 411, 548–549, 551
 in CG islands 437–438
 in gene control regions 414, 415F
 general transcription factors and 332, 414, 415, 418
 mathematical analysis 543–546, 548–549, 551, 553, 554, 557
 operons and 410–411
 orientation and DNA inversion 316
 phase variation and 316
 protein concentrations and 546–547
 in transcription 328F, 329–331, 332–333, 335
 transcription regulators and 411
- proofreading
 aminoacyl-tRNAs 363–364, 370
 by coronavirus replicase complex 312–313
 by DNA polymerase 259
 DNA replication 258–260, 267–269
 exonucleolytic proofreading 259, 260T, 364
 kinetic proofreading 344, 370
 misincorporated ribonucleotide removal 268, 269, 326
 mismatch proofreading system 260, 267–269
 steps in DNA synthesis, summarized 260T
 see *also* error correction; quality control
- proopiomelanocortin 782F
- propeptides 781, 1134–1135
- prophase, mitosis
 formation of sister chromatids 196, 1028
 M-Cdk activity 1052, 1054
 in mitosis, overview 1028, 1048P
 see *also* mitosis
- prophase I (meiotic prophase) 1073, 1074
 see *also* meiosis
- prostaglandins 899, 1357
- prostate cancer 1191F
- proteases
 extracellular matrix degradation 1145
 in Golgi apparatus membrane 719, 742, 743F
 in lysosomes 799
 matrix metalloproteases 1145
 proteasome as 163–164, 165, 384–386, 716, 717, 1098
 in TAP-tagging 486
 see *also* caspases; serine proteases
- proteasomes
 function 384–386, 716, 717
 structure 384
 ubiquitylation and 163–164, 165, 384, 1098
- protein(s)
 accumulation delays 1248, 1250
 amino acid addition 364–365
 analytical methods 487–498

- as catalysts 6, 55
- chemistry determined by
 - conformation 142
- conditionally short-lived 386
- crystallizing 494–495, 497, 594, 596
- filaments, from globular proteins 131–132
- fluorescent tagging in living cells 573–575
- generating movement 166–168, 169F
- identifying 491–493
- movement between compartments of
 - cells 694–696, 697
- number in eukaryotic cells 683
- in plant primary cell walls 1157
- as polypeptides 6
- production in quantity from
 - cloning 245, 480, 495, 511–512
- purifying 480–487
- regulated destruction of 386–387
- from RNA to protein, summary 387–388
- shared set among organisms 518
- see also* polypeptides; *specific topics*
- protein assemblies
 - cooperative allosteric transition 158–159, 241
 - symmetrical assemblies 158–159
 - tetranucleosomes 202
- protein-coding genes *see under* genes
- protein degradation
 - control of gene expression 401
 - effects on mean lifetimes 547–548
 - N-terminus acetylation and 387
 - phosphorylation regulating 386, 387F
 - protein concentration and 546–547
- protein domains
 - binding to phosphorylated proteins 159
 - defined 124
 - domain shuffling 129, 130
 - ING PHD domains 209F
 - as modular units 124–125, 129–130
 - representations of 124, 125F
 - SH2 example 124
 - structures of protein folds 128
 - transmembrane proteins 617, 619, 620, 621
 - type III fibronectin repeats 129F, 130F, 1126F, 1139, 1140F, 1141, 1146
 - see also specific types*
- protein families, overview 127–129
- protein folding
 - α helix and β sheet 121–122
 - as conserved 495
 - denaturing and renaturing 121, 489, 623–624
 - energetics of 121, 380
 - in ER lumen 712–714
 - formation of binding sites 141F
 - lowest-energy conformation 121, 380
 - molecular chaperones and 121, 380–382, 383F, 712–714, 716F, 718F
 - multipass transmembrane proteins 619F
 - NMR spectroscopy and 496
 - noncovalent bonds in 56F, 117, 120F
 - oligosaccharide tagging 715–716
 - quality control 384, 386
 - ribosome coordination of 380
 - subunit assembly and 383
 - translation speed and 383
 - unfolded protein response and 717–719
 - see also* α helices; β sheets; protein misfolding
- protein function 140–179
 - binding sites and 140–146
 - covalent modifications, effects of 175–176
 - designed proteins 178–179
 - FRET monitoring of dynamics 575–576
 - intracellular networks of protein interaction 176–177
 - movement by conformational changes 166–167, 168F, 169F
 - overview 6, 55
 - phosphorylation in regulating 159–162
 - protein structure and 142–143, 497–498, 519
 - selective binding to other molecules 140–141
 - tightly bound small molecules and 152–155
 - see also* allostery; enzymes; *specific protein types*
- protein glycosylation *see under* glycosylation
- protein interactions
 - aquaporins 619F
 - biochemical and optical methods 493–494
 - cytoskeletal filaments 954, 955
 - identifying interacting proteins 493–494
 - interaction mapping 177
 - interface types 143–144
 - mediated by interaction
 - domains 883–884, 913
 - restricting lateral mobility of plasma membrane proteins 630F
 - scaffold proteins 690
 - transcription regulators and 414
 - transmembrane proteins 618, 619F, 630F
 - use of FRET 494, 575–576
- protein kinases
 - cyclic-AMP-dependent protein kinase (PKA) 888, 896–897, 902, 932
 - enzyme-coupled receptors and 819
 - evolutionary tree in eukaryotes 160
 - feedback mechanisms and effects 889F
 - initiation and regulation of autophagy 805
 - as microprocessors 161–162
 - overview 159–160
 - protein kinase A (PKA) 888, 896–897, 902, 932
 - protein kinase B (PKB) 921–922, 1099F, 1188
 - protein kinase C (PKC) 612–613, 898F, 899, 914, 1019
 - regulation of molecular switches 161–162, 879, 889F, 904, 913, 918
 - and replication origins 277, 278F, 279
 - serine/threonine kinases 879
 - tyrosine kinases 879–880
 - see also* MAP kinases; protein phosphorylation; tyrosine kinases
- protein machines
 - ATP synthase as 812, 817, 837–839, 844
 - comparison to biomolecular condensates and membrane-enclosed compartments 175T
 - recombination complexes 1073
 - replication machine 263–265
 - see also* motor proteins
- protein misfolding
 - amyloid plaques 930
 - BiP chaperones and 713, 766
 - ER export and degradation 716–717, 766
 - molecular chaperones and 380, 381F, 382F, 383F, 384
 - prion diseases 138–139
 - retrotranslocation 384, 716–717, 718
 - unfolded protein response 717–719
- protein modules 129
- see also* protein domains
- protein phosphatases
 - dephosphorylation 159, 160, 879
 - dual-specificity phosphatases 880
 - and molecular switches 879
 - protein tyrosine phosphatases 880
 - tyrosine-specific protein phosphatases 916
- protein phosphorylation
 - overview 159
 - regulating protein function 159–162
 - see also* protein kinases; protein phosphatases
- protein sorting
 - in polarized epithelial cells 786–787
 - in the TGN 770, 774, 777–780
 - see also* signal sequences; sorting signals
- protein structure 115–140
 - C-terminus 116F, 118F, 122F
 - coiled-coils 122, 123F, 132
 - designed proteins 178–179
 - dynamic structures 126
 - immunoglobulin fold 129
 - intrinsically disordered regions (IDRs) 126, 168–169, 690
 - models and representations of 124F, 495
 - N-terminus 116F, 118F, 122F
 - NMR spectroscopy 126F, 496–497
 - polypeptide backbone 115–116
 - primary, secondary, tertiary and quaternary 123, 131
 - and protein function 142–143, 497–498, 519
 - specified by amino acid sequence 115–117
 - x-ray diffraction 123F, 149, 494–495
 - see also* α helices; β sheets
- protein subunits in large structures 134–136
- protein synthesis
 - by condensation reactions 77F
 - cytosol as location of 683
 - global regulation by phosphorylation 457
 - inhibitors of 376–377
 - in mitochondria 726, 728
 - overview 5, 387–388
 - on polyribosomes 375, 704, 705F
 - possible evolution 392–393

- protein synthesis (*continued*)
 quality control and regulation 378–379
 from RNA to protein, summary 387–388
 speed of 341
 transfer RNA role 359–365
 translocation steps, ribosomal 368
see also translation
- protein translocation
 in mitochondria and chloroplasts 726–735
 in peroxisomes 724–726
 post-translational translocation 707–709
 retrotranslocation of misfolded proteins 384, 716–717, 718
 road map of eukaryotic protein traffic 694F
 three routes 708F
- protein translocators
 aqueous channels in 705–707
 in endoplasmic reticulum membrane 702F, 704–705, 707–709
 function, overview 694
 lateral gating 705–707, 709–710, 711F
 in mitochondrial membranes 727–728, 729–730, 731, 732F, 733
 in organelle construction 697
 in peroxisomes 724–726
 Sec61 complex 705–707, 708, 709–711, 713, 724
 signal-gated translocator proteins 705–709
 TIM complexes (TIM 22 and TIM23) 728, 729F, 730, 731, 732
 TOM complex 727, 728F, 729–732, 733
see also phospholipid translocators
- protein tyrosine kinases 1152, 1328F
see also cytoplasmic tyrosine kinases; Src protein kinases
- protein tyrosine phosphatases 880
- proteobacteria 859F, 861
- proteoglycan core proteins 773
- proteoglycans
 aggrecan 1128F, 1131
 assembly in Golgi apparatus 772–773, 1130
 decorin 1128F, 1131
 in the extracellular matrix 621, 773, 776, 1128, 1130–1132, 1138–1141, 1147
 linkage tetrasaccharides 1130
 linkage to core protein 1130–1132
 as matrix receptors 1147
 perlecan 1128F, 1141, 1143
 regulation of cell signaling 1145–1146
see also GAGs
- proteolysis
 the caspase cascade 1091–1093
 in cell cycle control 1039
 enzyme regulation through 155
 in insulin and collagen assembly 137
 isolating cell from tissues 476–477
 regulated proteolysis 426F, 928–935
 proteolytic cascades 819T, 1091–1093, 1359
see also caspase cascades
- protists, defined 31F
- proto-oncogenes
 conversion into oncogenes 1180–1181
 gain-of-function mutations in 1179
- protocadherins 1108, 1109F
- protofilaments
 actin 955, 958F
 curvature 989, 990F, 997
 cytoskeletal 954F
 intermediate filaments 1008
 microtubules 955, 987F, 988, 989, 990F
- proton gradients (H^+ gradients)
 bacteriorhodopsin and 626–627
 electron-transport chain and 90
 mitochondrial membrane 90, 806
 thylakoid membrane 733, 854, 856, 857
 use by ATP synthases 646, 841, 856
see also electrochemical proton gradients
- proton-motive force
 and ATP synthesis 812, 838, 842, 856
 in bacteria 838, 842
 chemiosmosis and 812, 842, 856
 in mitochondria and chloroplasts 822, 823, 829, 838
 NADH dehydrogenase and 829
- proton pumps (H^+ pumps)
 allosteric changed in protein conformation 834–835
 ATP synthases reversibility as 837, 839, 842, 869
 bacteriorhodopsin as 626
 cytochrome b_6-f complex 854, 855–856
 cytochrome c oxidase 831
 cytochrome c reductase 829–831, 859
 of the electron-transport chain 90, 823–835
 endosomes 645, 795
 evolution 856–857
 light-driven proton pumps 625–627, 646
 lysosomes 645, 799
 mitochondria 823–835
 NADH dehydrogenase complex 829, 835F
 regulation of cytosolic pH 645
 secretory vesicles 645
 thylakoid membrane and 845, 854, 855–856
 “proton wires” 834
- protons (H^+)
 behavior in water 52–53, 97P, 653, 834–835
 in hydrogenation reactions 62
- Protopterus annectens* (African lungfish) 236F
- protozoa
 as eukaryotes 30F
 pathogenic protozoa 1314, 1321–1322, 1334
 phagocytosis 802
see also specific types
- PRRs (pattern recognition receptors)
 activation by PAMPs in vaccines 1399
 classes of 1355–1356
 CLRs (C-type lectin receptors) 1355, 1356T
- on dendritic cells 1362, 1383, 1399
 inflammatory response 1356–1358, 1400F
 NLRs (NOD-like receptors) 1355, 1356T, 1357
 overview 1354–1355
 recognition of PAMPs 1354, 1356, 1357, 1358, 1364, 1383, 1399
 recognition of viruses 1360
 RLRs (RIG-like receptors) 1355, 1356T
 signaling pathways activated by 1354, 1356
 TLRs (Toll-like receptors) 934, 1355, 1356F, 1356T, 1360
 Toll receptors 934, 1230F, 1236, 1355
see also innate immune system
- pseudogenes
 defined 194T, 233, 240
 globin family 242
 in the human genome 194T, 242
 loss-of-function mutations 240
 and purifying selection 233
Pseudomonas aeruginosa 1317
- pseudopodia (pseudopods) 803–804, 951, 952F, 973F, 974, 975F, 1022F
- pseudosymmetry 643, 644F, 706F
- pseudouridine 352, 353F, 360F, 450F
- PSP (postsynaptic potential)
 action potentials firing frequency and 675, 676
 excitatory postsynaptic potential (excitatory PSP) 674–675, 676F, 677
 inhibitory postsynaptic potential (inhibitory PSP) 674–675, 676F
- PTB (phosphotyrosine-binding)
 domains 883, 884F, 913, 914
- PTEN phosphatase 920, 1188–1189, 1191
- PtK epithelial cell lines 478
- puffer fish (*Fugu rubripes*) 29, 236–237
- pulsed-field gel electrophoresis 500
- Puma protein 1096F, 1097
- pump proteins *see* membrane transport proteins
- purified cell-free systems 486–487
- purifying selection 233, 237, 243, 244
- purines 104P, 186, 187F, 819
- Purkinje cells 576F, 736
- puromycin 376–377
- purple bacteria 859, 860F
- pus 1358
- pyrenoid 691–692, 848–849
- pyrimidines 104P, 186, 187F, 819
- pyrophosphate hydrolysis in biosynthesis 78
- pyroptosis 1089
- pyruvate
 anaerobic breakdown 84
 conversion to acetyl CoA 87F, 88, 92, 111P, 817, 818F, 849
 oxidation in the citric acid cycle 88, 110P, 814, 817, 818F
 produced in glycolysis 80, 81F, 84, 109P, 814, 849
 as substrate of several enzymes 92
- pyruvate carboxylase 76F
- pyruvate dehydrogenase complex 88, 111P
- pyruvate kinase 109P

Q

Q cycle 830, 831, 854
 Q fever 1340
 quality control
 apoptosis as 1090
 protein exit from the ER 765, 766
 ribosome-associated quality control 379–380
 RNA splicing 347, 361
 RNA transport from the nucleus 378
 transfer RNA 363
 translation 363, 378–380
 quantitative approaches
 importance for biology 44–45, 542–543
 negative feedback 549–550
 positive feedback 552–553
 promoters 543–546, 548–549, 551, 553, 554, 557
 schematic cartoons compared to 543, 544F, 546, 556
 transcription activators 543–546, 548–549, 551, 554–555
 transcription repressors 548–549, 551, 554–555
 see also differential equations; mathematics in biology
 quantitative RT-PCR 536
 quantum mechanics 567
 quaternary structure of proteins 123, 131
 quinols
 defined 826, 829
 plastoquinol 854
 uniquinol (QH₂) 827, 829–830, 831F, 832, 854
 quinones
 as electron carriers 826, 827F, 850, 860F
 plastoquinones 827F, 852F, 853, 855, 856F
 ubiquinone 825P, 826, 827–829, 830–831, 832, 833
 ubisemiquinone radical 827F, 831F
 quorum sensing 873

R

R-spondin protein 931
 Rab cascades 762, 775
 Rab effectors 760, 761, 762
 Rab GEFs 760, 761, 762F
 Rab proteins
 modification by *Legionella* 803
 on organelle membranes 760T, 761–762
 Rab4/Rab11 760T, 762
 Rab5 760T, 761–762
 Rab7 757, 760T, 761, 762, 778
 as Ras superfamily members 915T
 subcellular location 760T
 transient association with plasma membrane 617
 in vesicular transport 760–762
 rabies 1323T, 1324F, 1329
 Rac GEFs 1023
 Rac protein
 adherens junction assembly and 1112–1113
 cell polarization and 1021–1022
 as Rho family member 915T, 919, 1016

Rad51 protein 298–299, 300, 301, 1205
 radiation
 and cancer treatment 1204, 1212–1213
 and carcinogenesis 1166, 1167
 radiation-resistant bacteria 518
 Schmidtea mediterranea response 1297
 ultraviolet radiation 287, 1166
 x-rays and cancer 1166
 radioisotope labeling 488, 490, 501
 Raf (MAP kinase kinase kinase; MAPKKK) 917, 918, 942
 raft domains/lipid rafts 611, 613, 629
 Rag GTPase 922F
 Ramachandran plots 117F
 Ran GAP protein 740, 741, 742, 744
 Ran GAPs 740, 741, 742, 744
 Ran GEF 740, 744
 Ran GEF protein 740, 744
 Ran GTPases
 activation around mitotic chromosomes 1055
 compartmentalization of Ran-GTP and Ran-GDP 740–741, 742, 745
 and nuclear pore complexes 740–741
 Ran-GTP in mitotic cells 744–745
 as Ras superfamily members 915T
Rana pipiens 40F
 “random coils” 1137
 random walks 65–66, 243
 Rap1 GTPase 1151F
 rapidly inactivating K⁺ channels 676
 raptor protein 922
 Ras GAPs 916, 917F
 Ras GEFs 916, 921, 923F
 Ras–MAP-kinase signaling pathway
 anticancer drugs targeting 1209F
 integrins and 1152
 MAP kinase modules 916–919
 Myc transcription and 1079
 Raf, Mek and Erk 917
 see also RTK/Ras/PI 3-kinase pathway
 Ras oncogenes 802, 1180–1181, 1191–1192
 Ras/PI 3-kinase pathway 1188
 Ras proteins
 activation mechanisms 891, 916
 association with plasma membrane 617
 hyperreactivity of 1181
 MAP kinase signaling module activation 916–918
 micropinocytosis and 802
 as monomeric GTPases 162, 163F, 166, 915, 1180
 RTK signaling mediation 915–916
 structure 163F
 three human types 915
 Ras superfamily GTPases, overview 915
 rate constants
 actin polymerization 960P, 962
 association and dissociation 493, 544
 kinetic rate constants 493, 550F
 transcription rate constants 546–547, 549
Rb gene mutations 1182, 1183F, 1184
Rb pathway 1187–1188, 1189F
Rb (retinoblastoma) protein family 1079–1080, 1203, 1341
 Rbpsiuh protein 929F

reaction centers, photochemical 627, 844–845, 851–853, 857
 reaction rates
 diffusion-limited rates 151P
 K_m (concentration at half-maximal rate) 147F, 148, 150–151P, 641, 642
 and speed of molecular motions 65–66, 151P
 V_{max} 147–148, 150–151P, 641, 642
 reader proteins 209–210, 451
 reader-writer complexes
 chromatin domains and 212–213
 recognition of histone modifications 209, 210
 spread of chromatin modifications 210–212, 215, 216F, 437F
 reading frames
 Ig diversification and 1378
 translation and 359, 365, 368, 373
 see also open reading frames
 RecA protein 298–299, 300, 1205
 receptor-activated Smads (R-Smads) 926–927
 receptor destruction 891F, 910, 914
 receptor down-regulation 891, 909–910, 915
 receptor editing 1370, 1371, 1379
 receptor inactivation 891, 909, 926
 receptor-mediated endocytosis 764, 779, 791–792, 910, 1331
 receptor sequestration 891F, 909–910
 receptor serine/threonine kinases 926–927, 941
 receptor tyrosine kinases (RTKs)
 activation by dimerization 912–913
 cytoplasmic tyrosine kinases and 914, 919, 923–924
 endocytosis of 914–915
 as enzyme-coupled receptors 898F
 extracellular signal proteins and 911–912
 inductive signaling in development 1221
 insulin receptor as 884F
 proteins that act via RTKs 911T
 signaling overlaps with GPCRs 923
 subfamilies 911, 912F
 transautophosphorylation 912F, 913
 ubiquitylated RTKs 914–915
 see also RTK/Ras/PI 3-kinase pathway
 receptors
 binding by extracellular signal molecules 875–876, 878
 degradation in lysosomes 794–795
 function as sensors 603
 intracellular receptors 876F, 935–936, 937F
 matrix receptors and co-receptors 1147
 see also cell-surface receptors; specific types
 receptors as
 Ras–MAP-kinase signaling pathway 1209F
 recessive alleles, defined 520P
 recessive mutations
 cancer-critical genes 1179–1180
 complementation tests 521P, 523
 loss-of-function, as typically 523, 1179F, 1180

- Reclinomonas* 862F, 864
 recognition helix 404P
 recombinant DNA technology
 defined 498
 extinct protein resurrection 245
 genome engineering/editing 527–528
 human health and 539–540
 introducing altered genes into
 cells 511, 512F, 528, 679
 introducing altered genes into germ
 line 528–530
 microinjection of altered genes 528
 protein production in large
 quantities 245, 480, 495
 recognition tags for protein
 purification 486
 replication origin relocation 277
 and reverse genetics 527–528
 transgenic organisms 528–533,
 539–542
 recombination complexes 1073
 red blood cells
 asymmetry of lipid bilayers 612, 630,
 631F
 band 3 protein 631, 645
 cytoskeleton 630, 631F
 function 1286T, 1287
 phagocytosis by macrophages 803
 plasma membrane 603F, 605, 610,
 612, 630, 631F
 scanning electron micrograph 631F
 spectrin in cytoskeleton 630–631, 969
 see also erythropoietin
 redox-driven pumps 641
 redox pairs 824, 825P
 redox potentials
 along the respiratory chain 822
 calculation of ΔG° from 824, 825P
 chlorophyll A_0 855
 circadian clocks and 939
 defined 824
 electron-transport chain 730, 731
 as measure of electron affinities
 823–824, 826–827, 828
 measurement of 824, 825P
 in photosynthesis 852F, 853, 855,
 857, 858
 standard redox potentials 824, 825P
 redox reactions, spontaneous 823
 reducing agents, in photosynthesis 857
 reduction 62–63
 refractive index 566, 568, 601
 refractory period
 ion channels 654, 664, 901F
 replication origin 273, 274F
 regions of attraction 553
 regulated exocytosis 763, 785–786
 regulated nuclear transport 452–453,
 454F
 regulated proteolysis 426F, 928–935,
 1039
 regulated secretory pathway 776–777,
 782
 regulatory DNA
 as conserved 230
 differences between animal
 species 1220–1221, 1245–1247
 in eukaryotes 29
 evolution of 239, 1221
 and gene expression patterns in
 development 1221
 in the human genome 195
 as noncoding 7
 regulatory genes and multicellular
 development 29–30
 regulatory networks, mathematics
 of 543–548
 regulatory RNA, microRNAs as
 1252–1253
 regulatory sites, allosteric enzymes 156
 regulatory T cells (T_{reg} cells)
 CD4 expression on 1389, 1390
 development 1390, 1393
 in immunological self-tolerance 1371,
 1386, 1387, 1390, 1394
 induced regulatory T cells (induced
 T_{reg} cells) 1393F, 1394
 natural regulatory T cells (natural T_{reg}
 cells) 1394
 recognition of peptide–MHC
 complexes 1384, 1386, 1387
 suppression of immune cell
 activity 1382, 1389, 1394
 release factors 374
 remdesivir 313
 replicase complex 311–313
 replication bubbles 272F, 275–276
 “replication factories” 1337
 replication forks
 asymmetry 256–258
 bacterial 224F, 277
 disassembly 280–281
 in eukaryotes 266, 274–276, 277,
 279, 280–281
 failed, cell cycle response 1082
 histones and 208, 215
 multienzyme complex as replication
 machine 263–265
 nucleosome assembly behind
 279–280
 repair of stalled or broken 296,
 299–300, 301F, 1205, 1206F
 in S-phase 277–279, 1043, 1045–1046
 SMC protein complexes and 224F
 structure 265F
 replication origins
 in bacteria 272–273, 277, 280
 in eukaryotes 196, 273–277, 278F,
 280
 in human cell division 275, 277
 licensing of 1043, 1044
 methylation 273, 274F
 refractory period 273, 274F
 S-phase 1043–1045
 replicative cell senescence
 avoidance by cancer cells 1173–1174
 avoidance by ES cells 1303
 cultured cells 283, 478, 1082–1083,
 1173, 1303
 macrophages and 283, 478
 p53-dependent cell-cycle arrest
 and 1083
 stem cells and 1295
 telomere function and 282–283, 478,
 1082–1083, 1174
 reporter genes 424, 427F, 534–535, 944F
 reporter proteins 535, 574
 repressive chromatin 220
 repressor proteins see transcription
 repressors
 repulsive interactions, cell–cell
 junctions 1259–1260
 rescue, microtubules 989, 990F, 998F,
 999
 residual bodies 803
 resolution
 defined 566F
 distinguished from detection 566
 electron microscopes 588, 595–597
 light microscopes 563, 564–567
 limit of resolution 566, 580, 588
 and wavelength 563, 564–566, 588
 see also superresolution techniques
 resonance energy transfer 850, 851–852
 see also fluorescence resonance
 energy transfer
 respiration
 aerobic respiration, defined 61
 as complementary to
 photosynthesis 61
 evolution of cellular respiration 831
 respiratory burst 1358
 respiratory chain see electron-transport
 chains
 respiratory-chain complexes
 electron transfer from NADH 827–828
 inner mitochondrial membrane 728,
 817, 840
 overview 827–828
 redox potentials 828
 supercomplex 833–834
 see also cytochrome c oxidase;
 cytochrome c reductase;
 electron-transport chains;
 NADH dehydrogenase complex;
 succinate dehydrogenase
 response timing, intracellular
 signaling 885
 resting membrane potentials 655, 657,
 662, 664, 670, 672
 restriction nucleases
 DNA cleavage at specific
 sequences 222F, 498–499
 in DNA cloning 502–503, 510
 in recombinant DNA technology
 498–499
 Ret cadherin 1109F
 retinal 154, 626, 679, 906
 retinal photoreceptive epithelium 1290
 retinitis pigmentosa 347
 retinoblastomas 1079, 1082, 1083F
 see also Rb (retinoblastoma) protein
 family
 retinoic acid 936, 1307F
 retinoic acid receptor 937F
 retinoids 875, 935, 936
 retrieval pathways
 COPI-coated vesicles as 767
 defined 750
 for ER resident proteins 765, 767, 768
 ER retrieval signals 768
 retromer-coated vesicles 751–752, 759
 road map 750F
 for SNARES 763, 767, 768
 see also vesicle transport
 retrograde axonal transport 1002, 1003
 retromer-coated vesicles
 assembly on endosomes 757, 759,
 778
 electron micrograph 752F
 retrieval pathway to Golgi
 apparatus 751–752, 759, 778
 tubules 759

- retrotranslocation, damaged proteins 384, 716–717, 718
- retroviral-like retrotransposons 231F, 308T, 311, 313–314
- retroviruses
- and cancers 1180, 1202T, 1203
 - defined 311
 - integrases 308T, 311, 313
 - as oncogene vectors 1180–1181
 - reverse transcriptases 311, 1180, 1341
 - RNA editing and 452
 - as transdifferentiation vectors 1308
 - viral capsids 311
 - see also HIV
- Rev protein 453
- reverse genetics 519, 527–528
- see also genome engineering/editing
- reverse transcriptases
- in cDNA cloning 504, 507, 508F
 - nonretroviral retrotransposons 308T, 314
 - quantitative RT-PCR 536
 - retroviral-like retrotransposons 308T, 313
 - in retrovirus infection 311, 1180, 1341
 - in RNA sequencing 516, 536
 - telomerases as resembling 281
 - trace RNA PCR analysis 507, 508F
- Reynolds number 956–957
- RFP (red fluorescent protein) 571F, 574
- RGD sequence (Arg-Gly-Asp) 1139–1140, 1148, 1150, 1332
- RGSs (regulators of G protein signaling) 894–895, 906
- Rheb GTPase 915T, 922F
- Rho-associated kinase (ROCK) 1021, 1022F, 1066
- Rho family GTPases
- activation by extracellular signals 1022
 - adherens junction assembly and 1112–1113
 - and bacterial entry to hosts 1332
 - in cell polarization 1016–1018, 1020, 1021–1022, 1023F
 - cytoskeleton and 919–920, 922, 1016–1018
 - monomeric GTPases in 904, 1016
 - neuron growth cones and 919
 - pseudopod shaping 804
 - as Ras superfamily members 915T, 919, 1065
- Rho GAPs 919, 1066F
- Rho GEFs 804, 919, 1018, 1019F, 1066F, 1067
- RhoA 919, 1065–1066, 1067, 1068F
- rhodamine 571
- rhodopsin kinase (RK) 906, 910
- rhodopsins
- channelrhodopsins 627, 678–679
 - as GPCRs 627, 893, 906, 910
 - in phototransduction apparatus 906, 907F
 - retinal and 154, 626, 906
 - signal amplification 909
 - see also bacteriorhodopsin
- rhombomeres 1240, 1260
- RIAM protein 1151F
- ribbon models, introduced 124, 125F
- ribonucleases
- in ribosome profiling 539, 540F
 - RNase H 504F
- ribonucleotides 268, 269, 324, 325, 326
- ribose
- methylation in mRNA 338F
 - methylation in rRNA 352, 353F
 - structure 100P, 104P, 324F
 - synthesis 92, 393
- ribosomal RNA (rRNA)
- abundance 351
 - assembly 356F, 373
 - directed to ER membrane by SRP 703–705
 - evolution of genes for 233, 234
 - evolutionary conservation 12, 18–19
 - genes 233, 234, 351–352, 354
 - interspecies comparisons 12, 18–19
 - modifications of precursor rRNA 352, 353F
 - nascent pre-rRNA 688, 690
 - overview 7, 327
 - S values 327T, 352
 - synthesis in nucleolus 353
 - types 352
 - see also noncoding RNAs
- ribosome-associated quality control 379–380
- ribosome profiling 538–539, 540F
- ribosomes
- assembly in nucleolus 25, 353–355, 356F, 366, 372, 688
 - bacterial and eukaryotic compared 366
 - characteristic of rough ER 684
 - coordination of protein folding and modification 380
 - cryoEM reconstruction of structure 594P
 - evolutionary conservation 12
 - exit tunnel 375, 380–381, 711
 - free and membrane-bound ribosomes 704, 705F
 - among intracellular compartments 684
 - large subunit 356F, 366–368, 371–372, 374–375, 377F
 - m-RNA and 366–368
 - as macromolecular complexes 56F, 171
 - as macromolecular machines 168
 - mitochondrial ribosomes 726, 728
 - negative staining 591
 - overview 7, 24, 365–368
 - with a release factor 374
 - response to antibiotics 861–862
 - ribosome-associated quality control 379–380
 - as ribozymes 371–372
 - RNA binding sites 367–368, 372, 373
 - role in translation 7, 365–368
 - self-assembly 136
 - separation by centrifugation 480
 - size 737
 - small subunit 356F, 366–368, 370, 373–375, 377F
 - SRP binding 703–704
 - stalled ribosomes 379–380
 - structure 367F, 703F
 - subunit assembly 354
 - TOR and S6K effects 922
 - translocation steps 368
- x-ray crystallography/x-ray diffraction 371F
- riboswitches 446, 456F
- ribozymes
- as catalysts 6F, 57, 76, 389, 390–392
 - ribosomes as 371–372
 - spliceosomes as 372
 - structure 390
 - in vitro synthesis 390–391
- ribulose, structure 100P
- ribulose 1,5-bisphosphate 846, 847F
- ribulose 1,5-bisphosphate carboxylase/oxygenase (Rubisco)
- in carbon fixation 691, 846, 847, 849
 - in pyrenoid 691–692
 - x-ray crystallography 495
- rice, transgenic 541–542
- Rickettsia rickettsii* 1338, 1339F
- Rickettsia* spp. 1338
- ricor protein 922
- Rieske protein 830F
- Riftia pachyptila* 17F
- RISC (RNA-induced silencing complex) 463, 464, 465, 466F
- see also Argonaute protein; miRNAs
- RITS (RNA-induced transcriptional silencing) complex 465, 466F
- RK (rhodopsin kinase) 906, 910
- RLRs (RIG-like receptors) 1355, 1356T
- RNA (ribonucleic acid)
- antisense RNAs 456F, 471
 - biomolecular condensates organized by 470–471
 - categories and proportions of 327–328
 - circular RNA 449
 - conserved RNA motifs 390
 - distinctions from DNA 324, 393
 - DNA–RNA hybrid double helix 261
 - folding and three-dimensional structures 321, 324, 325F, 390
 - guide RNAs 352, 353F
 - hairpin helices 328F, 329, 330, 349, 390F, 451
 - hereditary information storage in 393, 446
 - mass-produced, disposable RNA transcripts 5
 - rearrangements in ribosome assembly 354
 - rearrangements in the spliceosome 342F, 343–345, 355
 - regulation of transport from the nucleus 452–453, 454F
 - scaffolding by RNA 171–172, 338, 470, 688, 690
 - self-replicating potential 392
 - as single-stranded 324
 - stem-loop structures 445, 456F, 460F, 470
 - structure 5, 324F
 - synthesis 77F, 79F
 - in telomerase 281, 327, 462, 470
 - transport and localization control of gene expression 401
 - see also double-stranded RNA; noncoding RNAs; transcription; translation; specific types of RNA
- RNA catalysis
- RNA world hypothesis 42, 75–76, 389–393, 446
 - in the spliceosome 343
 - see also ribozymes

- RNA cleavage 449–450
 RNA-dependent RNA polymerase 43F, 311, 312F, 465, 1341
 RNA editing 451–452, 866
 RNA exosome 349, 361
 RNA genes
 defined 191
 in the human genome 195, 351–352
 for rRNA 351–352, 354
 RNA helicases 354, 1355
 RNA interference (RNAi)
 as defense mechanism 464–465
 in eukaryotes 462–463
 as experimental tool 467
 gene inactivation by RNAi 465, 466–467, 533–534
 genome-wide screens 534F
 germ line protection 466–467
 and heterochromatin formation 465–466
 limitations 534
 resistant tissues 534
 small noncoding RNAs and 462–467
 testing gene function 533–534
 transposable elements and 464–468
 viruses and 462, 464–465, 467–468
 see also miRNAs; piRNAs; siRNAs; small interfering RNAs
 RNA ligases 718
 RNA polymerase holoenzyme 328–329
 RNA polymerase II
 C-terminal domain (CTD) 332F, 333–334, 338
 comparison to bacterial polymerase 331, 332F
 gene control regions and 414–415
 general transcription factors and 331, 332–335, 414, 415F, 417–418
 nucleosomes and 331, 334, 335, 337
 RNA processing and 338–339, 345, 348–349
 snRNAs and 352
 see also general transcription factors; transcription
 RNA polymerases
 DNA polymerases compared 259–260, 325–327
 in eukaryotes 331T
 paused polymerases 290, 418–419
 RNA-dependent RNA polymerases 43F, 311, 312F, 465
 RNA polymerase I 331, 351
 RNA polymerase III 331, 352, 361
 role in transcription, overview 325–327
 simultaneous transcription, by multiple polymerase molecules 326, 327F
 transcription cycle in bacteria 328F
 transcription initiation in bacteria 328–331
 transcription initiation in eukaryotes 331–335
 viral RNA polymerases 43, 1341
 x-ray crystallography/x-ray diffraction 326F
 see also RNA polymerase II; transcription
 RNA primers
 for DNA polymerase 259
 exonucleolytic proofreading 259
 lagging strand 260, 281
 leading strand 260, 261
 mismatched primer strand correction 259
 not required by RNA polymerase 326
 synthesis by DNA primase 260–261, 264, 266, 273
 see also DNA primers
 RNA processing
 in chloroplasts 866
 control of gene expression 401
 coupling to transcription 337–338, 345
 RNA polymerase II and 338–339, 345, 348–349
 RNA sequencing
 alternative splicing and 516, 517, 536
 reverse transcriptases 516, 536
 RNA-seq (deep RNA sequencing) 399F, 516, 517–518, 536–538, 539F
 single-cell mRNA sequencing 400, 401F
 using cDNA 516, 536
 RNA splicing
 back splicing 449
 complexity and inefficiency of 343
 consensus nucleotide sequence for 341
 coupling to transcription 345
 “cryptic” splice sites/signals 345, 347
 errors and disease 347
 evolution 347–348
 exon definition 345–346, 347
 intron removal by 337, 339–341, 342F, 346, 347–348, 361
 lariat formation 340, 341, 342F, 344, 346F, 347
 overview 321, 337
 plasticity of 346–347
 spliceosome role 341, 342F, 343
 transesterifications in 340, 343, 347
 see also alternative splicing
 RNA synthesis see transcription
 RNA transport and localization control 401
 RNA tumor viruses 1180
 RNA viruses 1323, 1329, 1341
 “RNA world” 42, 75–76, 389–393, 446
 Rnf43 protein 931
 RNPs (ribonucleoproteins) see hnRNPs; mRNPs; snRNPs
 robustness 553–554, 881
 ROCK (Rho-associated kinase) 1021, 1022F, 1066
 Rocky Mountain spotted fever 1338
 rod photoreceptors (rods) 905–906, 907F, 909, 910, 1006
 ROS (reactive oxygen species) 821, 866
 see also superoxides
 rosettes, cellulose synthase 1157, 1158–1159
 rotary catalysis in ATP synthases 837–839
 rotational diffusion 627
 rough microsomes 700, 701–702
 roundworms see *Caenorhabditis elegans*
 Rous sarcoma virus 1180
 RRE (Rev response element) 453
 RTK/Ras/PI 3-kinase pathway 1187, 1188–1189
 RTKs see receptor tyrosine kinases
 Rubisco see ribulose 1,5-bisphosphate carboxylase/oxygenase
 ruffles
 in macropinocytosis 802, 1330
 in trigger mechanism 1332
 ruthenium red dye 621, 622F
 ryanodine receptors 900, 901F
- ## S
- S. cerevisiae* see *Saccharomyces cerevisiae*
 S-adenosylmethionine
 as activated carrier 76T
 DNA methylation damage from 286T, 287
 transcription regulator binding 405P
 S-Cdks
 activation 1033F, 1039, 1041–1042
 activation of APC/C 1040F
 affinity for DNA replication proteins 1036
 CKIs and 1035
 cyclic assembly 1033F
 DNA replication initiated 1043–1045
 in G₂ 1038, 1039
 regulation of 1041T, 1079–1080, 1081
 in vertebrates and budding yeast 1034T
 see also cyclin–Cdk complexes
 S-cyclins 1033, 1034, 1040, 1041, 1042F, 1079–1080
 S phase, meiosis 1071
 S phase, mitosis
 centrosome duplication 1051F, 1053, 1054F
 DNA replication in 276, 277–279, 280, 1027, 1042–1045
 endocycle (endoreduplication) 1029–1030
 see also cell cycle
 S values (sedimentation coefficients) 327T, 352, 481, 491
 S4 helix 663, 664F
 S6K1 (S6 kinase 1) 1083F
Saccharomyces cerevisiae
 cell cycle in 36–37
 cell polarity 1017–1018
 cell walls 36, 37F
 centromeres 213
 chromosome III 276–277
 DNA replication in 265, 276
 electrophoresis of chromosomes 500F
 gene for voltage-gated ion channel 668
 genes essential to growth 532
 genome size 29T, 37
 genome-wide screens 532F
 intercellular communication 873
 mating factors 873, 874, 893, 918F
 meiosis 36–37
 micrograph 37F
 mitochondrial inheritance 866
 mitosis 36, 37F
 as model organism 29T, 36–38, 531, 1030, 1321
 mutant libraries 531, 532
 myosin V in 986
 noncoding RNA 327

- replication origins 276
- reproductive cycles 36–37
- Western blotting 490F
- see also yeasts, budding
- safranin 569F
- salamanders 1271, 1272
- salivary gland cells 569F
- Salmonella enterica* 1316F, 1317, 1332, 1335, 1336F
- Salmonella enterica* serovar Typhi 1317
- Salmonella enterica* serovar Typhimurium 315F, 1317F, 1332
- Salmonella* spp., use of phase variation 316
- SAM complex (sorting and assembly machinery) 728, 733
- Sanger sequencing (dideoxy sequencing) 500F, 512–514
- Sar1 GEF 757, 758F
- Sar1 protein 757–759
- sarcomas 161, 1165
- sarcomeres 979–981, 984, 1011
- sarcoplasmic reticulum (SR)
 - Ca²⁺ pump 647, 648F, 674, 700, 981
 - in muscle cells 647, 700, 981, 982F, 983F
- SARS-CoV 43
- SARS-CoV-2
 - binding to ACE2 receptors 1329, 1330
 - budding into vesicular tubular clusters 797–798
 - COVID-19 pandemic of 2020 42–43, 311, 596F, 1313, 1399
 - detecting in nasal samples 508F
 - in double-membrane compartments from the ER 312
 - electron micrograph 43F
 - life cycle 311–312
 - membrane fusion with host cell 764, 1330
 - as model system for studying viruses 42–43
 - as primary pathogen 1314
 - proteins 43
 - replication and envelope acquisition 1336–1338
 - RNA-dependent RNA polymerase 43, 311, 312F, 1341
 - RNA genome 1341, 1399
 - spike protein 596F, 1399
 - structure 43
 - vaccines against 1398T, 1399, 1400F
 - viral envelope 43F, 764
- satellite cells, skeletal muscle 1285–1286
- saturated fatty acids 102P, 605, 609F
- scaffold macromolecules
 - in biochemical factories 691
 - in biomolecular condensates 171–172
 - client macromolecules and 688, 690, 714
 - cullins as 165, 171
 - Dishevelled as 930
 - disordered regions in 169
 - in intracellular signaling complexes 882, 918–919
 - membrane-bending proteins 633
 - multiple binding sites 169, 170–171
 - multivalent scaffold macromolecules 171–172
 - RISCs and 464
 - RNA molecules as 171–172, 338, 470, 688, 690
 - septins as 1012, 1067
 - in tight junctions 1120–1121
- scanning electron microscopy (SEM)
 - overview 591–593
- SCAP (SREBP cleavage activation protein) 743F
- SCF (stem cell factor) 1267–1268
- SCF ubiquitin ligase 164–166, 171, 1039–1040, 1041T
- schistosomes 1358F
- schizophrenia 527
- Schizosaccharomyces* (*S. pombe*) 33F, 862F, 998F, 1030, 1321
- Schleiden, Matthias 563
- Schmidtea mediterranea* 1297–1298
- Schwann, Theodor 563
- Schwann cells 666, 671F, 1141, 1289
- Sciara* 1056F
- SCN cells (suprachiasmatic nucleus) 937
- scramblases 608, 720–721, 1100
- scrapie 138
- scurvy 1134
- Scute* gene 1243
- SDS (sodium dodecyl sulfate) 487, 488F, 622, 623–624
- SDS–PAGE (sodium dodecyl sulfate polyacrylamide-gel electrophoresis) 487–489, 490F, 623
- sea slug 1270F
- sea star eggs 900F
- sea urchin development 3F, 434F, 558
- sealing strands 1119–1120, 1121
- sebaceous glands 1354
- Sec pathway 734F
- Sec23/Sec24 and Sec 13/31 proteins 758F, 759F
- Sec61 complex 705–707, 708, 709–711, 713, 724
- Sec62 and Sec63 accessory proteins 708
- SecA ATPase 708–709
- second-generation sequencing methods 514
- second law of thermodynamics 58–59, 63, 106P
- second messengers
 - activation by cell-surface receptors 879
 - calcium (Ca²⁺) ions as 879, 880, 909
 - cyclic AMP (cAMP) as 879, 880, 888, 895, 909
 - in intracellular signal amplification 885, 909
 - intracellular signaling proteins 874, 879, 880
 - IP₃ and diacylglycerol as 898F, 899
- secondary active transport 642
- secondary cell walls 1155, 1157, 1158
- secondary cultures 477
- secondary Ig repertoire 1377, 1380
- secondary immune response 1367, 1368F
- secondary structure of proteins 123
- γ-secretase 929–930
- secretion systems, bacterial
 - type III secretion system 1320–1321, 1328, 1332, 1335–1336
 - type IV secretion system 1320–1321, 1327F, 1328, 1336
- secretory granules 139F, 780, 1287, 1392F
- secretory pathways
 - compartment equivalent to cell exterior 749
 - constitutive secretory pathway 776, 777, 779, 782, 784
 - proteolytic processing of precursors 781–782
 - regulated secretory pathway 776–777, 782
 - road map of 750F
 - see also vesicle transport
- secretory proteins
 - aggregation in TGN 777, 780, 781F
 - proteolytic processing of precursors 781–782
- secretory vesicles
 - amyloid fibrils in 139
 - budding from TGN 780–781
 - cargo receptors 780
 - endocytosis 784
 - exocytosis 777, 780, 781
 - immature secretory vesicles 780–781
 - maturation and acidification 780–781
 - membrane removal by endocytosis 784
 - regulated secretory pathway 777
 - synaptic vesicles as 782–783
- securin 1039, 1042, 1047, 1061, 1062, 1076
- SecY translocator 706F, 707, 708F
- segment-polarity genes 1231, 1232, 1233
- segmental duplications, double strand breaks 240
- segmentation clock 1250–1251
- segmentation genes
 - Drosophila* 1230, 1231, 1232F, 1235
 - gap genes 1230, 1231–1232, 1233
 - hierarchy of gene regulatory interactions 1230, 1231–1232, 1234–1235
 - pair-rule genes 1230–1232, 1233
 - segment-polarity genes 1231, 1232, 1233
- selectins
 - cell–cell adhesion 774, 1125–1126
 - E-, L- and P-selectins 1125
 - homing receptors 1369
 - structure and function 1126–1127
- selectivity filters in ion channels 654, 658, 659F, 663F
- selenocysteine 376
- self-amplification
 - caspase cascade in apoptosis 1091–1092
 - of nerve impulses 662, 664
 - of Rab-associated membrane patches 762
- self-assembly
 - in cells 9
 - lipid bilayers 8–9, 604, 606–608
 - ribosomes 136
 - tubulin 55
 - viruses 136
- self-renewing tissues, overview 1279–1280
- see also epidermis; epithelia
- self-tolerance see immunological self-tolerance
- “selfish DNA” see mobile genetic elements

- SEM (scanning electron microscopy),
 overview 591–593
 semiconservative replication
 of centrosomes 1053–1054
 of DNA 256, 257F, 482, 1053–1054
 Semliki Forest virus 1324F
 senescence *see* replicative cell
 senescence
 sensory bristles 1243, 1244–1245
 sensory neurons 574F, 1243, 1339
 sensory organ precursor cells 1243–1244,
 1245
 separases 1061, 1076
 septins 1012–1013, 1018, 1067
 septum, Z-ring and 1014
 sequence logos 330, 406
 sequential induction 1225, 1232
 serial transplantation of stem cells
 1294–1296
 serine
 conversion to selenocysteine 376
 phosphorylation during
 transcription 418F
 phosphorylation in RNA polymerase
 tails 332F, 333–334, 335, 338,
 339
 phosphorylation on nucleosomal
 histones 206
 structure and properties 116F, 119P
 serine proteases
 Asp-His-Ser catalytic triad in 142F
 complement system 1359
 domain shuffling in 129
 elastase and chymotrypsin
 compared 127F
 extracellular matrix degradation 1145
 similar conformations within protein
 family 127
 serine/threonine kinases
 Akt as 921, 1099F
 hydroxyl group phosphorylation 897
 plant photoproteins 944–945
 serotonin
 cyclic AMP response to 895F
 GPCRs activated by 892
 reuptake 673
 secretion by enteroendocrine
 cells 1281, 1283F
 seven-pass transmembrane proteins
 Frizzled as 930
 GPCRs as 892, 893F, 911
 Sevenless (Sev) RTK 916
 sex chromosomes
 in different organisms 442–443, 520P
 dosage compensation and 440–443
 as nonhomologous 190–191
 X-chromosome sample
 sequence 322F, 323
 X-inactivation 441–442, 470,
 1301–1302
 sex hormones 103P, 936
 sexual reproduction
 haploid–diploid cycle 36–37, 520P
 homologous recombination and 296,
 301–302
see also meiosis
 SH2 (Src homology 2) domain
 binding to phosphorylated
 proteins 159, 914
 in cytoplasmic tyrosine kinases
 913–915
 evolutionary tracing 143
 function 124, 141, 143
 as interaction domain in signaling
 proteins 883, 884F, 914
 phosphorylation and 161
 phosphotyrosine binding via 913–915,
 920–921, 924, 925F
 positioning role 141
 as protein module 129
 in Src protein kinases 924
 structure 124F, 125F
 SH3 (Src homology 3) domain
 binding to proline-rich domains 914
 inhibitory action 161
 as interaction domain 883, 884F
 in Src protein kinases 924
 structure 125F
 tyrosine kinases and 915, 924
 in ZO scaffold proteins 1121F
 shadowing (electron microscopy) 591,
 593F
 shelterin 282
 shibire mutant, *Drosophila* 757F
Shigella flexneri 1317F, 1334F, 1338,
 1339F
 Shine-Dalgarno sequence 374, 456
 short gastrulation (*Sog*) gene 571F,
 1237–1238
 shugoshin 1076
 shuttle system for NADH electrons 820
 shuttling proteins 722, 742
 sialic acids 613, 614, 771, 772F, 1125,
 1360
 Sic1 protein 1040, 1041T
 sickle-cell disease 248
 sigma (σ) factor 328–330, 332, 414
 sigmoidal relationships 551, 887F, 888, 902
 sigmoidal responses 887F, 888, 902
 signal hypothesis 701, 702F, 727
 signal patches 695, 779
 signal peptidases 695, 701, 702F, 706,
 727, 729, 734
 signal processing, intracellular 874, 885,
 887F
 signal-recognition particles *see* SRPs
 signal sequences
 amino acid sequences 695–696, 703
 discovery 701–702
 ER signal sequences 696, 701,
 702–705, 706, 709, 710F
 internal signal sequences 727, 732
 signal-gated translocator proteins
 and 705–709
 within sorting signals 695–696
 translocation into chloroplasts
 733–735
 translocation into endoplasmic
 reticulum 701, 705–707
 translocation into mitochondria
 727–728, 729–730, 731–732, 734
 translocation into peroxisomes
 724–726
see also sorting signals
 signal-to-noise ratio 567, 594P
 signal variability 881, 889
 signaling centers 1232, 1238, 1239,
 1240F, 1250
 signaling mechanisms in nerve cells 662
 signaling pathways
 discovery in *Drosophila*
 embryos 1225
 Hedgehog pathway 1221, 1225
 Hippo pathway 1273–1274
 JAK–STAT signaling pathway
 924–926, 1360
 NF κ B signaling pathway 934–935,
 1236
 PI-3-kinase–Akt signaling
 pathway 921–922
 TGF α signaling pathway 1221, 1291
see also intracellular signaling
 pathways; Notch signaling
 pathway; Ras–MAP-kinase
 signaling pathway; RTK/Ras/PI
 3-kinase pathway; Wnt signaling
 pathways
 signaling proteins
 inducing differentiation in
 culture 1240
 membrane localization of 616–617
 vertebrate embryo patterning
 1239–1240
see also intracellular signaling proteins
 silent mutations 254
 SIM (structured illumination microscopy)
 580–581, 599F, 861F
 simulations 558, 608
 SINEs (short interspersed nuclear
 elements) 231F, 314
see also Alu sequences
 single-cell mRNA sequencing 400, 401F
 single-molecule localization microscopy
 (SMLM) 583–585, 598
 single-molecule tracking
 experiments 409–410
 single-particle reconstruction by
 cryoEM 497, 594P, 595, 597F, 625
 single-particle tracking 629, 632
 single-pass transmembrane proteins
 association with lipid bilayers 615F
 CD4 and CD8 co-receptors 1389
 defined 618
 enzyme-coupled receptors as 879
 hydrophobic transmembrane
 segments 618F, 709–710
 insertion into ER membrane 709–710
 interactions 619
 Notch and Delta as 928
 structure 615F, 618, 621F
see also transmembrane proteins
 single-strand breaks, mismatch
 repair 267–268
 single-strand DNA-binding (SSB)
 proteins 262, 263F, 266
 single-stranded DNAs as probes 505,
 510–511
 siRNAs (small interfering RNAs) 327, 463,
 464–465, 466, 467, 468
 sister-chromatid cohesion 1028,
 1045–1046, 1058, 1062, 1076
 sister-chromatid resolution 1047, 1050, 1060
 sister chromatids
 attachment to mitotic spindle by
 kinetochores 196, 1028,
 1056–1057
 bi-orientation 1057–1059, 1062,
 1075, 1076
 formation in prophase
 (interphase) 196, 1028
 held together by cohesins 227F,
 1045–1046, 1060–1061, 1071,
 1073F, 1074F, 1075F

- in homologous recombination 297–298, 300
- kinetochore and chromatid separation 196
- lampbrush chromosomes 218
- at metaphase 1028
- resolution 1047, 1050, 1060
- separation at metaphase-to-anaphase transition 1028, 1032, 1047, 1060, 1061, 1062
- site-directed mutagenesis 511, 573–574
- site-specific recombination
 - conservative site-specific recombination 306, 315–317
 - immunoglobulin gene segments 1377
 - TCR assembly 1382
 - transgenic mice 530
- SIV (simian immunodeficiency virus) 1343
- skeletal muscle
 - actin thin fibers in 977
 - development by myoblast fusion 1285
 - multinucleated cells as syncytia 979, 1285
 - myosin II thick fibers in 977
 - organization of 978–981
 - repair by satellite cells 1285–1286
 - from reprogrammed fibroblasts 428, 429F, 1303, 1307
 - see also muscle contraction
- Skp1 protein 165F
- sliding clamps 262–263, 264F, 266–268, 280, 293F
- slime mold 1065F
- Smac protein 1098
- Smad family proteins 926–927, 1194T, 1196F
- small interfering RNAs (siRNAs) 327, 463, 464–465, 466, 467, 468
- small intestine
 - epithelial cells 1106, 1117–1118, 1119F, 1142F, 1281–1282
 - epithelial renewal in 1281–1282
 - multipotent intestinal stem cells 1282, 1283F, 1285, 1306
 - stem cell location 1282, 1283F, 1285
 - tight junctions 1115F, 1117–1118, 1119F
 - villi 1281–1282
- small molecules
 - in cancer treatment 1207–1209
 - coenzymes 153–154
 - diffusion 66, 638
 - intracellular signaling by 935–936
 - major families of small organic molecules 53–54, 100–105P
 - passive diffusion into nuclei 736–737, 739–741
 - principles of membrane transport of 637–640
 - required for protein function 152–155
 - second messengers as 879
 - see also neurotransmitters
- small noncoding RNAs
 - bacterial defense against viruses 468–469
 - piRNAs (piwi-interacting RNAs) 327, 463, 466–467, 468
 - and RNA interference 462–467
 - siRNAs (small interfering RNAs) 327, 463, 464–465, 466, 467, 468
 - snoRNAs (small nucleolar RNAs) 327T, 352, 353F, 354–355, 462, 688
 - snRNAs (small nuclear RNAs) 327, 341, 343, 345, 355
 - see also miRNAs; noncoding RNAs
- small nuclear RNAs (snRNAs) 327, 341, 343, 345, 355
- small nucleolar RNAs (snoRNAs) 327T, 352, 353F, 354–355, 462, 688
- smallpox (variola) 1323T, 1325, 1329, 1397
- SMC (structural maintenance of chromosomes) proteins 217, 223–225, 227F, 1046F, 1047, 1050
- smell (olfactory receptors) 884, 893, 905
- SMLM (single-molecule localization microscopy) 583–585, 598
- smooth microsomes 700–701
- smooth muscle 977, 978, 983–984
- Smoothed protein 932, 933
- SMRT (single-molecule real-time) sequencing 514–515, 516F
- Smurfs Smad ubiquitylation regulatory factors 927
- snake venom 1140
- SNARE proteins (SNAREs)
 - in autophagy 805
 - in membrane fusion 615F, 760, 762–763, 764, 1330
 - retrieval of 763, 767, 768
 - subunit anchoring to ER 711
 - t-SNAREs 761F, 762–763, 767F, 768, 783F
 - trans-SNARE complexes 761F, 763, 783
 - v-SNAREs 761F, 762–763, 767, 783F, 785F
- snoRNAs (small nucleolar RNAs) 327T, 352, 353F, 354–355, 462, 688
- SNPs (single-nucleotide polymorphisms) 246, 525, 526, 527
- snRNAs (small nuclear RNAs) 327, 341, 343, 345, 355
- snRNPs (small nuclear ribonucleoproteins)
 - and Cajal bodies 355, 356
 - and the nucleolus 355–356
 - as spliceosome components 341, 342F, 343, 344–345, 346, 355
- SNVs (single-nucleotide variants) 246–247, 525
- sodium dodecyl sulfate (SDS) 487, 488F, 622, 623–624
- Sog gene (short gastrulation) 571F, 1237–1238
- somatic cells
 - defined 254
 - distinction from germ cells in development 1230
 - functions 255F
 - mutation frequency 254
 - regeneration from 1296, 1297–1298
 - self-sacrifice of 1163
- somatic mutations
 - in cancer cells 254, 1166, 1178, 1184, 1186, 1210F
 - somatic hypermutations 1379, 1380–1381, 1382, 1392, 1393, 1396F
 - see also driver mutations; passenger mutations
- somatostatin 897
- somites 1249–1251, 1260, 1266
- Sonic* gene 932
- Sonic hedgehog (Shh) protein 1263–1264, 1265
- Sordaria* 1074F
- sorting receptors 694, 695–697, 780
- sorting signals
 - basolateral proteins 787
 - endocytosed receptors 794
 - nuclear localization signals 738–739, 742, 745
 - peroxisomal sorting signals 697
 - and protein movements between compartments 694–696, 697
 - retrieval pathway to ER 768
 - secretory proteins 780
 - signal patches 695, 779
 - see also signal sequences
- Sos protein (Son-of-sevenless) 884F, 891, 916, 921
- Sox2 transcription regulators 409F, 429F, 430F, 539F, 1304
- see also OSKM factors
- spatial patterning
 - asymmetric cell division and 1224, 1244–1245
 - cell memory and 1221–1222
 - combinatorial signaling in development 1222
 - coordination by inductive signaling 1221–1222
 - in embryonic development 1221–1225
 - lateral inhibition and 928, 1223–1224, 1242–1244
 - mechanisms of pattern formation 1226–1248
 - polarization as first step 1226–1228
 - sequential induction 1225, 1232
 - transient patterns 1233
 - vertebrate embryos 1238–1240, 1249–1251
- special pairs, chlorophyll 850, 851–852, 853, 854F, 855F
- species
 - characteristic transposon types 314
 - extinct, genomes 514
 - gene number and complexity 447
 - number living today 2
 - regulatory DNA as distinguishing 1245–1247
 - size differences 1077
 - transposed DNA sequences and 315
- specimen preparation
 - electron microscopy 588, 589–590
 - light microscopy 569–570
- speckles, nuclear (interchromatin granule clusters) 221, 355
- speckles, tubulin 1060F
- spectinomycin 377F
- spectral karyotyping 191F
- spectrin 630–631, 965F, 969
- spermatozoa 629–630, 813, 814F, 866
- see also fertilization
- sphingolipids 605–606
- sphingomyelin 605–606, 610T, 611F, 612, 613, 721
- sphingosine 605, 613, 721
- spinal cord
 - development 1241F, 1264F, 1267
 - injury 1300
 - regeneration and repair 1298, 1299

- spinal muscular atrophy 347
 spindle *see* central spindle; mitotic spindles
 spindle assembly checkpoints 1062
 spindle pole body 993
Spirulina platensis 839
 spleen
 antigen filtration 1368
 lymphocyte accumulation in 1100
 lymphocyte activation 1366
 as peripheral lymphoid organ 1365, 1366
 transplanted 1270
 spliceosomes
 catalysis 343–344
 evolution 347–348
 intron sequence ambiguities 447
 as ribozymes 372
 RNA rearrangements 342F, 343–345, 355
 RNA splicing 341, 342F, 343
 splicing enhancers 346, 448F
 Spo11 protein 302, 303F
 spontaneous reactions 58, 59F, 63, 66–67, 106P, 107P, 823
 see also free energy changes
 squames 1283
 SR proteins 346
 Src protein kinases
 binding via SH2 and SH3 domains 161
 as cytoplasmic tyrosine kinases 914, 923–924, 1153, 1395
 domain structure 161F
 function in signaling pathways 125, 161–162, 1153
 Lck protein as 1389
 membrane attachment by myristic acid and palmitic acid 616
 N-terminal region as anchor 161
 regulation 161–162
 structure 125F
 see also SH2 domain; SH3 domain
 SREBP (sterol response element binding protein) 743F, 1083F
 SRP receptor 702, 703F, 704, 708F
 SRPs (signal-recognition particles)
 ER signal sequence and 702–705, 706, 708F, 709, 710, 711
 and the nucleolus 355
 SSB (single-strand DNA-binding proteins) 262, 263F, 266
 stains and staining
 cell cycle stages 1030
 cell lineage tracing and 1280, 1284–1286, 1287, 1289, 1294
 electron microscopy 589, 590–591, 593, 595, 631F
 Gram staining 650F, 1316
 light microscopy 563, 569–570
 negative staining 132F, 591, 595, 631F
 see also fluorescent dyes
 standard free energy changes (ΔG°)
 additive changes in coupled reactions 69
 comparing energetics of reactions 67, 107P
 concentration of reactants 836
 equilibrium constants relation to 68–69, 145–146, 837F
 glycolysis 83
 phosphate bond breakage 84
 see also free energy changes
 standard redox potentials 824, 825P
Staphylococcus (*S. aureus*) 1326
Staphylococcus spp. as Gram-positive 1316F
 starch 86, 845F, 847F, 849
 start codons 359F, 373–374
 Start (restriction point) transition 1029, 1032–1033, 1034, 1038, 1041, 1081
 STAT proteins (signal transducers and activators of transcription) 924–925
 stathmin (Op18) 994P, 998
 statins 792
 statistical methods 558
 steady state
 actin filament growth 959, 960–961P, 962–963
 bistability 551–553, 888
 negative feedback effects 549, 550, 554
 protein lifetime and 547–548
 protein–promoter complexes 544–545, 549
 regions of attraction 553
 stable and unstable steady states 553
 steady-state concentrations 547–548
 steady-state kinetics 150P, 151P
 time to attain 545–546, 547–548, 549
 trajectories of points 553
 stearic acid 102
 STED (stimulated emission depletion microscopy) 583
 stem-cell niche 1291–1294, 1295–1296
 stem cells 1279–1312
 adult (tissue-specific) stem cells 1280–1281, 1285, 1291, 1294, 1300
 asymmetric cell division 1293–1294
 blood cell formation from 1288–1289
 cancer stem cells 1170–1171, 1197, 1212
 committed daughter cells 1170
 from de-differentiation of cells 398F, 428, 429, 1289–1290
 declining function contributes to aging 1294–1296
 defining properties 1280–1281
 degenerative disease treatment 1299, 1300, 1308
 differentiated cell production by 1280–1281
 in epidermis 1282–1284
 in epithelial tissues 1281–1284, 1290
 independent-choice mechanism 1294, 1295F
 induced pluripotency 428–429, 432, 1303–1305, 1306–1309
 in intestinal crypts 1193, 1195, 1281–1282, 1285F, 1291–1293
 Lgr5 protein as marker for 1282, 1284, 1285, 1292
 multipotent hematopoietic stem cells 1287, 1288F, 1365
 multipotent intestinal stem cells 1282, 1283F, 1285, 1306
 multipotent stem cell properties 1280–1281
 neoblasts serving as 1297
 neural stem cells 1299–1300
 organoids from 477, 1292
 quiescent stem cells 1285–1286
 in regeneration and repair 1296–1300
 replicative cell senescence 1295
 reprogramming 428–429, 1300–1309
 retained pluripotency 1220
 satellite cells in skeletal muscle 1285–1286
 self-renewal 1280
 therapeutic use 1299, 1300
 totipotent stem cells 1297–1298
 transit amplifying cells and 1170–1171
 unipotent stem cells 1281, 1285
 see also hematopoietic stem cells; transit-amplifying cells
 stem-loop structures, RNA 445, 456F, 460F, 470
 stereocilia 951, 953, 969, 986, 1262
 steroids
 brassinosteroids 941
 steroid hormones 103P, 430–431, 699, 935, 936
 structures and properties 103P
 sterols 606, 609–610, 684, 819
 see also cholesterol
 sticklebacks 1246–1247
 “sticky ends” 499F, 510
 Stilton cheese 592F
 stochastic effects 557
 stomach cancer 1201F, 1203, 1327
 stomata (Singular, stoma) 847
 stop codons
 nonsense-mediated mRNA decay 378–379
 premature 451
 relative scarcity in ORFs 517
 translation termination 374–375
 tumor suppressor gene mutations 1184F
 STORM (stochastic optical reconstruction microscopy) 583–584
 strand-directed mismatch repair 260, 267–269
 strand exchange (strand invasion) 282F, 296, 297F, 298–299, 300–301, 302
Streptococcus (*S. pneumoniae*) 184F, 1316F, 1326
 streptogramin B 377F
Streptomyces spp. 1346
 streptomycin 307, 377F, 377T
 stress
 in cancer cells 1174–1175, 1187–1188, 1189–1190, 1196, 1204
 MAP kinase response to 918
 NF κ B signaling and 934–935
 in plants 942
 stress fibers 950P, 972F, 974, 984, 1017, 1065, 1112
 stress granules 172, 461, 470, 693–694
 striated muscle 341F, 950P
 see also heart muscle; sarcomeres; skeletal muscle
 strokes, apoptosis and 1100
 stroma
 basal lamina 1141
 chloroplasts 726, 727F, 734, 844, 852
 tumor stroma 1166, 1175–1176, 1176F, 1210, 1211

- STRs (short tandem repeats) 509F
 structural biologists 128
 structural motifs
 helix–loop–helix motif 405P, 1242
 helix–turn–helix motif 404P, 413
 histone fold 198, 199F
 homeodomain motif 404P
 leucine zipper motif 404P
 in RNA structure 390
 in transcription regulators 403, 404–405P, 406
 zinc fingers 405P
 structural variants 246, 247
 structure 262F
 strychnine 670
 subclones, in cancer 1168, 1192, 1193F, 1194
 substrates
 binding by enzymes 64, 146–148
 direction into reaction pathways 57, 64–65
 in enzyme catalysis 146–148
 see also enzyme–substrate complexes
 subunit vaccines 1397–1398
 succinate 111P, 826, 828, 832
 succinate dehydrogenase (Complex II) 111P, 826, 827F, 828, 829, 832–833, 836
 sucrose
 from photosynthesis 845
 in sedimentation studies 481, 482F, 701F
 structure 101P
 transport in plants 848F, 849
 SuFu protein 932, 933F
 sugars
 α and β links 101P
 derivatives 101P
 disaccharides 101P
 in GAGs 1129
 glycolysis 80–84
 isomers 100P
 oxidation to acetyl CoA 88
 product yields from oxidation 836T
 ring and complex formation 100–101P
 storage as glycogen and starch 85, 86, 849
 structures and properties 54, 100–101P
 see also glucose; monosaccharides; oligosaccharides; polysaccharides
 sulfate assimilation pathway 92
 sulfhydryl group (–SH) 53, 95P
 SUMO (small ubiquitin-related modifier) 163
 SUN proteins 1012
 superhelical tension, DNA 335–337
 superhelices, collagen 1132, 1143
 superoxides 831, 866, 1358
 superresolution techniques (microscopy)
 ExM (expansion microscopy) 585, 586F, 587
 point spread function 578, 581–583
 resolution 564F, 566, 580
 SIM (structured illumination microscopy) 580–581, 599F, 861F
 SMLM (single-molecule localization microscopy) 583–585, 598
 see also fluorescence microscopy; light microscopes and light microscopy
 suppressor genes 206
 suppressor mutations 521P
 survival factors 1078, 1098–1099, 1267–1268
 SV40 (simian virus 40) 135F, 738F, 1329
 switch helix 163F, 166
 switch sequences 1380–1381
 switches
 abrupt response to gradually increasing signal 887–888
 allosteric proteins as 156, 158
 bistability and 551–553, 888
 cell-cycle control system 1032
 GTPases as 162, 163F, 740–741, 757, 880, 916, 1016
 M-Cdk activation 1037, 1038, 1041
 operation in *Drosophila* 423–424
 positive feedback loops and 551–553
 protein kinases 161–162, 879, 889F, 904, 913, 918
 protein phosphatases and 879
 Ras proteins as 916
 riboswitches 446, 456F
 signaling proteins controlled by phosphorylation 879–880
 Smads 926
 transcription circuits 433–434
 transcription control in eukaryotes 414–422
 transcription regulators as 410–423, 433–434
 switching times, gene expression 1248–1249, 1251
 symbiosis
 ectosymbiotic associations 17
 endosymbiont hypothesis 25–27, 686–688, 733, 843–844
 endosymbiotic associations 17
 plants and nitrogen-fixing bacteria 17
 in tube worms 17F
 symmetry breaking 1019F, 1228
 sympathetic neurons 1084
 symporters 642–643, 644F, 645, 669, 673, 842
 synapses
 chemical synapses 669–670, 875, 1122
 number per neuron 674
 overview 669–670
 psychoactive drugs at 673
 regeneration 1144
 scaffold proteins 1121F
 synaptic clefts 669, 671F, 673
 synapsis 1073, 1074F
 synaptic clefts 669, 671F, 673
 synaptic plasticity 677, 678
 synaptic signaling 875, 878, 885, 906
 synaptic vesicles 646, 669, 671F, 782–784, 785F
 synaptobrevin 783, 785F
 synaptonemal complexes 591F, 1073–1074
 synaptotagmin 783
 syncytia
 Drosophila embryo 424F, 742F, 785, 1070, 1071F, 1228
 epithelial cells in human placenta 763
 skeletal muscle cells as 979, 1285
 syncytial blastoderms 1228, 1229, 1236
 syndecans 1132
Synechococcus elongatus 839, 938
 synonymous codons 233, 359F
 syntaxin 783F
 synteny 234–235, 237
 “synthetic-lethal” treatments 1205
 synthetic lethality 524
- ## T
- T-antigen, SV40 virus 738F
 T cell-mediated immune responses 1364, 1382–1401
 T cell receptors (TCRs) see TCRs
 T cells (T lymphocytes)
 activation and extracellular signals 1394–1396
 activation by antigens 1366, 1368
 activation by dendritic cells 1371, 1382, 1383–1384, 1386, 1391, 1395
 antigen presentation by dendritic cells 1211–1212, 1362, 1363F
 apoptosis during development 1090
 co-stimulatory proteins and 1362, 1363F, 1371, 1393, 1395, 1396F
 control of nuclear import during activation 743
 development in thymus 1365–1366, 1382, 1389–1391, 1394
 effector T cells 1366, 1367, 1369–1370, 1382, 1386, 1391–1394, 1395
 electron micrograph 1366F
 γ/δ T cells 1383
 inhibitory receptors 1210–1211
 locating antigens and APCs 1368–1370
 main classes of 1382
 memory T cells 1368, 1369, 1382, 1383, 1391
 MHC proteins and 1361, 1382–1401
 negative selection 1390–1391
 overview 1286T
 positive selection 1390, 1394
 recognition of foreign peptides 1384–1388
 signaling and regulation of white blood cells 1353
 thymocytes as developing T cells 1365F, 1389–1391, 1394
 tissue-resident memory T cells 1368
 tumor-reactive T cells 1209–1210
 virus-infected cells killed by 1286T, 1353, 1354T
 see also naïve B and T cells
 t-loops 282
 t-SNAREs 761F, 762–763, 767F, 768, 783F
 T tubules (transverse tubules) 674, 981, 982F
 TADs (topologically associated domains) 222–223
 tail-anchored proteins 711, 712F
 talin 1107T, 1147F, 1148, 1150–1152, 1153–1154, 1258
 tamoxifen 1284F, 1285F
 tandem duplication 129, 240
 tandem mass spectrometry (MS/MS) 491–492
 tandem repeats 281, 334, 339F, 509F

- TAP (transporter associated with antigen processing) 651
- TAP-tagging (tandem affinity purification tagging) 486
- TAR RNA 445
- TAT pathway (twin arginine translocation) 734F
- Tat protein 445, 453, 454F
- TATA boxes 332–333, 415F
- tau protein 139, 994P, 995F, 996
- Taxol (paclitaxel) 964T, 991
- TBP (TATA-binding protein) 332, 334F
- TBSV (tomato bushy stunt virus) 135F
- Tbx5 transcription factor 1308
- TCRs (T-cell receptors)
- accessory receptors and co-receptors 1383, 1389, 1391, 1395
 - gene segments and 1382, 1389
 - Ig-like domains 1382, 1383F, 1389, 1396, 1397F
 - inhibitory receptors 1210–1211
 - invariant membrane-bound proteins and 1383, 1384F, 1394
 - mechanisms of TCR diversification 1382
 - misfolding 766
 - recognition of peptides on MHC proteins 1384, 1385, 1386, 1387
 - recognition of viral protein fragments 1361
 - structure 1382–1383
- telomerases
- cancer cells 1083, 1174
 - expression by ES cells 1303
 - function 281, 282–283, 1082–1083, 1174
 - human cells not producing 1082, 1174
 - lncRNA in 470
 - and the nucleolus 355, 356F
 - resembling reverse transcriptases 281
 - RNA template in 281, 327, 462
 - structure 281F
- telomeres
- as chromosomal structures 196–197, 282, 294
 - control of cell proliferation 282, 283–284
 - end-replication problem 281
 - GGGTTA repeats 281, 282
 - homeostatic control mechanism 282, 283F
 - length and its regulation 282–284
 - replication 281F
 - replicative cell senescence 282–283, 478, 1082–1083, 1174, 1303
 - t-loops 282
- telophase, mitosis
- chromosomes packaged in separate nuclei 1028, 1063–1064
 - Golgi apparatus reconstruction 1069
 - overview 1049P
 - plant cell 1068, 1069F
 - spindle disassembly 1061
 - see also cytokinesis; mitosis
- telophase II, meiosis 1075F
- TEM (transmission electron microscope) 588F, 589, 591, 594P, 595
- temperature-sensitive mutations 521P, 522
- templated polymerization 3–5
- templating
- active sites 152
 - assembly factors 136–137
 - in DNA replication 3–5, 187–188, 255–256, 393
 - in PCR 506–507
 - RNA 5, 391–392, 393
- tendons, tensile strength 1128, 1135
- tension sensing 1058, 1140F, 1153
- teosinte 1247
- teratomas 1306
- terminal differentiation 876, 1079, 1170–1171, 1220
- terminally differentiated cells
- defined 431, 1079
 - in epidermis 1283
 - skeletal muscle 1286
 - on small intestinal villi 1281–1282
 - from stem cells 1170, 1281
- termination signals (terminators) 329, 330, 348–349
- tertiary structure of proteins 123
- testes 467, 699F, 936
- testosterone, structure 103P, 936F
- Tet (testosterone) repressor 528F
- tethering
- by dynamin 756
 - by golgins 775–776
 - by intrinsically disordered regions 169, 170F
 - Rab effectors in 760, 761
 - by RNA polymerase II CTDs 338
- tetracycline 377F, 377T
- tetracycline (Tet) repressor protein 528F
- tetracycline tags 1123F
- Tetrahymena* 281F, 347
- tetranucleosomes 202
- TFII (transcription factors for polymerase II) see general transcription factors
- TGF β (transforming growth factor- β)
- BMPs as family members 926, 1239–1240, 1263–1264
 - growth inhibition by 1078
 - induced regulatory T cells 1393F, 1394
 - morphogen gradients 1237
 - myostatin as family member 1273
 - in vertebrate embryonic axis formation 1239–1240
- TGF β /activin family 926
- TGF β signaling pathway 1221, 1291
- TGF β superfamily 926–927
- TGN (*trans* Golgi network)
- exocytosis and 776–781
 - functions 770, 771
 - pH in lumen 778
 - protein sorting in 770, 774, 777–780
 - structure 769F, 770F
 - sulfated compounds and 773
 - transport to cell exterior 777, 780–788
 - transport to endosomes 776–780
 - transport to TGN 752F, 775
- β -thalassemia 347F
- Thale cress see *Arabidopsis thaliana*
- thermodynamics
- endothermic and exothermic reactions 106P
 - enthalpy (*H*) 106–107P
 - first law of 59–60, 106P
 - of living cells 58–61, 106P
 - second law of 58–59, 63, 106P
 - spontaneous reactions 58, 59F, 63, 66–67, 106P, 107P, 823
 - see also free energy; free energy changes
- thermophilic microorganisms 506F, 518, 610
- 4-thiouridine 361F
- third-generation sequencing
- methods 514–516
- thoracic duct, lymphatic system 1369, 1370F
- three-dimensional imaging
- electron microscopy 591, 592–593, 594P, 595F, 598, 599F
 - light microscopy 577–578, 579–580, 581, 585, 586–587
- 3' end, DNA 185–186
- threonine, structure and properties 116F, 119P
- thrombin 146, 898T, 1150, 1151F
- Thumb, General Tom 1275F
- thylakoid membranes
- ATP generation 646
 - development 726
 - electrochemical gradient 733
 - electron and proton movements during photosynthesis 855, 856F
 - proton gradient 733, 854, 856, 857
 - reaction centers 627, 844–845, 851–853, 857
 - site of photosynthesis 849–850
 - site of photosystems 849–850, 852–853, 855–856
 - structure 726, 727F
 - thylakoid lumen 844
 - see also chloroplasts; photosystems
- thylakoid space 726, 727F, 734, 853, 854, 855, 856
- thylakoids 844, 852
- thymidine, radioactive 257, 275
- thymine (T) 4, 104P, 185, 187F, 324F, 436
- thymine dimers 287, 292
- thymocytes 1365F, 1389–1391, 1394
- thymosin 965F, 967
- thymus
- MHC proteins expressed by epithelial cells 1386, 1390
 - T-cell development in 1365–1366, 1382, 1389–1391, 1394
 - transplanted 1270
- thyroid hormones 935, 936, 1098, 1255, 1307F
- thyroid-stimulating hormone (TSH) 896T
- thyroxine 936F
- tight junctions
- in epithelial cells 786, 1106F, 1107, 1116–1120
 - permeability 1117–1118
 - polarized cells 786
 - preventing lipid and protein diffusion at 629, 786
 - structure and function 645F, 1116–1118, 1119F
- TIM complexes (translocator of the inner mitochondrial membrane) 728, 729F, 730, 731, 732, 863F

- Tim protein (timeless) 938F
 timing in development 1248–1257
 Timothy syndrome 1308
 Tir protein 1328, 1329
 TIRF (total internal reflection fluorescence microscopy) 584F, 587
 tissue maintenance, independent of stem cells 1289
 tissue morphogenesis 1129–1130
 tissue remodeling/regeneration
 cell–cell adhesion 1108, 1114–1116
 neuromuscular junctions 1144
 regeneration of organs 1296, 1298–1299
 self-renewal and cancer 1170–1171, 1290
 see also wound healing
 tissue-specific (adult) stem cells 1280–1281, 1285, 1291, 1294, 1300
 tissues
 cell type identification by mRNAs present 400, 401F
 derived from ectoderm, endoderm, and mesoderm 1219, 1239
 differences in RNAs and proteins synthesized 398–399, 400F
 homeostasis compared to a river 1279–1280, 1281
 isolating cells from 476
 nonrenewable tissues 1290, 1296
 proteins expressed in brain and liver 400
 self-renewing tissues, overview 1279–1280
 titin protein 128, 981
 TLRs (Toll-like receptors) 934, 1355, 1356F, 1356T, 1360
 TMV (tobacco mosaic virus) 136F
 TNF (tumor necrosis factor) family of signal proteins 1093
 TNF (tumor necrosis factor) receptor family 934, 1093
 TNF α (tumor necrosis factor α) 934, 935, 1357
 tobacco 541F, 725F, 800F
 tobacco smoking and cancer 1167, 1198, 1199, 1200–1201
 TOF (time of flight) analyzers 491–492
 Toll gene 934
 Toll-like receptors (TLRs) 934, 1236, 1355, 1356F, 1356T, 1360
 Toll receptors 934, 1230F, 1236, 1355
 TOM complex (translocator of the outer membrane) 727, 728F, 729–732, 733, 863F
 tomograms, defined 593
 topoisomerases
 DNA untangled by 115, 269–272
 recombinases resembling 316
 superhelical tension removal 337
 topoisomerase I 269–270, 271F
 topoisomerase II 227, 270, 271F, 272, 1046
 winding problem and 269, 270
 TOR (target of rapamycin) 922
 see also mTOR
 Torso receptors 1230F
 total internal reflection fluorescence microscopy (TIRF) 584F, 587
 totipotent cells 541, 1219, 1297–1298, 1302
 toxins
 aflatoxins 1200
 anthrax toxin 1319F, 1320
 antibody binding 1364
 cholera toxin 614, 895, 1319F, 1320, 1328
 edema factor 1319, 1320
 of extracellular bacterial pathogens 1319–1321, 1328
 G protein targets of 895
 glycoproteins as entry points 614
 lethal factor 1319F, 1320
 and neurotransmitters 670
 pertussis toxin 895, 1319F, 1328
 porins as entry points 652
 of *Trypanosoma cruzi* 1335
 toxoids 1398, 1399F
Toxoplasma gondii 1333, 1334F
 TPX2 protein 1055
 tracheae and tracheoles 1265
 trajectories of points 553
 trans-acting epigenetic mechanisms 444
 trans-acting lncRNAs 470F, 471
 trans Golgi network (TGN) see TGN
 trans-SNARE complexes 761F, 763, 783
 transamidases 712, 713F
 transcellular transport 645–646, 1118
 transcription 323–358
 abortive initiation 329, 329F
 biomolecular condensates and 420
 Ca²⁺ spikes and 902
 chromatin modification favoring initiation 417–418
 coupling to RNA processing 337–338, 345
 cyclic AMP effects 897F
 defined 5, 321, 324
 direction of 331
 elongation phase 329, 333, 335–338
 initiation, in bacteria 328–331
 initiation, in eukaryotes 331–335
 JAK–STAT signaling pathway and 924
 mass-produced, disposable RNA transcripts 5
 mathematical analysis 543–545
 nucleotide excision repair coupled to 290
 overview 325, 337F
 promoters 328F, 329–331, 332–333, 335
 pulses of 555–556
 response to phytochromes 945
 RNA polymerases role in, overview 325–327
 simultaneous, by multiple RNA polymerase molecules 326, 327F
 speed of 326
 superhelical tension creation 335–337
 as templated polymerization 5
 termination signals (terminators) 329, 330, 348–349
 transcriptional control of gene expression 401, 402–423
 transcription activators (activator proteins)
 binding of promoters 411–412, 543–546, 548–549, 551
 chromatin modification 417–418
 coactivators 415F, 416–417, 418, 419–420, 423, 425, 426F
 combinatorial controls 425, 426F, 554–555
 cooperative binding 417, 419, 551
 fusion with bacterial Cas9 530, 531F
 genes switched on by 411–412
 Lac operon and 412, 413F
 paused polymerases and 418–419
 positive feedback and 551–552
 RNA polymerase II and 334–335
 switch from repressors 929
 see also transcription regulators
 transcription attenuation 445–446
 transcription bubbles 329
 transcription circuits, as switches 433–434
 transcription control
 in the cell-cycle control system 1039
 in eukaryotes 414–422, 436
 of gene expression 401, 402–423
 transcription factors see transcription regulators
 transcription initiation complexes 332F, 333
 transcription rate constants 546–547, 549
 transcription regulators (transcription factors)
 ability to read DNA sequences 402–403, 406
 activation of differentiation 1241–1242
 in bacteria 410–414
 binding to *cis*-regulatory sequences in bacteria 402, 403, 406–410, 411, 412
 binding to *cis*-regulatory sequences in eukaryotes 414–416, 417, 425, 433, 438
 biomolecular condensate formation 414, 416, 420–422
 chromatin immunoprecipitation and 538, 539F
 in chromatin modification 210–212
 combinatorial gene control 425–426, 427–428, 430–431, 554–555
 conserved structure of 127, 239
 cooperative binding 407–409, 416, 417, 419, 551
 dimerization 404–405P, 406–407
 dynamic binding behavior 409–410
 enzyme recruitment by 206–207
 in eukaryotes 414–422
 evolutionary changes 239
 extracellular signals and 426–427, 430–431, 928–940
 function, overview 29–30, 402
 gene regulatory circuits, schematic diagrams 44–45
 ligand-modulated 935–936
 maintaining embryonic stem cells 1303–1305
 master transcription regulators 429–430, 432, 1242
 mechanisms used to activate 426
 noncooperative binding 407
 p53 protein as 1190
 pioneer factors 409, 436
 promoters and 411
 in regulatory complexes 415–416
 role and mode of operation 402–410, 428
 sequential expression 1251

- transcription regulators (*continued*)
 single-molecule tracking
 experiments 409–410
 in specialized cells 430–431
 structural motifs in 403, 404–405P, 406
 as switches 410–423, 433–434
 in the syncytial blastoderm 1228, 1229
see also general transcription factors;
 latent transcription regulators;
 transcription activators;
 transcription repressors
- transcription repressors (repressor proteins)
 in bacteria 404F, 410–411, 412–413, 415
 binding of promoters 411, 548–549, 551
 co-repressors 416, 420, 423, 425, 426
 combinatorial controls 425, 426F, 554–555
 cooperative binding 551
 in eukaryotes 420–422
 fusion with bacterial Cas9 530, 531F
 genes switched off by 411
 heterochromatin 204–205, 421
 Lac repressor 412, 413F
 negative feedback 433, 549–550
 positive feedback and 552
 switch to activators 939
 tryptophan repressor 404F, 410–411, 412, 415, 423
see also transcription regulators
- transcription units 328
 transcriptional synergy 419–420
 transcytosis 787, 793–794
 transdifferentiation 1306–1308
 transducin (G_t) 906, 907T, 909
 transduction and horizontal gene transfer 1317
- transesterifications in RNA splicing 340, 343, 347
- transfer RNAs (tRNAs)
 as adaptor molecules 327, 359, 363, 364, 366
 anticodons 7, 359
 binding by EF-Tu 166
 covalent modification 361
 function 7, 327, 359–361
 initiator tRNA 373–374, 457
 and the nucleolus 355
 peptidyl-tRNAs 365, 374
 ribosomal binding sites 367, 372, 373
 structure 359, 360F
 unusual bases 361
see also noncoding RNAs; RNA
- transferrin 460, 793
 transferrin receptor 793
 transformation, horizontal gene transfer by 1317, 1342
- transformed phenotypes 1173F, 1180
 transforming growth factor- β *see* TGF β
- transgenes 528
 transgenic mice *see* mouse, transgenic
 transgenic organisms 528–533, 539–542, 574–575, 1284
 transgenic plants 540–542
 transit-amplifying cells 1170–1171, 1280–1281, 1282–1284, 1288, 1298
see also progenitor cells
- transition metals as cofactors 824, 826
- transition states, enzyme stabilization of 148, 152, 153F
- translation 358–389
 accuracy and free energy 370–371
 co-translational protein folding 380
 conserved gene families 21, 22T
 control with 3' and 5' UTRs 455–456
 control with IRES 459
 gene expression, translational
 control 401, 454–455, 456F, 457, 458–459
 initiation 373–374
 messenger RNA in 366–368, 369F, 370
 overview 5, 6–7, 321, 358
 quality control 378–380
 ribosome profiling and 538–539, 540F
 speed of 370
 termination 374–375
 translocation steps, ribosomal 368
see also protein synthesis
- translation recoding 376
- translational repressors 457
- transmembrane proteins
 adhesion proteins 1107, 1147
 α helices in 122, 617–619, 620, 709, 711
 association with the lipid bilayer 615–616
 β -barrels in 615F, 618, 619–621, 728, 733, 814–815
 cadherins and integrins as 1107
 capture by ER 694, 701
 confined by corrals 632
 death receptors as 1093
 enzyme-coupled receptors as 879, 911, 926
 hydrophobic regions 615, 617, 618, 619–620, 623–624, 627
 integration into ER membrane 709, 711–712
 IRE1 as transmembrane protein kinase 598F, 718–719
 PERK as transmembrane protein kinase 718, 719
 proportion of all proteins 618
 protein domains 617, 619, 620, 621
 SRP receptor as 704
 transmembrane segments 618F, 709–711
see also membrane proteins;
 multipass transmembrane proteins;
 single-pass transmembrane proteins
- transmission electron microscope (TEM) 588F, 589, 591, 594P, 595
- transmitter-gated ion channels
 A-to-I editing 452
 acetylcholine receptors as 671–672
 allostery in 886
 in brain 677–678
 function 654, 669–670
 ion-channel-coupled receptors 877F, 878, 905
 neurotransmitter binding to 670
 open and closed conformations 671, 672F, 674
 types in neurons 672–673
see also ion-channel-coupled receptors;
 ion channels;
 ionotropic receptors;
 neurotransmitters;
 synapses
- transport ATPases *see* ATP-driven pumps
- transport vesicles
 defined 749
 diversity in shape and size 759
 formation 686, 687F, 695F, 699, 752–754, 755–758, 759
 function 24, 684, 695F, 699, 721
 SCAP-SREBP complex in 743F
 shaping by vesicle coat protein complexes 736
 tubules 759, 776
see also coated vesicles;
 vesicle transport
- transporters
 ABC (ATP-binding cassette) transporters 646, 649–651
 active transport and 640–651
 ATP-driven pumps (transport ATPases) 641, 642, 646–651
 binding sites 639, 641, 643–644, 647, 649
 competitive and noncompetitive inhibitors 641
 conformational changes 639, 641, 643, 647–648, 649
 coupled transporters 641, 642–643, 644
 distinguished from channels 637, 639, 652
 electrogenic pumps 647, 649, 655
 in epithelial cells 645–646
 evolution 641, 644
 glucose transporters 794, 1118F
 inverted repeats 643–644
 P-type pumps (P-type ATPases) 646, 647–648
 passive transport 639, 640, 641, 642, 645
 in plants 943, 944F
 regulation of cytosolic pH 644–645, 648
 symporters 642–643, 644F, 645, 669, 673, 842
 uniporters 642, 645
- transposable elements (transposons)
 amount in human genome 194, 231F
 comparison of classes of 308T
 DNA-only transposons 231F, 307–309, 310F, 311
 double-stranded RNA produced by 464
 and genome changes 231, 235–236, 237
 helitrons 309, 310F
 in human and mouse genomes 235–236, 314–315
 insertion and multiplication of 235–236
 inverted repeats 308F, 308T, 309F
 nonretroviral retrotransposons 308T, 313–314
 retroviral-like retrotransposons 231F, 308T, 311, 313–314
 RNA interference and 464–468
 virulence genes 1317
see also mobile genetic elements
- transposase genes 308
- transposases 307, 308T, 309, 310F, 311, 448

- transposition
 conservative site-specific recombination compared to 315–316
 cut-and-paste transposition 308–309, 311, 314
 mobile genetic elements 306–315
 rates in bacteria and eukaryotes 307
 “signatures” of 308
 see *also* mobile genetic elements; transposable elements
- transthyretin amyloidosis 467
- transverse filaments 1074
- trastuzumab (Herceptin) 1209
- treadmilling
 actin filaments 961P, 962–963, 964, 974, 991
 Z-ring 1014
- tree of life see phylogenetic trees
- triacylglycerols (triglycerides) 85, 87, 102P, 103P, 611, 791
- tricarboxylic acid cycle see citric acid cycle
- tricellulin 1120
- trichothiodystrophy 530F
- trigger mechanism of invasion 1332–1333, 1336
- triskelions 752–753, 754F
- Trithorax group proteins 1235–1236
- Triton X-100 622, 623F
- TrkA kinase 915
- tropoelastin 1136
- tropomodulin 965F, 969, 980, 981F
- tropomyosin 341F, 448, 965F, 968–970, 980–982, 983F, 984
- α -tropomyosin gene 341F, 448
- troponins 982–983, 984
- trypanosomes
 GPI-anchored surface proteins 712
 mitochondrial DNA 865
Trypanosoma brucei 1315F, 1342
Trypanosoma cruzi 1334, 1335, 1342
- trypsin 127, 476, 491, 492, 1005F
- tryptophan, structure and properties 116F, 119P
- tryptophan operator 411
- tryptophan operon 410–411
- tryptophan repressor 404F, 410–411, 412, 415, 423
- tsetse flies 1342
- TSH (thyroid-stimulating hormone) 896T
- tube worms 17F
- tuberculosis 14, 1313, 1314
- tubules 759, 776, 1264–1265
 see *also* microtubules
- tubulins
 α -tubulin 596F, 987, 988, 991, 995
 bacterial homologs 1014
 β -tubulin 596F, 987–988, 991, 995
 consequences of mutations 988
 critical concentration, C_c 960–961P, 989, 990F, 991, 998
 fluorescence-tagging 572F
 FtsZ as homolog 1014
 γ -tubulin 991, 992F
 γ -TuRC (γ -tubulin ring complex) 991–992, 993, 995–996, 997F, 1052, 1055
 immunofluorescence 572F
 microtubule subunits 953–955, 987–989, 990F, 991, 992F
 in microtubules 55, 950, 953–954
 polymerization *in vitro* 960–961P
 separation from brain samples 476
 sequestration 998
 speckles 1060F
 see *also* microtubules
- TubZ protein 1016
- tularemia (rabbit fever) 1340
- tumor biopsies, genome sequencing 1213
- tumor cells see cancer cells
- tumor microenvironments 1172, 1175–1176, 1210–1212
- tumor progression
 breast cancer 1165F
 colorectal cancer 1192–1194, 1196–1197
 correlation with mutation sequence 215–216
 natural selection in 1163–1164, 1167–1168, 1178, 1192
 process 1167–1168
- tumor stroma 1166, 1175–1176, 1176F, 1210, 1211
- tumor suppressor genes
 discovery 1182
 DNA sequence changes 1184–1185
 genetic and epigenetic inactivation 1183–1184
 loss-of-function mutation and 1179–1180
- tumor viruses 1180, 1191F, 1201–1202, 1203
- tumors
 aneuploidy in 1185
 angiogenesis 1176
 benign and malignant 1164–1165
 cell types in 1165–1166, 1176
 heterogeneous cells in 1192
 immunosuppressive microenvironments 1176, 1210–1212
 primary tumors 973, 1165, 1178, 1197, 1198
- turbine analogy, ATP synthase 812, 835, 838–840
- turgor pressure
 extracellular matrix and 1129, 1155–1156, 1157, 1158F
 plant cell walls and 1155–1156
 vacuoles and 800
- turnover number (k_{cat}) 148, 150P, 151P
- turnover rates
 collagen 1134
 connexins 1123
 Myc regulating protein 1182
 and signal response speeds 886–887
- Twist gene 1237
- Twist protein 1263
- two-dimensional (2D) NMR 496
- two-dimensional gel electrophoresis 489–490
- two-photon effect 580
- Tyk2 as a JAK kinase 924, 925T
- type III fibronectin repeats 129F, 130F, 1126F, 1139, 1140F, 1141, 1146
- type III secretion system 1320–1321, 1328, 1332, 1335–1336
- type IV secretion system 1320–1321, 1327F, 1328, 1336
- typhoid fever 1317
- “Typhoid Mary” 1317
- tyrosine 116F, 119P, 773, 936
- tyrosine aminotransferases 399, 401, 431
- tyrosine-kinase-associated receptors 923–924
- tyrosine kinase domains 911, 912F, 924
- tyrosine kinases 160F, 161–162, 879–880
 see *also* cytoplasmic tyrosine kinases; receptor tyrosine kinases
- tyrosine-specific protein phosphatases 916
- U**
- U1, U2, U4, U5 and U6 see snRNAs
- ubiquinone (coenzyme Q) 825P, 826, 827–829, 830–831, 832, 833
- ubiquitin
 addition to CMG helicase 281
 APC/C ubiquitylation in mitosis 1060, 1061F
 covalent addition to proteins 162–163
 E1 (ubiquitin-activating enzyme) and 163–164
 E2 (ubiquitin-conjugating enzyme) and 164, 165F
 histone side chain modifications 207F
 polyubiquitin chains 162–163, 164, 165, 384, 385F, 386, 717, 795
 and the proteasome 163–164, 165, 384
 protein marking by 163–164
 regulatory function 162–166
 structure 126F, 163F
 SUMO (small ubiquitin-related modifier) 163
 tagging proteins for degradation 164, 384, 717, 795, 943F, 1061F
- ubiquitin ligases (E3)
 APC/C as 165F, 386, 1039
 auxin receptor proteins and 943F
 caspases and 1098
 functions, overview 164, 165F
 induction and regulation 386–387
 Parkin 806, 817
 SCF ubiquitin ligase 164–166, 171, 1039–1040, 1041T
 Smurf 927
 structure 164, 165F
- ubisemiquinone radical 827F, 831F
- Ubx genes 1234F, 1235F
- UIMs (ubiquitin-interaction motifs) 914–915
- ultracentrifuges 480–481, 490–491
- ultraviolet radiation 287, 1166
- uncoupling protein 841–842
- “unfoldases” 385
- unfolded protein response 717–719
- uniporters 642, 645
- unipotent cells 1281, 1285
- uniquinol (QH₂) 827, 829–830, 831F, 832, 854
- units of length 565
- universal common ancestral cell 2
- unsaturated fatty acids 102P, 605, 609F
- uORFs (upstream open reading frames) 458
- uracil (U)
 base-pairing 324, 325F
 from cytosine deamination 286–287, 288F, 291F, 292, 436, 1379, 1381
 in RNA 5, 324
 structure 104P, 324F

uracil DNA glycosylase 289F, 292, 436
 urate oxidase 723
 urea as denaturing agent 489
 urea cycle 820
 urea from amino acid degradation 92
 urease 1327F, 1328
 uric acid 1357
 uridine diphosphate glucose 76T
 uridine isomerization to
 pseudouridine 352, 353F
 uronic acids *see* galacturonic acid;
 glucuronic acid; iduronic acid
 uterine cervix, cancers of 1168F, 1185,
 1201, 1202–1203, 1326
Utricularia gibba 579F
 UTRs (untranslated regions, mRNA)
 455–456, 460, 463, 464

V

V gene segments 1377, 1378F, 1382
v-Ras oncogene 1180
 V-region coding sequences 1379, 1380F
v-SNAREs 761F, 762–763, 767, 783F,
 785F
v-Src gene 1180
V-type ATPases 781, 784F, 785F, 794,
 795, 799, 839–840
V-type pumps 646
 vaccination
 and the adaptive immune
 system 1353
 adjuvants 1399
 attenuation and attenuated
 vaccines 1397, 1398T
 autism and 1399
 conjugate vaccines 1398–1399
 herd immunity and 1399, 1401F
 human papillomavirus 1203
 immunization as basis 1364
 microbial extracts 1397, 1398T
 against *Neisseria* 1342–1343
 nucleic acid vaccines 1398T, 1399
 overview 1396–1400
 public acceptance of vaccines 1399,
 1401F
 subunit vaccines 1397–1398
 toxoids 1398, 1399F
 vaccine production through DNA
 cloning 512
 vaccines approved for human
 use 1398T
 against virus diseases 1315F, 1325,
 1329
 virus-like particles 1397
 whole microbe vaccines 1397, 1398T
vaccinia virus 1329, 1337F, 1338, 1397
vacuolar H⁺ ATPases 799
 vacuoles
 as homeostatic device 800
 Legionella-containing vacuoles 1336
 as lysosomes 800–801
 parasite-containing vacuoles 1333
 products from 801
 Salmonella-containing vacuoles 1336
 valine, structure and properties 116F,
 119P
 van der Waals attractions 51, 98P, 117,
 120F, 610, 613
 van der Waals radii 98P, 117
 van Leeuwenhoek, Antonie 475, 476F

vancomycin 1345–1346
 variable regions (V regions),
 immunoglobulins 125F,
 1375–1378
 variants, defined 246
 varicella-zoster virus 1323T
 variegation 866
 see also position effect variegation
 variola (smallpox) virus 1323T
 vasopressin 652, 896T, 898T, 901F
 VASP 1151
 VCAMs (vascular cell adhesion
 molecules) 1126
 V(D)J recombinase 1379, 1380, 1381,
 1382, 1389
 V(D)J recombination 294F, 309,
 1377–1379, 1380–1381
 VEGF (vascular endothelial growth factor)
 action via receptor tyrosine
 kinases 911T
 angiogenesis and 911T
 interaction with matrix proteins 1145,
 1146
VegT mRNA 1227F, 1244
 “Velcro principle” 1109, 1110F, 1151
 velocity sedimentation 481, 482F
 venetoclax 1102F
 vernalization 1256–1257
 vertebrate embryos
 inductive signaling 1238–1239, 1249
 nervous systems 1111F
 spatial patterning 1238–1240
 see also embryonic development
 vertebrates
 adaptive immune system 1364–1372
 cyclins and Cdks 1034T
 desmosomes in 1116
 evolution of 239–240
 extracellular matrix in 1127–1146
 innate and adaptive immune
 response 1353
 loss of CG sequences 436–438
 organ regeneration in 1298–1299
 protein sequences compared 41
 times of divergence 41F
 vertical gene transfer 19, 1317
 vesicle coat proteins 736
 vesicle transport (vesicular
 transport) 749–810
 bidirectionality 789
 compartments involved in vesicle
 transport 750F
 disruption by intracellular
 pathogens 1335–1338
 from the ER to Golgi apparatus
 765–776
 evolutionary origins 687F
 exchange of membrane lipids 721
 lysosome construction and 697
 mechanisms of membrane
 transport 751–765
 overview 694–695, 749–751
 road map of eukaryotic protein
 traffic 694F
 sorting signals and 694–695
 steps in 752F
 from the TGN to cell exterior 777,
 780–788
 from the TGN to endosomes
 776–780
 vesicle transport mechanism 775

see also endocytic pathway;
 intracellular membrane traffic;
 retrieval pathways; secretory
 pathways; transport vesicles
 vesicles
 caveolae as pinocytotic vesicles 790
 formation by phospholipids 8F
 intraluminal vesicles 788, 795,
 796–798, 800F, 807
 membrane-bending proteins and 633
 peroxisomal precursor vesicles
 724–725
 synaptic vesicles 646, 669, 671F,
 782–784, 785F
 vesicular tubular clusters 766–768, 770,
 775, 797
 Viagra 909
Vibrio cholerae 14F, 1314, 1315F, 1316F,
 1318
 vimentin 1007T, 1009, 1023
 vimentin-like filaments 1007T, 1011
 vinblastine 1062
 vinculin 1107T, 1113F, 1114, 1147F,
 1151F, 1153
 viral capsids 135–136, 311, 1324–1325,
 1331, 1337
 viral envelopes 1314, 1324–1325, 1330
 virions, defined 1323
 viroids 390F
 virulence factors 1317
 virulence genes 456, 1317–1319
 virulence plasmids 1317
 virus receptors 1329–1330, 1331F
 viruses
 bacterial defenses 468–469
 binding to cell-surface virus
 receptors 1329–1330
 budding 797–798, 1324F, 1325, 1337
 causing human diseases 1323T
 class I MHC suppression 1361–1362
 cross-presentation and 1387
 cross-species transmission 1329,
 1344
 detecting in samples by PCR 507,
 508F
 drug resistance 1345
 as expression vectors 532
 and gene transfer 35
 genomic plasticity 1343
 host-cell entry and membrane
 disruption 1331
 host-cell entry and pore
 formation 1331
 host-cell entry by endocytosis 614,
 764, 1330, 1331
 host-cell entry by membrane
 fusion 764, 1330, 1331F
 host-cell responses 1360–1361
 host cytoskeleton used for
 movement 1338–1339
 introducing altered genes 528, 1180
 life cycle 1323
 and microtubular transport 1002
 as mobile genetic elements
 309–311
 morphology 1324F
 overview 34, 42–43
 as pathogens 1201–1202, 1314
 protein subunits in coats 135–136
 receptor-mediated endocytosis 764,
 1331

replication errors and evolution 1343–1344
 replication factories 1337
 RNA interference and 462, 464–465, 467–468
 self-assembly 136
 shapes and sizes 1324
 single-stranded genomes of small viruses 288, 390, 1323
 transdifferentiation vectors 1308
 use of conservative site-specific recombination 315
 use of host cell machinery 1322–1325, 1340–1341
 use of IRES 459
 visual signaling system
 adaptation 885, 891, 906, 910
 cone photoreceptors (cones) 906
 GPCRs and 905–907
 rod photoreceptors (rods) 905–906
 vitamin A 541–542, 626, 936
 vitamin C (ascorbic acid) 1134
 vitamin D 935, 936
 vitamins as coenzymes 154
 vitreous ice 590, 595, 596F
 $V_{\max}$ 147–148, 150–151P, 641, 642
 voltage-gated channels
 action potentials and 662–665
 all-or-nothing opening 666–668
 function 654
 open and closed conformations 662–663, 664F, 667–668
 voltage-gated Ca^{2+} channels 440, 668, 669, 673, 674, 676–677
 voltage-gated cation channels 662–665, 668, 670, 672
 voltage-gated K^{+} channels 663, 664F, 668
 voltage-gated Na^{+} channels 662, 663, 664F, 666–667, 668, 673–674, 675
 voltage sensors 663
 VSG (variant-specific glycoprotein) 1342

W

Wadlow, Robert 1275F
 wall cress *see Arabidopsis thaliana*
 Warburg, Otto 1175
 Warburg effect 1175, 1188
 water
 cage structures 607
 chemical properties 50–51, 96–97P
 content of cells 569
 electron donor in photosynthesis 812, 813F, 851, 852F, 853
 exclusion from binding sites 142
 final mitochondrial respiratory-chain product 812, 813F, 821–822, 831–832
 hydrogen bonding in 50–51, 96P, 98P, 142, 653
 hydrophilic and hydrophobic molecules and 51, 96–97P, 606–607
 proton behavior in 52–53, 97P, 653, 834–835
 structure 96P
 vitreous ice 590, 595, 596F
 water channels (aquaporins) 619F, 639, 644, 652–653, 794

water-soluble proteins, ER capture 701
 Watson, James 184
 WAVE family of NPFs 1021, 1022F
 wavelength
 of electrons 588
 excitation and emission of fluorescent dyes 571F
 multiphoton microscopes 580
 resolution limits and 563, 564–566, 588
 weak acids 52–53, 97P
 weak bases 53, 97P
 Wee1 kinase 1034, 1037, 1038, 1041T
 Western blotting 490
 wheat 592F, 843F
 white blood cells
 extracellular matrix degradation 1145
 leukemias as cancers of 1165
 major categories of 1286T
 migration across basal lamina 1145
 selectin and integrin control of adhesion 1125–1126, 1149
 see also lymphocytes
 White gene, *Drosophila* 205
 whole-genome analysis *see* genome sequencing
 whole-genome duplications 240–241
 whooping cough (pertussis) 895, 1328
 wild type, defined 520P
 Wilson, E. B. 1
 wing hairs 1262–1263
 Wingless gene 571F, 930, 1232F, 1233
 Wingless protein 1232, 1291
 Wnt proteins
 activation of Frizzled 930, 932
 secretion by Paneth cells 1281, 1292
 Wnt signaling pathways
 APC protein and 1195
 canonical Wnt pathway 930–931
 in development 1221, 1225, 1227F, 1233, 1299
 planar-cell-polarity signaling pathway 1263
 presomitic mesoderm and 1250
 stem cell maintenance 1291, 1292
 Wnt/ β -catenin pathway 930–931, 1195
 Wnt11 mRNA 1227F
 wobble base-pairing 360, 367
 worms *see Ascaris*; *Caenorhabditis elegans*
 wound healing
 genes 537F
 hyaluronan production 1130
 see also tissue remodeling/regeneration
 wounds and infection 1326
 writer proteins *see* reader-writer complexes

X

X-chromosome
 protein-coding genes 440, 442
 sample sequence 322F, 323
 X-inactivation 441–443, 470, 1301–1302
 x-ray crystallography/x-ray diffraction
 clamp protein 264F
 cryoEM compared to 594P, 596

electron microscopy compared to 594P, 596
 protein structure from 123F, 149, 494–495, 594P
 transcription regulators 404
 xanthine 291
Xenopus laevis (*X. laevis*)
 cell cycle model 40
 egg asymmetries 1227–1228
 embryo cortical rotation 1227–1228, 1238
 embryo patterning 1238–1240
 globin gene family in 242
 as model organism 40–41, 1030, 1220
 nuclear transplant into foreign cytoplasm 397–398, 1301
 oocyte extracts 40, 482–483
 rRNA genes 352
 tetraploid genome 1271
Xenopus microtubule-associated protein (XMAP215) 997
Xenopus tropicalis 1271
 xeroderma pigmentosum (XP) 285, 1166
 XIAP protein 1098
 Xist lncRNA 442–443, 462, 470, 471
 XMAP215 (*Xenopus* microtubule-associated protein) 997
Xpd knockout mice 530F
 xylem 569F, 1155

Y

Yap/Yorkie gene 1274F
 yeasts
 bar-coded mutants 532F
 characteristic transposon types 314
 control of cell cycle in 196–197, 1084
 electron micrographs 37F, 590F
 endoplasmic reticulum 700F
 galactose-digesting genes 523
 gene duplication in 240
 genome-wide screens for fitness 532F
 MAP kinases 918
 mating factors 873, 874, 893, 918F
 mitochondrial compartment 579F
 post-translational protein translocation 707–708
 and prion diseases 139
 RNA splicing 447
 telomere length and its regulation 283F
 yeasts, budding
 actin and myosin in 986
 alternative splicing 447
 cell polarity 1016–1018
 centromere 196
 cyclins and Cdks 1034T, 1040
 MAP kinase modules 918
 mating factors 873, 874, 918
 microtubules 993
 minimal DNA sequence elements in cell cycle 196–197
 number of genes 447
 replication origins 196, 272–273, 276
 septin filaments 1012, 1013F
 telomeres 196
 see also Saccharomyces cerevisiae
 yellow fever 1323T, 1326
Yersinia pestis 1326, 1332
Yersinia pseudotuberculosis 1332

Z

Z discs 979, 980–981, 1011

Z-ring 1014

Z schemes 853, 855–856

zebrafish (*Danio rerio*)

convergent extension 1260F

genome size 29T

germ cell migration 1266F

Her gene expression 1250F

maternal-zygotic transition

1254Fzeb

as model organism 29T, 38, 40–41,
1220

transparent embryos 40F, 41

whole-genome duplications 241

Zellweger syndrome 726

zigzag model of chromatin 202

Zika virus 1323T, 1324F, 1326

zinc finger proteins 405P

Zinnia elegans 843F

zipper mechanism of invasion 1332,

1335, 1338F

ZO proteins (zonula occludens) 1120, 1121F

zonula adherens (adhesion belt) 1106F,
1114–1115, 1264F

zoonoses 1326, 1340

zygotene 1074

zygotes

as beginning of development 1071, 1217

cleavage to form blastomeres 1218,

1219

as pluripotent or totipotent 1302

zygotic-effect genes 1230, 1236, 1254

zymogens 795

zyxin 1151