

Multilingual Document OCR Annotation Guidelines

Version 3.0	May 19, ...	Major: • New Step 10 added: Page Diversity Metadata (Q5–Q8) — annotators must now classify PDF Type, Layout Type, Page Orientation, and Language diversity for each document. Other/Minor: • "Good Annotation" checklist now includes: "All metadata (reading order, PDF type, layout, orientation, language) is populated correctly." • "Poor Annotation" list adds: "Header/footer images were boxed (they should be ignored)." • Quality Expectations adds explicit bullets for: LaTeX tabular requirement, header/footer in dedicated blocks, footnotes in Revised OCR Text, and all page-diversity metadata fields filled in.
Version 2.0	May 14, ...	Main changes: • Header and Footers have a separate text block for capture. • Reading order meta data capture • Making the table transcription using Latex (strict) • Some details on Latex formatting for equations.
Version 1.0	May 13, ...	Initial version

Purpose

Your goal is to review and correct machine-generated OCR text so it accurately matches the content shown in a scanned document image. You will also draw bounding boxes around images, tables, and figures in the document and insert them at the right position with respect to the text.


This task supports 107 languages across many scripts. **MAKE SURE YOU SELECT YOUR NATIVE LANGUAGE BEFORE CONTINUING.**

Getting Started

1. When you open the task, a document image loads on the left panel and annotation controls appear on the right panel.
2. Metadata about the document (language, script, document type, difficulty) is displayed in the bar below the header.
3. You can filter by language using the language dropdown in the top-right corner.
4. A dark mode toggle is available for comfortable viewing.

UI Layout Examples

The following examples illustrate the user interface layout for this task.




Step-by-Step Instructions

Step 1: Check if the Image is Renderable (Q1)

Look at the document image on the left panel.

- **Yes** — The image loads and you can see the document content clearly enough to work with it.
- **No** — The image is broken, blank, completely unreadable, or fails to load. If you select "No," provide a brief reason (e.g., "image is blank," "image failed to load," "image is completely black"). Also select "No" when some of the fonts in the displayed image are not rendered correctly or are missing (e.g., partially failed rendering should be rejected).



If the image is not renderable, you can submit immediately after providing the reason. No further annotation is needed.

Step 2: Determine if OCR is Possible (Q2)

This question appears only if Q1 = Yes.

- Yes — The document contains text that you can read and transcribe (even if some parts are difficult).
- No — The document has no readable text at all (e.g., it is a purely photographic image with no text, or the text is too blurry/small to read at any zoom level). If you select "No," provide a brief reason.

If OCR is not possible, you can submit after providing the reason.

Step 3: Identify Un-OCR-able Parts (Q3)

This question appears only if Q2 = Yes.

- No — You can OCR all the text in the document.
- Yes — Some parts of the document contain text you cannot transcribe (e.g., handwritten text in an unknown script, extremely blurry sections, text in a language you don't know). Describe which parts and why.

Step 4: Revise the OCR Text

This is the core of the task. The Revised OCR Text area is pre-filled with machine-generated OCR. You must edit it so it exactly matches the text in the document image.

Important rules:

- Carefully compare the OCR text against the image. The initial OCR may contain significant errors — missing text, wrong characters, garbled words, incorrect formatting, or incorrect reading order of the presented text.
- The OCR text must follow the same reading order that a human would naturally use when reading the document image.

- Use LaTeX for mathematical equations and formulas. There are two types of equation occurrence:

(i) Inline equations — equations that occur inside existing sentences. Use either `$<math>$` or `\(<math>\)` inline:

None

```
\(d_{1}^{0}\)
$d_{1}^{0}$
```

(ii) Display equations — equations that occur on a new line, outside the existing sentence. Use one of these patterns:

None

```
$$
K(x_i, x_j) = \exp(-\frac{\|x_i - x_j\|^2}{c}) \tag{22}
$$
```

or

None

```
\[
K(x_i, x_j) = \exp(-\frac{\|x_i - x_j\|^2}{c}) \tag{22}
\]
```

- *If a displayed equation contains an equation number, use `\tag{<eq-number>}` inside the equation block.*
- Ignore headers and footers in the Revised OCR Text block — they are captured separately. Annotators should diligently remove/delete header and footer text from the revised OCR text box and copy (and edit if needed) into the dedicated Header and Footer text blocks (explained below).

- Footnotes are different from footers — if the document contains footnotes, annotate them as part of the Revised OCR Text block.
- Ignore page numbers — they are not captured anywhere in the annotation process.
- Do NOT paste LLM-generated output. You must manually revise the text by comparing it against the image. We care about quality for each sample.
- Preserve the document's structure — paragraphs, headings, lists, etc. should be reflected in the text in the correct reading order.

Section and heading annotation:

Sections can be annotated as either pattern:

None

****6. Vigência da Bolsa****

or

None

\section*{6. Vigência da Bolsa}

Subsections can be annotated as either:

None

8.1. Dos Requisitos Eliminatórios

or

None

\subsection*{8.1. Dos Requisitos Eliminatórios}

Step 5: Draw Bounding Boxes

Draw bounding boxes around images, tables, and figures in the document. Use the toolbar on the left panel:

Tool	Button	Color	What to annotate
Image/Figure	Img (green)	Green	Photographs, diagrams, charts, illustrations, graphs
Table	Tbl (orange)	Orange	Any tabular data

How to draw a bounding box:

1. Click the Tbl or Img button in the toolbar to enter drawing mode.
2. Click and drag on the document image to draw a rectangle around the element.
3. The bounding box tag is automatically inserted into the OCR text at your cursor position. Verify carefully that the inserted tag is at the right position in the text with respect to reading order.

Adjusting bounding boxes:

- Switch to Select mode (pointer icon) to click and select a bounding box.
- Drag a selected box to move it.
- Drag the corner/edge handles (small squares) to resize it.
- Press Delete or Backspace to remove the selected box.
- Click the pencil icon in the bbox list to manually edit coordinates.

What to ignore:

- Small logos or decorative images
- Background watermarks
- Page borders or decorative elements
- Images that occur inside the header or footer region

Step 6: Provide Table Transcriptions

If you drew any table bounding boxes, a "Table Transcriptions" section appears immediately below the OCR text area. For each table:

- Transcribe the table content strictly in LaTeX format. Always use the LaTeX tabular environment: `\begin{tabular}...\end{tabular}`.
- Make sure the transcription accurately represents the table's data, rows, and columns.

Example LaTeX table:

None

```
\begin{tabular}{ll} \hline
Case & Disturbance \\
1 & 10 \% loss of combustion air blower capacity \\
2 & 5 \% degradation in the flow of regenerated catalyst \\
3 & 5 \% increase in the coke factor of the feed \\
4 & 10 \% decrease in the heat exchanger coefficient of the furnace \\
5 & 10 \% increase in fresh feed \\
6 & 5 \% decrease in lift air blower speed \\
7 & 5 \% increase in friction coefficient of regenerated catalyst \\
8 & Negative bias of reactor pressure sensor \\
\end{tabular}
```

Step 7: Provide Header Text

If the document image contains a header text region, transcribe it in the Header text block.

The Revised OCR Text block may be pre-populated with header text. If so, delete it from "Revised OCR Text" and copy it into the Header block instead.

Notes:

- Ignore any images inside the header region.
- Ignore page numbers.

Step 8: Provide Footer Text

If the document image contains a footer text region, transcribe it in the Footer text block.

The Revised OCR Text block may be pre-populated with footer text. If so, delete it from "Revised OCR Text" and copy it into the Footer block instead.

Notes:

- Ignore any images inside the footer region.
- Ignore page numbers.
- Footnotes are different from footer text. Footnotes should always be annotated as part of the Revised OCR Text block — not the Footer block.

Step 9: Provide the Reading Order Metadata (Q4)

Select all reading order patterns that apply to the document:

1. Left-to-right (LTR), top-to-bottom (TTB) Most common reading order: characters go L→R; lines go down the page. Examples: Latin (English, French), Cyrillic (Russian), Greek, Devanagari (Hindi), etc.
2. Right-to-left (RTL), top-to-bottom (TTB) Characters go R→L; lines go down. Examples: Arabic, Hebrew, Persian, Urdu, etc.
3. Top-to-bottom (TTB), right-to-left (RTL) columns (*traditional vertical layout*) Characters go top→bottom; columns advance right→left. Examples: Traditional Chinese, Japanese, Korean (historical/vertical), often in books, newspapers, signage, calligraphy.
4. Top-to-bottom (TTB), left-to-right (LTR) columns (*less common*) Characters go top→bottom; columns advance left→right.
5. Mixed Different textual regions in the document follow different reading order patterns. The ordering among textual regions is still unique and unambiguous.
6. Unknown Select when you cannot determine the reading order of textual regions.

Step 10: Provide the Page Diversity Metadata (Q5–Q8)

There is one question for each diversity criterion. Pick one of the predefined values for each.

Type	Attributes
PDF Type (Q5)	Books; Academic papers; General Article (non-academic); Magazines; Exam papers; Notes; Slides; Newspaper; Other (when it does not match any of the predefined categories)

Layout Type (Q6)	Single column; Two-column; Multi-column (3 or more columns)
Page Orientation (Q7)	Normal (horizontal text, no rotation); Rotated (rotated text)
Language (Q8)	Monolingual (1 language); Bilingual (2 languages); Multilingual (3 or more languages)

Choosing the right PDF Type:

- **Academic Papers** — Peer-reviewed or scholarly publications with formal structure (abstract, citations, references). Conference papers, journal articles, theses, technical reports.
- **General Article (non-academic)** — Standalone prose articles that are *not* academic in nature and do not belong to a magazine or newspaper layout. Examples: blog posts, news websites rendered to PDF, online editorials, opinion pieces, web articles, white papers, press releases, company write-ups, knowledge-base articles. Pick this when the document reads like an article but does not fit Academic Papers, Magazines, or Newspaper.
- **Magazines** — Multi-article magazine layouts with stylized editorial design, mixed columns, photography-heavy pages.
- **Newspaper** — Newspaper-style layout with dense multi-column text, headlines, and bylines.
- **Other** — Use only when none of the predefined categories fit.

Step 11: Set Your Confidence Rating

Use the slider to rate your confidence from 0 to 10:

Score	Meaning
0–2	Very low confidence — you struggled with the language/script or the document was very difficult

3–4	Low confidence — you could read most of it but are unsure about several parts
5–6	Moderate confidence — you're fairly sure but some parts may have minor errors
7–8	High confidence — you're confident in the accuracy of your annotation
9–10	Very high confidence — you are certain the OCR text is correct

Step 12: Submit

1. Click Submit & Next in the top-right corner.
2. A confirmation dialog will appear showing a summary of your annotation. Review it.
3. Click Confirm & Submit to finalize and move to the next document.

Bounding Box Tag Format

When you draw a bounding box, a tag is inserted into the OCR text. You generally don't need to edit these tags manually, but here is what they look like for reference:

Figure/Image:

```
None
<d0c_fIgUrE>
**figure**: <RBB0X>x1,y1,x2,y2</RBB0X>
<iFiGuRe_CaPtIoN>Caption text here</iFiGuRe_CaPtIoN>
</d0c_fIgUrE>
```

Table:

```
None
<d0c_iTaBlE>
**table**: <RBB0X>x1,y1,x2,y2</RBB0X>
```

```
<iTaBlE_CaPtIoN>Caption text here</iTaBlE_CaPtIoN>
<iTaBlE_text>
LaTeX table transcription here. \begin{tabular}...\end{tabular}
</iTaBlE_text>
</dOc_iTaBlE>
```

Coordinates are normalized to a 1000 × 1000 grid regardless of the actual image size.



What Goes in `<iFiGuRe_CaPtIoN>` and `<iTaBlE_CaPtIoN>`

These tags capture the caption of the figure or table. The caption is text that is explicitly annotated to describe the image/figure/table — similar to captions in scientific papers. If there is no explicit caption, leave the tag content empty:

None

```
<iFiGuRe_CaPtIoN></iFiGuRe_CaPtIoN>
```

Examples of captions:

Image	Caption	Reason
 Şekil 3.27. P noktasının {A} koordinat sistemine göre tanımlanması (Craig, 2005)	Şekil 3.27. P noktasının {A} koordinat sistemine göre tanımlanması (Craig, 2005)	
 2-rasm. Bolalar va o'smirlar sport maktablarida shug'ullanayotgan 11-12 yoshli taekvondochilar o'rtasida o'tkazilgan anketa-so'rov savollarga berilgan javoblarning natijalari (%)	2-rasm. Bolalar va o'smirlar sport maktablarida shug'ullanayotgan 11-12 yoshli taekvondochilar o'rtasida o'tkazilgan anketa-so'rov savollarga berilgan javoblarning natijalari (%)	
	INFORMACIJA APIE IŠANKSTINIUS APMOKĖJIMUS	
	Empty caption: <iFiGuRe_CaPtIoN></iFiGuRe_CaPtIoN>	The image does not have an explicit caption. The text in the image is overlaid and part of the image itself.
		Ignore such image from annotation which are logos or decorative images, background watermarks etc.

Keyboard Shortcuts

Key	Action
Delete / Backspace	Delete the selected bounding box (when not typing in a text field)
Escape	Exit coordinate editor, then exit drawing mode, then deselect bbox
Scroll wheel	Zoom in/out on the document image

Image Panel Controls

Control	Action
Select (pointer icon)	Click to select bounding boxes; drag to move them
Tbl	Enter table drawing mode
Img	Enter image/figure drawing mode
Zoom In / Out	Zoom the document view
Reset (circular arrow)	Reset zoom and pan to fit the image
Arrow buttons	Pan the image left, right, up, or down

Trash icon	Delete the selected bounding box
Trash All	Remove all bounding boxes

Examples

Good Annotation

- OCR text has been carefully revised to exactly match the document and its reading order.
- All mathematical formulas are written in LaTeX (inline $\dots$ / $\left(\dots\right)$, display $\dots$ / $\left[\dots\right]$).
- Tables have bounding boxes with accurate LaTeX transcriptions using `\begin{tabular}\dots\end{tabular}`.
- Figures and images have bounding boxes.
- Both figure and table caption tags are verified and set properly.
- Header and footer text are kept in their dedicated text blocks only.
- Page numbers are excluded entirely.
- All metadata (reading order, PDF type, layout, orientation, language) is populated correctly.
- Confidence is set honestly.

Poor Annotation

- OCR text was left unchanged from the machine-generated version without checking.
 - LLM-generated text was pasted in instead of manually revising.
 - Tables are present in the document but have no bounding boxes or LaTeX transcriptions.
 - Math equations are left as plain text instead of LaTeX.
 - Headers, footers, and page numbers are included in the revised OCR text.
 - Header/footer images were boxed (they should be ignored).
-

Edge Cases

- Mixed-language documents: Transcribe all text as it appears, regardless of language. Note any sections you cannot read in Q3.
 - Handwritten text: If you can read it, transcribe it. If not, mark Q3 as "Yes" and describe the handwritten sections.
 - Very long documents: Focus on accuracy over speed. Zoom in to verify difficult sections.
 - Poor image quality: If parts are blurry but you can still make out most text, do your best and lower your confidence rating. If the entire image is unreadable, mark Q1 as "No."
 - Documents with only images/figures and no text: Mark Q2 as "No" and explain that the document contains no readable text.
 - Decorative or watermark text: Ignore watermarks and decorative background text. Only transcribe the main document content.
 - Mathematical notation: Always use LaTeX. Follow the guidance for inline and display equations above.
-

Skipping Items

If you encounter a document you cannot annotate (e.g., it's in a language you don't know and no language filter is available), click the Skip button. Skipped items are returned to the queue for other annotators. You can view your skipped items by clicking the Skipped button.

Images containing signatures should be skipped.

Quality Expectations

- Every submission should reflect a careful, manual comparison between the image and the OCR text.
- The revised OCR should be as close to a perfect transcription as possible.
- Bounding boxes should tightly fit the images, tables, and figures they annotate.

- Table transcriptions must use LaTeX `tabular` and accurately capture all rows and columns.
- Header and footer text must live in their dedicated blocks — not in the Revised OCR Text.
- Footnotes belong in the Revised OCR Text, not the Footer block.
- All page-diversity metadata fields (PDF type, layout, orientation, language) must be filled in.
- Be honest with your confidence rating — it helps us identify items that may need re-review.