

1. It is ok to change the main app path in the verification script in order to make it run

a. Just that one line tho, not the rest

2. For output of the verification script

a. If you got an old taxonomy task, you just need to copy-paste the before.json and after.json for now; I will update the taxonomy so that you can re-submit with before.json and after.json as attachments later!

3. Coverage:

a. On the QC Spec doc, there are two coverage dimensions

i. Verifier coverage

1. Mentioned that “Tests (if present) and rubric criteria when considered together should verify all the requests in the rewritten prompt.”

ii. Rubrics coverage

1. Mention that ALL explicit requirements from the task query needs to be covered by rubrics

iii. Which coverage dimension is the most updated?

1. A: Some are coverable by unit tests, some are coverable by rubrics are ok, requirements can be overlapped by unit tests and rubrics but **cannot be missed**
2. We should use unit tests to cover all backend requirements, use rubrics to cover all frontend requirements + things that cannot be covered by rubrics
 - a. You can write frontend unit tests as well but need to use rubrics to cover ANYTHING that cannot be covered by unit tests
3. Expected interface needs to be tested too
4. Don't want a solution to fail due to different naming of a file when not specified in the prompt – **do not be overly specific for unit tests unless it is needed!**

4. F2P Test:

a. Clarifying that they will run the complete test suite against an empty code base, and get all fail, and run the same set of test suite on the golden patch after to make sure all get passes

i. Yes

ii. Make sure tests = FAIL instead of crashing the program

5. How to make rubrics and for what process/results we have to make rubrics?

Confirming that the rubrics should be based on the CB re-written prompt, and covering every single explicit requirements of the prompt?

a. yes.

1. Can we change the Docker file or not?

a. Can add extra dependency if needed!

2. We have to use WSL or Docker is sufficient?

3. Create test cases for both frontend and backend?

- a. Backend only is baseline

4. Which frameworks are allowed to use? (for eg. next/nuxt/react/flask/django)

- a. Any framework detailed in the prompt!
b. If prompt has no details about tech stack, choose your fav tech stack as long as it solves the problem
c. A: We don't have to create tests for frontend, use rubrics instead
d.

5. Which model to use in cursor why tasking (also please tell us about in which mode we should use (for example agentic or something else).

- a. Any model, any agent, maybe better to use Claude 4.6

6. What is the criteria needed to write the rubrics for criteria which are already covered in test cases?

- a. Yes, but that will be rare

7. Are we limited to the tech stack mentioned in the task or we are allowed to use others also?

- a. Yes should try to follow the tech stack, but if prompt has no details about tech stack, choose your fav tech stack as long as it solves the problem

8. Is the rewritten prompt have to be fully close ended (please mentioned the extent up to which it can be closed ended)

- a. Yes

9. Are there any failures related to:

1. the use of copyrighted icons,
 2. any api that is not allowed,
 3. content not allowed
 4. any library explicitly not allowed.
- (similar to the projects like Andromeda UI, Mode Flat, Tuxedo UI etc)

A: anything that needs setup should be avoided. for example, api keys needed, etc. i think image inputs are challenging too.

10. Any failures related to cloning of website UI or layout?

- a. Should not have those task, if so, flag to PT

11. Can we write random budget and timeline if not mentioned in task description?

- a. no. budget or timeline are not part of the task description or rewritten prompt. they are just meta data, when available (i.e., sourced from real freelance website)

12. Are there any failures related to UX, like if the prompt query is satisfied but the user experience could have been improved or is bad, then will that cause failure in both cases?

- a. rubrics should account for this

Example:

13. How we are going to implement test cases.. There are 2 types of test cases. The 1st one is required by the task description/task prompt which is completely necessary. The 2nd one is F2P test cases which will cover almost whole task test cases. Example: task description tells us about to implement specific 5 test cases

but in F2P there are 80 test cases ... so we are gonna use the same /tests folder to implement all 85(80 + 5) test cases or we need to implement those on different paths?

- a. Unit test for backend, rubrics for frontend/ catch anything that unit test cannot catch

14. Also, if in prompt they are mentioning let's say 5-10 test cases but once solution is built, it feels like more test cases are required, so they can add new test cases without mentioning in prompt?

- a.

15. Can we couple multiple similar things in the rubrics , for example :The solution uses the specified stack (Vue 3, Vite, Pinia, Express, SQLite, Sequelize, Vitest, Supertest). So in this rubric we wrote whole tech stack with the comma separation. It's allowed or not.

- a. For tech Stack this kind of general requirements, it is ok, but try to separate as best as you can for the none-general features / requirements
- b. Read the QC Doc for more details on dimensions below!

- i. Atomicity
- ii. Self-contained
- iii. Accuracy
- iv. Overlap / Redundancy
- v. Labels/Annotations
- vi. Criteria Objectively Wrong
- vii. Counterproductive Criteria
- viii. Irrelevant Criteria