

Salesforce Module 2

SUBTITLE

Heading 1


Heading 2

Heading 3

Heading 4

✓ Object Manager and Lightning App Builder: 20%

- Describe the standard object architecture and relationship model (for example, standard object, parent/child, master detail/lookup/junction relationships, and record types).
- Explain how to create, delete, and customize fields and page layouts on standard and custom objects, and know the implications of deleting fields.
- Given a scenario, determine how to create and assign page layouts, record types, and business processes for custom and standard objects.



Introduction

	Standard object architecture and relationship model. This include std object but also parent-child relationships, master detail relationship, lookup relationship, junction relationship and record types.
	By the end of it, u will be able to create, delete and customize field and custom layouts and objects. And the implications of deleting fields as well.
	How to create and assign page layouts, record types, and business processes for custom and standard objects.

Analyze object manager and lightning app builder

Standard object architecture.	The standard object architecture consists of a set of pre-defined objects such as accounts, contacts, leads, opportunities, cases, and more. Used by sales, marketing and support agents.
Relationship model Account related to 1: (1 or many) Contact (Sales team) Contact 1:M opportunity	The relationship model in Salesforce is based on the concept of related objects. Each object can be related to one or more other objects, creating a hierarchy of related data. For example, an Account object might be related to one or more Contact objects, representing the people who work at the account. A Contact object might be related to one or more Opportunity objects, representing the potential sales opportunities that are associated with the contact.
Lookup fields Master-detail relationship	Relationships between objects are defined using lookup fields or master-detail relationships. A lookup field allows an object to reference another object, while a master-detail relationship creates a parent-child relationship between objects, with the child object dependent on the parent object

A lookup relationship	Concept: A simple, loosely connected link between two objects.
Loosely?	
Key characteristics	No cascade delete, optional, No Ownership Inheritance: The child record does not inherit sharing or security settings from the parent. Standard Example: The AccountId field on a Contact is a lookup.
eg	Deleting an Account does not delete its Contacts (though it may orphan them).
Analogy	Two hyperlinks pointing to each other. Deleting one link doesn't delete the other.

Master-detail relationship	Strongly coupled when the child's existence depends on the parents.
	Cascade effect, required*, Ownership Inheritance: The child record inherits its sharing and security settings from the parent record. The owner of the parent is effectively the owner of all children for sharing purposes., Roll-Up Summary Fields: This is a critical feature. You can create a field on the parent that automatically calculates the SUM, AVG, MIN, MAX, or COUNT of a field from all its child records (e.g., Total Opportunity Amount on an Account).
e.g	The Opportunity object has a master-detail relationship to Account (though it's often perceived as a lookup, its core behavior is M-D for sharing and roll-ups).

Pending:

C. Junction Object (A Special Use Case)

- Concept:** A custom object used to create a **many-to-many relationship** between two other objects.
- How it works:** The junction object has **two master-detail relationships**, one to each "parent" object.
- Example:** Imagine a system for **Students** and **Courses**. One Student can take many Courses, and one Course can have many Students.

1. Create a custom object called **Course Enrollment**.
 2. Create a Master-Detail relationship from **Course Enrollment** to the **Contact** object (representing the Student).
 3. Create a Master-Detail relationship from **Course Enrollment** to a custom **Course** object.
- Now, a **Course Enrollment** record represents the enrollment of one Student in one Course.

Other Standard Relationships

- Hierarchical Relationship:** A special type of lookup relationship available only on the **User** object. It allows users to be related to each other (e.g., building a management chain where a manager has reports).
- External Lookup Relationship:** Used to link a child object to a parent object that is stored in an **external system** (via Salesforce Connect).
- Indirect Lookup Relationship:** The reverse of an External Lookup; it links an external object to a parent object stored **within Salesforce**.

Implications of deleting a field

Soft delete	15 days to recover the lost data, after it will vanish for good.
Reports and dashboards	Permanently remove it from all reports and dashboards → breaks the logic → display of the reports.
Automation and Business logic.	

PENDING

Object manager tour


	You can tell if an object is a custom object by looking at the api name suffix __c.																								
	<table><thead><tr><th>LABEL</th><th>API NAME</th><th>TYPE</th></tr></thead><tbody><tr><td>Account</td><td>Account</td><td>Standard Object</td></tr><tr><td>Acquired Account</td><td>AcquiredAccount__c</td><td>Custom Object</td></tr><tr><td>Activity</td><td>Activity</td><td>Standard Object</td></tr></tbody></table>	LABEL	API NAME	TYPE	Account	Account	Standard Object	Acquired Account	AcquiredAccount__c	Custom Object	Activity	Activity	Standard Object												
LABEL	API NAME	TYPE																							
Account	Account	Standard Object																							
Acquired Account	AcquiredAccount__c	Custom Object																							
Activity	Activity	Standard Object																							
Within Account, u can see under fields & relationships field name is the api name.	Fields & Relationships 33+ Items, Sorted by Field Label Quick Find <table><thead><tr><th>FIELD LABEL</th><th>FIELD NAME</th><th>DATA TYPE</th></tr></thead><tbody><tr><td>Account Currency</td><td>CurrencyIsoCode</td><td>Picklist</td></tr><tr><td>Account Name</td><td>Name</td><td>Name</td></tr><tr><td>Account Number</td><td>AccountNumber</td><td>Text(40)</td></tr><tr><td>Account Owner</td><td>OwnerId</td><td>Lookup(User)</td></tr></tbody></table>	FIELD LABEL	FIELD NAME	DATA TYPE	Account Currency	CurrencyIsoCode	Picklist	Account Name	Name	Name	Account Number	AccountNumber	Text(40)	Account Owner	OwnerId	Lookup(User)									
FIELD LABEL	FIELD NAME	DATA TYPE																							
Account Currency	CurrencyIsoCode	Picklist																							
Account Name	Name	Name																							
Account Number	AccountNumber	Text(40)																							
Account Owner	OwnerId	Lookup(User)																							
So we multiple relationship on an object.	<table><tbody><tr><td>Account Owner</td><td>OwnerId</td><td>Lookup(User)</td></tr><tr><td>Account Site</td><td>Site</td><td>Text(80)</td></tr><tr><td>Account Source</td><td>AccountSource</td><td>Picklist</td></tr><tr><td>Active</td><td>Active__c</td><td>Picklist</td></tr><tr><td>Annual Revenue</td><td>AnnualRevenue</td><td>Currency(18, 0)</td></tr><tr><td>Billing Address</td><td>BillingAddress</td><td>Address</td></tr><tr><td>Clean Status</td><td>CleanStatus</td><td>Picklist</td></tr><tr><td>Created By</td><td>CreatedById</td><td>Lookup(User)</td></tr></tbody></table>	Account Owner	OwnerId	Lookup(User)	Account Site	Site	Text(80)	Account Source	AccountSource	Picklist	Active	Active__c	Picklist	Annual Revenue	AnnualRevenue	Currency(18, 0)	Billing Address	BillingAddress	Address	Clean Status	CleanStatus	Picklist	Created By	CreatedById	Lookup(User)
Account Owner	OwnerId	Lookup(User)																							
Account Site	Site	Text(80)																							
Account Source	AccountSource	Picklist																							
Active	Active__c	Picklist																							
Annual Revenue	AnnualRevenue	Currency(18, 0)																							
Billing Address	BillingAddress	Address																							
Clean Status	CleanStatus	Picklist																							
Created By	CreatedById	Lookup(User)																							
Within Acquired contact ->page layouts. U can goto Acquired Ac page layout.	Page Layouts 1 Items, Sorted by Page Layout Name Quick Find New <table><thead><tr><th>PAGE LAYOUT NAME</th><th>CREATED BY</th><th>MODIFIED BY</th></tr></thead><tbody><tr><td>Acquired Account Layout</td><td>Kazim Syed, 09/05/2025, 8:56 pm</td><td>Kazim Syed, 25/06/2025, 5:07 pm</td></tr></tbody></table>	PAGE LAYOUT NAME	CREATED BY	MODIFIED BY	Acquired Account Layout	Kazim Syed, 09/05/2025, 8:56 pm	Kazim Syed, 25/06/2025, 5:07 pm																		
PAGE LAYOUT NAME	CREATED BY	MODIFIED BY																							
Acquired Account Layout	Kazim Syed, 09/05/2025, 8:56 pm	Kazim Syed, 25/06/2025, 5:07 pm																							
Look at the layout (I am confused too)	Acquired Account Layout SaveQuick SavePreview As...CancelUndoRedoLayout Properties Fields ButtonsQuick ActionsMobile & Lightning ActionsExpanded LookupsRelated ListsReport ChartsCRM Analytics Appointments Quick FindField Name SectionBlank Space AcctidAcquired Account ... BillingStateCloseDateCreated ByCurrency DivisionIndustryLast Modified ByOwner OwnershipRatingStartDateType Acquired Account Sample Highlights Panel Customize the highlights panel for this page layout...																								

	Record type being adjective of salesforce that those are the things that describe the nouns. You can segment different types of records that belongs to the object.

Salesforce Standard object Architecture and Relationship model

At Ac level we have company information. This is where a lot of other objects related to.	the Account object might have fields like Account Name, Industry, Annual Revenue, and Billing Address. The.
Contacts work for accounts.	Contact object might have fields like First Name, Last Name, Email, Phone, and Mailing Address

link	Data Model The entity relationship diagrams (ERDs) for standard Salesforce objects in this section illustrate important relationships between objects. Salesforce ERDs use crow's foot notation. The following ERDs are available. Note We're updating our data models, one at a time, and moving all diagrams to Salesforce Architects. We'll share a direct link to the new version of each diagram as they become available, and retire this page when all data models have been updated and moved. • B2B Commerce and D2C Commerce Objects—includes objects related to operating a B2B or D2C store • Chatter Feed Objects—includes objects related to feeds • Content Objects—includes content and libraries and their related objects • Customer Objects—includes objects related to customer data, such as accounts, contacts, leads, and their related objects.
	The entity relationship diagrams (ERDs) for standard Salesforce objects in this section illustrate important relationships between objects. Salesforce ERDs use crow's foot notation. The following ERDs are available.



You can see the relationship in the object manager → Fields and relationship.

You can also goto support object → service cloud data model

If u want to look at some Smiths opportunity. U can goto Smiths ac and then goto his opportunities. This would be more record level than object level. You can see this using the frontend.

Using chat-gpt to create custom object ideas

Pending

Creating a Custom point for warranty Management of Assets

Goal: create a custom object warranty_c.

App launcher → Assets	Assets management if someone is provided with a computer. U can store his account and contact. And the asset serial number.
If u inside the assets object. You can goto Edit object, u will be taken to the object manager > Assets.	
→ Fields and relationship	Anytime u created an asset records there is a lookup for the user who created that record.
	Choose custom object
	Enter Record Name Label and Format The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for / the API. Record Name warranty Name Example: Account Name Data Type Auto Number Warning: If you plan to insert a high volume of records in Display Format K-{000000} Example: A-{0000} What Is This? Starting Number 1 Any format, I use K for my name.

Optional Features ☒ Allow Reports ☒ Allow Activities ☒ Track Field History ☒ Allow in Chatter Groups ☐ Enable Licensing  Object Classification When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are enabled, this object is classified as an Enterprise Application object. ☒ Allow Sharing ☒ Allow Bulk API Access ☒ Allow Streaming API Access Deployment Status ☐ In Development ☒ Deployed

Its the icon

New Custom Object Tab

Select an existing custom object or [create a new custom object now](#).

Object

Warranty_c

Tab Style

Heart

It will default on for everyone.

3 options

1. Default on

2. Default off

3. Tab hidden

☐ Apply one tab visibility to all profiles

Default On

☒ Apply a different tab visibility for each profile

Profile	Tab Visibility
Analytics Cloud Integration User	Default On
Analytics Cloud Security User	Default On
Authenticated Website	Default On
Authenticated Website	Default On
B2B Reordering Portal Buyer Profile	Default On
Contract Manager	Default On

Next

Adding the tab to all custom app.

Why is it all selected by default

mike questions.

Step 3. Add to Custom Apps

Step 3 of 3

Choose the custom apps for which the new custom tab will be available. You may also examine or alter the visibility of tabs from the detail and edit pages of each Custom App.

Custom App	Include Tab
Platform (standard__Platform)	☒
Sales (standard__Sales)	☒
Service (standard__Service)	☒
Marketing CRM Classic (standard__Marketing)	☒
Sample Console (standard__ServiceConsole)	☒
High Volume Customer Portal User	☒
Authenticated Website User	☒

So we remove from all and given to only standard_lightningSales and sales(standard_sales)

Salesforce Chatter (standard__Chatter)

☐

Content (standard__Content)

☐

Analytics Studio (standard__Insights)

☐

Sales (standard__LightningSales)

☒

Trailhead Data Manager (Trailhead_Data_Manager)

☐

Service Console (standard__LightningService)

☐

Lightning Usage App (standard__LightningInstrumentation)

☐

Our custom object is created

warranty_c → Fields and relationship

Fields & Relationships

5 Items, Sorted by Field Label

Quick Find

FIELD LABEL	FIELD NAME	DATA TYPE
Created By	CreatedById	Lookup(User)
Currency	CurrencyIsoCode	Picklist
Last Modified By	LastModifiedById	Lookup(User)
Owner	OwnerId	Lookup(User,Group)
warranty Name	Name	Auto Number

Creating a custom field – lookup relationship

Goal: Create a custom field.

Objectives:

1. Create a field on Warranty object and set the datatype to lookup
2. select the object referencing (Assets) and set the criteria like Required, Auto cascade, or filter the popuplist like if assets are installed from the picklist of options.
3. Do field-level security based on profiles.
4. Set the page layout
5. to show this object as related list in the parent object.

New label:

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Warranty_c

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Quick Find

New

Deleted Fields

FIELD LABEL	FIELD NAME	DATA TYPE
Created By	CreatedById	Lookup(User)
Currency	CurrencyIsoCode	Picklist
Last Modified By	LastModifiedById	Lookup(User)
Owner	OwnerId	Lookup(User,Group)
warranty Name	Name	Auto Number

Select the data type

Specify the type of information that the custom field will contain.

Data Type

None Selected

Select one of the data types below.

Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Select lookup relationship	
----------------------------	--

Step 3. Enter the label and name for the lookup field

Field Label

Asset

Field Name

Asset

Description

The Asset the warranty is associated with.

Help Text

Child Relationship Name

warranties

Required

☒ Always require a value in this field in order to save a record

What to do if the lookup record is deleted?

☐ Clear the value of this field. You can't choose this option if you make this field required.

☒ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto add to custom report type

☒ Add this field to existing custom report types that contain this entity

	Required
	Don't auto cascade.
	You can also filter the lookup options.
Note:	what if its required and cascade delete on a lookup relationship. how is it different than master-detail relationship?

Feature	Lookup Relationship (Required + Cascade Delete)	Master-Detail Relationship
Ownership	Child record retains its own owner and sharing settings.	Child record inherits ownership and sharing from the parent.
Data Integrity	Deleting the parent will delete the child, but the child can be moved to another parent.	Child records cannot be reparented; deleting the parent deletes the child.
Roll-Up Summary Fields	Not supported.	Supported on the master object to aggregate data from child records.
Security	Security and sharing rules are set independently on the child object.	Security and sharing are inherited from the parent.
Required Field	The lookup field can be set to required.	The master-detail field is always required by default.

Field level security based on profile.
Since the field is required, that field will
be visible to everyone.

Warranty__c
New Relationship

Step 4. Establish field-level security for reference field

Field Label	Asset
Data Type	Lookup
Field Name	Asset
Description	The Asset the warranty is associated with.

Select the profiles to which you want to grant edit access to this field via field-level security. The field will be hidden from all profiles if you do not add it to field-level security.

Field-Level Security for Profile	Visible
Analytics Cloud Integration User	☒
Analytics Cloud Security User	☒
Authenticated Website	☒
Authenticated Website	☒
Authenticated Website	☒

Warranty__c
New Relationship

Step 5. Add reference field to Page Layouts

Field Label	Asset
Data Type	Lookup
Field Name	Asset
Description	The Asset the warranty is associated with.

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. To change the location of this field on the page, you will need to customize the page layout.

Add Field	Page Layout Name
☒	Warranty__c Layout

Add the warranties list to the asset page layout.
It automatically adds a **Related List** called
"Warranties" to the Asset page layout. This
related list finds and displays
all **Warranty__c** records where
the **Asset__c** field matches the Asset's ID.

Specify the title that the related list will have in all of the layouts associated with the parent.

Related List Label

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

To change the location of this field on the page, you will need to customize the page layout.

Add Related List	Page Layout Name
☒	Asset Layout

☒ Append related list to users' existing personal customizations

Output:

Fields & Relationships		
6 Items, Sorted by Field Label		
	Quick Find	
FIELD LABEL	FIELD NAME	DATA TYPE
Asset	Asset__c	Lookup(Asset)
Created By	CreatedBy	Lookup(User)
Currency	CurrencyIsoCode	Picklist
Last Modified By	LastModifiedBy	Lookup(User)
Owner	OwnerId	Lookup(User,Group)
warranty Name	Name	Auto Number

Creating Assets records and Adding Warranties

Goal: Obvio

Objectives:

1. Create an assets record first
2. create a warranty object second.
3. you can spot the custom object using the app launcher.

Sales → Warranties

Chatter

More

Groups

Calendar

People

Cases

Forecasts

Analytics

warranties

Why Sales? Since the object is only available to standard_lightningSales and sales(standard_sales)

The contact is for the person who works for that accounts Abbot.

Asset Information

Asset Name

Desk

Account

Abbott358 Inc

Product

Search Products...

Serial Number

347839237

Install Date

30/08/2025

Status

Installed

Contact

Jim Lindsay

Purchase Date

27/08/2025

Usage End Date

Quantity

Cancel

Save & New

Save

Asset Desk

Account

Abbott358 Inc

Contact

Jim Lindsay

Quantity

Related

Details

Asset Name

Desk

Product

Product Code

Serial Number

347839237

Install Date

30/08/2025

Status

Installed

Quantity

Account

Abbott358 Inc

Contact

Jim Lindsay

Competitor Asset

Purchase Date

27/08/2025

Usage End Date

Asset Desk

Account

Abbott358 Inc

Contact

Jim Lindsay

Quantity

Related

Details

Cases (0)

New

Notes & Attachments (0)

Upload Files

warranties (0)

New

Warranty_c
K-000001

Warranty_c "K-000001" was created.

RelatedDetails

warranty Name
K-000001

Asset
Monitor

Created By
Kazim Syed, 30/08/2025, 1:46 am

Owner
Kazim Syed

Currency
INR - Indian Rupee

Last Modified By
Kazim Syed, 30/08/2025, 1:46 am

You can add new assets this way.

* Recently Viewed / Assets

More

+ New Asset

Recent records

Monitor

Desk

Recent lists

All Assets

+ Add "Recently Viewed | A..." to Nav Bar

Output:

warranties

Recently Viewed

2 items • Updated a few seconds ago

warranty Name

1K-000002

2K-000001


Note: u can have 1:M using lookups and M-D relationship.

Introduction to schema builder


Goal:

Objective:

1. Visualize the relationship using schema builder
2. Drag and drop fields using schema builder. Add a description field in the warranty object.
3. caveat of using drag and drop → multiple clicks for page layouts and field level security and related lists
4. u can create object as well(mike preferred not).

	Use schema builder to visualize relationship between objects.
	Any Custom objects will not appear in the ERD diagrams. So using and leveraging Schema builder will help u wrap ur mind around the diff relationships between custom and std objects.
Objects and fields → Schema builder	
	I searched warranty_c to view warranty_c relationship w/ Assets. Assets has more relationship since my focus was warranty_c object. So I searched that only.

I had to visible both the users and assets and warranty_c to view them all.



Under elements, u can drag and drop fields like text-area and even objects.

Create Text Area Field (Object: Warranty_c)

Field Label: Description

Field Name: Description

Description: about the warranty


Help Text: This text displays on detail and edit pages when users hover over the Info icon next to this field.

Default Value:

Required: ☐ Always require a value in this field in order to save a record

Save Cancel

Desc is added, but the field isn't visible.



Information (Header visible on edit only)			Owner	Sample Text
warranty Name	GEN-2004-001234		Currency	Sample Text
Description	Sample Text			
Asset	Sample Text			

Within fields and relationship→ desc→ Set field level security.

Reviewing custom page layout and field visibility

Related	Details
warranty Name	Owner
K-000002	Kazim Syed
Description	Currency
	INR - Indian Rupee
Asset	
Desk	
Created By	Last Modified By
Kazim Syed , 30/08/2025, 1:49 am	Kazim Syed , 30/08/2025, 1:49 am

Creating additional custom fields

Warranty provider a field in warranty object referencing to Account.

Lookup or Master?

What if the warranty provider goes out of the business. We still wanna have the record. We just loose the association. The independence is the core principle of a lookup field.

We want different security for each record, I don't want someone with access to the parent object and by using controlled by parents have access to everything. A sales team might own the account, but a service team would likely manage the warranty.

	Field Label warranty_provider Field Name warranty_provider Description the provider the warranty is associated with Help Text the provider the warranty is associated with Child Relationship Name warranties Required ☐ Always require a value in this field in order to save a record What to do if the lookup record is deleted? ☒ Clear the value of this field. You can't choose this option if you make this field required. Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity
	We let this field be not required, so it could be left with blank.
	We can add filter so only warranty provider will populated as warranty provider.

For the meantime, mike has unchecked this. Because its a setup for different lesson.
For a specific layout but not for all.

Field Label warranty_provider
Data Type Lookup
Field Name warranty_provider
Description the provider the warranty is associated with

Specify the title that the related list will have in all of the layouts associated with the parent.
Related List Label warranties

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.

Add Related List Page Layout Name
☐ Account (Marketing) Layout
☐ Account (Sales) Layout
☐ Account (Support) Layout
☐ Account Layout

☒ Append related list to users' existing personal customizations

Previous Save & New Save Cancel

output:

Warranty_c
K-000001

Related Details

warranty Name
K-000001

Description

Asset
[Monitor](#)

warranty_provider ⓘ
[Acme](#)

Created By
 [Kazim Syed](#), 30/08/2025, 1:46 am

Picklist

I create a custom list

Status: Active,Expired, cancelled, void.

Set by default the first one.

Note records which existed before this field wont have default value.

Related Details

warranty Name
K-000001

Description

Asset
[Monitor](#)

warranty_provider ⓘ
[Acme](#)

Start date
20/08/2025

End Date
29/08/2025

Status
Active

Created By
 [Kazim Syed](#), 30/08/2025, 1:46 am

List view controls aren't working for the admin

Can't access list view controls in my Playground, despite having the permissions

Hi, I am struggling with this module:

https://trailhead.salesforce.com/content/learn/projects/customize-a-sales-path-for-your-team/work-with-opportunities-in-the-kanban-view?trailmix_creator_id=strailhead&trailmix_slug=prepare-for-your-salesforce-administrator-credential

I need to Select Fields To Display on an Opportunity list view, but the list view controls are greyed out. This would suggest I don't have the right permissions, but my user account is associated with the System Administrator profile, which has both the Create and Customize List Views and Manage Public List View permissions enabled. There are no other permission sets that override this. Help?



0 likes



2 answers



Share

2 answers

Sort by Date



Amber Venzke (Amber Venzke)

Nov 8, 2023, 11:59 PM

✓ Accepted Answer

Did you select the view, My Opportunities? or are you trying to edit the Recent Opportunities view, which is usually the pinned view?

If you are on My Opportunities, could you please share a screen snip of your Opportunity List View?

Converting a lookup field to a Master-detail relationship

	Converting a lookup field to a Master-detail relationship.
Situation	Whenever u have an existing object with records u cant have a new master-detail relationship on that object. Because master-detail relationship are always required fields. The one having the Master-detail relationship might be child entity. Not necessarily a weak entity unless the parent entity pk is part of the child entity composite key. Parent child relationship cardinality would be (1,1) to (0:N).

FAQ	will the master-detail relationship will be shown on the child or parent entity?
Ans	The master-detail relationship is a field created on the child object, but its effect is shown on both the child and parent records(related lists created automatically by SF). It is existence dependence. So it necessitates a lookup field to a parent.
Sol	So for an existing child record to establish a Master-detail relationship, we will have to create parent records in the parent entity and then set the lookup field for the legacy records in child that don't have one.(Note we are converting a lookup field to Master-detail relationship)

	☒ Lookup Relationship ☐ Master-Detail Relationship ☐ External Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list. Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where: - The relationship field is required on all detail records. - The ownership and sharing of a detail record are determined by the master record. - When a user deletes the master record, all detail records are deleted. - You can create rollup summary fields on the master record to summarize the detail records. The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list. Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
	Since I have legacy records, I cant create Master-detail relationship. Its weird SF doesn't tell me that at the go.
	Lookup → Master-detail
	Field Label Contact Field Name warranty_contact Description contact information Help Text contact information Child Relationship Name warranties Required ☐ Always require a value in this field in order to save a record What to do if the lookup record is deleted? ☒ Clear the value of this field. You can't choose this option if you make this field required. ☐ Don't allow deletion of the lookup record that's part of a lookup relationship. Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Child Relationship Name

warranties

Sharing Setting

Select the minimum access level required on the Master record to create, edit, or delete related Detail records:

☒ Read Only: Allows users with at least Read access to the Master record to create, edit, or delete related Detail records.

☐ Read/Write: Allows users with at least Read/Write access to the Master record to create, edit, or delete related Detail records.

Allow reparenting

☐ Child records can be reparented to other parent records after they are created

Fields & Relationships

11 Items, Sorted by Field Label

Quick Find

FIELD LABEL	FIELD NAME	DATA TYPE
Asset	Asset__c	Lookup(Asset)
Contact	warranty_contact__c	Master-Detail(Contact)

Added Related lists to Page layout

Click on edit page to open the LAB.

Search...

LeadsTasksFilesAccountsContactsCampaignsDashboards

Setup Menu

- Setup
- Service Setup
- Salesforce Go
- Developer Console
- Edit Page
- Edit Object

Currency

INR - Indian Rupee

Activity

Drag and drop warranties.

FieldsButtonsQuick ActionsMobile & Lightning ActionsExpanded LookupsRelated ListsReport ChartsCRM Analytics App

Quick Find

Related List Name

Activity HistoryCasesFilesMessaging UsersRelated ContentApproval HistoryContent DeliveriesGroupsNotes & AttachmentsService ContractsAssetsData Integration ...HTML Email StatusOpen ActivitieswarrantiesCampaign HistoryEntitlementsMessaging SessionsOpportunitiesWork On Label: warranties

Twitter

Related Lists

warranties

- warranty Name
- Sample Text

Opportunities

Opportunity Name	Stage	Amount	Close Date
Sample Text	Sample Text	INR 123.45	03/09/202

Yes

Overwrite Users' Related List Customizations?

You have added or moved related lists on this page layout.
Do you want these changes to overwrite users' personal related list customizations?

Yes

No

Cancel

Contact

Mr. Jim Lindsay

Related

Details

We found no potential duplicates of this Contact.

warranties (2)

warranty Name

K-000001

K-000002

View All

Opportunities (0)

Cases (0)

Related List Properties - warranties

Help?

Columns

Select fields to display on the related list. You can also reorder the selected fields.

Available Fields

Created By

Created By Alias

Currency

Description

End Date

Last Activity Date

Last Modified By

Last Modified By Alias

Add

Remove

Selected Fields

Asset

warranty Name

Created Date

Up

Down

Sort By:

--Default--

Ascending

Descending

Related Lists

warranties


New

Change Owner

Asset	warranty Name	Created Date
Sample Text	Sample Text	03/09/2025, 5:22 pm

Using Chatgpt for junction object ideas

Junction objects typically have two Master-detail relationships, one to each of the objects it is connecting. The fields on the junction object represents the relationship between the two objects. For example, in the attendees junction object, u might have fields for the contact name, Event name, and Attendee Type.



Deleting fields and implications

	Delete all dependent information for any dependent or controlling field.
	Change the result or Assignment or Escalation rules that rely on the custom field status.
	In order to preserve, do a data export. 15Days grace period.