Distill AI	Software Requirement Specification
Version ID Date: 27/10/2026 Document ID: DISTILL-AI-SRS-001 Version ID: 1.1	

CONTENTS

1 Introduction....4
1.1 Purpose....4
1.2 Scope....4
1.3 Intended Stakeholder....4
1.4 References....5
1.5 Definitions, Acronyms, and Abbreviations....5
2 Overall Description....6
2.1 Overview....6
2.2 Technical platform....7
2.3 Use Case Diagram....8
2.4 High Level System Diagram....1
3 Functional Requirements....1
3.1 Overview....1
3.1.1 Access and account sessions....2
3.1.2 Job descriptions and recruiter assistant....2
3.1.3 Reference documents and question banks....4
3.1.4 Application sources and import....5
3.1.5 F1 CV extraction and semantic screening....6
3.1.6 F2 Candidate scoring and ranking....8
3.1.7 Saved interviewee shortlists....9
3.1.8 Schedules invitations and email....9
3.1.9 F3 Live interview sessions....11
3.1.10 F4 Transcription and finalization....13
3.1.11 F5 Interview question and answer analysis....14
3.1.12 F6 Consolidated assessment....15
3.1.13 F7 Candidate identification and profile....16
3.1.14 F8 CV claim review....18
3.1.15 F9 Interview performance and final score....19
3.1.16 F10 Interview quality assessment....20

3.1.17 F11 Wind Tunnel rehearsal 21
3.1.18 Dashboard reports comparison and final selection 23
3.2 Scoring and evidence rules 25
4 User Interface 26
5 Non-Functional Requirements 27
5.1 Performance Requirements 28
5.2 Safety Requirements 30
5.3 Security Requirements 31
6 Design Constraints 33
7 Software Quality Attributes 34
8 Common Interaction and Accessibility Requirements 36
9 Other Requirements 38
9.1 Data privacy and lifecycle 38
9.2 Logical data and interface requirements 42
9.3 Business feature traceability 43
9.4 Verification assets and acceptance process 44
9.5 Delivery constraints and innovation documentation 45
9.6 Acceptance decisions and evidence 47

1 Introduction

1.1 Purpose

Distill AI is an AI assisted recruitment and interview intelligence platform for recruiters and hiring reviewers. This Software Requirements Specification defines the product behavior, data, interfaces, quality constraints and acceptance criteria from job requirement definition through a human reviewed candidate assessment and final selection. It provides a common baseline for implementation, verification and project evaluation.

The system supports decisions with source evidence. Scores, rankings, face similarity and generated findings shall remain explainable review aids. Recruiters retain responsibility for publishing, invitations, admission, shortlist changes and final candidate selection.

1.2 Scope

The scope covers F1 CV screening and ranking; F2 weighted candidate scoring; F3 browser video interviews; F4 speaker attributed transcription; F5 question and answer analysis; F6 consolidated assessment, reports and comparison; F7 consent based candidate photo comparison and profile overview; F8 CV claim review; F9 interview performance scoring; F10 interview quality analysis; and F11 the synthetic CV Wind Tunnel rehearsal and reviewed job improvement workflow.

Supporting scope includes recruiter accounts and sessions, a persistent recruiter assistant, conversational and manual JD editing, reference libraries, question banks, external Google Forms response ingestion through Sheets and Drive, saved shortlists, scheduled invitations with calendar artifacts, email delivery tracking, device preparation, waiting rooms, source/version integrity, worker recovery, dashboard activity, saved final candidate selections and confirmed deletion of an application for the selected job.

Supporting integrations include recruiter-requested Discord posting and recipient-specific invitation schedules and calendar artifacts. These do not provide general job-board sourcing, automatic interview-time selection or calendar synchronization. F11 is the Wind Tunnel rehearsal and reviewed job-improvement feature. Delivery scope and approval decisions are recorded in Section 9.6.

Excluded capabilities are automatic hiring or rejection, payroll and onboarding, commercial ATS/HRIS integration, enterprise SSO, billing or multi-tenancy, native mobile apps, custom foundation-model training, facial liveness detection, voice identification and a face search gallery. Production cloud deployment and formal accessibility certification are not baseline deliverables. Google Form creation/submission and retention of Drive originals are external responsibilities. A separate candidate workspace and separately assigned interviewer workflow are not delivered by the current recruiter interface.

1.3 Intended Stakeholder

Recruiters define role requirements, inspect evidence, invite and interview candidates and record selections. Candidates use private invitation links, choose identification consent and participate in interviews. Hiring reviewers are stakeholders who review shared reports or operate through an authorized recruiter account; no separate reviewer permission model is implemented. Developers and QA engineers use requirement and acceptance identifiers. Operators configure dependencies and data controls; trainers and the evaluation panel review the business scope, architecture and demonstrability. The existing staff/interviewer account role does not provide a separate interviewer workspace.

1.4 References

Reference	Location
R01 SRS template	docs/SRS Template.doc and the user converted DOCX; authority for document structure and table fields.
R02 Business requirements	docs/Final_Project_doc_Business_Info_Document_AI_Recruitment_Platform_v 2.pdf; F1 to F11, N1 to N26, C1 to C8, D1 to D8 and G1 to G8.
R03 Project baseline	docs/PROJECT_PROGRESS.md and README.md; dated scope and verification history.
R04 Interview analysis	docs/MILESTONE_3_CODE_GUIDE.md; capture, transcript readiness, F5, F6 and reporting.
R05 Identification	docs/F7_CANDIDATE_IDENTIFICATION.md and backend/app/services/interviews/identification.py; current consent v3 and admission rules.
R06 Architecture and plan	Architecture and feature diagrams plus Distill AI_30224_Kazi_Rafiul_Kader_WBS.xlsx in docs/.
R07 Executable implementation	backend/app, backend/migrations, frontend/src, compose.yaml and dependency manifests. Current source resolves conflicting historical implementation descriptions.
R08 Verification assets	backend/tests, frontend/tests, docs/jd-creation-stage-verification.md and interview review guides. Historical results do not establish a current complete acceptance run.

1.5 Definitions, Acronyms, and Abbreviations

Term/Acronym	Definition
SRS	Software Requirements Specification. Shall denotes a required behavior.
JD / CV	Job description / curriculum vitae.
Application	A candidate submission associated with a specific job; interview, identity and assessment state is application scoped.
F1 to F6	Mandatory screening, scoring, interview, transcription, Q&A analysis and consolidated assessment features.
F7 to F10	Optional identification, CV claim review, interview performance and interview quality features.
F11 / Wind Tunnel	Innovation feature using isolated synthetic CVs to rehearse screening and review job improvements.

Term/Acronym	Definition
MCP	Model Context Protocol; scoped authenticated tools used by agents and workers.
RAG / OCR	Retrieval augmented generation / optical character recognition.
Pinned source	The saved version, reference and integrity hash used by a particular result.
Not assessed / zero	Missing suitable evidence / an assessed lowest score; these are distinct.
Outdated	A saved result or preview whose source versions no longer match current inputs.
TC identifier	An acceptance scenario specified in this SRS; it is not a claim that an executable test with that name exists or passed.
Similarity	Cosine photo resemblance, optionally scaled by 100; not a probability of identity.
Provider accepted	The email provider accepted a message; recipient inbox delivery is not confirmed.

2 Overall Description

2.1 Overview

Recruitment teams need consistent assessment criteria and a durable account of what candidates submitted and said. Distill AI joins the pre-interview, live interview and post-interview stages so that reviewers can trace scores and findings back to job criteria, CV passages and transcript turns rather than rely on a disconnected summary.

The normal journey is: sign in; gather requirements and approve a JD/profile; connect the response Sheet and CV upload folder; import applications; parse and screen CVs; review evidence and save a shortlist; schedule and confirm invitations; check devices and candidate consent; admit and conduct the interview; finalize the transcript; review F5 and request F6; inspect optional F8 to F10 insights; compare candidates, export reports and explicitly save the final selection. F11 rehearses a saved job using synthetic artifacts and requires reviewed Apply before any change.

Product perspective: the React browser client calls FastAPI services and stateful LangGraph workflows. PostgreSQL holds business records, queues, versions and checkpoints. ChromaDB supports scoped evidence retrieval. Mounted storage holds CVs and synthetic documents. Independent workers perform source checks, screening, invitation sending, assessments and Wind Tunnel work. Service adapters isolate Google, model, email, media and transcription dependencies.

Users need basic browser and recruitment knowledge. Recruiters can inspect detailed evidence without understanding model internals; candidates need a supported browser, invitation access, a camera/microphone where used and a usable network connection. The demonstration baseline is English and at least one concurrent interview alongside background screening. Mobile web layouts are supported; real-device acceptance remains necessary.

Assumptions and dependencies: authorized Google service-account access to response Sheets and relevant folders; configured model and embedding endpoints; local OCR tools; reachable LiveKit media and Deepgram speech services; an email sender and SMTP credentials; PostgreSQL, vector and document persistence; browser media permissions and secure context. Missing configuration or provider failure shall produce actionable status, never invented completion. Default ports and model names describe development configuration, not service commitments.

Milestone dates and delivery planning are maintained in the WBS referenced by R06. Differences between source-document schedules shall be resolved through project change control. This specification defines product behavior and acceptance obligations; it does not establish a separate delivery schedule.

2.2 Technical platform

Platform area	Technology and responsibility
Client	React 19, TypeScript, Vite 8, React Router, browser media APIs and responsive shared styles.
Backend	Python 3.12 runtime, FastAPI, Pydantic, SQLAlchemy, psycopg and Alembic migrations.
Workflow orchestration	LangGraph and LangChain with PostgreSQL checkpoints, scoped tools and explicit stage transitions.
Persistence	PostgreSQL 16; ChromaDB evidence index; mounted CV, synthetic-document and face-model paths.
Model processing	Configured Gemini chat/evaluation adapters; Gemini or Ollama CV provider; local Qwen3 embeddings. Quotas and model revisions are configuration dependent.
Documents	PDF and DOCX parsing with pypdf/python-docx, bounded subprocess extraction and Tesseract OCR where needed.
Interview stack	LiveKit audio/video and role-mapped microphone streams; Deepgram live transcription; OpenCV YuNet and SFace comparison.
External interfaces	Google Sheets/Drive service account; custom recruitment, CV and email MCP servers; SMTP email; optional Discord webhook; ICS and Google Calendar template links.
Runtime	Docker Compose services for API/client, database, vector/model services, media and separate workers; optional pgAdmin and development tunnel.
Verification	Python unittest, database integration checks, frontend Node tests, TypeScript compilation, ESLint, build and browser fixtures.

2.3 Use Case Diagram




Figure 1 Distill AI use case overview upper portion

Use Case Diagram Continued




Figure 1 Distill AI use case overview lower portion continued

The two portions form one system overview. Recruiter and candidate goals are shown inside the Distill AI boundary, with supporting external services outside it. Application deletion is a supporting action within Applications and Screening, specified by DA-G10 to DA-G14. The complete overview is maintained in docs/distill-ai-use-case-overview.png and described in docs/USE_CASE_DIAGRAM_BRIEF.md.

2.4 High Level System Diagram




Figure 2 Distill AI high level system diagram

The diagram summarizes the recruitment journey before, during and after an interview. AI-generated scores and findings support recruiter review; job approval, shortlisting, invitations, admission and final candidate selection remain human-controlled. Detailed behavior, dependencies and evidence requirements are defined in Section 3.

3 Functional Requirements

3.1 Overview

Each requirement has a unique DA identifier, completion criteria, constraints and a TC acceptance scenario. Core F1 to F6 and innovation F11 form the mandatory feature baseline; F7 to F10 are supporting extensions. Section 9.3 maps the business features to requirements. Section 9.6 distinguishes implemented behavior, recorded verification and further acceptance obligations.

Serial No	Main Features	Description
1	Access and account sessions	Recruiter and account operator; authenticated access and ownership.
2	Job descriptions and recruiter assistant	Recruiter; gather, draft, revise, approve and publish owned jobs.
3	Reference documents and question banks	Recruiter; maintain scoped retrieval sources.
4	Application sources and import	Recruiter, applicant and source worker; import external responses.
5	F1 CV extraction and semantic screening	Recruiter and CV worker; process documents and criterion evidence.
6	F2 Candidate scoring and ranking	Recruiter; inspect deterministic weighted scores.
7	Saved interviewee shortlists	Recruiter; review proposals and save selected applications.
8	Schedules invitations and email	Recruiter, candidate and invitation worker; exact preview and controlled delivery.
9	F3 Live interview sessions	Recruiter and candidate; device preparation, admission and media lifecycle.
10	F4 Transcription and finalization	Interview participants and capture service; preserve speaker evidence.
11	F5 Interview question and answer analysis	Recruiter and assessment worker; group, map and evaluate answers.
12	F6 Consolidated assessment	Recruiter and worker; synthesize pinned CV and interview findings.
13	F7 Candidate identification and profile	Candidate and recruiter; consent, comparison and manual admission.
14	F8 CV claim review	Recruiter; inspect claim states and record human follow-up.
15	F9 Interview performance and final score	Recruiter; version rubric and review evidence-gated scores.
16	F10 Interview quality assessment	Recruiter; review competency coverage and process improvements.

Serial No	Main Features	Description
17	F11 Wind Tunnel rehearsal	Recruiter and worker; isolated synthetic screening and reviewed edits.
18	Dashboard reports comparison and final selection	Recruiter and hiring reviewer; read saved results and record decisions.

3.1.1 Access and account sessions

Recruiter and account operator; authenticated access and ownership.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-A01	The system shall register recruiter accounts and authenticate valid active users.	Valid signup/login succeeds; duplicate email, invalid credentials and inactive users are rejected.	Password minimum is 12 characters; no enterprise SSO.	TC-A01
DA-A02	The system shall issue expiring access tokens and persistent revocable browser sessions.	Refresh restores a live session; expired or revoked sessions cannot renew access; logout revokes the current session.	Default access 30 minutes and session seven days are configurable.	TC-A02
DA-A03	The system shall authorize every protected operation by role and resource ownership.	A different recruiter cannot read, mutate, export or queue another owner's job/application data.	Candidate invitation access confers no recruiter rights.	TC-A03
DA-A04	The system shall restore session state and show explicit connection or expiration errors.	Reload restores valid access; restoration failure offers retry; expiration returns the user to sign-in.	No password reset or separate interviewer workspace is established.	TC-A04

3.1.2 Job descriptions and recruiter assistant

Recruiter; gather, draft, revise, approve and publish owned jobs.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-J01	The system shall retain owned recruiter conversations and create a JD through requirement gathering, drafting and revision.	Conversations reload; draft changes appear for review; cancellation does not silently approve/save a draft.	AI generation depends on configured models.	TC-J01
DA-J02	The system shall represent atomic screening criteria in technical skills, work experience, qualifications and additional criteria.	Every criterion has a stable ID, dimension, source and Must have or Preferred priority before screening.	Preserve exact ranges, alternatives and employer eligibility intent.	TC-J02
DA-J03	The system shall require explicit confirmation of dimension weights and validate the screening profile.	Weights total 100%; positive dimensions have criteria; duplicates or unconfirmed weights block screening.	A saved incomplete JD is not necessarily screening ready.	TC-J03
DA-J04	The system shall separate approve/save from externally publishing a job.	Approved jobs persist with stable numbers and reopen; approval alone does not send a Discord post.	External posting requires a separate authorized request.	TC-J04
DA-J05	The system shall support reviewed manual edits and targeted conversational changes to eligible unposted jobs.	Preview shows description/criteria changes; stale versions and posting locks reject incompatible saves.	Form-URL update and unintended-criterion regressions require acceptance.	TC-J05
DA-J06	The system shall expose saved JD pagination, history and recoverable failed-save states.	A failed save can be retried without inventing a saved job; earlier owned descriptions remain readable.	Historical versions remain identifiable.	TC-J06

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-J07	The assistant shall route supported actions through authenticated shared services and a scope check.	Unrelated requests receive a product redirect; failed/invalid scope classification executes no action.	Product explanations do not imply every feature has a chat tool.	TC-J07
DA-J08	The assistant shall stream user-facing text and support stop/reload and retained composer drafts.	Tool JSON is excluded; Enter sends and Shift+Enter adds a line; IME input is respected.	Inputs grow to eight visible lines then scroll.	TC-J08
DA-J09	The system shall post only saved eligible jobs to the configured Discord destination and retain outcome state.	Duplicate requests do not silently republish; failed/uncertain outcomes remain distinct from posted receipts.	No general commercial job-board or sourcing integration.	TC-J09

3.1.3 Reference documents and question banks

Recruiter; maintain scoped retrieval sources.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-R01	The system shall accept supported PDF/DOCX reference documents and classify their intended retrieval use.	Prior JDs, policies and technical/answer references retain source IDs, versions and extraction status.	Bounded file checks apply; documents are untrusted data.	TC-R01
DA-R02	The system shall extract, embed and index references with visible retry/failure states.	Ready content is retrievable within the owning recruiter scope; failed indexing is not shown as ready.	Embeddings and vector service must be configured.	TC-R02

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-R03	The system shall support a separate question-bank upload, index and archive lifecycle.	A ready bank can support interview assistance; archived or failed sources follow availability policy.	A question-only source is not evidence of answer correctness.	TC-R03
DA-R04	The system shall pin retrieved accuracy passages to assessment source registries.	Saved excerpts, source versions and exact references replay without a new retrieval call.	Model-only knowledge retains an explicit unverified basis.	TC-R04

3.1.4 Application sources and import

Recruiter, applicant and source worker; import external responses.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-I01	The system shall connect an owned job to an authorized response Sheet/tab and CV upload folder.	Invalid source IDs or permissions produce an actionable setup/import error.	Form creation and applicant submission occur externally.	TC-I01
DA-I02	The system shall validate fixed unique headers Name, Email, CV File and Image.	Case/outer spaces are ignored; ordering is irrelevant; Timestamp is optional and extra fields are ignored.	Custom field mapping is not supported.	TC-I02
DA-I03	The system shall reject a response without a valid CV link and exactly one valid Image Drive link.	Missing, invalid or multiple image links reject the row before creating a new candidate/application.	Source-image folder also needs service-account access.	TC-I03

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-I04	The system shall persist recruiter-owned candidates and job-specific applications with source provenance.	Repeated imports reuse logical records; row issues are visible; applications stay job scoped.	Shared email addresses do not alone prove identical people.	TC-I04
DA-I05	The system shall download supported CV files with hashes, integrity checks and version metadata.	A changed source creates a traceable version; failed downloads preserve existing valid records.	Files are stored within configured protected storage.	TC-I05
DA-I06	The system shall automatically check connected application sources every minute and expose source setup, last-check status and supported fetch controls.	With a valid source and available Google services, a new valid submission is imported on the next eligible check; repeated checks do not duplicate applications; last successful check and import issues are visible.	The one-minute eligibility interval excludes provider execution time and backoff. The source worker and Google access must be available. Deleted uploads follow DA-G13.	TC-I06

3.1.5 F1 CV extraction and semantic screening

Recruiter and CV worker; process documents and criterion evidence.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-C01	The system shall extract native PDF/DOCX text and use local OCR for eligible image-heavy CVs.	Native/scanned fixtures preserve usable source passages; unreadable documents fail safely without aborting the batch.	10 MB files, 100 PDF pages, 30 MB expanded DOCX and 500000 text characters are extraction bounds.	TC-C01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-C02	The system shall persist structured contact, education, work, skill, certification and project information with source evidence.	Each extracted claim resolves to its source; missing sections remain unknown rather than fabricated.	Parsing quality varies with document layout and OCR.	TC-C02
DA-C03	The system shall index CV evidence with recruiter, job, application and version boundaries.	Authenticated evidence search cannot return another application or stale source as current evidence.	Chroma and embeddings must be available.	TC-C03
DA-C04	The system shall queue screening using a frozen profile, document and processing-version snapshot.	Starting returns run/status; changed input is detected; identical eligible work can reuse saved outputs.	Candidate and criterion processing are currently sequential.	TC-C04
DA-C05	The system shall semantically evaluate every saved criterion against source evidence.	Decisions are met, partially_met, unmet or insufficient_evidence with justification and exact validated quotes.	Keyword overlap alone is not proof of demonstrated experience.	TC-C05
DA-C06	The system shall bound model validation repair and retain safe final diagnostics.	Up to three validation attempts reject invented quotes, sources or extra requirements; failure stays reviewable.	Rejected candidate/model prose shall not be logged.	TC-C06
DA-C07	The system shall save progress/checkpoints and support eligible resume after interruption.	Completed criterion work is retained; incomplete candidates remain separate from completed ranked results.	Profile/document changes can require a new run.	TC-C07

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-C08	The system shall provide result search, filters, sort, source inspection and historical/outdated indicators.	Reviewers can open criterion decisions, score dimensions and original excerpts without rerunning the model.	Missing/unreadable evidence is not proof of inability.	TC-C08

3.1.6 F2 Candidate scoring and ranking

Recruiter; inspect deterministic weighted scores.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-S01	The system shall calculate criterion credit and dimension scores deterministically from validated matches.	Met=1, partial=0.5, unmet/insufficient=0; Must have weight=2 and Preferred=1 under rubric initial-1.	Insufficient evidence earns zero documented credit, not a claim of inability.	TC-S01
DA-S02	The system shall calculate and persist the aggregate and all dimension contributions.	Each dimension uses weighted earned credit; approved dimension percentages produce the Section 3.2 aggregate.	Technical, experience, qualifications and additional criteria stay distinct.	TC-S02
DA-S03	The system shall produce stable competition ranks from complete full-precision scores.	Equal totals share rank; application ID gives stable ordering within ties; display rounding does not change order.	Deterministic arithmetic does not guarantee identical new model judgments.	TC-S03

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-S04	The system shall show dimension justifications, coverage and must-have review flags.	A non-met must-have is visible with source rationale and does not automatically reject or exclude the candidate.	Saved rubric/profile versions remain inspectable.	TC-S04

3.1.7 Saved interviewee shortlists

Recruiter; review proposals and save selected applications.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-L01	The system shall preview a shortlist using Top K, minimum score or both.	Filters use completed eligible owned results and full-precision totals; cutoff ties remain visible.	Filter proposal is separate from the recruiter's final checkbox set.	TC-L01
DA-L02	The system shall permit eligible manual additions/removals and validate the exact preview on save.	Wrong-job, duplicate, ineligible or changed-preview applications are rejected.	No email is sent by saving a shortlist.	TC-L02
DA-L03	The system shall persist one shortlist per job with member, assessment, score/rank and proposal snapshots.	Saved selection reloads; stale references and unsaved edits remain distinguishable.	Later source changes require explicit review.	TC-L03

3.1.8 Schedules invitations and email

Recruiter, candidate and invitation worker; exact preview and controlled delivery.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-E01	The system shall store timezone-aware interview start/end times for invited applications.	End follows start; timezone is valid; UTC instants and display timezone persist; active/completed sessions cannot be rescheduled through invitations.	Default display zone is Asia/Dhaka; no calendar sync service.	TC-E01
DA-E02	The system shall preview exact recipients, schedules, instructions and message content before sending.	Changed recipient/email/job/ message/schedule invalidates the old confirmation; missing required schedule blocks a new send.	UI and chatbot use shared preview services.	TC-E02
DA-E03	The system shall confirm an exact authorized preview before generating private links and durable email jobs.	Repeated confirmation queues no duplicate batch; only saved eligible interviewees receive jobs.	Queueing is not proof of provider acceptance.	TC-E03
DA-E04	The system shall create cryptographically random expiring per-application invitation tokens and store their hashes.	Expired, revoked or replaced links cannot enter/join; raw links are excluded from general chat/log output.	Default link lifetime seven days is configurable.	TC-E04
DA-E05	The system shall deliver encrypted queued payloads through the authenticated email MCP worker.	Configured SMTP sends yield accepted, failed or uncertain outcomes with safe retry behavior.	Current transport is SMTP, not the older Gmail OAuth/API plan.	TC-E05

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-E06	The system shall support invitation status, revocation, failed-send retry and explicit reissue.	Retry preserves the intended message; reissue invalidates the prior token and resets consent/comparison/manual review.	Provider acceptance is not inbox delivery confirmation.	TC-E06
DA-E07	The system shall include recipient-specific ICS and Google Calendar template artifacts in new and reissued scheduled invitations.	Calendar times, UID, sequence and private link match the confirmed recipient schedule. A failed-send retry retains the exact previously confirmed payload, including its calendar setting.	Calendar artifacts support recipient action; the system does not automatically create events in the recipient calendar or synchronize calendar changes.	TC-E07
DA-E08	The system shall enforce the scheduled join window.	Joining opens ten minutes before start and closes at the scheduled end; legacy unscheduled invitations retain their defined behavior.	A valid token alone does not authorize admission.	TC-E08

3.1.9 F3 Live interview sessions

Recruiter and candidate; device preparation, admission and media lifecycle.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-V01	The system shall associate each interview with the owned job, application and participants.	Recruiter start/status operations cannot address another owner's application; session timestamps and status persist.	Recruiters host their own interviews in the current flow.	TC-V01
DA-V02	The system shall offer microphone/camera selection, permission/error feedback and preview before joining.	Device denial or missing hardware produces guidance; device changes and mobile controls remain usable.	Media requires browser permission and an appropriate secure context.	TC-V02
DA-V03	The system shall keep candidates waiting until a current recruiter admission decision is recorded.	Candidate join cannot bypass schedule, invitation, identity readiness or recruiter admission checks.	Low similarity is not an automatic rejection.	TC-V03
DA-V04	The system shall issue short-lived room-scoped LiveKit grants only to authorized participants.	A candidate grant cannot access another room or recruiter features; grants expire.	Default token lifetime is 300 seconds, configurable.	TC-V04
DA-V05	The system shall provide live audio/video, mute, camera toggle and explicit end controls.	Participants can conduct a usable call; ending prevents further authorized reuse and flushes transcription.	Real two-device network/media acceptance is required.	TC-V05
DA-V06	The system shall recover from transient disconnects and durably retry room closure.	Saved speech survives; closing state retries after restart; failed presence checks do not imply an empty room.	Presence checks about 15 seconds; empty-room grace defaults to 60 seconds.	TC-V06

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-V07	The recruiter workspace shall present profile, identity outcome, transcript, question assistance and temporary notes.	Relevant owned profile/evidence is visible; notes survive layout rotation while the workspace remains open.	Notes are temporary on-screen text, not persisted interview records.	TC-V07

3.1.10 F4 Transcription and finalization

Interview participants and capture service; preserve speaker evidence.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-T01	The system shall transcribe both participants from role-mapped microphone streams.	Final turns retain correct speaker/source attribution; transcription-only participants do not count as human room presence.	Deepgram is a configured external processor.	TC-T01
DA-T02	The system shall distinguish interim display from persisted final transcript turns.	Finalized segments survive reload; interim fragments are not treated as final assessment evidence.	Recognition quality depends on audio, accent and overlap.	TC-T02
DA-T03	The system shall retain audio-stream timing and source references for finalization.	Reliable common session clocks produce aligned intervals; missing timing is not invented.	Raw media shall not be retained without a justified policy.	TC-T03
DA-T04	The system shall finalize after capture/end and reconcile saved turns with integrity digests.	Completed session plus usable finalized speech from both speakers is required for F5 readiness.	A completed call or visible speech alone does not prove readiness.	TC-T04

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-T05	The system shall allow valid text-only finalization with explicit timing limitations.	TEXT_ONLY_FINALIZED discloses unknown common timestamps and unverified cross-speaker chronology.	Empty/single-speaker unusable text remains blocked.	TC-T05
DA-T06	The system shall expose capture/finalization failure, retry and recovery states.	Bounded reconnect/rearm and restart handling preserve prior final turns; actionable blockers remain visible.	Poor audio is not repaired by a software retry alone.	TC-T06

3.1.11 F5 Interview question and answer analysis

Recruiter and assessment worker; group, map and evaluate answers.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-Q01	The system shall freeze eligible transcript, profile, references, rubric and model versions into an F5 run.	Identical eligible requests reuse or safely handle a saved run; unavailable/mismatched sources block analysis.	Real and synthetic runs remain distinguishable.	TC-Q01
DA-Q02	The system shall group full-transcript questions, answers, follow-ups, clarifications and resumed topics.	Every segment belongs to a validated role/group or has an exclusion reason; adjacency alone does not define a pair.	Text-only saved order is a reading aid, not verified chronology.	TC-Q02

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-Q03	The system shall map Q&A groups to stable saved job criteria and identify unexplored requirements.	Criterion coverage shows asked, unasked and unassessed distinctions with evidence references.	Unasked competencies do not receive failure scores.	TC-Q03
DA-Q04	The system shall evaluate relevance, accuracy, completeness and articulation independently on the 0 to 4 rubric.	Each assessed dimension has a justification and exact evidence; null and zero remain distinct.	Articulation uses usable text structure, never accent or personality.	TC-Q04
DA-Q05	The system shall use pinned technical/policy/question-bank passages for supported accuracy judgments.	Exact source excerpts replay; model-only judgments are labeled unverified rather than cited as external fact.	Self-reported work experience is not independently verified.	TC-Q05
DA-Q06	The system shall save complete answer groups progressively and expose run history/recovery.	Worker restarts replay durable stages; invalid drafts remain failed/needs_review rather than completed reports.	Long calls are quota/context bound; completion time is not guaranteed.	TC-Q06

3.1.12 F6 Consolidated assessment

Recruiter and worker; synthesize pinned CV and interview findings.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-K01	The system shall consolidate the exact selected saved CV result and completed F5 artifact after required review.	Missing pinned CV evidence or mismatched lineage blocks F6 with a reason.	F6 does not silently replace source results.	TC-K01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-K02	The system shall produce suitability rationale, strengths, observed weaknesses, evidence gaps and recommended verification areas.	Each substantive finding resolves to CV/transcript evidence; unsupported accusations or invented criteria fail validation.	Learning needs do not imply a correct answer was incorrect.	TC-K02
DA-K03	The system shall retain separate CV and interview components within the consolidated result.	Source scores, assessment counts, rubric/version information and coverage remain inspectable.	Final combined projection is governed separately by F9 evidence gates.	TC-K03
DA-K04	The system shall persist validated consolidation artifacts and bound repair attempts.	A draft that fails validation after two repair attempts becomes needs_review and validated report output is withheld.	Human review does not establish scientific scoring validity.	TC-K04

3.1.13 F7 Candidate identification and profile

Candidate and recruiter; consent, comparison and manual admission.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-B01	The system shall display a versioned identification explanation and record consent before verification-camera processing.	Consent v3 explains use, sampled face checks, retention and alternatives; old consent is renewed; decline/withdrawal is supported.	Camera permission alone is not consent.	TC-B01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-B02	The system shall sample waiting-room frames and require a continuous five-second exactly-one-face countdown.	Missing/multiple faces or stalled checks reset the countdown; the final checked frame is submitted.	Sampling is about 500 ms plus processing, not every video frame.	TC-B02
DA-B03	The system shall bound comparisons and explicit retakes per enrollment.	At most five comparisons, at least three seconds apart; preview checks consume no attempts; reload does not reset the limit.	Retakes are explicit; no capture before current consent.	TC-B03
DA-B04	The system shall compare one usable submitted face with the application reference using pinned YuNet/SFace models.	Images over 5 MB/16 million pixels are rejected; processing resizes to at most 1280 pixels and requires one usable face.	No voice match, gallery search, liveness or legal-identity claim.	TC-B04
DA-B05	The system shall expose matched, not_identified, unable_to_verify or not_performed and recruiter-only similarity.	No configured threshold means numerical comparison without automatic verdict; similarity is not identity probability.	Operational threshold requires representative calibration.	TC-B05
DA-B06	The system shall enforce identity readiness and an explicit recruiter admission decision.	Current comparison, decline/withdrawal/ expiry or recorded manual review satisfies readiness; exhausted non-matching attempts require recorded review.	Low similarity never auto-rejects; decisions follow the current invitation.	TC-B06

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-B07	The system shall show existing name, headline experience, skills, CV score and areas to probe beside the identity outcome.	Recruiter profile refers to the selected application without exposing assessment data to the candidate.	Existing saved profile is reused, not a new biometric profile.	TC-B07
DA-B08	The system shall process reference bytes, frames and embeddings only in memory.	No photo bytes/embedding are saved to disk, DB, vector index or logs; model hashes and consent/result metadata remain application scoped.	Source photo remains in protected Drive.	TC-B08
DA-B09	The system shall expire/delete identification data and prevent silent re-enrollment.	Default 30-day first-link expiry is not extended by reimport; withdrawal/deletion tombstones survive sync.	Deletion excludes Drive originals and full candidate/CV erasure.	TC-B09

3.1.14 F8 CV claim review

Recruiter; inspect claim states and record human follow-up.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-H01	The system shall extract bounded atomic CV claims with exact source spans and relevant criterion IDs.	Each claim is traceable to pinned CV text; selection limits are disclosed rather than claiming exhaustive verification.	Uses saved F5 evidence sources for the first release.	TC-H01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-H02	The system shall distinguish supported_in_interview, potential_contradiction, discussed_not_substantiated, not_discussed and unable_to_assess.	Contradiction requires incompatible candidate statements in the same project/time/role/scope; weak answers alone do not prove contradiction.	Interviewer prompts are not candidate substantiation.	TC-H02
DA-H03	The system shall check the complete saved transcript before declaring a claim not discussed.	Text-only/gapped sources use unable_to_assess where absence cannot be established; no invented negative quote is added.	Interview support is not external proof of a CV claim.	TC-H03
DA-H04	The system shall present neutral follow-up prompts and append-only recruiter review decisions.	Reviewer action/note, author/time and claim linkage persist separately without rewriting machine findings.	No accusation or automatic rejection.	TC-H04

3.1.15 F9 Interview performance and final score

Recruiter; version rubric and review evidence-gated scores.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-P01	The system shall assess technical competency, communication, response relevance, problem solving, experience depth and job alignment.	Each dimension has an evidence-supported 0 to 4 score or null with an explicit reason.	Ignore accent, protected traits, personality and presentation polish.	TC-P01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-P02	The system shall retain versioned per-job scoring settings and reject stale concurrent edits.	All six whole-percentage weights total 100; essential dimensions are positively weighted; new runs pin the saved revision.	Default weights 25/15/10/20/20/10; old results do not change.	TC-P02
DA-P03	The system shall calculate performance using assessed weight and disclose unassessed coverage.	Default gate requires four weighted dimensions including technical competency; partial coverage is labeled provisional.	No evidence is null, not zero; formula in Section 3.2.	TC-P03
DA-P04	The system shall project a provisional final score from valid saved CV and matching interview-performance artifacts.	30% CV plus 70% F9; at least 80% interview weight, four dimensions and all essentials including technical competency are required.	Missing/invalid component yields incomplete with a reason.	TC-P04
DA-P05	The system shall validate hashes and F5 lineage before displaying combined contributions.	Tampered, unrelated or unavailable performance evidence cannot create a combined score; components and warnings are shown.	This score is a human review aid, never a hiring action.	TC-P05

3.1.16 F10 Interview quality assessment

Recruiter; review competency coverage and process improvements.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-O01	The system shall assess question relevance/effectiveness, follow-up and interaction quality using saved evidence.	Process observations cite exact question/group references and include actionable improvements and uncertainty.	The subject is the interview process, not an inferred personality.	TC-O01
DA-O02	The system shall expose job competency coverage and unexplored areas.	Recommendations identify unasked requirements and low-signal questions without penalizing missing candidate evidence as failure.	Uses saved F5 coverage.	TC-O02
DA-O03	The system shall calculate speaking intervals only when validated common timing exists.	Text-only/unaligned sources show time unavailable; fabricated speaking balance or duration is rejected.	Transcript row order does not establish measured time.	TC-O03
DA-O04	The target system shall support evidence-based cross-candidate process consistency review.	Equivalent job criteria and interview process observations can be compared with source/policy differences disclosed.	Cross-candidate process consistency is a separately tracked target capability; its implementation status is recorded in Section 9.6. F6 candidate comparison evaluates a different goal.	TC-O04

3.1.17 F11 Wind Tunnel rehearsal

Recruiter and worker; isolated synthetic screening and reviewed edits.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-W01	The system shall queue an owned synthetic rehearsal after eligible JD approval and allow explicit further batches.	Approval outbox is durable; repeated request IDs do not duplicate logical tasks; later job versions make incompatible tasks stale.	Wind Tunnel is F11; approval does not apply any suggestion.	TC-W01
DA-W02	The system shall generate isolated synthetic CVs with clearly versioned scenario scope.	Current suite has strong_all_rounder and keyword_stuffer with one assessment each; legacy runs retain their saved scope.	One pass does not measure repeatability or statistical confidence.	TC-W02
DA-W03	The system shall validate synthetic prose and native document extraction before screening.	Fictional documents contain no real contacts, criterion labels, answer keys or assessor instructions; files are source hashed.	Synthetic artifacts never become real candidate applications.	TC-W03
DA-W04	The system shall reuse evidence validation and deterministic scoring to evaluate the synthetic cohort.	Incomplete cohorts have no ranks; inconsistent/missing observations are inconclusive; evidence remains inspectable.	Unexpected results do not prove a JD defect.	TC-W04
DA-W05	The system shall provide descriptive comparisons and fixed-match weight sensitivity.	Tested vectors transfer five percentage points between active dimensions and preserve valid profiles.	Fixed-match sensitivity does not predict rewritten-criterion performance or an optimum.	TC-W05

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-W06	The system shall generate grounded exact JD/criteria improvement proposals and semantically review their combined preview.	Editorial edits preserve employer meaning; diagnostic edits cite findings; invented hiring obligations/outcome promises are rejected.	Target batch is three proposals without sacrificing support.	TC-W06
DA-W07	The system shall let the recruiter preview one to three selected suggestions and explicitly Apply reviewed changes.	Edit version and review token must match; criteria review is required where applicable; stale/posted locks prevent mutation.	Suggestions never silently alter, approve or publish a job.	TC-W07
DA-W08	The system shall show durable stage progress, history, worker state, cancel/retry and limited/failure reasons.	Completed documents/assessments/criteria come from saved work; historical configurations remain distinguishable.	Model availability, quotas and context bounds affect duration.	TC-W08

3.1.18 Dashboard reports comparison and final selection

Recruiter and hiring reviewer; read saved results and record decisions.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-D01	The dashboard shall project owned jobs/applications, screening states, review flags, interview/assessment attention and recent activity.	Counts derive from logical saved records; synthetic assessments are excluded; loading/empty/error and refresh states are explicit.	Provider-accepted email counts are not delivered-email counts.	TC-D01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-D02	The system shall expose job/candidate assessment statuses, search/filter, pagination and saved run history.	Interview, transcript, Q&A and consolidation stages are separate; choosing another job cannot show wrong-job results.	Candidate workspace currently pages five records; loaded-page filtering limits are disclosed.	TC-D02
DA-D03	The system shall offer Summary, CV findings, Interview Q&A, Criteria coverage and Verify next views.	Findings/answers expand to source explanations; original transcript navigation and more-details history remain available.	CV support and interview coverage remain distinct.	TC-D03
DA-D04	The system shall compare two candidates with completed F6 for the same job using saved results.	Cross-page selections persist; rows expose criteria/policy differences and missing-versus-zero values; samples stay separate from real candidates.	Opening comparison starts no analysis/model calls.	TC-D04
DA-D05	The system shall preview, print and download completed recruiter or technical reports.	The selected saved run controls output; recruiter report supports optional deduplicated evidence appendix; technical report includes full details.	Incomplete/invalid selected results cannot export a validated report.	TC-D05
DA-D06	The system shall pin optional post-interview child run IDs to the report projection.	Preview and PDF show the same saved insights, provenance and timing warnings without rescoring or database writes.	Print uses browser dialog; PDF download uses server rendering.	TC-D06

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-D07	The system shall permit an explicit version-checked final candidate selection.	Only current completed-interview, valid F6 and eligible final-score candidates save; stale candidate/policy/selection versions reject confirmation.	Maximum 200 selected applications; no automatic offer or rejection.	TC-D07
DA-D08	The system shall persist final selection snapshots and disclose later outdated results.	Reload restores the human choice; changed source, transcript, policy or assessment makes saved selection staleness visible.	Comparability alone does not imply selection eligibility.	TC-D08

3.2 Scoring and evidence rules

CV rubric initial-1 uses credit 1 for met, 0.5 for partially met and 0 for unmet/insufficient evidence; priority weights are 2 for Must have and 1 for Preferred. Dimension score = 100 times sum(priority weight times credit) divided by total criterion priority weight. Aggregate = sum(dimension score times approved dimension percentage divided by 100). A positive-weight dimension must contain criteria. Equal full-precision totals share competition rank; stable IDs order ties. Display rounding does not change saved arithmetic.

Example: a met must-have plus a partially-met preferred criterion scores 100 times (2 times 1 plus 1 times 0.5) divided by 3 = 83.3333. At 60% dimension weight this contributes 50 aggregate points. Insufficient evidence is zero documented support in this CV rubric; it does not establish inability.

F5 answer dimensions use integer scores from 0 to 4 or null. Dimension summary = 100 times sum(assessed scores) divided by (4 times assessed count). Missing evidence is excluded and disclosed. An explicit I do not know answer has completeness 0, while relevance, accuracy and articulation are null under the saved rubric. Unasked requirements have no performance score. Corrections and follow-ups are judged as a whole; no invented fixed prompting penalty applies.

F9 performance = sum(assessed dimension weight times score times 25) divided by assessed weight. Default weights are technical competency 25%, communication 15%, response relevance 10%, problem solving 20%, experience depth 20% and job alignment 10%. Eligibility requires the saved minimum dimension count and all essential dimensions. Partial eligible coverage is provisional and missing weight is disclosed.

Final policy candidate-final-1 = 0.30 times CV aggregate plus 0.70 times F9 performance. Both saved components, matching lineage/integrity, at least 80% interview weight, four dimensions and required technical competency are necessary. Example: CV 80 and eligible F9 90 yield 87. A missing component

produces incomplete rather than zero. F5 Q&A averages are not substituted for F9 performance. No score constitutes a hiring decision.

4 User Interface

This section inventories screens and their functional relationships. Section 8 defines common interaction and accessibility requirements across those screens.

UI No.	UI Name	Related Function Req ID	Description	Test case Identifier
UI01	Account access	DA-A01 to A04	Registration, login, password visibility, restoration, retry and sign-out.	TC-UI01
UI02	Dashboard	DA-D01; DA-J07 to J08	Owned metrics, attention/activity links, assistant dock and source notifications.	TC-UI02
UI03	Job Descriptions	DA-J01 to J09; DA-W01 to W08	Chat, saved jobs, profile/editor, approval, posting and suggestion review.	TC-UI03
UI04	Reference libraries	DA-R01 to R04	Upload, classification, indexing/retry and question-bank archive.	TC-UI04
UI05	CV Screening	DA-I01 to I06; DA-C01 to C08; DA-S01 to S04; DA-G10 to G14	Source setup/import, candidate profile, progress, ranked results, evidence and confirmed application deletion.	TC-UI05

UI No.	UI Name	Related Function Req ID	Description	Test case Identifier
UI06	Shortlist	DA-L01 to L03	Filter preview, manual choices, saved members and stale-state warnings.	TC-UI06
UI07	Invitations	DA-E01 to E08	Schedules, exact recipient preview, confirm, queue status, retry and reissue.	TC-UI07
UI08	Recruiter interview	DA-V01 to V07; DA-T01 to T06	Devices, candidate profile, identity result, admission, video, transcript and assistant.	TC-UI08
UI09	Candidate entry	DA-B01 to B09; DA-V02 to V05	Token validation, instructions, join window, consent/countdown, waiting and call.	TC-UI09
UI10	Assessments	DA-Q01 to Q06; DA-K01 to K04; DA-H01 to H04; DA-P01 to P05; DA-O01 to O04; DA-D02 to D08	Candidate stages, saved analyses, findings, scoring settings, comparison, final selection and report modal.	TC-UI10

5 Non-Functional Requirements

N identifiers below retain the business brief traceability. They specify acceptance obligations, not proof of completed validation. Numeric defaults are configuration values. No measured batch throughput, transcript latency or production SLA is asserted without a recorded experiment.

5.1 Performance Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-N01	N1 The system shall process the supplied 20-CV batch through extraction, screening, scoring and ranking with durable per-application outcomes.	Before execution record dataset identity, hardware, provider/model versions, workload and an approved elapsed-time budget. Measure start/end, total elapsed time, completed/failed counts and correctness; compare with the recorded budget and retain evidence in the benchmark report.	The 20-CV dataset is the benchmark size, not a throughput claim. Performance acceptance requires an agreed budget; the evidence status is recorded in Section 9.6.	TC-N01
DA-N02	N2 The system shall display interim and finalized transcript text during a live interview and expose capture interruptions.	For a recorded representative English two-party speech test, measure capture-to-interim and capture-to-final display delay separately. Report sample count, p50, p95, maximum and recognition/capture failures; compare with latency budgets agreed before the test.	Capture-to-save delay and capture-to-display delay are different measures. Network, browser, audio and provider conditions must accompany the result.	TC-N02

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-N03	N3 The system shall support a two-party browser audio/video interview for an agreed interview duration and network profile.	Record devices, browsers, network conditions and planned duration. Verify both participants can join, hear/see one another, toggle devices, recover from a controlled reconnect and end the call; record interruption durations, transcript continuity and the agreed pass/fail limits.	The test duration, network profile and tolerated interruptions must be agreed before execution; same-device checks do not establish remote two-device acceptance.	TC-N03
DA-N04	N4 The system shall keep ordinary API interactions measurable and expose long-running AI work through asynchronous status.	For named endpoint groups and a recorded workload, measure request count, errors and p50/p95 response time against pre-agreed budgets. AI queue-start endpoints return a durable identifier/status; progress remains readable during processing.	Report/PDF generation, provider latency and ordinary reads are separate workload groups. Endpoint budgets and benchmark evidence are recorded through Section 9.6.	TC-N04
DA-N05	N5 The system shall support at least one active interview alongside background CV processing.	Run media, transcript capture and screening concurrently without record loss or blocked recruiter controls.	Demonstration baseline; broader concurrency is uncommitted.	TC-N05

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-N06	N6 The system shall degrade explicitly when providers fail or enforce rate limits.	Timeout/quota/outage yields safe error and supported recovery without fabricated results or silent data loss.	Shared Gemini default cap is 12 RPM with bounded configured retries.	TC-N06

5.2 Safety Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-Y01	The system shall preserve human control over publishing, invitations, admission, shortlist changes and final selection.	Scores, gaps, face mismatches and model failure cannot independently hire or reject a candidate.	No autonomous hiring policy.	TC-Y01
DA-Y02	The system shall distinguish absence of evidence, contradiction, unasked criteria and an assessed failure.	Reports retain uncertainty, source warnings and null/zero semantics; incorrect source references withhold validated output.	Transcript recognition and model judgment require human calibration.	TC-Y02
DA-Y03	The system shall base scoring only on job-relevant evidence and avoid protected-characteristic inference.	Review prompts, schemas, criteria and outputs for age, gender, ethnicity, nationality, religion or marital-status scoring.	N20; source documents may contain incidental personal details.	TC-Y03
DA-Y04	The system shall offer identification decline/withdrawal and human alternatives without automatic rejection.	No capture before consent; unavailable or low matches retain recruiter review paths.	Sampled photo resemblance is not liveness or legal identity.	TC-Y04

5.3 Security Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-Z01	N7 The system shall receive credentials through protected environment configuration and ship placeholders only.	Repository and example configuration contain no API keys, tokens, populated secret files or connection passwords.	Operators control credentials mounts and secret rotation.	TC-Z01
DA-Z02	N8 The system shall validate inputs, uploaded type/size and resource scope before processing.	Malformed payloads, unsupported/encrypted documents, oversized files and cross-job resources fail safely.	Extraction and image bounds are defined in Section 3.	TC-Z02
DA-Z03	N9 The system shall separate candidate and recruiter capabilities.	Candidate tokens cannot access scores, ranking, recruiter identity metrics or assessment exports.	Authenticated MCP calls also enforce owner/job/application scope.	TC-Z03
DA-Z04	N10 The system shall use secure API/media transport when exposed beyond development.	Verify HTTPS/WSS and reachable media addresses; document local HTTP/WS exceptions.	Same-laptop LiveKit defaults do not establish remote readiness.	TC-Z04
DA-Z05	N11 The project shall manage dependency versions and unnecessary packages.	Backend pins and frontend lockfile reproduce a compatible build; images/versions receive review before release.	Some Compose images use latest; reproducibility requires resolution.	TC-Z05

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-Z06	N12 The system shall return safe errors without internal traces or confidential content.	Failure tests reveal no stack, private path, prompts, secrets, raw rejected outputs or reusable invitation token.	Protected server diagnostics use safe codes.	TC-Z06
DA-Z07	The system shall hash passwords/session secrets and validate access expiry/revocation.	No plaintext password or persistent session secret is readable in stored records; invalid signatures fail.	Argon2 password hashing; signed JWT access.	TC-Z07
DA-Z08	The system shall protect cookie-authenticated actions with origin controls and appropriate cookie/cache attributes.	Disallowed origins fail; sensitive session/identity responses are no-store; secure attributes follow HTTPS deployment.	Local-development exceptions are explicit.	TC-Z08
DA-Z09	The system shall authenticate worker email and evidence MCP interfaces.	Unauthenticated/wrong-scope tools cannot send mail, parse or retrieve candidate evidence.	Assistant receives only its configured tool surface.	TC-Z09
DA-Z10	The system shall protect queued email payloads and private invitation links.	Queue payload is encrypted; token hash is stored for validation; logs/general responses do not disclose reusable links.	A recipient may still share their received link; admission remains required.	TC-Z10

6 Design Constraints

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-X01	The backend shall use Python, FastAPI validation/OpenAPI and meaningful multi-node LangGraph workflows.	Inspect explicit state, nodes, transitions, checkpoint/retry behavior and service boundaries.	Business stack mandate; a one-call wrapper alone is insufficient.	TC-X01
DA-X02	The system shall persist relational business state in PostgreSQL with Alembic migrations.	Keys, uniqueness, ownership, version and checkpoint constraints survive clean setup/restart.	Do not reset existing databases to apply schema changes.	TC-X02
DA-X03	D1 to D3 The complete application shall be containerized and orchestrated with Docker Compose.	Documented startup brings API/client and required supporting services/workers up with explicit dependencies.	Current Compose is development topology; public hosting is optional.	TC-X03
DA-X04	D4 to D5 Configuration shall be environment-based and required state shall use persistent volumes/mounts.	Restart containers and confirm DB, vectors, CVs and other required artifacts remain usable.	A DB backup alone does not recover document/vecto r state.	TC-X04

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-X05	D6 to D8 The project shall verify clean-machine startup and document build/run/stop/reset commands and image discipline.	Execute setup without cached artifacts; record prerequisites, migrations, model assets, .dockerignore and outcomes.	Clean-machine evidence is assessed separately from local development health in Section 9.6. Setup/reset instructions must identify retained data and require an explicit destructive action for any reset.	TC-X05
DA-X06	The architecture shall isolate routes, services, integrations, workflows, models and workers.	API enqueues long tasks; separate workers consume screening, sources, invitations, assessments and Wind Tunnel work.	One workflow must not bypass shared authorization or scoring rules.	TC-X06
DA-X07	The system shall retain immutable source/rubric/model lineage for historical assessments.	Policy/provider changes leave prior artifact hashes and saved evidence unchanged; incompatible current results are flagged.	Fresh generation is not guaranteed semantically deterministic.	TC-X07
DA-X08	The system shall use installed checksum-verified YuNet/SFace models for local one-to-one face comparison.	Model files/hashes and licenses are known; missing models expose manual-review availability.	No gallery, embedding store or custom model training.	TC-X08

7 Software Quality Attributes

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-U01	N21 The application shall start reproducibly on a clean machine using documented Docker instructions.	Record complete clean-setup result including dependencies, migrations, OCR, models and configured providers.	Existing local health is not clean-machine verification.	TC-U01
DA-U02	N22 The system shall produce structured safe logs for operation, stage, duration and failure.	Logs support diagnosis without candidate text, photos, credentials or raw rejected model outputs.	Request success does not certify provider semantic accuracy.	TC-U02
DA-U03	N23 The code shall separate concerns and keep meaningful names and testable boundaries.	Changed business logic can be verified without unrelated provider calls; dead/stale comments are reviewed.	Existing source tests are assets, not proof of all acceptance.	TC-U03
DA-U04	N24 The project shall document purpose, architecture, setup, configuration, usage and limits and expose OpenAPI.	README guides a new evaluator; API schemas match supported routes; privacy disclosures identify external data transfers.	Older documentation must be reconciled with current code.	TC-U04
DA-U05	N25 The interface shall show clear navigation, progress and understandable error/retry states.	A reviewer completes the recruitment journey without verbal guidance; loading/empty/stale/incomplete states are distinct.	Formal accessibility certification is outside scope.	TC-U05

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-U06	N26 Candidate records, scores, transcripts, assessment results and selected references shall survive restart.	Restart relevant services and resolve prior records/evidence without duplication or score rewriting.	Requires complete storage/volume and backup configuration.	TC-U06
DA-U07	The system shall recover durable work after worker or API interruption.	Interrupted synthetic cases resume/retry with lease/checkpoint safety and no duplicated logical outputs.	Retry budgets and supported recovery differ by workflow.	TC-U07
DA-U08	The system shall preserve integrity through exact evidence checks and concurrency versions.	Altered quote/hash, stale preview or stale scoring revision is rejected with a safe explanation.	Completed and current are separate states.	TC-U08

8 Common Interaction and Accessibility Requirements

UI No.	UI Name	Related Info No.	Description	Notes	Test case Identifier
UI11	Accessible dialogs	UI03 UI05 UI07 UI09 UI10	Supported dialogs contain focus, restore it on dismissal and support Escape. Destructive requests cannot be dismissed while submission is in progress.	Consent and destructive confirmation remain explicit.	TC-UI11

UI No.	UI Name	Related Info No.	Description	Notes	Test case Identifier
UI12	Responsive layout	UI01 to UI10	Phone/tablet/desktop preserve essential actions, media controls and readable forms.	Comparison tables may scroll horizontally.	TC-UI12
UI13	Score semantics	DA-S; DA-P; DA-D	Show zero separately from missing; display at most two decimals where configured and disclose coverage/policy differences.	Display rounding never alters saved values/rank.	TC-UI13
UI14	Evidence navigation	DA-C; DA-Q; DA-K	Expand findings/Q&A; source links open exact saved CV or transcript content.	Historical criteria remain separate rows.	TC-UI14
UI15	Motion and keyboard	UI01 to UI10	Visible focus, keyboard navigation and reduced-motion preference remain usable.	Decorative animation conveys no required information alone.	TC-UI15

UI No.	UI Name	Related Info No.	Description	Notes	Test case Identifier
UI16	Safe confirmations	DA-E; DA-B; DA-W; DA-D; DA-G10 to G14	Identify recipients, changes, consent alternatives or the candidate/job and retained data before send, consent, Apply, final selection or deletion.	Changed previews require renewed review; deletion requires an explicit confirmation checkbox.	TC-UI16
UI17	Asynchronous feedback	DA-C; DA-Q; DA-W	Distinguish queued/running, completed, limited, failed, needs review and outdated states.	No fabricated percentage or completion promise.	TC-UI17

9 Other Requirements

9.1 Data privacy and lifecycle

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G01	N13 Development and demonstration shall use the supplied sample CVs or synthetic/anonymized fixtures.	No unconsented real applicant data enters public examples or acceptance fixtures.	Mock identities are labeled synthetic.	TC-G01

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G02	N14 The repository shall exclude personal CVs, recordings, transcripts, screenshots and database dumps.	Inspect ignore rules and tracked files; no candidate personal data or populated secret material is committed.	Clearly synthetic fixture content may be retained with labeling.	TC-G02
DA-G03	N15 Demonstration screenshots, slides, logs and README examples shall be anonymized.	Reviewer-visible artifacts remove identifying details unless fictional.	Source files must also follow access controls.	TC-G03
DA-G04	N16 The system shall minimize stored personal and raw media data.	Document storage purpose for each data class; raw audio/video is not retained without justification.	Live processing and transcript persistence have different retention needs.	TC-G04
DA-G05	N17 Identification shall use explicit consent and a documented retention/deletion policy.	Verify current consent, memory-only image processing, configured first-link expiry and tombstone behavior.	F7 operational calibration and Drive-owner responsibilities remain explicit.	TC-G05
DA-G06	N18 The project shall disclose external services and transmitted data categories.	README/privacy note covers LLM CV/transcript excerpts, speech audio to Deepgram, media to LiveKit, Google sources and SMTP recipient/message content.	Local embeddings/OCR/photo processing remain local when configured as described.	TC-G06

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G07	N19 The target system shall provide candidate-wide deletion across associated data, with an explicit definition of application, cross-job and retained-data boundaries.	Identify all affected applications and reconcile relational records, stored CVs, vectors, all relevant workflow checkpoints, transcripts, assessments, queues, references and backup restoration. Record verification of worker safety and prevention of reimport.	Implemented application-scoped deletion is specified by DA-G10 to DA-G14. It does not establish candidate-wide erasure of other job applications, chat history, backups or external originals; see Section 9.6.	TC-G07
DA-G08	The operator shall define retention and backup handling for CVs, transcripts, assessments and selection history.	Approve a lifecycle matrix and verify expiry/deletion/restore without silently reimporting deleted data.	No unapproved global retention or recovery target is invented.	TC-G08
DA-G09	The system shall keep UTC schedule instants and explicit display timezone context.	Across reload/export, start/end and calendar artifacts represent the same instant; local operational display uses Asia/Dhaka by default.	Other languages/timezones require explicit supported configuration.	TC-G09

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G10	The system shall let the owning recruiter permanently delete a candidate application for the selected job after explicit confirmation.	CV Screening offers Delete candidate. The modal identifies the person and job, explains affected and retained data and requires confirmation. Delete the application and linked saved CV/profile, screening, invitation, interview, identity and assessment records; remove membership and embedded snapshots from shortlist, invitation previews and final selection.	Other job applications remain. Retain the shared candidate record when another application uses it. Previously issued invitation links no longer authorize access.	TC-G10
DA-G11	The system shall enforce ownership and prevent application deletion from racing with active processing.	Reject another recruiter or wrong-job request. Return a retryable conflict during active source import or parsing, queued/running screening or assessment work for the job, an active/closing interview or an email currently being sent.	A queued email linked to the deleted application is removed with its invitation. In-flight work is allowed to finish before deletion rather than being silently interrupted.	TC-G11

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G12	The system shall persist and retry cleanup of deleted application files, CV search indexes and parsing checkpoints.	Store a cleanup manifest before committing relational deletion. Delete only recorded storage files/index IDs and parsing threads. An unavailable storage service leaves cleanup pending; expose that state in the delete response and UI, retry it through the source-check worker and clear the manifest on completion.	Logical removal may complete before external cleanup. File paths must resolve inside configured CV storage. Candidate-wide checkpoint erasure remains part of DA-G07.	TC-G12
DA-G13	The system shall prevent automatic source imports from recreating a deleted application from its original CV uploads.	Retain source-scoped hashed Drive file identifiers; exclude those uploads from downloading and skip response rows that reference them on subsequent imports. Verify that no replacement application is created from the excluded uploads.	A genuinely new upload has a new identifier and may be imported as a new submission. The source Sheet and Drive originals are not modified.	TC-G13

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-G14	The deletion modal and documentation shall disclose the exact deletion boundary and refresh the remaining candidate view.	Explain that other job applications, Google originals/rows, existing chat history, delivered emails and previously downloaded reports are retained. On successful deletion refresh the candidate list, report pending cleanup when applicable and require fresh screening to update remaining rankings.	This application-scoped control is not a promise to erase external copies or backups. Broader lifecycle and restore obligations remain DA-G07 and DA-G08.	TC-G14

9.2 Logical data and interface requirements

Data or interface area	Required records and contract
Accounts and conversations	Users, hashed auth sessions, assistant/JD conversations; owner and active/role checks.
Job records	Stable JD number, narrative, profile criteria/weights/version, references and optional Discord receipts.
Sources and candidates	CV sources/checks, Drive documents and file versions, candidate plus job application, parse/index and screening run/assessment.
Interview records	Saved shortlist/member snapshots, invitation batch and email jobs, schedule drafts, token hashes, session/admission and identity consent/result/tombstone.
Transcript records	Transcript version/digest, final turns, speaker attribution and audio stream/timing metadata.
Assessment records	Run kind/status/source inputs, durable stages and answers, result hash, scoring revisions, append-only finding reviews and final selection snapshots.
Synthetic records	Wind Tunnel task/run/snapshot, synthetic documents, cohort assessments, findings and reviewed proposals; isolated from real applications.

Data or interface area	Required records and contract
Client API	Browser /api proxy to auth, JD/reference/question-bank, CV source/parsing/screening, interview/identity, assessment, suggestions and dashboard route families.
MCP boundaries	Recruitment tools authorize owned job lookup/results, JD handoff, explicit posting, invitation preview/confirm/status and question search; CV tools parse/profile/search/start/results; worker email tool sends authorized jobs.
External data paths	Google service account reads scoped Sheet/Drive; model adapters send required text; LiveKit transports media; Deepgram receives speech; SMTP sends recipient-specific email/calendar content.
Conflict/error contract	Invalid input, unauthorized access, not found, stale version and unavailable provider remain distinguishable; asynchronous starts return identifiers and pollable status.
Application deletion records	candidate_deletions retains a retryable cleanup manifest until completion; cv_import_exclusions retains source-scoped hashed Drive identifiers to prevent reimport. Other-job applications and the disclosed retained data remain outside this operation.

Key state contracts: CV parsing progresses through verifying/extracting/OCR/parsing/validation to completed, needs_review or failed. Interview sessions use ready/scheduled/in_progress/closing/completed/cancelled. Assessment runs use queued/running/completed/needs_review/failed. Wind Tunnel tasks additionally expose limited, cancelled and stale states. A state transition shall retain source scope and shall not imply a later stage has completed. Raw invitation tokens and candidate numerical identity scores are not public data contracts.

9.3 Business feature traceability

Serial No	Main Features	Description
F1 / F2	DA-C01 to C08; DA-S01 to S04	CV extraction, evidence matching, weighted scoring, tied ranks and reviewable source results.
F3 / F4	DA-V01 to V07; DA-T01 to T06	Recruiter-led browser media, speaker-attributed transcription, saved evidence and transcript finalization.
F5 / F6	DA-Q01 to Q06; DA-K01 to K04; DA-D04 to D06	Durable Q&A evaluation, consolidation, saved-result candidate comparison and report/PDF projections.
F7	DA-B01 to B09	Consent v3, one-face countdown, bounded comparisons, profile overview and human admission.
F8 / F9	DA-H01 to H04; DA-P01 to P05	Evidence-based CV claim review, versioned performance rubric and evidence-gated combined score.

Serial No	Main Features	Description
F10	DA-O01 to O04	Single-interview process quality and coverage; DA-O04 separately specifies cross-candidate process consistency.
F11	DA-W01 to W08	Wind Tunnel synthetic screening rehearsal and reviewed job improvements. The current suite pins two personas and one assessment pass per persona; historical runs retain their saved scope.
N1 to N12	DA-N01 to N06; DA-Z01 to Z06	Performance measurement, provider resilience, input protection, scoped access and deployment-security requirements.
N13 to N20	DA-G01 to G08; DA-G10 to G14; DA-Y03	Data minimization, disclosed service transfers, fairness and lifecycle boundaries. Application-scoped deletion and the broader N19 candidate-wide target are distinguished.
N21 to N26	DA-U01 to U06	Reproducibility, observability, maintainability, documentation, usability and durable state.

9.4 Verification assets and acceptance process

TC identifiers define scenario obligations in the requirement rows. They are not executed-test names or a claim of current passing status. For each scenario, record concrete steps/test methods, synthetic input, environment, command, expected/actual result, skips and evidence. Unit fixtures check contracts/arithmetic; database checks verify persistence and conflicts; browser fixtures verify UI behavior; controlled live acceptance verifies providers, real devices and end-to-end source/evidence quality.

Reference	Location
Access and assistant	backend/tests/test_auth_sessions.py, test_assistant_scope.py, test_assistant_mcp.py and frontend/tests/auth-session.test.mjs.
JD and sources	test_jd_profiles.py, test_jd_history.py, test_jd_targeted_edits.py, test_jd_chat_actions.py and test_cv_source_import.py.
CV and shortlist	test_cv_parsing.py, test_cv_scoring.py, test_cv_screening_results.py, test_cv_screening_progress.py, test_shortlisting.py and test_interview_selections.py.
Invitations and media	test_interview_invitations.py, test_invitation_scheduling.py, test_interview_sessions.py, test_livekit_room.py, test_interview_cleanup.py and test_transcript_preparation.py.
Identification	test_candidate_identification.py, test_interview_sessions.py and frontend/tests/face-countdown.test.mjs.

Reference	Location
Analysis and scoring	test_interview_analysis.py, test_consolidation.py, test_consolidation_storage.py, test_final_score.py, test_post_interview_analysis.py and test_assessment_recovery.py.
Reports and comparison	test_assessment_report.py, test_assessment_optional_data.py, frontend/tests/assessment-comparison.test.mjs and assessment-comparison.smoke.mjs.
Wind Tunnel	test_wind_tunnel_generation.py, test_wind_tunnel_current.py, test_wind_tunnel_suggestion_review.py and frontend/tests/wind-tunnel.smoke.mjs.
Application deletion	backend/tests/test_candidate_deletion.py, test_cv_source_import.py and frontend/tests/candidate-deletion.smoke.mjs; synthetic ownership, cascade, import-suppression, cleanup-retry and modal checks.

Backend test filenames without a directory are under backend/tests. Regression evidence shall include source isolation, changed previews, duplicate actions, partial outputs, worker interruption, null versus zero, historical versions and provider failures. Application-deletion assets are included above; candidate-wide erasure and cross-candidate process analysis require additional acceptance assets for their broader scopes.

9.5 Delivery constraints and innovation documentation

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-F01	C1 to C2 The innovation shall be a distinct recruitment-relevant feature with an original problem/value rationale.	F11 Wind Tunnel is identified separately from F1 to F10 and its useful decision support is demonstrated.	Innovation evaluation and design accountability are reviewed separately from feature availability.	TC-F01
DA-F02	C3 to C4 The project shall retain an approximately 300 to 500 word innovation rationale and design accountability.	Rationale explains problem, beneficiaries, value, alternatives and prioritization; project owner can explain design decisions.	Retain the rationale as a delivery artifact linked from the project documentation.	TC-F02

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test case Identifier
DA-F03	C5 to C8 The innovation shall work, integrate, be documented in README and be demonstrated.	Show generated synthetic inputs, grounded proposal review and explicit Apply in the running application.	The demonstration shall exercise the implemented workflow and its confirmed changes using suitable nonpersonal data.	TC-F03
DA-F04	G1 to G4 The repository shall be accessible to reviewers with incremental meaningful commits and clear messages.	Review source access and development history for the evaluated revision.	Repository access, incremental history and release reference shall be verified at handover.	TC-F04
DA-F05	G5 to G8 The project shall maintain a working branch strategy, repository hygiene, required docs and an unambiguous final tag.	Verify clarification/WBS/rationale/architecture/privacy material, ignore rules and final release reference.	Required documents, branch conventions and the final release reference form the handover checklist.	TC-F05
DA-F06	The delivery shall include working application, README, updated plan, architecture, privacy note and anonymized presentation/demo.	Demonstrate all six core features and F11 using supplied/synthetic data and record clean startup.	Milestone dates and approved delivery scope are controlled by the WBS and the recorded acceptance decisions.	TC-F06

9.6 Acceptance decisions and evidence

Acceptance area	Implementation baseline and evidence required
Application deletion and N19	Implemented: confirmed deletion for one job application, relational cleanup, stored CV/vector/parsing-checkpoint cleanup, import exclusions and worker safeguards. Recorded development verification on 27 October 2026: 10 deletion checks, 11 import checks, 40 frontend unit checks, fixture browser checks, build and lint passed. Broader N19 acceptance still covers other-job/chat/backup boundaries and all relevant workflow checkpoints, including screening checkpoints.
Interview process consistency	Implemented: evidence-based quality and coverage analysis for one interview. Not delivered as a dedicated workflow: DA-O04 cross-candidate process consistency analysis. Side-by-side F6 candidate comparison does not establish equivalent-question or process-consistency analysis.
Job-description acceptance	Implemented: conversational drafting, reviewed edits, criteria validation and approval. Acceptance shall include Form URL persistence/routing and prevention of unintended criteria or section changes. Retain a dated result and issue reference for any failing case; historical notes alone do not establish a current defect.
Performance and context	Before performance acceptance, the project owner shall approve the 20-CV elapsed-time budget, named API p95 budgets, speech display-delay budgets and two-device interview duration/network profile. Execute DA-N01 to N05 with recorded hardware, versions, workload and observed results. No numerical SLA is asserted by an unexecuted benchmark.
Connected recruitment journey	The implemented journey includes source import, controlled invitation delivery, interviews, finalized transcripts, F5/F6/insights, reports and final selection. Final release acceptance requires a recorded controlled run across the actual configured services and two devices, including recognition, overlap, reconnects and source-evidence correctness. Component/fixture checks do not replace that acceptance record.
Identification and lifecycle	Implemented: consent v3, countdown, bounded comparison, manual-review/admission alternatives and identification retention controls. Operational acceptance requires representative consenting face pairs, actual Form/Drive and device checks, and a documented threshold choice. Retention and backup policy must identify application, external-source and restoration responsibilities.
Reproducible operations	Local development startup, API/database health and the current migration were verified on 27 October 2026. Clean-machine reproduction, dependency/image review and complete database/document/vector backup restoration require separate recorded acceptance; local health does not establish those outcomes.
Scope and document approval	Record owner/reviewer approval of this requirements baseline and the WBS-controlled dates. Identify supporting Discord posting and invitation calendar artifacts explicitly in the delivery scope. Maintain release-specific acceptance results separately from this stable product specification.

Release acceptance shall reference the evaluated source revision, configured environment, scenario results and approved exceptions. Implemented features, completed verification and remaining acceptance obligations shall be recorded separately. Product scores and identity comparisons support human review; they do not certify hiring validity or legal identity.