X79Z — Car Vacuum Magnetic Phone Mount

Product Name: X79Z 360° Adjustable Hands-Free Double Vacuum Sucker Magnetic Suction Phone Mount
Product Type: Car Vacuum Magnetic Phone Mount
Alibaba Supplier Model: Boneruy X79Z

BASIC SPECS

Model: X79Z
Material: Zinc Alloy + PC body / Aluminum Alloy support arm
Net Weight: 180g
Package Dimensions: 9.5 x 8.3 x 7cm
Carton Quantity: 100 pcs per carton
Carton Dimensions: 52 x 33 x 32cm
Carton Gross Weight: ~20kg

Compatible Phones: 4–8 inch smartphones
Compatible Vehicles: Universal — all car models
Contains Electronics: None (no battery, no motor, no LED, no charging circuit)

DIMENSIONS

Suction Cup Diameter: 70mm
Base Outer Rim Diameter: 82mm
Base Height: 45mm
Base Width: 73mm
Lower Arm Length: 67mm
Upper Arm Length: 57mm
Full Arm Extension: 208mm
Total Height Deployed: ~358mm
Folded Height: ~58mm

SUCTION & ADHESION

Cup Size: 70MM large-format suction cup
Type: Passive gel adhesive base — no motor, no battery, no pump
How It Works: Press to adsorb — rotate ring clockwise to increase vacuum pressure, counter-clockwise to release
Adhesive Type: Thickened repositionable gel — washable and reusable
Removal: Pull-tab assisted release — no marks, no residue
Heat Performance: Stays firm under high-temperature exposure
Reusability: Rinse with water to fully restore suction strength

Surface Compatibility:
• Plastic dashboard
• Leather dashboard
• Genuine leather dashboard

• Glass (windshield / windows)
• Wood-grain surfaces
• Rearview mirror
• Smooth bathroom tiles
• Vanity mirror
• Gym mirror
• Wood-grain desktop
• Any smooth non-porous surface

MAGNETIC SYSTEM

Magnet Grade: N52 super-strong neodymium (highest grade)
Magnet Count: 16 locking magnets in native closed-loop array
Array Type: Dual-ring N52 powerful magnet array
vs. Cheap Alternatives: 8 ordinary magnets that weaken over time

iPhone Compatibility: iPhone 12 / 13 / 14 / 15 / 16 — bare phone attaches directly, no accessories needed
Android & Other: Attaches via included magnetic ring sticker placed on phone back or case
Wireless Charging: Not applicable — magnetic holding only, no wireless charging coil
Vibration Resistance: Stays secure on bumpy and rough roads

———

ARM & ARTICULATION

Design: Ultra-flexible metal 4-axis design
Arm Material: Widened aluminum alloy — anti-breakage, pressure-resistant
Total Angle Coverage: 970° ultra-wide

Rotation Points:
• Point 1 — Phone ring head: 180° rotation

• Point 2 — Mid-arm elbow joint: 250° rotation
• Point 3 — Arm-to-base turntable: 360° linear with satisfying click detents
• Point 4 — Base-level arm sweep: 180° rotation

Arm Extension: Freely adjustable telescopic length — no fixed stops
Fold: Folds completely flat for storage and travel
Pivot Quality: Anti-shatter precision-engineered metal pivot
Turntable: Anti-jam precision turntable with 360° click detents

---

BUILD QUALITY

Body: Zinc alloy + PC construction
Arm: Widened aluminum alloy — won't break, superior stability
Pivot: Anti-shatter precision metal pivot

Turntable: Anti-jam precision turntable
Adhesive Base: Thickened repositionable gel — high load capacity, heat resistant
Barbell weight-bearing tested (per supplier)

USE SCENARIOS

• Car dashboard (all surface types including textured)
• Car rearview mirror
• Car windshield
• Gym mirror and gym equipment
• Bathroom mirror and smooth tiles
• Bedroom vanity table and makeup mirror
• Wood-grain or glass desktop
• Travel and self-driving trips
• Navigation while driving
• Live streaming and video recording
• TikTok / YouTube / Instagram content creation

• Makeup and beauty routines

PACKAGE CONTENTS(confirm with supplier)

• 1x X79Z Vacuum Magnetic Phone Mount
• Magnetic phone clip for non magnetic phones to mount on X79Z
• 2x Magnetic ring sticker (for non-MagSafe phones)
• 1x Red Adhesive base pad
• 1x User manual

COMPLIANCE STATUS

No battery — UN38.3 not applicable
No electronics — FCC not applicable
No wireless charging — WPC / Qi not applicable
Country of origin marking required: Made in

China (CBP 19 CFR Part 134)
California Prop 65 warning required (neodymium magnets + zinc/aluminum alloy)
RoHS declaration: request from supplier (optional but recommended)
16 CFR Part 1262 magnet set rule: NOT applicable — magnets are permanently embedded in functional product