


db−RDA plot for the 2022 and 2023 James Bay expeditions: Year
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Month
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Day
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Cast
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Latitude [deg] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Longitude [deg] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Bot. Depth [m]
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Depth [m]
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: dna_conc (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Salinity [PSU] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Temperature [deg C] (variance explained: 33.97 %; adjusted R²: 29.9 %)




b−RDA plot for the 2022 and 2023 James Bay expeditions: Potential Temperature [deg C] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Density [kg/m^3]
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Sigma−theta [kg/m^3] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Oxygen [umol/kg] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: CDOM [mg/m^3] (variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Fluorescence [mg/m^3] (variance explained: 33.97 %; adjusted R²: 29.9 %)



db−RDA plot for the 2022 and 2023 James Bay expeditions: PAR [umol photons/m^2/sec]
(variance explained: 33.97 %; adjusted R²: 29.9 %)




db−RDA plot for the 2022 and 2023 James Bay expeditions: Beam Transmission [%] (variance explained: 33.97 %; adjusted R²: 29.9 %)




Beam Transmission [%]
40
60
80

Cluster
1
2
3
4
5
6
7

db−RDA plot for the 2022 and 2023 James Bay expeditions: Beam Attenuation [1/m] (variance explained: 33.97 %; adjusted R²: 29.9 %)



db−RDA plot for the 2022 and 2023 James Bay expeditions: Distance to coast [km] (variance explained: 33.97 %; adjusted R²: 29.9 %)



Distance to coast [km]
50
100
150
200

Cluster
1
2
3
4
5
6
7

Variable	F	P−value	Significance code
Salinity	15.49	0.000999	***
Temperature	6.20	0.000999	***
Depth	5.93	0.000999	***
Distance_to_coast	5.82	0.000999	***