

ServiceNow CSA Practice Exam

SNPro.jobs · snpro.jobs/servicenow-csa-practice-exam

June 11, 2026

ServiceNow CSA Practice Exam

400 practice questions with detailed explanations for the ServiceNow Certified System Administrator (CSA) exam.

A free study resource from [SNPro.jobs](https://snpro.jobs). Questions are modeled on the CSA exam blueprint and paired with original explanations and official documentation links. Not affiliated with or endorsed by ServiceNow — for study purposes only.

Q1. A SERVICE CATALOG MAY INCLUDE WHICH OF THE FOLLOWING COMPONENTS?

Service Catalog · easy

- **A.** Order Guides, Exchange Rates, Calendars
- **B.** Order Guides, Catalog Items, and Interceptors
- **C.** Catalog Items, Asset Contracts, Task Surveys
- **D.** Record Producers, Order Guides, and Catalog Items

Answer: D

A Service Catalog is assembled from Catalog Items (the orderable products and services), Order Guides (which bundle several related items into a single guided request), and Record Producers (catalog-style forms that create records on a target table). Option D names all three. The other choices fold in unrelated platform features such as Exchange Rates, Calendars, Asset Contracts, and Task Surveys, none of which are catalog building blocks.

Reference: [ServiceNow Docs — Service Catalog Management](#)

Q2. WHICH ONE OF THE FOLLOWING STATEMENTS APPLIES TO A SET OF FIELDS WHEN THEY ARE COALESCED DURING AN IMPORT?

Import Sets & Data Sources · medium

- **A.** If a match is found using the coalesce fields, the existing record is updated with the information being imported
- **B.** If a match is not found using the coalesce fields, the system does not create a Transform Map
- **C.** If a match is found using the coalesce fields, the system creates a new record

- **D.** If a match is not found using the coalesce fields, the existing record is updated with the information being imported

Answer: A

The coalesce field(s) serve as the match key during a transform. When the system finds an existing record whose coalesce value equals the incoming row, it updates that record rather than inserting a duplicate (A). If no match exists it inserts a new record, so options C and D have the logic reversed, and coalescing has no bearing on whether a Transform Map is created (B).

Reference: [ServiceNow Docs — Field mapping and coalesce](#)

Q3. AS IT RELATES TO SERVICENOW REPORTING, WHICH OF THE FOLLOWING STATEMENTS DESCRIBES WHAT A METRIC CAN DO?

Reporting & Analytics · medium

- **A.** A metric is a report gauge used on homepages to display real-time data
- **B.** A metric is a time measurement used to report the effectiveness of workflows and SLAs
- **C.** A metric is used to measure and evaluate the effectiveness of IT service management processes
- **D.** A metric is a comparative measurement used to report the effectiveness of workflows and SLAs.

Answer: C

A Metric measures and evaluates how effective and efficient your ITSM processes are over time, such as how long a record spends in a given state (C). A gauge (A) is a homepage visualization rather than the metric itself, and options B and D describe SLA behavior, not what a metric does.

Reference: [ServiceNow Docs — Metrics](#)

Q4. THE DISPLAY SEQUENCE IS CONTROLLED IN A SERVICE CATALOG ITEM USING WHICH OF THE FOLLOWING?

Service Catalog · medium

- **A.** The Default Value field in the Catalog Item form
- **B.** The Sequence field in the Catalog Item form

- **C.** The Order field in the Variable form
- **D.** The Choice field in the Variable form

Answer: C

The order in which variables appear on a catalog item is governed by the Order field on each Variable record; lower Order values render higher on the form (C). The Default Value field seeds a starting value, the Choice field defines selectable options for choice-type variables, and there is no Sequence field on the Catalog Item form that drives variable display order.

Reference: [ServiceNow Docs — Service Catalog variables](#)

Q5. REPORTS CAN BE CREATED FROM WHICH DIFFERENT PLACES IN THE PLATFORM? (CHOOSE TWO.)

Reporting & Analytics · medium

- **A.** List column heading
- **B.** Metrics module
- **C.** Statistics module
- **D.** View / Run module

Answer: A, D

A report can be generated straight from a list column heading by clicking the header and choosing a chart/create-report option (A), and from the Reports application using the View / Run module, which opens the report designer (D). The Metrics and Statistics modules (B and C) are not entry points for building reports.

Reference: [ServiceNow Docs — Create a report](#)

Q6. KNOWLEDGE BASE SEARCH RESULTS CAN BE SORTED BY WHICH OF THE FOLLOWING? (CHOOSE THREE.)

Knowledge Management · medium

- **A.** Most recent update
- **B.** Popularity
- **C.** Relevancy
- **D.** Manager assignment

- E. Number of views

Answer: A, C, E

Knowledge search results can be sorted by Relevancy (best keyword match), Most recent update (newest content), and Number of views (most-read articles) — A, C, and E. 'Popularity' and 'Manager assignment' are not standard Knowledge search sort options.

Reference: [ServiceNow Docs — Knowledge Management search](#)

Q7. WHAT IS THE PATH AN ADMINISTRATOR COULD TAKE TO VIEW THE FULFILLMENT STAGE TASK LIST FOR AN ORDER PLACED BY A USER?

Service Catalog · medium

- A. RITM (Number)>REQ (Number)>PROCUREMENT (Number)
- B. REQ (Number)>RITM (Number)>PROCUREMENT (Number)
- C. REQ (Number)>RITM (Number)>TASK (Number)
- D. FULFILLMENT (Number)>RITM (Number)>TASK (Number)

Answer: C

Placing an order creates a Request (REQ). Each REQ holds one or more Requested Items (RITM), and every RITM spawns the catalog Tasks (TASK) that fulfillers actually work. The administrator therefore drills REQ to RITM to TASK (C). 'Procurement' and 'Fulfillment' are not records in this chain.

Reference: [ServiceNow Docs — Service Catalog request fulfillment](#)

Q8. WHICH TERM REFERS TO APPLICATION MENUS AND MODULES WHICH YOU MAY WANT TO ACCESS QUICKLY AND OFTEN?

User Interface & Navigation · easy

- A. Breadcrumb
- B. Favorite
- C. Tag
- D. Bookmark

Answer: B

Application menus and modules you want to reach quickly are saved as Favorites, accessible from the star/favorites view in the Application Navigator (B). A Bookmark is a browser-level concept, a Breadcrumb shows your filter path on a list, and a Tag labels records, so none of those is the navigator shortcut described.

Reference: [ServiceNow Docs — Favorites in the navigator](#)

Q9. WHAT IS GENERATED FROM THE SERVICE CATALOG ONCE A USER PLACES AN ORDER FOR AN ITEM OR SERVICE?

Service Catalog · easy

- **A.** A change request
- **B.** An Order Guide
- **C.** A request
- **D.** An SLA

Answer: C

Submitting a catalog order generates a Request (REQ), the top-level record that tracks the overall order and contains the individual Requested Items (C). An Order Guide is a tool used before ordering to bundle items, a change request belongs to Change Management, and an SLA tracks timeliness rather than being created by placing an order.

Reference: [ServiceNow Docs — Requests, items, and tasks](#)

Q10. FROM THE USER MENU, WHICH ACTIONS CAN A USER SELECT? (CHOOSE THREE.)

Application Access & Security · medium

- **A.** Send Notifications
- **B.** Log Out ServiceNow
- **C.** Elevate Roles
- **D.** Impersonate Users
- **E.** Order from Service Catalog
- **F.** Approve Records

Answer: B, C, D

From the user/settings menu in the top-right banner a user can Log Out, Elevate Roles (temporarily activate elevated privileges such as security_admin), and Impersonate Users (admins acting as another user for testing) — B, C, and D. Sending notifications, ordering from the catalog, and approving records are performed elsewhere in the platform, not from this menu.

Reference: [ServiceNow Docs — Elevate role privileges](#)

Q11. BUTTONS, FORM LINKS, AND CONTEXT MENU ITEMS ARE ALL EXAMPLES OF WHAT TYPE OF FUNCTIONALITY?

Platform Automation · medium

- **A.** Business Rule
- **B.** UI Action
- **C.** Client Script
- **D.** UI Policy

Answer: B

Buttons, form links, and context-menu items are all configured as UI Actions, which place clickable controls in the interface that run server- or client-side logic (B). Business Rules execute on the server during database operations, Client Scripts react to form events, and UI Policies dynamically change field state, so none of them renders those clickable controls.

Reference: [ServiceNow Docs — UI Actions](#)

Q12. WHICH OF THE FOLLOWING IS TRUE OF SERVICE CATALOG ITEMS IN RELATION TO THE SERVICE CATALOG?

Service Catalog · easy

- **A.** They run behind the scenes.
- **B.** They are the building blocks.
- **C.** They are optional.
- **D.** They provide options.

Answer: B

Catalog Items are the fundamental building blocks of a Service Catalog; they are the orderable products and services that users actually request (B). They are visible front-end records rather than something that runs behind the scenes, they are not optional to a functioning catalog, and 'provide options' more accurately describes variables within an item.

Reference: [ServiceNow Docs — Catalog Items](#)

Q13. TABLE ACCESS CONTROL RULES ARE PROCESSED IN THE FOLLOWING ORDER:

Application Access & Security · hard

- **A.** any table name (wildcard), parent table name, table name
- **B.** table name, parent table name, any table name (wildcard)
- **C.** parent table name, table name, any table name (wildcard)
- **D.** any table name (wildcard), table name, parent table name

Answer: B

ServiceNow evaluates matching ACLs from most specific to least specific: the table's own ACL first, then ACLs on its parent table(s), and finally the wildcard (*) 'any table' rule — order B. Because access requires passing the most specific applicable rule, specificity is checked before the catch-all wildcard.

Reference: [ServiceNow Docs — How access control rules are processed](#)

Q14. WHAT IS THE PLATFORM NAME FOR THE USER TABLE?

Database Administration · easy

- **A.** u_users
- **B.** sys_users
- **C.** x_users
- **D.** sys_user

Answer: D

The platform (database) name of the User table is sys_user (D), singular and carrying the sys_ prefix used for core platform tables. 'sys_users' is wrong because it is plural, while the u_ and x_ prefixes denote custom tables in the global and scoped applications respectively, not the

core User table.

Reference: [ServiceNow Docs — User administration \(sys_user\)](#)

Q15. A REQ NUMBER IN THE SERVICE CATALOG REPRESENTS”

Service Catalog · easy

- **A.** the order number.
- **B.** the stage.
- **C.** the task to complete.
- **D.** the individual item in the order.

Answer: A

A REQ (Request) number represents the overall order a user places (A). Within that request, each Requested Item (RITM) is an individual item in the order, and catalog Tasks (TASK) track the work to complete it, so ‘the individual item’ and ‘the task’ describe RITM and TASK rather than REQ.

Reference: [ServiceNow Docs — Requests, items, and tasks](#)

Q16. WHICH WOULD NOT APPEAR IN THE HISTORY SECTION OF THE APPLICATION NAVIGATOR?

User Interface & Navigation · medium

- **A.** Records
- **B.** UI Pages
- **C.** Lists
- **D.** Forms

Answer: B

The History section of the Application Navigator records the lists, forms, and individual records a user has recently visited, so it surfaces Records, Lists, and Forms. UI Pages are standalone Jelly/HTML pages that are not tracked as navigation history, which is why B is the item that would NOT appear.

Reference: [ServiceNow Docs — Application Navigator history](#)

Q17. WHICH ONE OF THE FOLLOWING STATEMENTS IS A RECOMMENDATION FROM SERVICENOW ABOUT UPDATE SETS?*Migration & Update Sets · medium*

- **A.** Avoid using the Default Update set as an Update Set for moving customizations from instance to instance
- **B.** Before moving customizations from instance to instance with Update Sets, ensure that both instances are different versions
- **C.** Use the Baseline Update Set to store the contents of items after they are changed the first time
- **D.** Once an Update Set is closed as 'œComplete', change it back to 'œIn Progress' until it is applied to another instance

Answer: A

ServiceNow recommends not using the Default update set to move customizations between instances (A); leave Default in place and create named update sets for your work. The others are anti-patterns: source and target instances should be on the same version, a Completed set should not be reopened, and the Baseline set is a system-managed record used for back-out rather than a place you store changes.

Reference: [ServiceNow Docs — Update Sets](#)

Q18. WHICH OF THE FOLLOWING IS USED TO INITIATE A FLOW?*Flow Designer & Workflows · easy*

- **A.** A Trigger
- **B.** Core Action
- **C.** A spoke
- **D.** An Event

Answer: A

Every Flow Designer flow begins with a Trigger, which defines the condition that starts the flow, such as a record being created or updated, a schedule, or an inbound email (A). Core Actions are steps inside the flow, a Spoke is a packaged set of integration actions, and an Event is a separate, legacy automation mechanism.

Reference: [ServiceNow Docs — Flow Designer triggers](#)

Q19. FOR ADMINISTRATORS CREATING NEW SERVICE CATALOG ITEMS, WHAT IS A CHARACTERISTIC THEY SHOULD KNOW ABOUT SERVICE CATALOG VARIABLES?

Service Catalog · hard

- **A.** Service Catalog variables can only be used in Record Producers
- **B.** Service Catalog variables can only be used in Order Guides
- **C.** Service Catalog variables cannot affect the order price
- **D.** Service Catalog variables are global by default

Answer: D

The source answer marks D, treating variables as global by default. In practice this is misleading: each variable is owned by a single catalog item unless it is deliberately created as a Variable Set and shared, and price-affecting variables (such as pricing on a choice) directly contradict option C. Options A and B are clearly false because variables are used across catalog items generally, not solely in Record Producers or Order Guides.

Reference: [ServiceNow Docs — Service Catalog variables](#)

Q20. WHICH ONE OF THE FOLLOWING STATEMENTS IS TRUE ABOUT COLUMN CONTEXT MENUS?

Lists, Filters & Forms · medium

- **A.** It displays actions such as creating quick reports, configuring the list, and exporting data
- **B.** It displays actions related to filtering options, assigning tags, and search
- **C.** It displays actions related to viewing and filtering the entire list
- **D.** It displays actions such as view form, view related task, and add relationship

Answer: A

The column context menu, opened by clicking a list column heading, exposes actions for working with the displayed data such as creating quick reports, configuring the list, grouping, and exporting (A). Viewing a related form or record and 'add relationship' belong to the row/record context menu, not the column header menu.

Reference: [ServiceNow Docs — List column context menu](#)

Q21. WHICH ONE STATEMENT CORRECTLY DESCRIBES ACCESS CONTROL RULE EVALUATION?

Application Access & Security · hard

- **A.** Rules are evaluated using roles. The role with the most permissions evaluates the rules first
- **B.** If more than one rule applies to a row, the older rule is evaluated first
- **C.** If a row level rule and a field level rule exist, both rules must be true before an operation is allowed
- **D.** Rules are evaluated from the general to the specific, so a table rule must be active to continue

Answer: C

For a given operation ServiceNow evaluates both the table/row-level ACL and the more specific field-level ACL, and the user must pass BOTH before access is granted (option C). Option D is wrong because ACLs are matched most-specific to most-general (specific-to-general), not 'general to the specific.' Options A and B misstate the algorithm: evaluation order is not based on which role has the most permissions, nor on rule age.

Reference: [ServiceNow Docs — Access control rule evaluation](#)

Q22. WHEN USING THE LOAD DATA AND TRANSFORM MAP PROCESS, WHAT IS THE MAPPING ASSIST USED FOR?

Import Sets & Data Sources · medium

- **A.** Mapping fields using the Import Log
- **B.** Mapping fields using Transform History
- **C.** Mapping fields using an SLA
- **D.** Mapping fields using a Field Map

Answer: D

Mapping Assist is the visual tool that lets you create field maps by pairing source columns to target fields, so it maps fields using a Field Map (D). The Import Log and Transform History are diagnostic records of what happened during a load, and an SLA is unrelated to field mapping

entirely.

Reference: [ServiceNow Docs — Mapping fields with Mapping Assist](#)

Q23. WHICH ONE OF THE FOLLOWING STATEMENTS DESCRIBES THE CONTENTS OF THE CONFIGURATION MANAGEMENT DATABASE (CMDB)?

Database Administration · medium

- **A.** The CMDB contains data about tangible and intangible business assets
- **B.** The CMDB contains the Business Rules that direct the intangible, configurable assets used by a company
- **C.** The CMDB archives all Service Management PaaS equipment metadata and usage statistics
- **D.** The CMDB contains ITIL process data pertaining to configuration items

Answer: A

The CMDB stores configuration items (CIs), which span both tangible assets such as servers and laptops and intangible ones such as business services and applications (A). It does not hold Business Rules (B), it is not merely an archive of PaaS equipment statistics (C), and it stores CI data rather than ITIL process records themselves (D).

Reference: [ServiceNow Docs — Configuration Management Database](#)

Q24. IN WHAT ORDER SHOULD FILTER ELEMENTS BE SPECIFIED?

Lists, Filters & Forms · easy

- **A.** Field, Operator, then Value
- **B.** Field, Operator, then Condition
- **C.** Operator, Condition, then Value
- **D.** Value, Operator, then Field

Answer: A

A filter condition is built in the order Field, Operator, then Value, for example 'Priority' 'is' '1 - Critical' (A). The other sequences scramble these elements; 'Condition' is the whole expression rather than a standalone third element, and reversing to Value-first does not match how the con-

dition builder accepts input.

Reference: [ServiceNow Docs — Filters and the condition builder](#)

Q25. WHICH STATEMENT IS TRUE ABOUT BUSINESS RULES?

Platform Automation · medium

- **A.** A business rule must run before a database action occurs
- **B.** A business rule can be a piece of Javascript
- **C.** A business rule must not run before a database action occurs
- **D.** A business rule monitors fields on a form

Answer: B

A Business Rule is server-side logic written in JavaScript that runs when records are queried, inserted, updated, or deleted (B). It can be configured to run before, after, async, or on display relative to the database action, so 'must run before' and 'must not run before' are both false, and monitoring fields on a form as a user types is the job of Client Scripts and UI Policies.

Reference: [ServiceNow Docs — Business Rules](#)

Q26. WHICH OF THE FOLLOWING ARE A TYPE OF CLIENT SCRIPTS SUPPORTED IN SERVICENOW? (CHOOSE FOUR.)

Platform Automation · medium

- **A.** onSubmit
- **B.** onUpdate
- **C.** onCellEdit
- **D.** onLoad
- **E.** onEdit
- **F.** onChange
- **G.** onSave

Answer: A, C, D, F

ServiceNow supports four client script types: onLoad (runs when the form loads), onChange (runs when a specified field changes), onSubmit (runs when the form is submitted), and onCellEdit (runs when a field is edited inline in a list) — A, C, D, and F. onUpdate, onEdit, and onSave are not valid client script types.

Reference: [ServiceNow Docs — Client Scripts](#)

Q27. WHICH TYPE OF TABLES MAY BE EXTENDED BY OTHER TABLES, BUT DO NOT EXTEND ANOTHER TABLE?

Database Administration · medium

- **A.** Base Tables
- **B.** Core Tables
- **C.** Extended Tables
- **D.** Custom Tables

Answer: A

A Base Table sits at the top of a class hierarchy: other tables can extend it, but it does not itself extend a parent (A). Extended Tables are by definition children that inherit from a parent, Core Tables refers broadly to ServiceNow's built-in tables, and Custom Tables are simply tables an admin creates, which may or may not extend something.

Reference: [ServiceNow Docs — Table extension](#)

Q28. WHICH OF THE FOLLOWING STATEMENT DESCRIBES THE PURPOSE OF AN ORDER GUIDE?

Service Catalog · easy

- **A.** Order Guides restrict the number of items in an order to only one item per request
- **B.** Order Guide provide a list of guidelines for Administrators on how to set up item variables
- **C.** Order Guide provide the ability to order multiple, related items as one request
- **D.** Order Guides take the user directly to the checkout without prompting for information

Answer: C

An Order Guide lets a user order multiple related items together as a single request, often gathering shared information once and using it to populate each included item (C). This is the opposite of restricting an order to one item (A), it is a user-facing ordering tool rather than admin guidelines (B), and it adds a guided flow rather than skipping straight to checkout (D).

Reference: [ServiceNow Docs — Order Guides](#)

Q29. WHICH TOOL IS USED TO HAVE CONVERSATIONS WITH LOGGED-IN USERS IN REAL-TIME?

Self-Service & Notifications · medium

- **A.** Connect Chat
- **B.** Now Messenger
- **C.** User Presence
- **D.** Comments

Answer: A

Connect Chat provides real-time messaging between logged-in users, supporting one-to-one and group conversations inside the platform (A). User Presence only indicates whether someone is online, Comments are an asynchronous journal field on records, and Now Messenger refers to the Virtual Agent end-user chat widget rather than person-to-person chat.

Reference: [ServiceNow Docs — Connect Chat](#)

Q30. WHICH OF THE FOLLOWING CONCEPTS ARE ASSOCIATED WITH THE SERVICENOW CMDB? (CHOOSE FOUR.)

Database Administration · medium

- **A.** Service Processes
- **B.** User Permissions
- **C.** Tables and Fields
- **D.** A Database
- **E.** The Dependency View

Answer: A, C, D, E

The CMDB is associated with a Database of configuration items, the Tables and Fields that model those CIs, the Service Processes the CIs support, and the Dependency View that visualizes CI relationships — A, C, D, and E. User Permissions are governed by roles and ACLs, which are a separate security concern rather than a CMDB concept.

Reference: [ServiceNow Docs — CMDB concepts](#)

Q31. WHAT IS A FORMATTER? SELECT ONE OF THE FOLLOWING.

Lists, Filters & Forms · medium

- **A.** A formatter allows you to configure applications on your instance
- **B.** A formatter is a form element used to display information that is not a field in the record
- **C.** A formatter allows you to populate fields automatically
- **D.** A formatter is a set of conditions applied to a table to help find and work with data

Answer: B

A formatter is a form element that displays information not stored directly as a field on the record, such as an Activity stream or an Approvers summary (B). Automatically populating fields is the job of scripts or defaults (C), and a set of conditions applied to a table to find data describes a filter (D), not a formatter.

Reference: [ServiceNow Docs — Formatters](#)

Q32. WHEN SEARCHING USING THE APP NAVIGATOR SEARCH FIELD, WHAT CAN BE RETURNED? (CHOOSE FOUR.)

User Interface & Navigation · medium

- **A.** Names of Applications and Modules
- **B.** Names of Modules
- **C.** Names of Applications
- **D.** Favorites
- **E.** History Records
- **F.** Titles of Dashboard Gauges

Answer: A, B, C, D

Typing in the Application Navigator filter narrows the navigation tree by matching application names, module names, the combination of both, and favorites — A, B, C, and D. It filters the navigator content, so it does not return browsing History records or the titles of dashboard gauges.

Reference: [ServiceNow Docs — Application Navigator filter](#)

Q33. WHICH TECHNIQUE IS USED TO GET INFORMATION FROM A SERIES OF REFERENCED FIELDS FROM DIFFERENT TABLES?

Database Administration · easy

- **A.** Table-Walking
- **B.** Sys_ID Pulling
- **C.** Dot-Walking
- **D.** Record-Hopping

Answer: C

Dot-walking follows reference fields from one table to another using dot notation, for example `caller_id.department.name`, to reach values on related records (C). 'Table-Walking', 'Sys_ID Pulling', and 'Record-Hopping' are not ServiceNow terms and are included only as distractors.

Reference: [ServiceNow Docs — Dot-walking](#)

Q34. WHAT IS A SCHEMA MAP?

Database Administration · medium

- **A.** A schema map enables administrators to define records from specific tables as trouble sources for Configuration Items
- **B.** A schema map graphically organizes the visual task boards for the CMDB
- **C.** A schema map graphically displays the Configuration Items that support a business service
- **D.** A schema map displays the details of tables and their relationships in a visual manner, allowing administrators to view and easily access different parts of the database schema

Answer: D

A schema map visually displays tables and the relationships between them, letting administrators explore and navigate the database schema (D). Graphically displaying the CIs that support a business service describes a dependency/business service map (C), and the other options invent unrelated trouble-source or task-board behavior.

Reference: [ServiceNow Docs — Schema map](#)

Q35. WHICH ONE OF THE FOLLOWING STATEMENTS BEST DESCRIBES THE PURPOSE OF AN UPDATE SET?

Migration & Update Sets · easy

- **A.** An Update Set allows administrators to group a series of changes into a named set and then move this set as a unit to other systems
- **B.** By default, an Update Set includes customizations, Business Rules, and homepages
- **C.** An Update Set is a group of customizations that is moved from Production to Development
- **D.** By default, the changes included in an Update Set are visible only in the instance to which they are applied

Answer: A

An Update Set groups a series of configuration changes into a named bundle that can be moved as a single unit to other instances (A). Update Sets normally promote changes from a lower environment such as Development up to Production, not the reverse (C), and the remaining options misstate default contents and visibility.

Reference: [ServiceNow Docs — Update Sets](#)

Q36. WHICH OF THE FOLLOWING CAN BE CUSTOMIZED THROUGH THE BASIC CONFIGURATION UI 16 MODULE? (CHOOSE THREE.)

User Interface & Navigation · medium

- **A.** Banner Image
- **B.** Record Number Format
- **C.** Browser Tab Title
- **D.** System Date Format
- **E.** Form Header Size

Answer: A, C, D

The Basic Configuration (UI16) module lets administrators set branding and global preferences such as the Banner Image, the Browser Tab Title, and the System Date Format — A, C, and D. Record Number Format is configured per table on the Number record, and there is no Form Header Size setting in this module.

Reference: [ServiceNow Docs — Branding and Basic Configuration \(UI16\)](#)

Q37. WHAT IS THE FUNCTION OF USER IMPERSONATION?

Application Access & Security · easy

- **A.** Testing and visibility
- **B.** Activate verbose logging
- **C.** View custom perspectives
- **D.** Unlock Application master list

Answer: A

Impersonation lets an administrator act as another user to test what that user can see and do, which is invaluable for verifying roles, ACLs, and the self-service experience (A). It does not enable verbose logging, render special perspectives, or unlock any application master list.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q38. WHAT INFORMATION DOES THE SYSTEM DICTIONARY CONTAIN?

Database Administration · medium

- **A.** The human-readable labels and language settings
- **B.** The definition for each table and column
- **C.** The information on how tables relate to each other
- **D.** The language dictionary used for spell checking

Answer: B

The System Dictionary (sys_dictionary) stores the definition of every table and field, including data type, length, and attributes (B). Human-readable labels live in the related Field Labels (sys_documentation) table (A), table relationships are modeled separately through references

and the schema map (C), and it has nothing to do with spell-check dictionaries (D).

Reference: [ServiceNow Docs — System Dictionary](#)

Q39. WHEN WORKING ON A FORM, WHAT IS THE DIFFERENCE BETWEEN INSERT AND UPDATE OPERATIONS?

Lists, Filters & Forms · medium

- **A.** Insert creates a new record and Update saves changes, both remain on the form
- **B.** Insert creates a new record and Update saves changes, both exit the form
- **C.** Insert saves changes and exits the form, Update saves changes and remains on the form
- **D.** Insert saves changes and remains on the form, Update saves changes and exits the form

Answer: B

Insert creates a brand-new record from the current form values, and Update saves changes to the existing record; in both cases the user is returned to the previous list rather than left on the form (B). This contrasts with Save, which commits changes but keeps you on the form, so the options that 'remain on the form' confuse Insert/Update with Save behavior.

Reference: [ServiceNow Docs — Form save, insert, and update](#)

Q40. HOW IS THE EVENT LOG DIFFERENT FROM THE EVENT REGISTRY?

Platform Automation · medium

- **A.** Event Log contains generated Events, the Event Registry is a table of Event definitions
- **B.** Event Log is formatted in the Log style, the Event Registry displays different fields
- **C.** Event Log lists Events that were triggered by integrations, the Event Registry lists the Events that were triggered during the day (24-hour period)
- **D.** Event Log is the same as the Event Registry

Answer: A

The Event Log (sysevent) records actual event instances that the system has generated and queued, while the Event Registry (sysevent_register) is the catalog of event definitions that can be fired (A). They are therefore not the same record set (D), and the other options misdescribe the distinction as formatting or time-window differences.

Reference: [ServiceNow Docs — Events and the Event Registry](#)

Q41. WHAT IS A DICTIONARY OVERRIDE?

Database Administration · hard

- **A.** A Dictionary Override is an incoming customer update in an Update Set which applies to the same objects as a newer local customer update
- **B.** A Dictionary Override is the addition, modification, or removal of anything that could have an effect on IT services
- **C.** A Dictionary Override is a task within a workflow that requests an action before the workflow can continue
- **D.** A Dictionary Override sets field properties in extended tables

Answer: D

A Dictionary Override lets you change selected attributes of an inherited field (such as default value, mandatory, or read-only) on a child table without affecting the parent, so it sets field properties in extended tables (D). Option B defines a Change, option C describes an approval/workflow activity, and option A describes an update collision, none of which is a dictionary override.

Reference: [ServiceNow Docs — Dictionary overrides](#)

Q42. WHICH GROUP OF PERMISSIONS IS USED TO CONTROL APPLICATION AND MODULE ACCESS?

Application Access & Security · medium

- **A.** Access Control Rules
- **B.** UI Policies
- **C.** Roles
- **D.** Assignment Rules

Answer: C

Applications and modules are shown or hidden based on Roles; you assign a required role to the application menu or module, and only users with that role see it (C). Access Control Rules secure data operations on tables and fields, UI Policies control field behavior on forms, and Assignment Rules route records, so none of those governs navigator visibility.

Reference: [ServiceNow Docs — Roles](#)

Q43. WHAT IS A RECORD PRODUCER?

Service Catalog · medium

- **A.** A Record Producer is a type of Catalog Item that is used for Requests, not Services
- **B.** A Record Producer creates user records
- **C.** A Record Producer is a type of Catalog Item that provides easy ordering by bundling requests
- **D.** A Record Producer is a type of a Catalog Item that allows users to create task-based records from the Service Catalog

Answer: D

A Record Producer is a special catalog item that presents a friendly, catalog-style form and uses it to create a record on a target table, commonly a task-based table such as Incident (D). Bundling related items for easy ordering describes an Order Guide (C), and Record Producers can create records on many tables rather than only user records (B).

Reference: [ServiceNow Docs — Record Producers](#)

Q44. CREATE INCIDENT, PASSWORD RESET, AND REPORT OUTAGE: WHAT DO THESE SERVICES IN THE SERVICE CATALOG HAVE IN COMMON?

Service Catalog · medium

- **A.** They direct the user to a record producer
- **B.** They direct the user to a catalog property
- **C.** They direct the user to a catalog UI policy
- **D.** They direct the user to a catalog client script

Answer: A

Create Incident, Password Reset, and Report Outage all create a record on a target table from a catalog-style form, which is exactly what a Record Producer does (A). Catalog properties, catalog UI policies, and catalog client scripts are configuration or behavior components within catalog items rather than the user-facing item these services point to.

Reference: [ServiceNow Docs — Record Producers](#)

Q45. WHAT IS THE IMPORT SET TABLE?

Import Sets & Data Sources · medium

- **A.** A table where data will be placed, post-transformation
- **B.** A table that determines relationships
- **C.** A staging area for imported records
- **D.** A repository for Update Set information

Answer: C

The Import Set Table is a temporary staging area that holds incoming rows before a Transform Map maps and moves them to the real target table (C). The table where data lands after transformation is the target table (A), so confusing the staging table with the destination is the key distractor here.

Reference: [ServiceNow Docs — Import Sets](#)

Q46. WHAT IS A CHARACTERISTIC OF IMPORTING DATA INTO SERVICENOW?

Import Sets & Data Sources · medium

- **A.** An existing Transform Map can be used one time on the same import set
- **B.** Coalesce fields are used only after running Transform
- **C.** Any user can manage and set up import sets
- **D.** An existing Transform Map can be used multiple times on the same import set

Answer: D

A saved Transform Map is reusable; you can run it repeatedly against the same import set or against new import sets, so it is not limited to a single use (D, contradicting A). Coalesce fields are evaluated during the transform to match records, and managing import sets requires the ap-

propriate admin/import role rather than being open to any user.

Reference: [ServiceNow Docs — Transform Maps](#)

Q47. WHAT MODULE IN THE SERVICE CATALOG APPLICATION DOES AN ADMINISTRATOR ACCESS TO BEGIN CREATING A NEW ITEM?

Service Catalog · easy

- **A.** Maintain Categories
- **B.** Maintain Items
- **C.** Content Items
- **D.** Items

Answer: B

Administrators create and manage catalog items from the Maintain Items module, which opens the Catalog Item list where new items are defined (B). Maintain Categories manages the categories items are grouped under, and 'Content Items' and 'Items' are not the standard module used to author catalog items.

Reference: [ServiceNow Docs — Create a catalog item](#)

Q48. WHICH OF THE FOLLOWING ALLOWS A USER TO EDIT FIELD VALUES IN A LIST WITHOUT OPENING THE FORM?

Lists, Filters & Forms · easy

- **A.** Data Editor
- **B.** Edit Menu
- **C.** List Editor
- **D.** Form Designer

Answer: C

The List Editor lets users edit field values directly in a list by double-clicking a cell, without opening the record's form (C). Form Designer is a tool for building form layouts, and 'Data Editor' and 'Edit Menu' are not the ServiceNow feature that enables inline list editing.

Reference: [ServiceNow Docs — Editing fields from a list](#)

Q49. WHICH THREE VARIABLE TYPES CAN BE ADDED TO A SERVICE CATALOG ITEM?*Service Catalog · medium*

- **A.** True/False, Multiple Choice, and Ordered
- **B.** True/False, Checkbox, and Number List
- **C.** Number List, Single Line Text, and Reference
- **D.** Multiple Choice, Select Box, and Checkbox

Answer: D

Multiple Choice, Select Box, and Checkbox are all valid catalog variable types (D). The other options pair real types with invented ones such as 'Ordered' and 'Number List', which are not standard Service Catalog variable types, making D the only set composed entirely of valid choices.

Reference: [ServiceNow Docs — Catalog variable types](#)

Q50. HOW ARE WORKFLOWS MOVED BETWEEN INSTANCES?*Migration & Update Sets · medium*

- **A.** Workflows are moved using Update Sets
- **B.** Workflows are moved using Transform Maps
- **C.** Workflows are moved using Application Sets
- **D.** Workflows cannot be moved between instances

Answer: A

Workflows are configuration records, so they are captured and promoted between instances using Update Sets like other customizations (A). Transform Maps move imported data rather than configuration, 'Application Sets' is not a ServiceNow migration mechanism, and workflows certainly can be moved, ruling out D.

Reference: [ServiceNow Docs — Moving customizations with Update Sets](#)

Q51. THE BASELINE SERVICE CATALOG HOMEPAGE CONTAINS LINKS TO WHICH OF THE FOLLOWING COMPONENTS?*Service Catalog · medium*

- **A.** Record Producers, Order Guides, and Catalog Items
- **B.** Order Guides, Item Variables, and Workflows
- **C.** Order Guides, Catalog Items, and Workflows
- **D.** Record Producers, Order Guides, and Item Variables

Answer: A

The baseline catalog homepage surfaces the user-orderable building blocks: Record Producers, Order Guides, and Catalog Items (A). Item Variables and Workflows are internal configuration and behavior elements that drive items behind the scenes rather than standalone links shown to users on the homepage.

Reference: [ServiceNow Docs — Service Catalog homepage](#)

Q52. WHICH OF THE FOLLOWING STATEMENTS IS TRUE WHEN A NEW TABLE IS CREATED BY EXTENDING ANOTHER TABLE?*Database Administration · medium*

- **A.** The new table archives the parent table and assumed its roles in the database
- **B.** The new table inherits all of the Business Rules, Client Scripts, and UI Policies of the parent table, but none of the existing fields
- **C.** The new table inherits all of the fields of the parent table and can also contain new fields unique to itself
- **D.** The new table inherits all of the fields, but does not inherit Access Control rules, Client Scripts, and UI Policies of the parent table

Answer: C

An extended (child) table inherits all fields from its parent and can also define its own additional fields (C). Inheritance also carries over Business Rules, Client Scripts, UI Policies, and ACLs, so option B (no fields) and option D (no ACLs/scripts) both understate what a child table receives.

Reference: [ServiceNow Docs — Table extension and inheritance](#)

Q53. WHERE CAN ADMINS CHECK WHICH RELEASE IS RUNNING ON AN SERVICENOW INSTANCE?*Database Administration · medium*

- **A.** Memory Stats module
- **B.** Stats module
- **C.** System.upgraded table
- **D.** Transactions log

Answer: B

The Stats module (stats.do) reports instance details including the current build name, build date, and release version (B). The Memory Stats module focuses on JVM memory, there is no 'System.upgraded' table that reports the release, and the Transactions log records request activity rather than version information.

Reference: [ServiceNow Docs — Stats page \(stats.do\)](#)

Q54. A KNOWLEDGE ARTICLE MUST BE WHICH OF THE FOLLOWING STATES TO DISPLAY TO A USER?*Knowledge Management · easy*

- **A.** Published
- **B.** Drafted
- **C.** Retired
- **D.** Reviewed

Answer: A

An article must be in the Published state before end users can read it in the knowledge base (A). Draft articles are still being authored, Retired articles have been removed from active circulation, and 'Reviewed' is part of the workflow rather than the state that exposes the article to users.

Reference: [ServiceNow Docs — Knowledge article lifecycle](#)

Q55. WHAT IS THE NAME OF THE CONVERSATIONAL BOT PLATFORM THAT PROVIDES ASSISTANCE TO HELP USERS OBTAIN

INFORMATION, MAKE DECISIONS, AND PERFORM COMMON TASKS?*Self-Service & Notifications · easy*

- **A.** Answer Agent
- **B.** live Feed
- **C.** Virtual Agent
- **D.** Connect Chat

Answer: C

Virtual Agent is ServiceNow's conversational bot platform that uses topics and natural language to help users find information, make decisions, and complete common tasks (C). Connect Chat is person-to-person messaging, 'Live Feed' is a social collaboration stream, and 'Answer Agent' is not a ServiceNow product.

Reference: [ServiceNow Docs — Virtual Agent overview](#)

Q56. WHAT IS THE PURPOSE OF A RELATED LIST?*Lists, Filters & Forms · easy*

- **A.** To create a one-to-many relationship
- **B.** To dot-walk to a core table
- **C.** To present related fields
- **D.** To present related records

Answer: D

A Related List displays records from another table that are related to the current record, such as the Tasks attached to a Request, presenting related records (D). It visualizes an existing relationship rather than creating one (A), and it shows whole records rather than individual related fields (C).

Reference: [ServiceNow Docs — Related lists](#)

Q57. WHICH ONE OF THE FOLLOWING STATEMENTS DESCRIBES THE PURPOSE OF A SERVICE CATALOG WORKFLOW?*Flow Designer & Workflows · medium*

- **A.** A Service Catalog workflow generates three basic components: item variable types, tasks, and approvals
- **B.** Although a Service Catalog workflow cannot send notifications, the workflow drives complex fulfillment processes
- **C.** A Service Catalog workflow is used to drive complex fulfillment processes and sends notifications to defined users or groups
- **D.** A Service Catalog workflow generates three basic components: item variable types, tasks, and notifications

Answer: C

A Service Catalog workflow automates the fulfillment of a request, driving complex processes and sending notifications to the appropriate users or groups (C). Workflows absolutely can send notifications, which makes B false, and they do not 'generate' item variable types, so the lists in A and D mischaracterize what a workflow produces.

Reference: [ServiceNow Docs — Service Catalog workflows](#)

Q58. WHICH TERM BEST DESCRIBES SOMETHING THAT IS CREATED, HAS WORKED PERFORMED UPON IT, AND IS EVENTUALLY MOVED TO A STATE OF CLOSED?

Task Management · easy

- **A.** report
- **B.** workflow
- **C.** event
- **D.** task

Answer: D

A Task is the core record type that is opened, worked, and eventually closed; incidents, problems, changes, and catalog tasks all extend the Task table and follow this lifecycle (D). A report visualizes data, a workflow automates a process, and an event is a fleeting system signal, none of which describes a worked-and-closed record.

Reference: [ServiceNow Docs — Task table](#)

Q59. WHICH ARE VALID SERVICE NOW USER AUTHENTICATION METHODS? (CHOOSE THREE.)*Application Access & Security · medium*

- **A.** XML feed
- **B.** Local database
- **C.** LDAP
- **D.** SSO
- **E.** FTP authentication

Answer: B, C, D

ServiceNow can authenticate users against its Local database, against an external directory via LDAP, and through Single Sign-On (SSO) using SAML/OIDC — B, C, and D. 'XML feed' and 'FTP authentication' are data-transfer concepts, not user authentication methods.

Reference: [ServiceNow Docs — Authentication methods](#)

Q60. ACCESS CONTROL RULES MAY BE DEFINED WITH WHICH OF THE FOLLOWING PERMISSION REQUIREMENTS? (CHOOSE THREE.)*Application Access & Security · hard*

- **A.** Roles
- **B.** Conditional Expressions
- **C.** Assignment Rules
- **D.** Scripts
- **E.** User Criteria
- **F.** Groups

Answer: A, B, D

An ACL grants access only when its requirements pass, and those requirements are a required Role, a Condition (conditional expression), and an optional Script that returns true/false — A, B, and D. Assignment Rules route work rather than secure data, User Criteria governs catalog and knowledge visibility rather than ACLs, and groups are assigned roles instead of being referenced directly by an ACL.

Reference: [ServiceNow Docs — Access control rule requirements](#)

Q61. WHICH ONE OF THESE APPLICATIONS IS AVAILABLE TO ALL USERS?*Self-Service & Notifications · easy*

- A. Change
- B. Incident
- C. Facilities
- D. Self-Service

Answer: D

The Self-Service application is designed for every user and requires no special role, giving access to common needs such as the catalog, knowledge, and a user's own requests (D). Change, Incident, and Facilities are role-gated fulfiller applications that only appropriately roled users can see.

Reference: [ServiceNow Docs — Self-Service application](#)

Q62. SERVICENOW IS A SINGLE-INSTANCE, MULTIPLE TENANT ARCHITECTURE?*Database Administration · medium*

- A. True
- B. False

Answer: B

ServiceNow uses a multi-instance architecture, where each customer gets their own dedicated application instance and database rather than sharing one multi-tenant instance, so the statement is False (B). This isolation is a core differentiator that allows independent upgrades and customizations per customer.

Reference: [ServiceNow Docs — Multi-instance architecture](#)

Q63. WHAT ARE THE MAIN UI COMPONENT(S) OF THE SERVICENOW PLATFORM?*User Interface & Navigation · medium*

- **A.** Banner Navigator
- **B.** Banner Frame
- **C.** Application Frame
- **D.** Application Navigator

Answer: D

The Application Navigator is one of the primary UI components, providing the left-hand menu used to filter and open applications and modules (D). The correct platform terms are the Banner Frame at the top and the Application Navigator on the left, so 'Banner Navigator' and 'Application Frame' mix those names incorrectly.

Reference: [ServiceNow Docs — Navigation and the user interface](#)

Q64. THERE ARE _____ COMMON TYPES OF INTERFACES (NUMERIC VALUE)

6: There are six common types of interfaces *User Interface & Navigation · medium*

- **A.** Homepage: Consists of navigational elements, functional controls, and platform information.
- **B.** List: Display records from a data table, as well as allow you to edit the record information using the List Editor functionally.
- **C.** Form: Data is entered into ServiceNow through forms
- **D.** Dashboard: Enable you to display multiple performance analytics, reporting and other widgets on a single screen.
- **E.** Maps: Display ServiceNow data graphically on a Google map
- **F.** Timelines: Used to track tasks or projects

Answer: C

This item asks for the numeric value (six) but the dump records the keyed Answer as C (Form), the interface through which data is entered into ServiceNow. The list A–F is simply an enumeration of the six common interface types (Homepage, List, Form, Dashboard, Maps, Timelines).

Reference: [ServiceNow Docs — User interfaces](#)

Q65. WHICH TYPE OF INTERFACE ENABLES YOU TO DISPLAY MULTIPLE PERFORMANCE ANALYTICS, REPORTING AND OTHER

WIDGETS ON A SINGLE SCREEN?

Reporting & Analytics · easy

- **A.** Form
- **B.** List
- **C.** Dashboard
- **D.** Timeline

Answer: C

A Dashboard is the interface that assembles multiple widgets — Performance Analytics scorecards, reports, and other content — onto a single screen (C). A Form shows one record, a List shows rows from a table, and a Timeline visualizes scheduled tasks, so none of those aggregate widgets the way a dashboard does.

Reference: [ServiceNow Docs — Dashboards](#)

Q66. WHAT ARE THE THREE COMPONENTS OF A FILTER CONDITION?

Lists, Filters & Forms · easy

- **A.** Table
- **B.** Value
- **C.** Field
- **D.** Operator

Answer: B, C, D

Every filter condition in ServiceNow is built from three parts: a Field (the column to evaluate), an Operator (such as 'is', 'contains', '>'), and a Value to compare against — B, C, D. The Table is what you are filtering on, not a component of the individual condition itself.

Reference: [ServiceNow Docs — Condition builder](#)

Q67. CONFIGURATION WILL NOT AFFECT WHAT OTHERS SEE ON THEIR FORMS.

Lists, Filters & Forms · easy

- **A.** True

- **B. False**

Answer: B

Configuration changes (made via Configure / Form Design) alter the form layout for everyone who uses that view, so the statement is False (B). This is the key distinction from Personalization, which uses the gear icon and changes only the current user's own view.

Reference: [ServiceNow Docs — Form configuration vs. personalization](#)

Q68. WHAT DISPLAYS A SET OF RECORDS FROM A TABLE?

Lists, Filters & Forms · easy

- **A. View**
- **B. Dashboard**
- **C. Panel**
- **D. List**

Answer: D

A List displays a set of records from a table, one record per row (D). A View is a saved arrangement of fields on a form or list rather than the record set itself, and a Dashboard aggregates widgets — neither is the construct that shows multiple table records.

Reference: [ServiceNow Docs — Lists](#)

Q69. A USER IS STORED IN WHICH TABLE?

Database Administration · easy

- **A. User [sys_user]**
- **B. User [sys_user_group]**
- **C. User [syst_user_profile]**
- **D. User [user_profile]**

Answer: A

User records are stored in the User [sys_user] table (A). sys_user_group is the Group table, while syst_user_profile and user_profile are not real platform table names, making the other options invalid.

Reference: [ServiceNow Docs — User administration](#)

Q70. A GROUP IS STORED IN WHICH TABLE?

Database Administration · easy

- **A.** Group[user group]
- **B.** Group[sys_user]
- **C.** Group[sys_user_group]
- **D.** Group[sys_user_group_profile]

Answer: C

Groups are stored in the Group [sys_user_group] table (C). sys_user is the User table, and 'user group' and 'sys_user_group_profile' are not valid platform table names.

Reference: [ServiceNow Docs — Groups](#)

Q71. WHAT ARE THE 6 METHODS AVAILABLE FOR USER AUTHENTICATION?

Application Access & Security · medium

- **A.** Local Database: The user name and password in their user record in the instance database.
- **B.** Multifactor: The user name and password in the database and passcode sent to the user's mobile device that has Google Authenticator installed
- **C.** LDAP: The user name and password are accessed via LDAP in the corporate directory, which has a matching user account in the database.
- **D.** SAML 2.0: The user name and password configured in a SAML identity provider account, which has a matching user account in the database.
- **E.** OAuth 2.0: The user name and password of OAuth identity provider, which has a matching user account in the database.
- **F.** Digest Token: An encrypted digest of the user name and password in the user record.

Answer: A, B, C, D, E, F

ServiceNow supports six authentication methods, and all six listed are valid: Local Database, Multifactor, LDAP, SAML 2.0, OAuth 2.0, and Digest Token (A–F). Local Database checks credentials stored on the instance, while LDAP/SAML/OAuth delegate to an external identity provider with a matching local user record.

Reference: [ServiceNow Docs — Authentication methods](#)

Q72. A ROLE IS RECORDED IN WHICH TABLE?

Application Access & Security · medium

- **A.** Role[sys_user]
- **B.** Role[sys_user_profile]
- **C.** Role[sys_user_record]
- **D.** Role[sys_user_role]

Answer: D

Roles in ServiceNow are records in the Role [sys_user_role] table (option D). sys_user is the User table (people, not roles), and sys_user_profile / sys_user_record are not real platform tables. User-to-role assignments live in sys_user_has_role, but the role definitions themselves live in sys_user_role.

Reference: [ServiceNow Docs — Roles](#)

Q73. WHAT ARE THE 5 PROVIDED ROLES BY SERVICENOW?

Application Access & Security · medium

- **A.** System Administrator: The admin role provides access to all platform features, applications, functions and data.
- **B.** Specialized Administrator: Specialized administrator roles manage specific functions or applications, such as Assignment Rules, Knowledge base, reports, or web services
- **C.** Fulfiller: Users with the ITIL role may fulfill ITIL activities associated with the ITIL workflow, including Incident and Change management.
- **D.** Approver: Users with the Approver user role can perform all requester actions and may view or modify approval records directed to the approver

- **E. Requester:** Also known as Employee Self Service (ESS) users, these users have no roles but can submit and manage their own requests, access public pages, etc.

Answer: A, B, C, D, E

ServiceNow describes five general user/role categories: System Administrator, Specialized Administrator, Fulfiller (ITIL), Approver, and Requester/ESS — all five options apply (A–E). Note the Requester/ESS ‘user’ technically holds no assigned role, which is why ESS users can still submit their own requests and view public pages.

Reference: [ServiceNow Docs — Base system roles](#)

Q74. WHAT ARE THE TWO ASPECTS TO LDAP INTEGRATION?

Application Access & Security · medium

- **A. Data Population**
- **B. Data formatting**
- **C. Authorization**
- **D. Authentication**

Answer: A, D

LDAP integration serves two purposes: Data Population — importing user and group records from the directory into ServiceNow — and Authentication, validating login credentials against the LDAP server (A, D). Data formatting and Authorization are handled separately (by transform maps and ACLs/roles), not by the LDAP integration itself.

Reference: [ServiceNow Docs — LDAP integration](#)

Q75. SERVICENOW USES WHAT TERM TO DESCRIBE ALL THE DATA SAVED WITHIN A PARTICULAR FORM?

Lists, Filters & Forms · easy

- **A. Fields**
- **B. Form**
- **C. Record**
- **D. Lists**

Answer: C

All the data captured on a single form is saved as one Record — a row in the underlying table (C). Fields are the individual data elements within that record, the Form is just the visual layout used to view/edit it, and a List shows many records at once.

Reference: [ServiceNow Docs — Forms and records](#)

Q76. TABLES ARE MADE UP OF WHICH OF THE FOLLOWING?

Database Administration · easy

- **A.** records
- **B.** lists
- **C.** forms.
- **D.** fields

Answer: A, D

A table is a grid composed of records (the rows) and fields (the columns) — A and D. Lists and forms are interface views used to display the data in a table, not the structural building blocks of the table itself.

Reference: [ServiceNow Docs — Tables](#)

Q77. WHICH APPLICATION IS USED TO CHANGE THE NUMBER FORMAT PER TABLE?

Database Administration · medium

- **A.** Number Maintenance
- **B.** System Maintenance
- **C.** Table Maintenance
- **D.** Record Maintenance

Answer: A

The Number Maintenance application (System Definition > Number Maintenance) controls the auto-numbering prefix, number of digits, and starting value per table (A). The other options are not real applications used for this purpose.

Reference: [ServiceNow Docs — Number maintenance](#)

Q78. RECORD NUMBERS HAVE TO BE MANUALLY INCREMENTED

Database Administration · easy

- A. True
- B. False

Answer: B

Record numbers are generated and incremented automatically by the platform based on the table's number-format configuration, so the statement is False (B). Administrators only set the prefix and digit count in Number Maintenance; they never have to increment numbers by hand.

Reference: [ServiceNow Docs — Number maintenance](#)

Q79. WHAT IS THE MASTER TABLE THAT CONTAINS A RECORD FOR EACH TABLE IN THE DATABASE?

Database Administration · medium

- A. [sys_master_db]
- B. [sys_db_object]
- C. [sys_master_object]
- D. [sys_object_db]

Answer: B

The Table [sys_db_object] table is the dictionary master table that holds one record for every table defined in the instance (B). The other names are not real platform tables.

Reference: [ServiceNow Docs — Tables and the data dictionary](#)

Q80. KNOWLEDGE ARTICLES WITHIN A KNOWLEDGE BASE ARE GROUPED BY CATEGORY.

Knowledge Management · easy

- A. True

- **B. False**

Answer: A

Within a knowledge base, articles are organized into Categories (and sub-categories), making the statement True (A). Categories give users a browsable structure for finding related articles within each knowledge base.

Reference: [ServiceNow Docs — Knowledge categories](#)

Q81. EACH KNOWLEDGE BASES CAN HAVE UNIQUE LIFECYCLE WORKFLOWS, USER CRITERIA, CATEGORY STRUCTURES, AND MANAGEMENT ASSIGNMENTS.

Knowledge Management · medium

- **A. True**
- B. False

Answer: A

Each knowledge base is configured independently, so it can have its own publish/retire workflow, user criteria for read/write access, category hierarchy, and knowledge managers — the statement is True (A). This per-base flexibility lets an organization run, for example, an IT KB and an HR KB with very different governance.

Reference: [ServiceNow Docs — Knowledge bases](#)

Q82. WHAT ARE THE FOUR KNOWLEDGE WORKFLOWS AVAILABLE IN THE SERVICENOW BASE INSTANCE?

Knowledge Management · medium

- **A. Approval publish:** Request approval from a manager of the knowledge base before moving the article to the publish state
- **B. Instant Publish:** Immediately publishes a draft article without requiring an approval
- **C. Instant Retire:** Immediately retires a published article without requiring an approval
- **D. Retire Knowledge:** Moves a knowledge article to the retired state.

Answer: A, B, C, D

The ServiceNow base instance ships four knowledge workflows: Approval Publish, Instant Publish, Instant Retire, and Retire Knowledge. Options A-D each describe one of these, so all four are correct. New knowledge bases default to the Instant Publish/Retire workflows but can be switched to the approval-based workflows.

Reference: [ServiceNow Docs — Knowledge workflows](#)

Q83. WHAT IS A WAY THAT YOU CAN MARK A KNOWLEDGE ARTICLE FOR REVIEW?

Knowledge Management · easy

- **A.** Flag article
- **B.** Review
- **C.** Bookmark
- **D.** On Hold

Answer: A

Using 'Flag Article' lets a reader mark an article so its owner/knowledge manager will review it — for example to report an error or outdated content (A). 'Review', 'Bookmark', and 'On Hold' are not the knowledge flagging action.

Reference: [ServiceNow Docs — Flag a knowledge article](#)

Q84. WHAT ARE THE TWO PATHWAYS TO VIEW FEEDBACK LEFT ON A PUBLISHED ARTICLE?

Knowledge Management · medium

- **A.** Knowledge > articles > My Flagged
- **B.** Knowledge base > my knowledge > flagged articles
- **C.** Knowledge > My articles > Flagged
- **D.** Knowledge > articles > published

Answer: A, D

Feedback/flags on published articles can be reached through Knowledge > Articles > My Flagged (articles you flagged) and Knowledge > Articles > Published (open a published article to read its feedback) — A and D match the source answer. The other two navigation paths do not

exist in the base Knowledge application.

Reference: [ServiceNow Docs — Knowledge article feedback](#)

Q85. WHAT IS THE PURPOSE OF FLAGGING AN ARTICLE IN A KNOWLEDGE BASE?

Knowledge Management · easy

- **A.** To mark an article to read later.
- **B.** Allow a user to submit feedback about an article
- **C.** Reporting an error

Answer: B

Flagging an article allows a user to submit feedback about it to the knowledge owner/manager (B). While reporting an error (C) is one reason someone might flag, the broader purpose of the flag feature is the feedback channel itself; flagging is not a personal 'read later' bookmark (A).

Reference: [ServiceNow Docs — Flag a knowledge article](#)

Q86. WHAT DEFINES CONDITIONS THAT ARE EVALUATED AGAINST USERS TO DETERMINE WHICH USERS CAN CREATE, READ, WRITE, AND RETIRE KNOWLEDGE ARTICLES.

Knowledge Management · medium

- **A.** User conditions
- **B.** User info
- **C.** User Criteria
- **D.** User permissions

Answer: C

User Criteria are reusable records that define which users (by role, group, company, department, etc.) can create, read, write, or retire articles in a knowledge base (C). The other terms are not the ServiceNow mechanism for knowledge access control.

Reference: [ServiceNow Docs — User criteria for Knowledge](#)

Q87. WHERE WOULD YOU GO IN SERVICENOW TO ORDER SERVICES AND PRODUCTS OFFERED BY VARIOUS DEPARTMENTS?*Service Catalog · easy*

- **A.** Service Catalog
- **B.** Self Service
- **C.** Service Department
- **D.** Customer Service

Answer: A

The Service Catalog is the storefront where users browse and order services and products offered by various departments (A). Self Service is a broader application area that contains the catalog along with knowledge and requests, but the specific place to order items is the Service Catalog itself.

Reference: [ServiceNow Docs — Service Catalog](#)

Q88. WHAT REFERS TO AN APPLICATION OR SYSTEM THAT ACCESSES A REMOTE SERVICE OR ANOTHER COMPUTER SYSTEM, KNOWN AS A SERVER?*Platform Automation · easy*

- **A.** Server
- **B.** Client
- **C.** Script
- **D.** Policies

Answer: B

A Client is the application or system that connects to and consumes services from a remote server (B). In ServiceNow's client-server model, the browser is the client and the instance is the server, which is why client-side scripts run in the browser.

Reference: [ServiceNow Docs — Client vs. server scripting](#)

Q89. FILL IN THE BLANK

_____ is a computer program running as a service; a physical computer dedicated to running one or more services, or a system running a database. *Platform Automation · easy*

Answer: Server

A Server is a program running as a service, or a physical/virtual machine dedicated to providing services such as hosting a database. In the client-server model, the server fulfills requests made by clients.

Reference: [ServiceNow Docs — Client vs. server](#)

Q90. DATABASE LIVE AT THE DATA CENTER.

Database Administration · easy

- **A.** True
- **B.** False

Answer: A

ServiceNow databases reside in the data center(s) that host the customer's instances, so the statement is True (A). The application and database tiers live in ServiceNow's hosted infrastructure, while the user only needs a browser to reach them.

Reference: [ServiceNow Docs — Tables and the database](#)

Q91. BUSINESS RULES ARE USED TO ENFORCE MANDATORY DATA ON A FORM.

Platform Automation · medium

- **A.** True
- **B.** False

Answer: B

Business Rules are server-side scripts that run during database operations (insert/update/delete/query); they do not control mandatory fields on a form, so the statement is False (B). Making a field mandatory on a form is the job of a UI Policy (or the dictionary), while Data Policies enforce mandatory data regardless of the entry path.

Reference: [ServiceNow Docs — Business Rules](#)

Q92. UI POLICY CAN MAKE FIELDS READ-ONLY, MANDATORY, OR HIDDEN.

Platform Automation · easy

- **A.** True
- **B.** False

Answer: A

UI Policies dynamically change a field's state on a form — making it read-only, mandatory, or hidden based on conditions — so the statement is True (A). They do this client-side without code, which is the standard no-script way to control field behavior on forms.

Reference: [ServiceNow Docs — UI Policies](#)

Q93. WHICH ARE STATES THAT YOU CAN MAKE A FIELD ON A FORM USING UI POLICY?

Platform Automation · easy

- **A.** read-only
- **B.** write-only
- **C.** Necessary
- **D.** Mandatory
- **E.** Empty
- **F.** Hidden

Answer: A, D, F

A UI Policy can set three field states: read-only, mandatory, and hidden (A, D, F). 'Write-only', 'Necessary', and 'Empty' are not valid UI Policy field states.

Reference: [ServiceNow Docs — UI Policy field states](#)

Q94. DATA POLICY CAN ENFORCE MANDATORY DATA ON IMPORT.

Platform Automation · medium

- **A.** True
- **B.** False

Answer: A

Data Policies enforce data rules (such as mandatory fields) no matter how the data enters the system — including via Import Sets and web services — so the statement is True (A). This is the key advantage over UI Policies, which only apply when a user interacts with a form.

Reference: [ServiceNow Docs — Data Policies](#)

Q95. UI ACTION CAN PROMPT THAT AN INCIDENT HAS BEEN SUCCESSFULLY SUBMITTED.

Platform Automation · medium

- **A.** True
- **B.** False

Answer: A

A UI Action can run script that displays a confirmation message (for example via `gs.addInfoMessage`) telling the user an incident was submitted, so the statement is True (A). UI Actions add buttons/links that can execute exactly this kind of client- or server-side logic.

Reference: [ServiceNow Docs — UI Actions](#)

Q96. WHAT IS THE DIFFERENCE BETWEEN UI POLICY AND UI ACTION?

Platform Automation · medium

- **A.** UI Action can make fields read-only, mandatory, or hidden. while UI Policy can make a save button visible for appropriate users.
- **B.** UI Policy can make fields read-only, mandatory, or hidden. while UI Action can make a save button visible for appropriate users.

Answer: B

UI Policies control field states (read-only, mandatory, hidden) on a form, while UI Actions add controls such as buttons/links — for example a save button shown to appropriate users — making B correct. Option A simply swaps the two definitions.

Reference: [ServiceNow Docs — UI Policies and UI Actions](#)

Q97. WHICH ONE OF THE FOLLOWING STATEMENTS DESCRIBES A CHARACTERISTIC OF ROLE ASSIGNMENT?

Application Access & Security · medium

- **A.** Roles can contain other roles, when you are assigned a role, you inherit all the roles within that role
- **B.** Users can click on the Personalize Role feature to try different roles
- **C.** A role is granted to a user by the System Administrator
- **D.** Each user has a role in the ServiceNow platform

Answer: A

Roles can contain other roles, and being granted a parent role automatically grants all the child roles it contains (A). There is no 'Personalize Role' feature (B), roles are commonly delivered via groups rather than only by an admin one-by-one (C), and ESS users can have no role at all, so not every user has a role (D).

Reference: [ServiceNow Docs — Roles and role inheritance](#)

Q98. WHAT IS (ARE) BEST PRACTICE(S) REGARDING USERS/GROUPS/ROLES? CHOOSE 2 ANSWERS

Application Access & Security · medium

- **A.** You should never assign roles to groups.
- **B.** You should assign roles to users.
- **C.** You should assign roles to groups
- **D.** You should add users to groups

Answer: C, D

ServiceNow best practice is to assign roles to groups and add users to those groups (C, D), so access is managed by group membership rather than per-user. Assigning roles directly to individual users (B) is discouraged because it is hard to maintain, and 'never assign roles to groups' (A) is the opposite of the recommendation.

Reference: [ServiceNow Docs — Roles and groups best practice](#)

Q99. WHICH CONFIGURATION ALLOWS YOU TO USE A SCRIPT TO COALESCE DATA IN IMPORT SETS?

Import Sets & Data Sources · hard

- **A.** Multiple-field coalesce
- **B.** No coalesce
- **C.** Conditional coalesce
- **D.** Single-field coalesce

Answer: C

Conditional coalesce lets you write a script to determine the match condition during a transform, rather than relying on one or more fixed coalesce fields (C). Single-field and multiple-field coalesce match on declared fields without scripting, and 'No coalesce' always inserts new records.

Reference: [ServiceNow Docs — Coalesce options](#)

Q100. WHICH ONE OF THE FOLLOWING MODULES CAN BE USED TO VIEW FIELD SETTINGS FOR A TABLE?

Database Administration · medium

- **A.** Tables & Columns
- **B.** Access Control
- **C.** Columns and Fields
- **D.** Tables and Fields

Answer: A

The Tables & Columns module (System Definition) lets you select a table and inspect its columns/field settings (A). 'Columns and Fields' and 'Tables and Fields' are not real modules, and Access Control is for ACLs, not field definitions.

Reference: [ServiceNow Docs — Tables & Columns](#)

Q101. WHAT IS A ROLE IN SERVICENOW?

Application Access & Security · easy

- **A.** A role is one record in the Role [sys_user_role] table
- **B.** A role is one record in the Role luser_sys_role] table
- **C.** A role is a persona used in Live Feed Chat
- **D.** A role is a set of modules for a particular application

Answer: A

A role is a single record in the Role [sys_user_role] table that bundles a set of permissions which can be granted to users and groups (A). 'user_sys_role' is not a real table, a role is not a chat persona, and a role is not simply a set of application modules.

Reference: [ServiceNow Docs — Roles](#)

Q102. WHAT ARE THE THREE COMPONENTS OF A FILTER CONDITION?

Lists, Filters & Forms · easy

- **A.** Field. Operator and Value
- **B.** Condition. Operator, and Value
- **C.** Field, Condition, and Value
- **D.** Variable, Field, and Value

Answer: A

A filter condition is composed of a Field, an Operator, and a Value (A) — for example 'Priority' 'is' '1'. The other options substitute 'Condition' or 'Variable' for one of the three true components.

Reference: [ServiceNow Docs — Condition builder](#)

Q103. WHICH ONE OF THE FOLLOWING STATEMENTS IS TRUE?

Task Management · hard

- **A.** When an incident form is saved, all the Work Notes field text is recorded to the Activity Log field
- **B.** When an incident form is saved, the Work Notes field text is overwritten each time work is logged against the incident
- **C.** When an incident form is saved, the impact field is calculated by adding the Priority, and Urgency values
- **D.** When an Incident form is saved, the Additional Comments field text is cleared and recorded to the Work Notes section

Answer: A

Work Notes and Additional Comments are journal fields stored in sys_journal_field; on save the typed text is cleared from the input and appended to the activity log/stream as a timestamped entry, so option A is correct. Journal fields append rather than overwrite (B is wrong), Impact/Urgency derive Priority rather than Impact (C is wrong), and Additional Comments post as their own entries, not into the Work Notes section (D is wrong).

Reference: [ServiceNow Docs — Journal fields \(Work notes / Additional comments\)](#)

Q104. WHAT KIND OF DATA CAN IMPORT SETS USE TO POPULATE TABLES IN SERVICENOW?

Import Sets & Data Sources · medium

- **A.** CSS, SOAP, and Excel
- **B.** XML, CSV, and Excel
- **C.** SOAP, REST, and XML
- **D.** XML, SOAP, and CSS

Answer: B

Import Sets can load data from file-based sources such as XML, CSV, and Excel (B). The options containing CSS are wrong (CSS is a stylesheet language, not a data format), and SOAP/REST are web-service transport mechanisms rather than the import file types this question targets.

Reference: [ServiceNow Docs — Import data using Import Sets](#)

Q105. WHAT SERVICENOW TABLES CAN ADMINISTRATORS DEFINE AS “DESTINATIONS” FOR IMPORTED DATA, WHEN USING TRANSFORM MAPS IN THE SYSTEM IMPORT SETS APPLICATION?*Import Sets & Data Sources · hard*

- **A.** The Task table is the only table that can be a destination for imported data in the Transform Map module
- **B.** The Incident, Problem, Change, Task, and Service Catalog tables are the only tables that can be a destination for imported data in the Transform Map module
- **C.** Only the Incident, Problem, and Change tables can be a destination for imported data in the Transform Map module
- **D.** Any ServiceNow table can be a destination for imported data in the Transform Map module

Answer: D

When using a Transform Map in System Import Sets, an administrator can map the import-set staging fields onto the columns of any ServiceNow table they choose, so the destination can be ANY table (option D). There is no built-in limit to Incident, Problem, Change, Task, or Service Catalog tables.

Reference: [ServiceNow Docs — Transform Maps](#)

Q106. WHICH ONE OF THE FOLLOWING IS NOT A TYPE OF VISUAL TASK BOARD?*Task Management · medium*

- **A.** Feature
- **B.** Guided boards
- **C.** Flexible
- **D.** Freeform

Answer: A

The three Visual Task Board types are Freeform, Guided, and Flexible; ‘Feature’ is not a board type, so it is the correct NOT answer (A). Freeform boards stand alone, while Guided and Flexible boards are backed by records on a table.

Reference: [ServiceNow Docs — Visual Task Board structure](#)

Q107. WHAT IS THE PURPOSE OF A DATA POLICY?*Platform Automation · medium*

- **A.** Data Policies enforce security
- **B.** Data Policies standardize data in Update Sets
- **C.** Data Policies enforce data consistency
- **D.** Data Policies apply to lists to standard data

Answer: C

Data Policies enforce data consistency by applying field rules (such as mandatory or read-only) regardless of how the data enters the system — form, import, or web service (C). They are not security/ACL controls (A), have nothing to do with Update Sets (B), and are not list-only (D).

Reference: [ServiceNow Docs — Data Policies](#)

Q108. A CHANGE REQUEST HAS BEEN APPROVED AND ASSIGNED TO YOU AS THE SYSTEM ADMINISTRATOR TO CHANGE THE INCIDENT NUMBER PREFIX FROM THE DEFAULT OF “INC” TO THE COMPANY STANDARD IN.” WHAT ARE THE NEXT STEPS TO BE TAKEN”*Database Administration · medium*

- **A.** Go to the Number Maintenance application and change the prefix to “IN” for incident
- **B.** Create a Business Rule that modifies the prefix before the Insert operation
- **C.** The prefix of an incident cannot be changed because it is a built-in feature
- **D.** Submit a Change Request to ServiceNow Technical Support

Answer: A

Number prefixes are configurable per table in the Number Maintenance application, so you simply change the Incident prefix there to ‘IN’ (A). A custom Business Rule (B) is unnecessary complexity, the prefix is not locked (C), and ServiceNow Support does not need to be involved (D).

Reference: [ServiceNow Docs — Number maintenance](#)

Q109. HOW DO YOU MAKE A LIST FILTER AVAILABLE TO EVERYONE?*Lists, Filters & Forms · medium*

- **A.** Make active, set visibility, and save
- **B.** Assign a name, set visibility, and save
- **C.** Assign a group, set visibility, and save
- **D.** Make active, assign a name, and save

Answer: B

To share a filter as a saved Filter, you give it a name, set its Visible to / visibility to Everyone, and save it (B). A name is required to store the filter, and the visibility setting (not a 'group' or an 'active' flag) is what makes it available to all users.

Reference: [ServiceNow Docs — Save and share a filter](#)

Q110. WHAT IS NOT AN EXAMPLE OF A UI ACTION?*Platform Automation · medium*

- **A.** Search
- **B.** Form buttons
- **C.** list Buttons
- **D.** Related Links

Answer: A

UI Actions render as form buttons, list buttons, context menu items, and related links, so options B (form buttons), C (list buttons), and D (related links) are all UI Actions. Search is built-in navigation/list filtering, not a UI Action, making A the correct 'NOT a UI Action' answer.

Reference: [ServiceNow Docs — UI Actions](#)

Q111. IN ADDITION TO THE ADMIN ROLE, WHICH ONE OF THE FOLLOWING ROLES ALLOWS A USER TO ADD OR REMOVE FIELDS FROM A LIST?*Lists, Filters & Forms · hard*

- **A.** personalize.control

- **B.** personal_list
- **C.** ul_page_admin
- **D.** ui_action_admin

Answer: A

The personalize_control role (shown here as 'personal ize.control' due to OCR spacing) lets a non-admin user personalize lists by adding or removing columns (A). The other listed role names are not the role that grants list-personalization rights.

Reference: [ServiceNow Docs — Base system roles](#)

Q112. WHAT IS THE PURPOSE OF THE EVENT REGISTRY?

Platform Automation · hard

- **A.** The Event Registry lists all Events that have successfully completed within a 24-hour period
- **B.** The Event Registry is a list of all Events that originate through an integration
- **C.** The Event Registry is a module that provides Event definitions
- **D.** The Event Registry is a list of all Events that have successfully completed after being Invoked by a script

Answer: C

The Event Registry (sysevent_register) is the module that holds Event definitions — it documents which events exist in the platform and what fires them (option C). It is not a rolling list of recently completed events; that is the Event Log (sysevent), which records actual event instances.

Reference: [ServiceNow Docs — Event registration](#)

Q113. WHAT IS THE PURPOSE OF THE FITTER NAVIGATOR IN THE APPLICATION NAVIGATOR?

User Interface & Navigation · medium

- **A.** Filter applications in order of use
- **B.** Quickly navigate to applications and modules
- **C.** Collapse and expand applications

- **D.** List applications In order of Top Requests

Answer: B

The filter navigator (the type-ahead box at the top of the Application Navigator) lets you quickly find and jump to any application or module by typing part of its name (option B). Expanding or collapsing application menus is a side effect of browsing the navigator, not the purpose of the filter.

Reference: [ServiceNow Docs — Application Navigator](#)

Q114. WHAT IS THE DIFFERENCE BETWEEN A UI POLICY AND DATA POLICY?

Platform Automation · hard

- **A.** Data Policies run only after UI Policies run successfully
- **B.** Data Policies run regardless of how data is entered Into ServiceNow, while UI Policies are used for form interactions
- **C.** Data Policies can be converted into UI Policies, but UI Policies can not be converted into Data Policies
- **D.** Data Policies run when data is entered through the form, by an Import Set or by web services, while UI Policies are set only by web services

Answer: B

Data Policies enforce mandatory/read-only rules no matter how a record is created or updated — form, Import Set, or web service — whereas UI Policies act only on the form/client interaction (option B). Option D is wrong because UI Policies govern forms, not ‘only web services.’ A Data Policy can also be converted to a UI Policy, but that is not the defining difference.

Reference: [ServiceNow Docs — Data Policies vs UI Policies](#)

Q115. WHAT IS AN EVENT IN SERVICENOW?

Platform Automation · medium

- **A.** An Event is a trigger that has a direct response in the platform
- **B.** An Event is an indication to the ServiceNow processes that something has occurred
- **C.** An Event is an indicator that a Priority 1 (P1) Incident has been logged

- **D.** An Event is a recognized, scheduled occurrence of a process

Answer: B

An Event is a record/indication, written to the event queue, signaling that something noteworthy has happened in the platform (B). It is not itself a direct trigger/response (A), is not limited to P1 incidents (C), and is not a scheduled job (D).

Reference: [ServiceNow Docs — Events](#)

Q116. WHICH ONE OF THE FOLLOWING IS AN ACCURATE LIST OF CHANGES THAT ARE CAPTURED IN AN UPDATE SET?

Migration & Update Sets · medium

- **A.** Changes made to tables, forms, schedules, and client scripts
- **B.** Changes made to tables, forms, views, and fields
- **C.** Changes made to: tables, forms. Business Rules, and data records
- **D.** Changes made to: tables. forms groups, and configuration items (CIs)

Answer: A

Update Sets capture configuration/customization changes such as tables, forms, schedules, and client scripts (A). The options that include data records, groups, or configuration items are wrong because Update Sets move customizations, not data records or CMDB CIs.

Reference: [ServiceNow Docs — Update Sets](#)

Q117. WHAT ARE THE THREE PERMISSION REQUIREMENTS THAT MUST EVALUATE TO TRUE FOR AN ACCESS CONTROL RULE TO APPLY?

Choose 3 answers *Application Access & Security · hard*

- **A.** Conditions
- **B.** table.
- **C.** Roles
- **D.** Script
- **E.** table.”

- F. table.none

Answer: A, C, D

An Access Control rule grants access only when all three of its permission requirements pass: the required Roles, the Condition(s), and the Script must each evaluate to true (any empty one is treated as true). Mapping to the (OCR-garbled) options, these are Conditions (A), Roles (C), and Script (D); the 'table.' variants are corrupted text, not requirements.

Reference: [ServiceNow Docs — Access control rules](#)

Q118. WHEN DOES THE SUBMIT BUTTON APPEAR ON A FORM?

Lists, Filters & Forms · easy

- A. When saving an old record
- B. When creating a new record
- C. When changing the reference field in an existing record
- D. When updating an existing record

Answer: B

The Submit button appears when you are creating a brand-new record that has not yet been saved (B). Once a record exists, the form shows Update/Save instead, so the options about editing existing records do not apply.

Reference: [ServiceNow Docs — Forms \(Submit vs Update\)](#)

Q119. NEW RECORDS, NEW GROUPS, AND MODIFIED CONFIGURATION ITEMS (CLS): WHAT DO THEY HAVE IN COMMON?

Migration & Update Sets · medium

- A. They are included in an Update Set
- B. They are not captured in an Update Set
- C. They are customizations
- D. They do not have anything in common

Answer: B

Data records, group records, and CMDB configuration items are data — not configuration — so by default they are NOT captured in an Update Set (B). Update Sets track customizations like business rules, UI policies, and tables, which is exactly why data records must be moved separately.

Reference: [ServiceNow Docs — What Update Sets capture](#)

Q120. WHEN USING THE PERFORMANCE ANALYTICS APPLICATION IN THE NOW PLATFORM, WHAT KIND OF KPI SIGNALS ARE USED TO MAKE DECISIONS THAT STATISTICALLY SUPPORT LONG TERM WORKFLOW STABILITY?

Reporting & Analytics · hard

- **A.** Long-term signals
- **B.** Non-signals
- **C.** Anti-signals
- **D.** Stability signals

Answer: C

In Performance Analytics, KPI Signals surface meaningful changes, and Anti-signals are the configured signal type used to filter out noise so decisions are based on statistically stable, long-term trends (C). The source records C; 'Long-term', 'Non-', and 'Stability' signals are not the named signal types.

Reference: [ServiceNow Docs — KPI Signals](#)

Q121. WHICH FIELDS CAN BE CONFIGURED IN REPORTING TO PERFORM ARITHMETIC, COALESCE, CONCATENATION, AND LENGTH?

Reporting & Analytics · hard

- **A.** Sourcing fields
- **B.** Function fields
- **C.** Computational fields
- **D.** Calculation fields

Answer: B

Function fields let you build calculated values in reports — arithmetic, coalesce, concatenation, length, and more — without changing the underlying table (B). ‘Sourcing’, ‘Computational’, and ‘Calculation’ fields are not the ServiceNow reporting feature for this.

Reference: [ServiceNow Docs — Function fields in reports](#)

Q122. THE SERVICENOW VIRTUAL AGENT PROVIDES ASSISTANCE WITHIN A MESSAGING INTERFACE. WHICH CAPABILITY ALLOWS END USERS TO CONFIGURE VIRTUAL AGENT TO INTERCEPT AND HELP RESOLVE SUBMITTED INCIDENTS?

Self-Service & Notifications · hard

- **A.** Incident Auto-Resolution
- **B.** Ticket Resolver
- **C.** Virtual Agent Helper
- **D.** Web Intelligence

Answer: A

Incident Auto-Resolution is the Virtual Agent capability that intercepts submitted incidents and attempts to deflect/resolve them through conversational topics and recommended solutions (A). The other option names are not real ServiceNow capabilities.

Reference: [ServiceNow Docs — Incident Auto-Resolution](#)

Q123. WHICH PLUGIN ALLOWS USERS TO INSTALL MULTIPLE APPLICATIONS, APPLICATION-CUSTOMIZATIONS. OR PLUGINS AT ONCE?

Platform Automation · hard

- **A.** Application Integration and Plugin Delivery (A1PD) SpokeBatch Install
- **B.** Continuous Integration and Continuous Delivery (CICD) SpokeBatch Install
- **C.** Multiple Integration and Process Delivery (MIPD) SpokeBatch Install
- **D.** Quick Integration and Multiple Delivery (QIMD) SpokeBatch Install

Answer: B

The source marks B (CICD) as correct, tying batch installation to the Continuous Integration and Continuous Delivery capability that can apply applications, customizations, and plugins together in one operation. The other three acronyms (A1PD, MIPD, QIMD) are invented and do not correspond to any ServiceNow plugin.

Reference: [ServiceNow Docs — Batch install](#)

Q124. HOW CAN ADMINISTRATORS UTILIZE THE SAME CONTENT FOR DIFFERENT NOTIFICATION CHANNELS?

Self-Service & Notifications · medium

- **A.** Configure Default notification content
- **B.** Enable Actionable notification content
- **C.** Provide Common notification content
- **D.** Set up Related notification content

Answer: C

Common notification content lets administrators author a message body once and reuse it across multiple delivery channels (such as email and push), avoiding duplicate maintenance (C). The other choices describe defaults, actionable buttons, or 'related' content, none of which is the mechanism for sharing one body across channels.

Reference: [ServiceNow Docs — Notifications](#)

Q125. WHICH CERTIFICATE-BASED AUTHENTICATION METHODS CAN BE ENABLED SO THAT USERS CAN LOG INTO THE SERVICE PORTAL? (SELECT ALL THAT APPLY) SELECT 2 ANSWERS FROM THE BELOW OPTIONS

Application Access & Security · medium

- **A.** Extended Validation Access (EVA)
- **B.** Organization Verification Card (OVC)
- **C.** Common Access Card (CAC)
- **D.** Domain Authentication Card (DAC)
- **E.** Personal Identify Verification (PIV)

Answer: C, E

ServiceNow supports certificate-based login using government-issued smart cards: the Common Access Card (CAC) and the Personal Identity Verification (PIV) card — C and E. EVA, OVC, and DAC are fabricated acronyms and are not certificate authentication methods in the platform.

Reference: [ServiceNow Docs — Digital certificate authentication](#)

Q126. WHICH PLUGIN NEEDS TO BE ACTIVATED IN ORDER TO TRANSLATE THE CONTENT OF A CATALOG ITEM TO MULTIPLE LANGUAGES?

Self-Service & Notifications · hard

- **A.** Localization Framework plugin (com.glide.localization_framework)
- **B.** Translation Framework plugin (com.glide.translation_framework)
- **C.** Multiple Language Framework plugin (com.glide.multiple.language_framework)
- **D.** Language AI Framework plugin (com.glide.language.ai_framework)

Answer: A

The Localization Framework plugin (com.glide.localization_framework) provides the tooling to translate platform content, including catalog item fields, into multiple languages (A). The other plugin names and identifiers are not real — there is no ‘Translation Framework’, ‘Multiple Language Framework’, or ‘Language AI Framework’ plugin of this kind.

Reference: [ServiceNow Docs — Localization Framework](#)

Q127. WHERE IN FLOW DESIGNER CAN USERS ACCESS INFORMATION ABOUT ACTIONS THAT ARE ADDED TO THE FLOW?

Flow Designer & Workflows · medium

- **A.** Virtual Agent Help
- **B.** Local Action Help
- **C.** Help Panel
- **D.** Flow Assistant

Answer: C

Flow Designer includes a Help Panel that displays contextual information and documentation about the actions you add to a flow (C). 'Virtual Agent Help', 'Local Action Help', and 'Flow Assistant' are not Flow Designer interface elements, so they are incorrect.

Reference: [ServiceNow Docs — Flow Designer](#)

Q128. HOW ARE LOCAL FLOW VARIABLES ACCESSED IN THE FLOW DESIGNER DATA PANEL?

Flow Designer & Workflows · medium

- **A.** As newly generated icons
- **B.** As scratchpad variables
- **C.** As new tabs
- **D.** As data pills

Answer: D

In Flow Designer, outputs and variables surface in the Data panel as data pills, which you drag into later steps to pass values along (D). Flow Designer does not expose local variables as 'scratchpad variables', 'tabs', or 'icons' — those terms describe other tools, making them distractors.

Reference: [ServiceNow Docs — Data pills in Flow Designer](#)

Q129. WHICH SECTION OF THE SERVICENOW UI ALLOWS YOU TO PERFORM A GLOBAL SEARCH?

User Interface & Navigation · easy

- **A.** Application Navigator
- **B.** Banner frame
- **C.** List pane
- **D.** Content frame

Answer: B

Global (text) search is performed from the search icon in the banner frame — the bar across the top of every page (B). The Application Navigator filters the menu, not global records; the list pane and content frame display results and forms but do not host the global search control.

Reference: [ServiceNow Docs — Global text search](#)

Q130. WHAT WOULD NOT APPEAR IN THE APPLICATION NAVIGATOR IF 'SERVICE' IS TYPED INTO THE FILTER FIELD?

User Interface & Navigation · medium

- **A.** Configuration > Business Services
- **B.** Self-Service > Knowledge
- **C.** Service Portal > Widgets
- **D.** Incident > Assigned to me

Answer: D

The Application Navigator filter matches the text you type anywhere in an application or module label. 'Business Services', 'Self-Service', and 'Service Portal' all contain the string 'service', so they remain visible, while 'Incident > Assigned to me' contains no match and is filtered out (D).

Reference: [ServiceNow Docs — Application Navigator](#)

Q131. WHICH OF THE FOLLOWING IS USED TO CATEGORIZE, FLAG, AND LOCATE RECORDS?

User Interface & Navigation · easy

- **A.** Search
- **B.** Favorites
- **C.** Tags
- **D.** Bookmarks

Answer: C

Tags let users label records with keywords so they can be categorized, flagged for attention, and quickly located later (C). Search only finds records, Favorites bookmark navigator modules rather than individual records, and Bookmarks are a browser-level concept — none provides the categorize/flag/locate combination.

Reference: [ServiceNow Docs — Tagging records](#)

Q132. WHICH TOOL SHOULD BE USED TO POPULATE COMMONLY USED FIELDS IN A FORM?*Lists, Filters & Forms · easy*

- **A.** Template
- **B.** Reference Qualifier
- **C.** Formatter
- **D.** Assignment Rule

Answer: A

A Template stores a set of preset field values that can be applied to a new record, quickly populating the fields you fill in repeatedly (A). A Reference Qualifier filters reference-field choices, a Formatter adds non-field UI elements to a form, and an Assignment Rule routes records to groups/users — none of which pre-fills common fields.

Reference: [ServiceNow Docs — Templates](#)

Q133. HOW IS A GROUP DEFINED IN SERVICENOW?*Database Administration · medium*

- **A.** A group is one record stored in the Group Type [sys_user_group_type] table
- **B.** A group is one record stored in the Group [sys_user_group] table
- **C.** A group defines a set of users that share the same location
- **D.** A group defines a set of users that share the same job title

Answer: B

A group is a single record in the Group [sys_user_group] table; users are linked to it through group-membership records (B). A group is defined by a shared purpose (for example, an assignment or notification target), not by users happening to share a location (C) or job title (D), and sys_user_group_type is a separate lookup table, not where the group record lives (A).

Reference: [ServiceNow Docs — Groups](#)

Q134. WHAT IS A NOTIFICATION?*Self-Service & Notifications · easy*

- **A.** A new Knowledge article created by a Business Rule
- **B.** A tool for alerting users that events that concern them have occurred
- **C.** A message through Connect related to a Change Request
- **D.** An email file attachment

Answer: B

A Notification is the platform mechanism for alerting users that an event affecting them has occurred — for example, emailing the assignee when a record is updated (B). It is not a Knowledge article, a Connect chat message, or a file attachment, so the other options mischaracterize the feature.

Reference: [ServiceNow Docs — Email notifications](#)

Q135. WHAT ARE TWO WAYS TO GENERATE AN EVENT? (CHOOSE TWO.)

Platform Automation · medium

- **A.** Business Rule
- **B.** Workflow
- **C.** Log entry
- **D.** Knowledge article publication

Answer: A, B

Events are written to the event queue by server-side logic. A Business Rule can call `gs.event-Queue()` to fire an event, and a Workflow can include an activity that generates one — A and B. Creating a log entry or publishing a Knowledge article does not, by itself, register an event in the queue.

Reference: [ServiceNow Docs — Events and the event registry](#)

Q136. WHICH CORE TABLE IN THE SERVICENOW PLATFORM PROVIDES A SERIES OF STANDARD FIELDS USED ON EACH OF THE TABLES THAT EXTEND IT, SUCH AS THE INCIDENT [INCIDENT] AND PROBLEM [PROBLEM] TABLES?

Task Management · easy

- **A.** Task [task]
- **B.** Assignment [assignment]
- **C.** Service [service]
- **D.** Workflow [workflow]

Answer: A

The Task [task] table is the base table from which Incident, Problem, Change, and other process tables extend, so they all inherit common fields like Number, State, Priority, and Assigned to (A). 'Assignment', 'Service', and 'Workflow' are not the parent table for these records.

Reference: [ServiceNow Docs — Task table](#)

Q137. WHICH OF THE FOLLOWING STATEMENTS DESCRIBES HOW DATA IS ORGANIZED IN A TABLE?

Database Administration · easy

- **A.** A column is a field in the database and a record is one user
- **B.** A column is one field and a record is one row
- **C.** A column is one field and a record is one column
- **D.** A column contains data from one user and a record is one set of fields

Answer: B

In a ServiceNow table, each column corresponds to a single field (attribute), and each record is a single row spanning all of those columns (B). Option A wrongly ties records to 'one user', C confuses a record with a column, and D mislabels columns as user-specific — only B states the column/field and record/row relationship correctly.

Reference: [ServiceNow Docs — Table administration](#)

Q138. WHAT IS A SYS_ID?

Database Administration · easy

- **A.** Unique 32-character identifier that is assigned to every record
- **B.** A client-side Business Rule
- **C.** A server-side Business Rule

- **D.** Unique 64-character identifier that is assigned to every record

Answer: A

A `sys_id` is a globally unique 32-character (hexadecimal GUID) identifier the platform assigns to every record in every table (A). It is 32 characters, not 64 (ruling out D), and it is an identifier rather than any kind of Business Rule (ruling out B and C).

Reference: [ServiceNow Docs — Unique record identifier \(sys_id\)](#)

Q139. WHEN CREATING A GLOBAL CUSTOM TABLE NAMED ‘ÆABC’, WHAT IS THE TABLE NAME THAT IS AUTOMATICALLY ASSIGNED BY THE PLATFORM?

Database Administration · medium

- **A.** `snc_abc`
- **B.** `abc`
- **C.** `u_abc`
- **D.** `sys_abc`

Answer: C

When you create a custom table in the global application scope, ServiceNow automatically prefixes the internal name with `u_`, producing `u_abc` (C). The `sys_` prefix is reserved for core platform tables, `snc_` is a ServiceNow-internal namespace, and an unprefixes ‘abc’ is not how global custom tables are named.

Reference: [ServiceNow Docs — Table administration](#)

Q140. ACCESS CONTROL RULES MAY PROVIDE ACCESS SECURITY FOR WHICH OF THE FOLLOWING DATABASE OBJECTS?

Application Access & Security · hard

- **A.** For a specific role, group, or user
- **B.** For a specific row, column, or table
- **C.** For specific groups
- **D.** For a specific CMDB Configuration item

Answer: B

Access Control rules (ACLs) provide security for specific rows, columns (fields), and tables. An ACL is named in the form table.field and evaluates roles, conditions, and scripts. Securing an individual CMDB CI is not how ACLs are scoped, so option B is correct.

Reference: [ServiceNow Docs — Contextual security: ACL rules](#)

Q141. WHAT IS THE PRIMARY APPLICATION USED TO LOAD DATA INTO SERVICENOW?

Import Sets & Data Sources · easy

- **A.** Service Level Management
- **B.** Configuration
- **C.** System Import Sets
- **D.** System Update Sets

Answer: C

System Import Sets is the application used to bring external data into ServiceNow: you load rows into a staging table, then transform them onto a target table (C). System Update Sets moves configuration between instances rather than loading data, and the other two are unrelated to importing.

Reference: [ServiceNow Docs — Import Sets](#)

Q142. WHICH OF THE FOLLOWING STEPS CAN BE USED TO IMPORT NEW DATA INTO SERVICENOW FROM A SPREADSHEET?

Import Sets & Data Sources · medium

- **A.** Select Data Source, Schedule Transform
- **B.** Load Data, Create Transform Map, Run Transform
- **C.** Define Data Source, Select Transform Map, Run Transform
- **D.** Select Import Set, Select Transform Map, Run Transform

Answer: B

To import new spreadsheet data you Load Data (which creates the import set staging table), then Create a Transform Map to align source columns to target fields, then Run Transform to write the records to the target table. Option B captures this end-to-end flow for new data.

Reference: [ServiceNow Docs — Load data using import sets](#)

Q143. WHICH TOOL IS USED FOR CREATING DEPENDENCIES BETWEEN CONFIGURATION ITEMS IN THE CMDB?

Database Administration · hard

- **A.** CI Relationship Editor
- **B.** CMDB Builder
- **C.** CI Service Manager
- **D.** CI Class Manager

Answer: A

The CI Relationship Editor lets you create, modify, and delete relationships between specific CIs, defining the parent CI, the child/target CI, and the relationship verb (e.g., 'Runs on'). The CI Class Manager, by contrast, administers the class tree and class-level settings, so option A is the correct tool.

Reference: [ServiceNow Docs — CI Class Manager / CMDB](#)

Q144. WHAT IS THE DIFFERENCE BETWEEN A UI POLICY AND DATA POLICY?

Lists, Filters & Forms · medium

- **A.** Data Policies run when data is entered through the form, by an Import Set, or by web services, while UI Policies are set only by web services
- **B.** Data Policies can be converted into UI Policies, but UI Policies cannot be converted into Data Policies
- **C.** Data Policies run regardless of how data is entered into ServiceNow, while UI Policies are used for form interactions
- **D.** Data Policies run only after UI Policies run successfully

Answer: C

Data Policies enforce field rules at the data layer, so they apply no matter how the data arrives — form, import set, web service, or script — whereas UI Policies act only on the form in the browser (C). A is wrong because UI Policies are not ‘web services only’, and D invents an execution-order dependency that does not exist.

Reference: [ServiceNow Docs — Data Policy](#)

Q145. WHAT ARE THE STEPS TO RETRIEVE AN UPDATE SET?

Migration & Update Sets · medium

- **A.** Verify Update Set is Complete, Retrieve, Preview, Apply
- **B.** Verify Update Set is Complete, Test Connection, Apply
- **C.** Verify Update Set is Complete, Test Connection, Commit
- **D.** Verify Update Set is Complete, Retrieve, Preview, Commit

Answer: D

On the target instance you confirm the update set is Complete on the source, Retrieve it across the instance connection, Preview it to catch collisions, and then Commit it to apply the changes — option D. ‘Apply’ is not the final action label (ruling out A), and ‘Test Connection’ is a setup step, not part of retrieving/committing (ruling out B and C).

Reference: [ServiceNow Docs — Retrieve and commit update sets](#)

Q146. INTEGRATIONHUB ENABLES EXECUTION OF THIRD-PARTY APIS AS A PART OF A FLOW. THESE INTEGRATIONS ARE REFERRED TO AS

Flow Designer & Workflows · medium

- **A.** an action
- **B.** a spoke
- **C.** a connection
- **D.** an integration step

Answer: B

In IntegrationHub, related integration actions for a given third-party system are packaged together as a spoke (for example, a Slack or Microsoft Teams spoke) (B). An individual action is one step inside a spoke, and a connection stores credentials/endpoints — neither term names

the packaged integration itself.

Reference: [ServiceNow Docs — IntegrationHub spokes](#)

Q147. WHICH OF THE FOLLOWING PROTECTS APPLICATIONS BY IDENTIFYING AND RESTRICTING ACCESS TO AVAILABLE FILES AND DATA?

Application Access & Security · hard

- **A.** Application Configuration
- **B.** Verbose Log
- **C.** Access Control Rules
- **D.** Application Scope

Answer: C

Access Control Rules (ACLs) protect applications by checking the roles, conditions, and scripts required before a user can read, write, create, or delete records and fields. This is what restricts access to available files and data, making option C correct.

Reference: [ServiceNow Docs — Application scope](#)

Q148. SERVICENOW CONTAINS A RESOURCE WHICH PROVIDES THE FOLLOWING: A STANDARD AND SHARED SET OF SERVICE RELATED DEFINITIONS ACROSS SERVICENOW PRODUCTS AND PLATFORM THAT WILL ENABLE AND SUPPORT TRUE SERVICE LEVEL REPORTING. A CMDB FRAMEWORK ACROSS OUR PRODUCTS AND PLATFORM THAT WILL ENABLE AND SUPPORT MULTIPLE CONFIGURATION STRATEGIES. WHAT RESOURCE DO THESE STATEMENTS DESCRIBE?

Database Administration · medium

- **A.** Common Services Data Model (CSDM)
- **B.** Information Technology Service Management (ITSM)
- **C.** Configuration Management Database (CMDB)
- **D.** Information Technology Infrastructure Library (ITIL)

Answer: A

The Common Service Data Model (CSDM) is the standard, shared set of service-related table definitions and CMDB framework that ServiceNow products use to enable consistent, true service-level reporting (A). ITSM is a product suite, the CMDB is the database itself, and ITIL is an external best-practice framework — none is the prescriptive data model being described.

Reference: [ServiceNow — Common Service Data Model solution brief](#)

Q149. AN IT MANAGER IS RESPONSIBLE FOR THE NETWORK AND HARDWARE ASSIGNMENT GROUPS, EACH CONTAINING FIVE TEAM MEMBERS. THE MEMBERS ARE WORKING ON MANY TASKS, BUT THE MANAGER CANNOT SEE ANY TASKS ON THE SERVICE DESK > MY GROUPS WORK LIST — EVEN WITH THE FILTER SET TO ASSIGNMENT GROUP IS NETWORK OR HARDWARE. WHAT COULD EXPLAIN THIS?

Task Management · hard

- **A.** The Service Desk > My Groups Work list shows active work tasks that are not yet assigned.
- **B.** The manager does not have the itil role.
- **C.** The manager is not a member of the Service Desk group.
- **D.** The manager is not a member of the Network and Hardware groups.
- **E.** The Assignment Group manager field is empty.

Answer: D

'Service Desk > My Groups Work' shows work for the groups the logged-in user belongs to. The shown filter already targets the Network and Hardware assignment groups, so the manager must be a member of those groups to see their tasks. Not being a member of the Network and Hardware groups (D) is the root cause.

Reference: [ServiceNow Docs — Create a group](#)

Q150. WHAT DO YOU NEED TO DO BEFORE YOU CAN USE AN APPLICATION-BASED TRIGGER IN YOUR FLOW?

Flow Designer & Workflows · hard

- **A.** Activate application trigger spoke

- **B.** Activate trigger security rules
- **C.** Activate application spoke, and plug-ins as needed
- **D.** Assign Application trigger role [sn_app_trigger_write] to SME
- **E.** Activate application plugins only

Answer: C

Before an application-based trigger is available in a flow, you must activate that application's spoke (and any plugins it depends on) so the trigger and its actions are installed. Once the spoke is active, the trigger appears for selection in Flow Designer, making option C correct.

Reference: [ServiceNow Docs — Flow triggers](#)

Q151. THE SERVICENOW PLATFORM INCLUDES WHICH TYPES OF INTERFACES? (CHOOSE THREE.)

User Interface & Navigation · medium

- **A.** Now Mobile Apps
- **B.** Agent Control Center
- **C.** Back Office Dashboard
- **D.** Service Portals
- **E.** Now Platform® User Interfaces
- **F.** Field Service Taskboard

Answer: A, D, E

ServiceNow delivers its functionality through Now Mobile Apps, Service Portals, and the Now Platform user interfaces (such as the standard UI and workspaces) — A, D, and E. 'Agent Control Center', 'Back Office Dashboard', and 'Field Service Taskboard' are not standard platform interface categories.

Reference: [ServiceNow — Service Portal](#)

Q152. WHICH OF THE FOLLOWING ARE NOT INCLUDED IN AN UPDATE SET, BY DEFAULT? (CHOOSE FOUR.)

Migration & Update Sets · hard

- **A.** Homepages
- **B.** Data
- **C.** Published Workflows
- **D.** Business Rules
- **E.** Schedules
- **F.** Database changes
- **G.** Related Lists
- **H.** Report Definitions
- **I.** Scheduled Jobs
- **J.** Client Scripts
- **K.** Views

Answer: B, E, F, I

Update sets capture customizations, not transactional data. Data records (B), Schedules (E), Database/dictionary data changes (F), and Scheduled Jobs (I) are not included by default because they are considered data rather than tracked customizations. Items like home pages can be added manually but, in this option set, the keyed four are B, E, F, and I.

Reference: [ServiceNow Docs — Data not captured by update sets](#)

Q153. YOU ARE SHOWING YOUR CUSTOMER A NEW FORM THAT YOU HAVE CREATED FOR THEIR NEW APPLICATION. THEY WOULD LIKE TO ADD A FIELD TO THE FORM. WHERE COULD YOU DO THAT? (CHOOSE TWO.)

Lists, Filters & Forms · medium

- **A.** Select Fields and Columns module
- **B.** Right click on form header, select Configure > Form Layout
- **C.** Click on context menu, select Configure > Form Designer
- **D.** Select Field Class Manager module

Answer: B, C

You can add a field to a form using Form Layout (the slushbucket reached from Configure > Form Layout) or the drag-and-drop Form Designer, both opened from the form's context menu — B and C. 'Fields and Columns module' and 'Field Class Manager module' are not the tools

used to place a field on a form.

Reference: [ServiceNow Docs — Form Designer and Form Layout](#)

Q154. WHICH SERVICENOW RESOURCE IS A FRAMEWORK THAT ENSURES THE DATA YOUR SERVICENOW APPLICATION REQUIRES MAPS CORRECTLY TO THE APPROPRIATE CMDB TABLES?

Database Administration · medium

- **A.** Common Service Data Model (CSDM)
- **B.** Service Mapping Utility (SMU)
- **C.** Service Schema Map (SSM)
- **D.** CMDB Class Manager (CMDBCM)
- **E.** CI Class Manager (CICM)

Answer: A

The Common Service Data Model (CSDM) is the prescriptive framework that defines where data should live so applications map correctly to the appropriate CMDB tables and classes (A). The other acronyms — SMU, SSM, CMDBCM, CICM — are either fabricated or are tools rather than the data-modeling framework being described.

Reference: [ServiceNow Docs — CSDM framework](#)

Q155. WHAT DO YOU ACTIVATE WHEN YOU WANT TO ADD APPLICATIONS OR FUNCTIONALITY WITHIN YOUR DEVELOPMENT INSTANCE?

Platform Automation · easy

- **A.** App Package
- **B.** Updated Pack
- **C.** Patch
- **D.** Plugin
- **E.** App Updated Set

Answer: D

Plugins are the packaged components you activate to add applications, features, or demo data to an instance (D). 'App Package', 'Updated Pack', 'Patch', and 'App Updated Set' are not the mechanism for adding optional functionality — a patch updates platform code rather than adding a feature you choose to enable.

Reference: [ServiceNow Docs — Plugins](#)

Q156. WHAT FIELD CONTAINS A RECORD'S 32-CHARACTER, UNIQUE IDENTIFIER?

Database Administration · easy

- A. sn_rec_id
- B. rec_id
- C. u_id
- D. sys_id
- E. sn_gu_id
- F. sn_sys_id
- G. id

Answer: D

The sys_id field holds the 32-character globally unique identifier that the platform assigns to every record (D). All the other field names listed — rec_id, u_id, sn_gu_id, and so on — are invented and do not exist as the record's unique identifier.

Reference: [ServiceNow Docs — Unique record identifier](#)

Q157. YOUR COMPANY IS GIVING ALL FIRST LINE WORKERS A SPECIAL T-SHIRT AS A RECOGNITION FOR THEIR HARD WORK. MANAGEMENT TEAM WANTS A WAY FOR EMPLOYEES TO ORDER THE T-SHIRT, WITH THE ABILITY TO SPECIFY THE PREFERRED SIZE AND COLOR. HOW WOULD YOU ENSURE THAT ONLY FIRST LINE WORKERS (NON-MANAGERS) CAN SUBMIT THE ORDER?

Service Catalog · hard

- A. Create Record Producer and use the Available For list to specify First Line [sn_first_line] role

- **B.** Create Catalog Item and use the Not Available list to specify the Manager Group
- **C.** Create Catalog Item and use the Available For list to specify ITIL [itil] role
- **D.** Create Order Guide and use the User Criteria list to specify First Line [sn_first_line] role

Answer: B

The source keys this to B — a Catalog Item with size/color variables, using the 'Not Available for' user criteria to exclude the Manager group so only non-managers can order. Note that user criteria typically express who CAN see an item, so an 'Available for: First Line role' approach (option A/D pattern) is the more common positive design; this question tests the exclusion (Not Available) approach.

Reference: [ServiceNow Docs — Apply user criteria to a catalog item](#)

Q158. WHAT IS USED FREQUENTLY TO MOVE CUSTOMIZATIONS FROM ONE INSTANCE TO ANOTHER?

Migration & Update Sets · easy

- **A.** Update Sets
- **B.** Code Sets
- **C.** Update Packs
- **D.** Configuration Logs
- **E.** Remote Sets
- **F.** Local Sets
- **G.** Code Packs

Answer: A

Update Sets are the standard, frequently used mechanism for capturing configuration changes and moving them between instances (A). The other options — Code Sets, Update Packs, Configuration Logs, Remote/Local Sets, Code Packs — are not real ServiceNow migration features.

Reference: [ServiceNow Docs — Update Sets](#)

Q159. WHAT ICON DO YOU USE TO CHANGE THE LABEL ON A FAVORITE?*User Interface & Navigation · easy*

- **A.** Clock
- **B.** Hamburger
- **C.** Pencil
- **D.** Three dots
- **E.** Triangle.
- **F.** Star

Answer: C

To rename (relabel) a favorite, you click the Pencil/edit icon next to it, which opens the favorite for editing (C). The Star toggles whether something is a favorite, the Clock shows history, and the other icons do not edit a favorite's label.

Reference: [ServiceNow Docs — Edit a favorite](#)

Q160. WHAT NEEDS TO BE SPECIFIED, WHEN CREATING A BUSINESS RULE? (CHOOSE FOUR.)*Platform Automation · hard*

- **A.** UI action
- **B.** Table
- **C.** Fields to update
- **D.** Who can run
- **E.** Script to run
- **F.** Application scope
- **G.** Update set
- **H.** Timing
- **I.** Condition to evaluate

Answer: B, E, H, I

When creating a Business Rule you select the Table it runs on, the Timing/When (Before, After, Async, or Display) plus the database operations, the Condition that must evaluate true, and the Script to execute. Those four are Table, Timing, Condition, and Script (B, E, H, I).

Reference: [ServiceNow Docs — Business Rules](#)

Q161. WHAT FEATURE CAN TRACK THE AMOUNT OF TIME THAT A TASK HAS BEEN OPEN, TO ENSURE THAT TASKS ARE COMPLETED WITHIN AN ALLOTTED TIME?

Service Level Agreements · medium

- **A.** Task Escalation Clock
- **B.** Service Level Agreements
- **C.** Inactivity Monitor
- **D.** Response Time Clock
- **E.** Business Time Remaining

Answer: B

Service Level Agreements (SLAs) track elapsed time against a target so you can ensure tasks are completed within an allotted period, escalating as deadlines approach (B). An Inactivity Monitor only watches for records sitting untouched, and the 'Task Escalation Clock' and 'Response Time Clock' are not standard ServiceNow features.

Reference: [ServiceNow Docs — Service Level Agreements](#)

Q162. WHAT IS A QUICK WAY TO CREATE A REPORT FROM A LIST VIEW?

Reporting & Analytics · medium

- **A.** Click on filter breadcrumb, drag and drop on the Report > Create New module
- **B.** Click Funnel, define filter conditions, click Create Report
- **C.** Click Context Menu, select Create Report
- **D.** Apply filter, right click on column header, select Bar Chart
- **E.** Apply filter, right click on column header, select Create Report

Answer: D

From a list view you can apply a filter, right-click the column header you want to group by, and choose Bar Chart (or Pie Chart). ServiceNow immediately generates a report grouped on that column, which you can then refine. This makes option D the quick list-to-report method.

Reference: [ServiceNow Docs — Create a report](#)

Q163. WHAT IMPORT UTILITY DO YOU USE WHEN THE FIELD NAMES ON THE IMPORT SET MATCH THE NAME OF THE FIELDS ON THE TARGET TABLE?

Import Sets & Data Sources · medium

- **A.** Schema Mapping
- **B.** Automatic Mapping
- **C.** Mapping Assist
- **D.** Mapping Dashboard

Answer: B

When source and target field names match, Auto Map Matching Fields (Automatic Mapping) creates the transform-map field mappings for you automatically (B). Mapping Assist is the manual point-and-click mapper for fields that do not match, and 'Schema Mapping'/'Mapping Dashboard' are not the auto-match utility.

Reference: [ServiceNow Docs — Field maps and auto mapping](#)

Q164. AS AN IT EMPLOYEE WHAT INTERFACE WOULD YOU USE, IF YOU WANTED TO BROWSE INTERNAL IT DOCUMENTATION, LIKE TROUBLESHOOTING SCRIPTS AND FAQs?

Knowledge Management · easy

- **A.** Knowledge
- **B.** ServiceNow Wiki
- **C.** Knowledge Now
- **D.** SharePoint
- **E.** Stack Overflow

Answer: A

The Knowledge (Knowledge Base) application is where ServiceNow stores and lets employees browse internal documentation such as troubleshooting steps and FAQs (A). 'Knowledge Now' and 'ServiceNow Wiki' are not current platform features, and SharePoint and Stack Overflow are external, non-ServiceNow tools.

Reference: [ServiceNow Docs — Knowledge Management](#)

Q165. A NEW SERVICE DESK EMPLOYEE IN LATIN AMERICA COMPLAINS THAT THE CREATE DATES AND TIMES ARE INCORRECT ON THEIR INCIDENT LIST. WHAT WOULD YOU SUGGEST TO FIX THIS ISSUE?

User Interface & Navigation · hard

- **A.** Have them clear their cache.
- **B.** Have them use the gear icon to set the employee's time zone.
- **C.** Recommend they use Chrome, instead of Explorer.
- **D.** Use the system properties to correct the instance's time zone.
- **E.** Have them correct the time zone on their computer.

Answer: B

Incident create dates and times are rendered in each user's configured time zone. The fix is to set the employee's time zone in their ServiceNow user settings via the gear/settings icon (option B), not to change the time zone on their computer.

Reference: [ServiceNow Docs — Time zones](#)

Q166. WHAT ARE THREE SECURITY MODULES OFTEN USED BY THE SYSTEM ADMINISTRATOR? (CHOOSE THREE.)

Application Access & Security · medium

- **A.** System Properties > Security
- **B.** Utilities > Migrate Security
- **C.** System Security > Security
- **D.** Self-Service > My Access
- **E.** System Security > Access Control (ACL)
- **F.** Password Management > Security Questions

- **G.** System Security > High Security Settings

Answer: A, E, G

Administrators commonly use System Properties > Security (security-related system properties), System Security > Access Control (ACL) to manage ACL rules, and System Security > High Security Settings to configure the elevated-privilege/security-admin controls — A, E, and G. The other modules listed either do not exist by those names or are end-user, not admin security, features.

Reference: [ServiceNow Docs — General security settings](#)

Q167. WHEN TESTING A CATALOG ITEM, HAVING A MANAGER APPROVAL FLOWS, WHICH OF THESE BEST PRACTICES WOULD YOU FOLLOW? (CHOOSE THREE.)

Service Catalog · hard

- **A.** Make sure the latest flows are activated.
- **B.** Use the instance Incognito setting to quickly toggle between requester and approver.
- **C.** Impersonate the requester to ensure the form works.
- **D.** Make sure the requester's user record has a manager specified.
- **E.** Create and select your Testing Update Set, before starting the test cases.
- **F.** Use your Admin account, so you can approve the items quickly.

Answer: A, C, D

To validly test a catalog item with manager approval you activate the latest flow version (A), impersonate the requester so you experience the form as the end user (C), and confirm the requester has a manager set so the approval routes correctly (D). Approving with your own admin account would bypass realistic approval testing.

Reference: [ServiceNow Docs — Service Catalog Management](#)

Q168. WHAT IS A NO-CODE APPROACH TO CONTROL THE MANDATORY OR READ-ONLY STATE OF A FORM FIELD?

Lists, Filters & Forms · easy

- **A.** UI Action

- **B.** Client Script
- **C.** UI Script
- **D.** UI Rule
- **E.** UI Policy

Answer: E

A UI Policy lets you make a field mandatory, read-only, or hidden using simple conditions, with no scripting required (E). Client Scripts and UI Scripts require JavaScript (so they are not 'no-code'), 'UI Rule' is not a real type, and a UI Action creates buttons rather than controlling field state.

Reference: [ServiceNow Docs — UI Policies](#)

Q169. WHEN MOVING MULTIPLE UPDATE SETS AT ONE TIME, WHAT MIGHT YOU DO TO FACILITATE THE MOVE?

Migration & Update Sets · medium

- **A.** Batch
- **B.** Verify
- **C.** Test
- **D.** Preview

Answer: A

Batching update sets lets you group several related update sets under a base set so they are retrieved, previewed, and committed together in the correct order (A). Verify, Test, and Preview are individual steps in the transfer process, not the feature that moves multiple sets at once.

Reference: [ServiceNow Docs — Batch update sets](#)

Q170. WHAT IS SPECIFIED IN AN ACCESS CONTROL RULE?

Application Access & Security · medium

- **A.** Groups, Conditional Expressions and Workflows
- **B.** Table Schema, CRUD, and User Authentication
- **C.** Object and Operation being secured; Permissions required to access the object

- **D.** security_admin

Answer: C

An ACL rule defines the object and operation being secured (for example, the incident table's read or write) plus the permissions — roles, conditions, and scripts — required to pass it (C). The other options list unrelated concepts; security_admin (D) is the elevated role used to edit ACLs, not what an ACL itself specifies.

Reference: [ServiceNow Docs — Access control rules](#)

Q171. IN THE APPLICATION NAVIGATOR (THE LEFT-HAND MENU), WHICH ICON DO YOU DOUBLE-CLICK TO EXPAND AND COLLAPSE THE LIST OF ALL APPLICATIONS AND MODULES AT ONCE?

User Interface & Navigation · medium

- **A.** Star
- **B.** Clock
- **C.** Application
- **D.** Funnel

Answer: C

The source keys this to C (Application). In the All/Application Navigator, double-clicking an application header collapses or expands all of its modules at once. The Star shows favorites, the Clock shows history, and the Funnel filters the navigator — none of which expand/collapse every application's modules.

Reference: [ServiceNow Docs — Application Navigator](#)

Q172. WHAT DO YOU CALL ANY COMPONENT THAT NEEDS TO BE MANAGED IN ORDER TO DELIVER SERVICES?

Database Administration · easy

- **A.** CSDM Items
- **B.** CMDB
- **C.** Configuration item
- **D.** Service Offerings

Answer: C

A Configuration Item (CI) is any component — hardware, software, service, or other asset — that must be managed to deliver IT services, and CIs are stored in the CMDB (C). The CMDB is the database that holds CIs (not the component itself), and Service Offerings and 'CSDM Items' describe other concepts.

Reference: [ServiceNow Docs — Configuration items and the CMDB](#)

Q173. A NEW SERVICE CATALOG ITEM IS BEING DEVELOPED, BUT SHOULD ONLY BE VISIBLE TO MANAGERS INSIDE THE HR DEPARTMENT. WHAT METHOD WOULD YOU USE TO FULFILL THIS REQUIREMENT?

Service Catalog · medium

- **A.** Specify the Dept_Mgr role on the catalog content block
- **B.** Add the Department Manager group to the catalog item's user criteria
- **C.** Add the Department Manager group to the catalog item's ACL
- **D.** Only publish the item in the HR service catalog
- **E.** Use a Dept_Mgr ACL on the HR service catalog

Answer: B

User Criteria is the supported mechanism for controlling who can see and order Service Catalog items and categories; you build a User Criteria record (by group, role, department, location, etc.) and apply it to the item's Available For / Not Available For lists. Adding the Department Manager group to the item's user criteria (B) cleanly restricts visibility to those managers. ACLs (C, E) secure table records rather than catalog visibility, and simply publishing to a catalog (D) does not limit which users see the item within it.

Reference: [ServiceNow Docs — User criteria for catalog items](#)

Q174. A USER WANTS TO CREATE A SET OF FILTER CONDITIONS, WHERE THEY WANT TO SHOW RECORDS WHICH SATISFY TWO CONDITIONS: INCIDENTS WHERE THE STATE IS CLOSED INCIDENTS

WHERE ASSIGNMENT GROUP IS NETWORK AFTER CLICKING THE FUNNEL ICON, WHAT SHOULD THE USER DO?*Lists, Filters & Forms · medium*

- **A.** Define the first condition; click AND button; define second condition; click Run
- **B.** Define the first condition; click AND button; define second condition; press enter
- **C.** Define the first condition; click OR button; define second condition; press enter
- **D.** Define the first condition; click > icon on breadcrumb, define second condition; click Run
- **E.** Define the first condition; click > icon on breadcrumb, define second condition; press enter

Answer: A

When both conditions must be true at the same time, you build them in the condition builder joined by AND, then click Run to apply the filter and return the matching records (A). The OR button (C) would return records meeting either condition, which is not what is asked, and pressing Enter inside a condition row is not the reliable way to execute a multi-condition filter — Run is the explicit action that applies it.

Reference: [ServiceNow Docs — Filters and the condition builder](#)

Q175. ACCESS CONTROL RULES ARE APPLIED TO A SPECIFIC TABLE, LIKE THE INCIDENT TABLE. WHAT IS THE OBJECT NAME FOR A RULE THAT IS SPECIFIC TO THE INCIDENT TABLE AND THE MAJOR INCIDENT FIELD?*Application Access & Security · medium*

- **A.** Incident.Major_Incident
- **B.** incident=>major_incident
- **C.** incident<=>major_incident
- **D.** incident||major_incident
- **E.** incident.major_incident

Answer: E

An ACL that targets a single field uses the table.field naming convention with the lowercase database names, giving incident.major_incident (E). The names must match the platform field names exactly, so capitalized forms like Incident.Major_Incident (A) are wrong, and the

arrow/pipe separators in the other options are not valid ACL object syntax.

Reference: [ServiceNow Docs — Access control rule types](#)

Q176. TWO DEPARTMENTS (HR ONBOARDING AND FACILITIES) HAVE COME TO YOU, ASKING FOR A WAY FOR EMPLOYEES TO REQUEST EVENT ROOM SET UP SERVICES. THE REQUIREMENTS ARE THE SAME FOR THE FORM AND THE TASK ROUTING TO THE FACILITIES' ASSIGNMENT GROUP. FOR HR, THE ITEM WILL BE USED PRIMARILY FOR THE ONBOARDING COORDINATORS, FOR EMPLOYEE ORIENTATION SESSIONS. FOR FACILITIES, THE ITEM WILL BE USED FOR ANYONE IN THE COMPANY WHO NEEDS ROOM SET UP SERVICES. HOWEVER, BOTH DEPARTMENTS HAVE THEIR OWN SERVICE CATALOGS. WHAT DO YOU DO, TO SUPPORT THESE REQUIREMENTS?

Service Catalog · hard

- **A.** Create one Catalog Item for HR Event Room Set Up and one for Facilities Event Room Set Up; then publish each to the appropriate Catalog.
- **B.** Create one Catalog Item for Event Room Set Up; then publish to both Catalogs.
- **C.** Create one Catalog Item for Event Room Set Up; then publish to the Parent Catalog, which is accessible to both HR and Facilities.
- **D.** Create one Catalog Item for Event Room Set Up; then use ACLs to control access.

Answer: B

Because a catalog item's Catalogs field accepts multiple catalogs, you build one 'Event Room Set Up' item with the shared form and Facilities task routing, then publish it to both the HR and Facilities catalogs. This reuses one item across catalogs without duplication, making option B correct.

Reference: [ServiceNow Docs — Service Catalog management](#)

Q177. AFTER FINISHING YOUR WORK ON HIGH SECURITY SETTINGS, WHAT DO YOU DO TO RETURN TO NORMAL ADMIN SECURITY LEVELS?

Application Access & Security · medium

- **A.** Select Normal role
- **B.** Log out and back in
- **C.** Use System Administration > Normal Security module
- **D.** Select Global Update Set
- **E.** End Impersonation

Answer: B

Working on High Security Settings requires elevating to the security_admin role, and that elevation lasts only for the current session. Logging out and back in (B) drops the elevated privileges and returns you to your normal admin level. There is no 'Normal Security' module or 'Normal role' to select (A, C), and ending impersonation (E) is unrelated to role elevation.

Reference: [ServiceNow Docs — High security settings](#)

Q178. WHAT TYPE OF FIELD ALLOWS YOU TO LOOK UP VALUES FROM ONE OTHER TABLE?

Database Administration · easy

- **A.** Reference
- **B.** Verity
- **C.** Options
- **D.** Selections
- **E.** Dot walk
- **F.** Lookup

Answer: A

A Reference field stores a pointer (sys_id) to a record in another table, letting a form look up and display values from that related table — for example, the Caller field on Incident referencing sys_user (A). Dot-walking (E) is the technique of traversing through a reference to reach the referenced table's fields, not the field type itself, and the other options are not real ServiceNow field types.

Reference: [ServiceNow Docs — Field types \(Reference\)](#)

Q179. WHICH MODULE WOULD YOU USE TO CREATE A NEW AUTOMATION OF BUSINESS LOGIC SUCH AS APPROVALS, TASKS, AND NOTIFICATIONS?*Flow Designer & Workflows · easy*

- **A.** Process Automation > Flow Designer
- **B.** Process Automation > Flow Administration
- **C.** Process Automation > Workflow Editor
- **D.** Process Automation > Process Flow
- **E.** Process Automation > Active Flows

Answer: A

Flow Designer, opened from Process Automation > Flow Designer, is the modern no-code/low-code tool for building automation such as approvals, tasks, and notifications (A). The other module paths listed do not exist as the entry point for creating flows — Flow Administration, Workflow Editor, Process Flow, and Active Flows are not how you launch the Flow Designer builder.

Reference: [ServiceNow Docs — Flow Designer](#)

Q180. WHICH MODULE IS USED AS THE FIRST STEP FOR IMPORTING DATA?*Import Sets & Data Sources · easy*

- **A.** Coalesce Data
- **B.** Transform Data
- **C.** Import Data
- **D.** Load Data

Answer: D

The import process begins with Load Data, which reads the source file or data source into a staging import set table (D). Only after the data is loaded do you map and Transform it into the target table; coalescing is an option configured within the transform map, not a separate first step.

Reference: [ServiceNow Docs — Importing data using import sets](#)

Q181. WHEN YOU NEED TO ORCHESTRATE BUSINESS PROCESSES ACROSS SERVICES WITH LITTLE TECHNICAL USER KNOWLEDGE, WHICH UTILITY WOULD YOU USE?*Flow Designer & Workflows · hard*

- **A.** Flow Manager
- **B.** Flow Designer
- **C.** Flow Editor
- **D.** Workflow Editor
- **E.** Workflow Designer

Answer: B

Flow Designer provides a no-code, flowchart-style interface that lets admins and citizen developers orchestrate end-to-end processes and integrations without scripting. Since 'Flow Editor' is not an actual ServiceNow tool, the correct answer is Flow Designer (B).

Reference: [ServiceNow Docs — Flow Designer overview](#)

Q182. WHEN A USER REPORTS THAT THEY ARE NOT ABLE TO SEE MODULES ON THE APPLICATION NAVIGATOR, WHAT CAN YOU DO, TO SEE WHAT MODULES ARE VISIBLE TO THEM?*Application Access & Security · easy*

- **A.** Look up their password, so you can login with their account
- **B.** Initiate a Connect Chat session
- **C.** Install the Bomgar plug-in
- **D.** Impersonate the user
- **E.** Launch a NowChat window

Answer: D

Impersonating the user (D) lets an admin temporarily view the platform exactly as that user sees it — including which application menus and modules their roles expose — without knowing their password. Looking up a password (A) is impossible and a security violation since passwords are hashed, and the chat options do nothing to reveal another user's navigator.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q183. WHAT IS A KEY DIFFERENCE BETWEEN REPORTING AND PERFORMANCE ANALYTICS?*Reporting & Analytics · medium*

- **A.** Performance Analytics contains snapshots of data taken over time; Reporting shows only the data as it is, at the moment the report is run.
- **B.** Performance Analytics can show trends; Reports cannot.
- **C.** Reports can be run on a scheduled basis; Performance Analytics cannot.
- **D.** Performance Analytics data can be published to Dashboards; Reports cannot.
- **E.** Performance Analytics shows KPIs; Reporting does not.

Answer: A

The fundamental distinction is time: Performance Analytics collects scheduled snapshots (scores) so you can see how a value changes over days, weeks, and months, while a Report shows only the live data at the instant it runs (A). Option B is a tempting half-truth — reports can show point-in-time trends to a limited degree, but only Performance Analytics is built on historical snapshot data, which is the precise, defining difference.

Reference: [ServiceNow Docs — Performance Analytics vs. Reporting](#)

Q184. WHILE SHOWING A CUSTOMER THEIR INCIDENT FORM, THEY ASK TO CHANGE THE PRIORITY VALUES TO DISPLAY THEIR INTERNAL TERMINOLOGY P1, P2, P3, P4. THEY WANT IT TO BE CONSISTENT ACROSS ALL TASKS. HOW WOULD YOU DO THAT? RIGHT CLICK ON PRIORITY AND SELECT WHAT?*Database Administration · medium*

- **A.** Configure Lists
- **B.** Show Options
- **C.** Configure Task
- **D.** Show Choices
- **E.** Show Choice List
- **F.** Configure Options

Answer: F

Right-clicking the Priority field label and selecting Configure Choices (shown here as 'Configure Options', F) opens the Choices list for that field so you can relabel the values. Because Priority is defined on the Task table and Incident extends Task, editing the choices at that level makes the P1–P4 labels consistent across all task-based tables, which is exactly what the customer asked for.

Reference: [ServiceNow Docs — Configure choice lists](#)

Q185. YOUR CUSTOMER WOULD LIKE TO CREATE A NEW TEMPLATE TO NOTIFY USERS WHO ARE AFFECTED BY NETWORK OUTAGES AT THEIR SITE. WHICH MODULE WOULD YOU USE TO CREATE A NEW NOTIFICATION?

Self-Service & Notifications · medium

- **A.** System Notification > Email > Notifications
- **B.** Administration > Notification Overview
- **C.** System Properties > Email > Settings
- **D.** User Preferences > Email > Notifications
- **E.** Click Gear > Notifications > New

Answer: A

Notifications are created and managed under System Notification > Email > Notifications, where you define the trigger (event, record condition), recipients (who/whom), and the message template (A). System Properties controls email account/server settings rather than individual notifications, and User Preferences only governs whether a single user receives email, not the creation of a notification record.

Reference: [ServiceNow Docs — Create a notification](#)

Q186. WHEN DESIGNING A FLOW, HOW DO YOU REFERENCE DATA FROM A RECORD, IN THAT FLOW?

Flow Designer & Workflows · medium

- **A.** Drag the table icon onto the flow definition
- **B.** Use the condition builder to specify the desired values
- **C.** Specify the source table on the data pill related list

- **D.** Drag the data pill onto the flow definition
- **E.** Add the table reference using the slush bucket

Answer: D

In Flow Designer, output values from a trigger or earlier action are exposed as data pills, and you reference them by dragging the data pill into the input field where you want that value used (D). There is no 'data pill related list' or slush-bucket method for this — the drag-and-drop data pill is the core mechanism for passing record data through a flow.

Reference: [ServiceNow Docs — Use data pills in Flow Designer](#)

Q187. ON THE REPORTS PAGE, WHAT SECTIONS ALLOW YOU TO SEE WHICH REPORTS ARE VISIBLE TO DIFFERENT AUDIENCES? (CHOOSE FOUR.)

Reporting & Analytics · hard

- **A.** Group
- **B.** Department
- **C.** My reports
- **D.** Team
- **E.** Dashboards
- **F.** Global
- **G.** Admin
- **H.** Analytics
- **I.** All
- **J.** Company

Answer: A, C, F, I

On the Reports list, reports are grouped by visibility audience: My reports (visible only to you), Group (shared with specific users/groups), Global (visible org-wide), and All (every report you can see). Those four sections are A, C, F, and I.

Reference: [ServiceNow Docs — Share a report](#)

Q188. WHICH TOOL IS USED TO DEFINE RELATIONSHIPS BETWEEN FIELDS IN AN IMPORT SET TABLE AND A TARGET TABLE?*Import Sets & Data Sources · easy*

- **A.** Transform Schema
- **B.** Schema Map
- **C.** Dictionary Map
- **D.** Transform Map
- **E.** Field Transformer
- **F.** Import Designer

Answer: D

A Transform Map defines how each field on the staging import set table maps to a field on the target table, and it is also where coalesce fields and field/script transformations are configured (D). The other names are not real ServiceNow import tools — a Schema Map exists for visualizing table relationships but is not used to map import fields to a target.

Reference: [ServiceNow Docs — Import set key concepts \(Transform Map\)](#)

Q189. WHICH SERVICENOW CAPABILITY PROVIDES ASSISTANCE TO HELP USERS OBTAIN INFORMATION, MAKE DECISIONS, AND PERFORM COMMON WORK TASKS VIA A MESSAGING INTERFACE?*Self-Service & Notifications · easy*

- **A.** Agent Workspace
- **B.** Chat bot
- **C.** Virtual Agent
- **D.** Knowledge Chat
- **E.** Now Support

Answer: C

Virtual Agent is ServiceNow's conversational bot that uses pre-built topics and NLU to help users get information, make decisions, and complete tasks through a chat/messaging interface (C). 'Chat bot' (B) is only a generic description, not the named platform capability, and Agent Workspace is the interface human agents use rather than the automated assistant the question describes.

Reference: [ServiceNow Docs — Virtual Agent overview](#)

Q190. WHICH FEATURE ALLOWS YOU TO AUTOMATE BUSINESS LOGIC FOR A PARTICULAR APPLICATION OR PROCESS SUCH AS APPROVALS, TASKS NOTIFICATIONS, AND RECORD OPERATIONS?

Flow Designer & Workflows · medium

- **A.** Flows
- **B.** Action Sequences
- **C.** Action Sets
- **D.** Task Flows
- **E.** Flow Diagrams

Answer: A

A Flow (built in Flow Designer) automates business logic for a process - generating approvals, creating tasks, sending notifications, and performing record operations - using triggers and actions. Since 'Flow Diagrams' is not a real feature, the correct answer is Flows (A).

Reference: [ServiceNow Docs — Flows in Flow Designer](#)

Q191. FROM A FORM, WHAT WOULD YOU CLICK TO ADD ADDITIONAL FIELDS TO THE FORM? (CHOOSE TWO.)

Lists, Filters & Forms · medium

- **A.** Context Menu > Form > Layout
- **B.** Context Menu > Configure > Form Layout
- **C.** Context Menu > Configure > Form Design
- **D.** Right click on header > Add > Field
- **E.** Context Menu > Form > Designer
- **F.** Right click on header > Configure > UX Dashboard

Answer: B, C

From a form's context menu you reach Configure > Form Layout (a slushbucket/text-based editor) or Configure > Form Design (a drag-and-drop builder); both let you add fields to the form. The correct pair is therefore B and C.

Reference: [ServiceNow Docs — Form layout and design](#)

Q192. WHAT IS THE NAME OF THE TABLE RELATIONSHIP, WHERE TWO OR MORE TABLES ARE RELATED IN A BI-DIRECTIONAL RELATIONSHIP, SO THAT THE RELATED RECORDS ARE VISIBLE FROM BOTH TABLES IN A RELATED LIST?

Database Administration · medium

- **A.** Database View
- **B.** Many to Many
- **C.** One to Many
- **D.** Extended

Answer: B

A Many-to-Many (M2M) relationship lets records on two tables relate to each other in both directions, and ServiceNow stores the links in a hidden M2M table so the related records appear in a related list on both parent forms (B). A One-to-Many is unidirectional via a reference field, a Database View joins tables for reporting only (read-only, no related lists), and table Extension is inheritance rather than a relationship.

Reference: [ServiceNow Docs — Many-to-many relationships](#)

Q193. ON A FORM HEADER, WHAT IS THE THREE BAR ICON CALLED?

User Interface & Navigation · easy

- **A.** Pancake icon
- **B.** Additional Actions or Context Menu
- **C.** Hamburger icon
- **D.** Cake icon

Answer: C

The three horizontal lines in the form header are commonly called the hamburger icon, and clicking it opens the form context menu of additional actions (C). While 'Additional Actions / Context Menu' (B) describes what the menu does, the question specifically asks the name of the three-bar icon, which is the hamburger.

Reference: [ServiceNow Docs — Form context menu](#)

Q194. GROUP RECORDS ARE STORED IN WHICH TABLE?

Database Administration · easy

- **A.** Group [sn_user_group]
- **B.** Group [sys_user_group]
- **C.** Group [s_sys_group]
- **D.** Group [u_sys_group]

Answer: B

Groups are stored in the Group table with the platform name sys_user_group (B), following the sys_ convention for core platform tables and pairing with sys_user (users) and sys_user-grmember (membership). The sn_, s_, and u_ prefixed names are not the core group table.

Reference: [ServiceNow Docs — Group administration \(sys_user_group\)](#)

Q195. WHAT FUNCTION DO YOU USE TO ADD BUTTONS, LINKS, AND CONTEXT MENU ITEMS ON FORMS AND LISTS?

Platform Automation · easy

- **A.** UI Policies
- **B.** UI Settings
- **C.** UI Actions
- **D.** UI Config

Answer: C

UI Actions create the clickable controls — buttons, form links, list buttons, and context menu items — on forms and lists, and they can run client- or server-side script (C). UI Policies (A) dynamically control field state (mandatory, read-only, visible) but do not add buttons or menu items.

Reference: [ServiceNow Docs — UI Actions](#)

Q196. ON A BUSINESS RULE, THE WHEN SETTING DETERMINES AT WHAT POINT THE RULE EXECUTES. WHAT ARE THE OPTIONS FOR SPECIFYING THAT TIMING?*Platform Automation · medium*

- **A.** Before, After, Async, Display
- **B.** Prior to, Synchronous, on Update
- **C.** Insert, Update, Delete, Query
- **D.** Before, Synchronous, Scheduled Job, View

Answer: A

The Business Rule 'When' field has exactly four values — Before, After, Async, and Display — which control whether the rule runs before/after the database operation, asynchronously via a scheduled job, or as the form loads (A). Insert/Update/Delete/Query (C) are the operation checkboxes that say which database actions trigger the rule, not the 'When' timing options.

Reference: [ServiceNow Docs — How business rules work](#)

Q197. WHAT ARE DIFFERENT TYPES OF DATA SOURCES, WHICH MAY BE IMPORTED INTO SERVICENOW? (CHOOSE FOUR.)*Import Sets & Data Sources · medium*

- **A.** Local Sources (i.e. XML, CSV, Excel)
- **B.** Implementation Spoke
- **C.** DataHub
- **D.** JDBC Connection
- **E.** Network Server
- **F.** LDAP Connection

Answer: A, C, D, F

ServiceNow data sources can pull from local file uploads (XML, CSV, Excel), a JDBC connection to an external database, and an LDAP connection to a directory server — A, D, and F are standard import source types. The source rounds the set out with DataHub (C); 'Implementation Spoke' and 'Network Server' are not data-source types.

Reference: [ServiceNow Docs — Data sources](#)

Q198. WHAT ARE THE COMPONENTS THAT MAKE UP A FILTER CONDITION? (CHOOSE THREE.)*Lists, Filters & Forms · easy*

- **A.** Operator
- **B.** Match Criteria
- **C.** Value
- **D.** Column
- **E.** Field

Answer: A, C, E

Every filter condition is built from three parts: a Field (the column to evaluate), an Operator (such as is, contains, greater than), and a Value to compare against — A, C, and E. 'Column' overlaps with Field but is not the term ServiceNow uses for the condition component, and 'Match Criteria' (AND/OR) joins multiple conditions rather than forming one.

Reference: [ServiceNow Docs — Filters \(field, operator, value\)](#)

Q199. WHEN IMPERSONATING A USER FOR TESTING PURPOSES, WHAT IS THE BEST WAY TO RETURN THE INSTANCE, LOGGED IN WITH YOUR USER ACCOUNT?*Application Access & Security · easy*

- **A.** Turn your computer off and on again
- **B.** Clear browser cache
- **C.** End Impersonation
- **D.** Log out and back in

Answer: C

When impersonating a user, you click the profile/avatar menu and select End Impersonation to return to your own logged-in session. This is the built-in mechanism for exiting impersonation, making option C correct.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q200. WHAT CONTROLS THE PUBLISHING AND RETIRING PROCESS FOR KNOWLEDGE ARTICLES?*Knowledge Management · medium*

- **A.** Approval Policies
- **B.** Approval Definitions
- **C.** Workflow Designer
- **D.** Workflows
- **E.** State Lifecycle

Answer: D

Each knowledge base is assigned publish and retire Workflows that define the approval and state transitions for its articles. ServiceNow ships defaults such as Approval Publish, Instant Publish, and Instant Retire, and you can clone and customize them. The controlling mechanism is Workflows (D).

Reference: [ServiceNow Docs — Knowledge workflows](#)

Q201. WHAT TYPE OF QUERY ALLOWS YOU TO FILTER LIST DATA USING NORMAL WORDS, INSTEAD OF THE CONDITION BUILDER?*Lists, Filters & Forms · easy*

- **A.** Natural Language Query
- **B.** Alexa Query
- **C.** Machine Learning Query
- **D.** Predictive Intelligence Query
- **E.** Auto-suggest Query

Answer: A

Natural Language Query (NLQ) lets users filter a list by typing plain-language phrases such as 'open incidents assigned to me' instead of building conditions in the condition builder (A). The other options are not real ServiceNow list-filtering features — Predictive Intelligence is an ML framework for classification/similarity, not a typed list query.

Reference: [ServiceNow Docs — Natural Language Query](#)

Q202. TABLES MAY HAVE A ONE TO MANY RELATIONSHIPS. FROM THE SERVICE CATALOG, WHAT ARE EXAMPLES OF TABLES HAVING A ONE TO MANY RELATIONSHIPS? (CHOOSE THREE.)

Service Catalog · medium

- **A.** One Approval can have many Requests
- **B.** One Request can have many Requested Items
- **C.** One Requested Item can have many Approvals
- **D.** One Requested Item can have many Catalog Tasks
- **E.** One Cart can have many Requests

Answer: B, C, D

In the Service Catalog data model, a Request (REQ) can contain many Requested Items (RITM); each RITM can have many Approvals; and each RITM can have many Catalog Tasks (SCTASK). A cart, however, generates one Request at checkout, so the correct trio is B, C, and D.

Reference: [ServiceNow Docs — Request fulfillment relationships](#)

Q203. ON A FILTER CONDITION, WHICH COMPONENT IS ALWAYS A CHOICE LIST?

Lists, Filters & Forms · medium

- **A.** Operator
- **B.** Filter Criteria
- **C.** Operation
- **D.** Match Criteria

Answer: A

A condition row consists of a Field, an Operator, and a Value. The Field and Value vary by type, but the Operator is always presented as a choice list (is, is not, contains, etc.). The correct term is Operator (A).

Reference: [ServiceNow Docs — Condition builder](#)

Q204. A ROLE IS DEFINED AS WHAT?*Application Access & Security · easy*

- **A.** A collection of permissions
- **B.** A set of user access policies
- **C.** A Persona in a workflow
- **D.** A set of access control rules

Answer: A

A role is a named collection of permissions (granted via the ACLs and other access associated with it) that you assign to users or groups to grant access in bulk (A). It is not itself the set of access control rules (D) — ACLs reference roles, but the role is the container of permissions, and assigning the role is what conveys access.

Reference: [ServiceNow Docs — Roles](#)

Q205. A USER IS COMPLAINING THAT THEY ARE SEEING A BLANK PAGE, WHEN THEY CLICK CREATE NEW, FROM YOUR CUSTOM INVENTORY APPLICATION. YOU HAVE CONFIRMED THAT THEY CAN SEE THE INVENTORY APPLICATION, AND THE CREATE NEW MODULE ON THE APPLICATION NAVIGATOR. WHAT COULD BE THE CAUSE OF THIS ISSUE?*Application Access & Security · medium*

- **A.** Create New module has a broken link
- **B.** Known intermittent issue with U115
- **C.** User should be using Chrome instead of Explorer for their browser
- **D.** User has read role, but not the write role on the Inventory table
- **E.** User session has timed out

Answer: D

If the user can navigate to the module but gets a blank form on Create New, the most likely cause is that they have read access to the Inventory table but lack the write (create) role, so ACLs suppress the field/form and nothing renders (D). A broken module link or timed-out session would typically produce a different error, and the module is confirmed visible, ruling those out.

Reference: [ServiceNow Docs — Access control rules](#)

Q206. WHAT RESOURCE CAN YOU USE TO VIEW DETAILS OF THE TABLES AND CONFIGURATION ITEMS (CIS) ASSOCIATED WITH A PARTICULAR USE CASE?

Database Administration · medium

- **A.** Scenario Dashboard
- **B.** CI Use Case Modeler
- **C.** CMDB Use Case Modeler
- **D.** Common Service Data Model (CSDM) product view

Answer: D

The Common Service Data Model (CSDM) product view documents the recommended tables and CI classes for each use case, showing how data should be modeled across the CMDB (D). The 'CI Use Case Modeler' and 'CMDB Use Case Modeler' are not actual ServiceNow resources, making CSDM the correct reference for use-case-based table and CI guidance.

Reference: [ServiceNow Docs — CSDM framework](#)

Q207. A MANAGER WANTS TO VIEW A SNAPSHOT OF MONTH-END SALES PERFORMANCE DATA, AS COMPARED TO SALES TARGETS. IN ADDITION, THE MANAGER WANTS TO BE ABLE TO SEE THOSE MONTHLY NUMBERS TRENDED OVER TIME, AND FORECASTED INTO THE FUTURE. WHAT CAPABILITY DO YOU SUGGEST FOR THIS MANAGER?

Reporting & Analytics · medium

- **A.** Scheduled Reports, a custom snapshot table, and a Trend report
- **B.** Scheduled Reports and Excel
- **C.** Scheduled Reports, a custom snapshot table, and a Projection report
- **D.** Performance Analytics
- **E.** Key Performance Indicators

Answer: D

Performance Analytics is purpose-built for exactly this: it captures periodic snapshots (scores), compares them against targets, trends them over time, and can forecast future values (D). The build-it-yourself options using scheduled reports and custom snapshot tables (A, C) would crudely approximate this but are far more fragile, and a single KPI (E) is just one indicator, not the trending-and-forecasting solution.

Reference: [ServiceNow Docs — Performance Analytics \(forecasting data\)](#)

Q208. WHAT ARE ADVANTAGES OF USING FLOW DESIGNER? (CHOOSE THREE.)

Flow Designer & Workflows · medium

- **A.** Supports advanced developers
- **B.** Enables complicated scripting
- **C.** Reduces technical debt
- **D.** Less manual scripting
- **E.** Smooth integration with 3rd party systems

Answer: C, D, E

Flow Designer's advantages are that its reusable, no-code building blocks reduce technical debt (C), it minimizes manual scripting through configurable actions (D), and spokes provide smooth integration with third-party systems (E). The remaining options invert its purpose — Flow Designer is aimed at reducing custom code, not enabling complicated scripting (B) or catering primarily to advanced developers (A).

Reference: [ServiceNow Docs — Flow Designer](#)

Q209. YOUR CUSTOMER REQUIRES THAT THEY BE ABLE TO MONITOR WHICH USERS ARE PERFORMING IMPERSONATIONS IN THEIR INSTANCE. WHAT WOULD YOU DO TO MEET THAT REQUIREMENT?

Application Access & Security · hard

- **A.** Add the role Log Write [sn_log_write] to the Impersonator Group
- **B.** Create user update set for impersonation tracking
- **C.** Activate the glide.sys.log_impersonation prop
- **D.** From User icon, select Elevate Roles

- E. On the Impersonator role record, right click and select Create Log

Answer: C

Setting the system property glide.sys.log_impersonation to true causes ServiceNow to write a log entry every time a user starts or stops impersonating someone, giving administrators an auditable record of impersonation activity (C). The other options are fabricated mechanisms — there is no Impersonator Group role or ‘Create Log’ action that produces this tracking.

Reference: [ServiceNow Docs — Impersonate a user / impersonation logging](#)

Q210. WHEN A FLOW RUNS AN ACTION, IT GENERATES A RUNTIME VALUE, WHICH STAYS THE SAME FOR THE DURATION OF THE FLOW. WHAT IS THE NAME OF THIS RUNTIME VALUE?

Flow Designer & Workflows · hard

- A. Trigger runtime value
- B. Sequence runtime value
- C. Starting runtime value
- D. Data pill runtime value
- E. Input runtime value

Answer: D

Action and trigger outputs in a flow are surfaced as data pills, and the value carried by a data pill is established when that step runs and remains available (unchanged) for the rest of the flow’s execution — hence the ‘data pill runtime value’ (D). The other names are not Flow Designer terms for these persisted runtime outputs.

Reference: [ServiceNow Docs — Data pills in Flow Designer](#)

Q211. THE WAIT TIME FOR END USERS IS BASED ON THE ROUND-TRIP BETWEEN THE CLIENT AND THE SERVER. WHAT ACTIVITIES ARE INCLUDED IN THE ROUND-TRIPS?

User Interface & Navigation · medium

- A. Request + Response
- B. Save + Update

- C. Write + Read
- D. Submit + Query
- E. Insert + Verify

Answer: A

A client-server round trip consists of the client sending a Request to the server and the server returning a Response; the user's perceived wait time is the sum of these two legs plus processing (A). The other pairs describe database or form operations rather than the network request/response cycle that defines a round trip.

Reference: [ServiceNow Docs — Client script best practices](#)

Q212. WHEN IMPORTING DATA, WHAT HAPPENS TO IMPORTED ROWS, IF NO COALESCE FIELD IS SPECIFIED?

Import Sets & Data Sources · medium

- A. All rows are rejected from the import, as coalesce field is required.
- B. All rows are treated as new records. No existing records are updated.
- C. Duplicate rows are rejected from the import.
- D. All rows are treated as new records, but errors will be flagged in the import log.

Answer: B

Coalescing is what matches incoming rows to existing target records. Without a coalesce field, the transform has no key to match on, so all rows are treated as new and inserted - re-running the import would create duplicates. This makes option B correct.

Reference: [ServiceNow Docs — Field coalescing](#)

Q213. WHAT IS THE MOST COMMON ROLE THAT HAS ACCESS TO ALMOST ALL PLATFORM FEATURES, FUNCTIONS, AND DATA?

Application Access & Security · medium

- A. Security Admin [security_admin]
- B. Sys Admin [sys_admin]
- C. Admin [sn_admin]

- **D.** System Administrator [admin]
- **E.** Base Admin [base_admin]

Answer: D

The System Administrator role, whose internal name is simply 'admin', grants access to nearly all platform features, applications, functions, and data. The correct option is System Administrator [admin] (D).

Reference: [ServiceNow Docs — Roles \(admin\)](#)

Q214. WHAT FEATURE DO YOU USE TO SPECIFY WHICH USERS ARE ABLE TO ACCESS A SERVICE CATALOG ITEM?

Service Catalog · easy

- **A.** Can Read Role
- **B.** Catalog User Role
- **C.** Can Order Tab
- **D.** User Criteria

Answer: D

User Criteria is the feature that defines which users (by role, group, department, location, etc.) can view and order a given Service Catalog item or category (D). It is applied through the item's Available For / Not Available For lists; the other options are not the supported mechanism for catalog item access control.

Reference: [ServiceNow Docs — Apply user criteria to catalog items](#)

Q215. WHICH COMPONENT OF A TABLE CONTAINS A PIECE OF DATA FOR ONE RECORD?

Database Administration · easy

- **A.** Factor
- **B.** Field
- **C.** Datapoint
- **D.** Element

- E. Item

Answer: B

In a ServiceNow table, a record is a row and a Field is the column that holds one piece of data for that record (B) — for example, the Short description field on an incident. ‘Element’ is the dictionary’s internal column name for a field definition, but the component that stores a single data value on a record is the field.

Reference: [ServiceNow Docs — Tables and fields \(data dictionary\)](#)

Q216. WHAT TYPE OF FIELD HAS A DROP DOWN LIST, FROM WHICH YOU CAN PICK FROM PRE-DEFINED OPTIONS?

Database Administration · easy

- A. Choice
- B. Picker
- C. Drop down
- D. Option

Answer: A

A Choice field presents a predefined drop-down list of values that the user selects from, with the options stored as choice records for that field (A). ‘Picker’, ‘Drop down’, and ‘Option’ are not ServiceNow field types — the field type that renders a fixed selectable list is the Choice field.

Reference: [ServiceNow Docs — Choice lists](#)

Q217. USER RECORDS ARE STORED IN WHICH TABLE?

Database Administration · easy

- A. User [sys_user]
- B. User [sn_user]
- C. User [u_sys_user]
- D. User [s_user]

Answer: A

User records live in the User table whose platform name is sys_user (A), consistent with the sys_ prefix on core platform tables. The sn_, u_, and s_ prefixed names are not the core user table — sys_user is where every user account is stored.

Reference: [ServiceNow Docs — User administration \(sys_user\)](#)

Q218. WHAT SERVICENOW FEATURE CAN BE TRIGGERED BY EVENTS, AND IS USED TO INFORM USERS ABOUT ACTIVITIES OR UPDATES IN SERVICENOW?

Self-Service & Notifications · medium

- **A.** Notifications
- **B.** Alerts
- **C.** Texts
- **D.** Events
- **E.** Emails

Answer: A

Events are signals raised in the platform; Notifications subscribe to those events (or to record conditions) and send email/messages to inform users about activities or updates. Since the question asks for the feature that informs users, the answer is Notifications (A).

Reference: [ServiceNow Docs — Email notifications and events](#)

Q219. WHICH SERVICENOW CAPABILITY ALLOWS YOU TO PROVIDE KNOWLEDGE ARTICLES, VIA A CONVERSATIONAL MESSAGING INTERFACE?

Knowledge Management · medium

- **A.** Agent Assist
- **B.** Virtual Agent
- **C.** Now Messenger
- **D.** Connect Agent

Answer: B

Virtual Agent is the conversational, chatbot-style interface that can surface knowledge articles and run automated topics for users (B). Agent Assist helps a live human fulfiller find relevant knowledge while working a record, so it is agent-facing rather than the conversational self-service channel described here.

Reference: [ServiceNow Docs — Virtual Agent overview](#)

Q220. WHICH ROLE CAN MANAGE MULTIPLE KNOWLEDGE BASES?

Knowledge Management · medium

- **A.** knowledge_base_admin
- **B.** kb_admin
- **C.** sn_kb_admin
- **D.** knowledge_admin

Answer: D

The knowledge_admin role can administer Knowledge Management across the platform, including managing multiple knowledge bases (D). The knowledge_manager role, by contrast, is scoped to managing a specific knowledge base, and the other listed role names are not standard out-of-the-box Knowledge roles.

Reference: [ServiceNow Docs — Knowledge Management roles](#)

Q221. WHICH STATEMENT CORRECTLY DESCRIBES THE DIFFERENCES BETWEEN A CLIENT SCRIPT AND A BUSINESS RULE?

Platform Automation · medium

- **A.** A Client Script executes before a record is loaded and a Business Rule executes after a record is loaded
- **B.** A Client Script executes on the server and a Business Rule executes on the client
- **C.** A Client Script executes on the client and a Business Rule executes on the server
- **D.** A Client Script executes before a record is loaded and a Business Rule executes after a record is updated

Answer: C

Client Scripts run in the user's web browser (the client side) and react to form events such as load, change, and submit, while Business Rules run on the server when records are queried, inserted, updated, or deleted (C). Option B reverses these execution contexts, and the timing-based options conflate the two without correctly stating where each runs.

Reference: [ServiceNow Docs — Client Scripts](#)

Q222. WHAT ARE BENEFITS OF ASSIGNING WORK TASKS TO A GROUP, RATHER THAN TO AN INDIVIDUAL? (CHOOSE FOUR.)

Task Management · medium

- **A.** Group members can choose their tasks from My Groups Work
- **B.** Groups can assign tasks to users based on on-call schedules
- **C.** Site support members can pick tasks, based on Location
- **D.** Groups can assign tasks to users based on skills
- **E.** Group members can avoid tasks, which are nearing SLA breach
- **F.** Groups can assign tasks to users based on availability

Answer: B, C, D, F

Assigning to a group lets the platform distribute work intelligently — by on-call schedules (B), by location for site support (C), by skills (D), and by availability (F). Option E is wrong because group assignment is meant to improve coverage, not to let members dodge work that is about to breach an SLA, which would undermine service levels.

Reference: [ServiceNow Docs — Group administration](#)

Q223. WHAT SERVICENOW FEATURE ALLOWS YOU TO INCLUDE DATA FROM A SECONDARY RELATED TABLE ON A REPORT?

Reporting & Analytics · medium

- **A.** SQL
- **B.** Dot Walking
- **C.** Outer Join
- **D.** Joins

Answer: B

Dot-walking follows a reference field from one table to a field on the related table, letting you pull in columns from a secondary table when building a report (B). ServiceNow abstracts the database layer, so administrators do not write raw SQL or manual joins to traverse related records — they dot-walk through reference fields instead.

Reference: [ServiceNow Docs — Dot-walking](#)

Q224. WHAT ATTRIBUTES CAN YOU MANAGE, USING SYSTEM PROPERTIES > BASIC CONFIGURATION UI16? (CHOOSE FIVE.)

User Interface & Navigation · medium

- **A.** Browser tab title
- **B.** Module text color
- **C.** Preferred browser
- **D.** Base theme
- **E.** Font style
- **F.** Animation style
- **G.** Header background color
- **H.** Banner Image

Answer: A, B, D, G, H

The Basic Configuration UI16 properties page lets you brand the interface: set the browser tab title (A), module text color (B), base system theme (D), header background color (G), and banner image (H). Preferred browser, font style, and animation style are not configurable from this page — they are user/browser settings or not exposed there.

Reference: [ServiceNow Docs — Configure UI16 logo, colors, and system defaults](#)

Q225. WHICH FIELD (OR FIELDS) IS USED AS A UNIQUE KEY DURING IMPORTS?

Import Sets & Data Sources · easy

- **A.** Match Fields
- **B.** Coalesce Fields
- **C.** Key Fields
- **D.** Sys IDs

Answer: B

During a transform, the Coalesce field (or combination of fields) acts as the unique key that the system matches against to decide whether to update an existing record or insert a new one (B). 'Match Fields' and 'Key Fields' are not the ServiceNow term, and Sys IDs are auto-generated identifiers rather than the import match key you configure on a field map.

Reference: [ServiceNow Docs — Coalesce during transform](#)

Q226. YOU ARE ASKED TO CREATE AN OPTION IN THE SERVICE CATALOG, WHICH WILL ALLOW A USER TO CLICK GET HELP AND DESCRIBE THE ISSUE THEY ARE HAVING. THESE FORMS SHOULD CREATE INCIDENT RECORDS, WHICH ARE AUTOMATICALLY ROUTED TO THE SERVICE DESK. WHICH METHOD WOULD YOU USE?

Service Catalog · medium

- **A.** Create Record Producer
- **B.** Create Catalog Item
- **C.** Create Order Guide
- **D.** Create Content Item

Answer: A

A Record Producer is a catalog-style form that creates a record on a specified table — here, an Incident — so it is the right tool for a 'Get Help' form that opens and routes incidents (A). A standard Catalog Item generates a request/RITM for fulfillment rather than directly creating an incident, and Order Guides and Content Items serve different catalog purposes.

Reference: [ServiceNow Docs — Record Producers](#)

Q227. WHAT IS THE RESULT OF THE ORDER IN WHICH ACCESS CONTROLS ARE EVALUATED?

Application Access & Security · medium

- **A.** Ensures user has access to the fields in a table, before considering their access to the table
- **B.** Ensures user can get to work as quickly as possible

- **C.** Ensures user has access to the application, before evaluating access to a module within the application
- **D.** Ensures user has access to a table, before evaluating access to a field in the table

Answer: D

ServiceNow evaluates ACLs from the table (row) level down to the field (column) level — a user must first pass the table-level access control before any field-level rule is even considered (D). Option A reverses this order; you cannot be granted field access on a table you cannot reach in the first place.

Reference: [ServiceNow Docs — How access control rules are evaluated](#)

Q228. WHICH TOOL GRAPHICALLY DISPLAYS AN INFRASTRUCTURE VIEW FOR A CONFIGURATION ITEM (CI) AND ITS RELATIONSHIP WITH OTHER CIS?

Database Administration · medium

- **A.** Schema Map
- **B.** Dependency View
- **C.** Dependency Map
- **D.** Database View

Answer: B

Dependency View (formerly the BSM map) renders a graphical, infrastructure-level picture of a CI and the upstream/downstream CIs it relates to (B). A Schema Map diagrams table relationships in the data model, and a Database View joins tables for reporting — neither visualizes CI-to-CI infrastructure relationships.

Reference: [ServiceNow Docs — Dependency views](#)

Q229. WHAT ARE EXAMPLES OF CORE TABLES IN THE SERVICENOW PLATFORM?

Database Administration · easy

- **A.** Configuration, Connect, Chat
- **B.** Team, Party, Awards

- C. User, Task, Incident
- D. Work, Caller, Timecard

Answer: C

User (sys_user), Task, and Incident are all core, out-of-the-box tables that ship with the Now Platform (C). The other options list a mix of feature names and non-existent table names that are not part of the platform's core data model.

Reference: [ServiceNow Docs — Table administration](#)

Q230. WHICH TAB ON THE KNOWLEDGE BASE RECORD, WOULD YOU USE TO IDENTIFY THE SETS OF USERS WHO ARE ABLE TO READ ARTICLES IN THAT KNOWLEDGE BASE?

Knowledge Management · medium

- A. Access List
- B. Can Access
- C. Accessible to
- D. Can Read

Answer: D

On a knowledge base record, the Can Read tab is where you attach the User Criteria that define which sets of users are allowed to read the articles (D). The Cannot Read tab does the opposite (denies access), and the other tab names listed do not exist on the knowledge base form.

Reference: [ServiceNow Docs — Apply user criteria to a knowledge base](#)

Q231. WHAT ARE THE MAIN COMPONENTS OF THE FORM DESIGN INTERFACE? (CHOOSE THREE.)

Lists, Filters & Forms · medium

- A. Field Layout
- B. Page Header
- C. Field Navigator
- D. Field Picker

- E. Form Layout

Answer: B, C, E

The drag-and-drop Form Designer is organized into a Page Header (the toolbar/title area), a Field Navigator (the panel listing available fields to drag on), and the Form Layout (the canvas where you arrange fields and sections) — B, C, and E. 'Field Layout' and 'Field Picker' are not the named components of the Form Design interface.

Reference: [ServiceNow Docs — Form Designer](#)

Q232. WHAT IS USED TO DETERMINE USER ACCESS TO KNOWLEDGE BASES OR A KNOWLEDGE ARTICLE?

Knowledge Management · medium

- A. sn_kb_read, sn_article_read
- B. Privacy Settings
- C. Read Access Flag
- D. User Criteria

Answer: D

User Criteria are reusable records that specify which users (by role, group, company, department, or location) can read or contribute to knowledge bases and articles (D). The other options are not the access mechanism — there is no Privacy Settings or Read Access Flag concept for Knowledge, and the listed role names are not how article visibility is controlled.

Reference: [ServiceNow Docs — User criteria for knowledge](#)

Q233. WHAT ARE THE THREE KEY TABLES IN AN ENTERPRISE CMDB? (CHOOSE THREE.)

Database Administration · medium

- A. cmdb
- B. sn_cmdb_bak
- C. cmdb_rel_ci
- D. sn_cmdb
- E. cmdb_bak

- F. cmdb_ci
- G. sn_cmdb_ci

Answer: A, C, F

The CMDB is anchored by three tables: cmdb (the base configuration management table), cmdb_ci (the Configuration Item table that most CI classes extend), and cmdb_rel_ci (which stores the relationships between CIs) — A, C, and F. The sn_-prefixed and _bak options are not real core CMDB tables.

Reference: [ServiceNow Docs — Configuration Management Database \(CMDB\)](#)

Q234. WHAT IS THE BEST PRACTICE RELATED TO USING THE DEFAULT UPDATE SET FOR MOVING CUSTOMIZATIONS BETWEEN INSTANCES?

Migration & Update Sets · easy

- A. Merge Default update sets before moving between instances
- B. Submit Default update set to application repository
- C. You should not use the Default Update sets for moving between instances
- D. Keep Default update set to maximum of 20 records, for troubleshooting purposes

Answer: C

ServiceNow's best practice is to leave the Default update set in place and create named update sets for your changes, so you should not use Default to move customizations between instances (C). The Default set is the always-present catch-all for the instance; the other options describe actions that are not recommended for it.

Reference: [ServiceNow Docs — Default update set](#)

Q235. ON WHAT PART OF THE SERVICENOW INSTANCE, WOULD YOU FIND THE OPTION TO IMPERSONATE USER?

User Interface & Navigation · easy

- A. Module
- B. Content Frame
- C. Application Navigator

- **D. User Menu**

Answer: D

The Impersonate User option is found in the User menu (the user/profile menu at the top-right of the banner frame), where admins can also elevate roles and log out (D). The Application Navigator, content frame, and individual modules do not host the impersonation control.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q236. WHICH APPLICATION IS USED PRIMARILY TO LOAD DATA INTO SERVICENOW?

Import Sets & Data Sources · easy

- **A. Import Hub**
- **B. System Import Sets**
- **C. Data Import Configuration**
- **D. Import Management**

Answer: B

The System Import Sets application is the primary tool for loading external data into ServiceNow — you create a data source, load the staging import set table, and run a transform map onto the target table (B). The other application names are not the standard out-of-the-box module used for importing data.

Reference: [ServiceNow Docs — System Import Sets](#)

Q237. IF A KNOWLEDGE BASE HAS NO ACCESS DETAILS SPECIFIED, WHAT USERS ARE ABLE TO READ ARTICLES IN THAT KNOWLEDGE BASE?

Knowledge Management · medium

- **A. itil users**
- **B. Any user with an article's permalink**
- **C. Any active user**
- **D. No users**
- **E. Users with kb_user role**

Answer: C

When a knowledge base has no User Criteria restricting access, the default behavior is that any active user can read its articles (C). Access becomes restricted only once you add Can Read / Cannot Read user criteria; without them, the knowledge base is open to all authenticated users rather than locked down to a specific role.

Reference: [ServiceNow Docs — User criteria for knowledge](#)

Q238. A DEPARTMENT MANAGER ASKS AN ANALYST TO BUILD SOME REPORTS. WHERE DO YOU RECOMMEND THE ANALYST START?

Reporting & Analytics · easy

- **A.** Report Dashboard > Create New
- **B.** Reports > Getting Started
- **C.** Performance Analytics > Reports
- **D.** Self-Service > Reports
- **E.** Reports > Create New

Answer: E

To build a report, the analyst navigates to Reports > Create New, which opens the Report Designer where you pick the data source, type, and style (E). The other paths point to dashboards, Performance Analytics, or self-service views that are not the entry point for authoring a new report.

Reference: [ServiceNow Docs — Create a report](#)

Q239. WHAT ARE THE STEPS FOR APPLYING AN UPDATE SET TO AN INSTANCE?

Migration & Update Sets · medium

- **A.** Retrieve, Preview, Commit
- **B.** Specify, Transform, Apply
- **C.** Retrieve, Assess, Apply
- **D.** Get, Test, Push
- **E.** Pull, Review, Push

Answer: A

On the target instance you Retrieve the completed update set from the source, Preview it to detect collisions and validate the changes, and then Commit it to apply the customizations (A). The other sequences mix in import-set terminology (Transform) or invented steps that are not part of the update set workflow.

Reference: [ServiceNow Docs — Retrieve, preview, and commit update sets](#)

Q240. WHEN IMPORTING SPREADSHEET DATA INTO SERVICENOW, IN WHICH STEP DOES THE DATA GET WRITTEN TO THE RECEIVING TABLE?

Import Sets & Data Sources · medium

- **A.** Run Transform
- **B.** Run Import
- **C.** Import Dataset
- **D.** Execute Transform
- **E.** Schedule Transform

Answer: A

After data is staged in the import set table, running the transform map maps and writes the records into the target table. The UI action that performs this is 'Run Transform' (sometimes shown simply as Transform), making option A the step where data reaches the receiving table.

Reference: [ServiceNow Docs — Transform maps](#)

Q241. WHAT WOULD YOU DO, ON A LIST, IF YOU WANTED TO SHOW THE RECORDS IN GROUPS, BASED ON THE COLUMN CATEGORY? (CHOOSE TWO.)

Lists, Filters & Forms · medium

- **A.** On list Context Menu, select Group By > Category
- **B.** On the Filter Menu, select Group By > Category
- **C.** Click Group On icon, select Category
- **D.** On Navigator Filter, type tablename.group.category and press enter

- E. On the Category column title, click Context menu > Group By Category

Answer: A, E

You can group a list either from the list (title) context menu by choosing Group By > Category (A), or from the column header's context menu on the Category column by choosing Group By (E). The Filter menu, a 'Group On' icon, and a navigator-filter syntax are not valid ways to group a list.

Reference: [ServiceNow Docs — Grouped lists](#)

Q242. WHAT IS THE DEFINITION OF A GROUP?

Application Access & Security · easy

- A. An escalation pod
- B. A department
- C. A collection of users
- D. A collection of subject matter experts
- E. A team of users

Answer: C

In ServiceNow a group is simply a collection of users who share a common purpose, such as fulfilling a certain type of task or receiving the same notifications (C). It is not the same as a department (an HR/organizational construct) and is not limited to subject matter experts — any set of users can form a group.

Reference: [ServiceNow Docs — Group administration](#)

Q243. WHICH SERVICENOW UTILITY PROVIDES A MODERN INTERACTIVE GRAPHICAL INTERFACE TO VISUALIZE CONFIGURATION ITEMS AND THEIR RELATIONSHIP?

Database Administration · medium

- A. CSDM Schema
- B. Business Service Map
- C. Dependency View
- D. CI Class Map

Answer: D

The CI Class Manager / CI Class Map provides a modern, interactive graphical interface for browsing the CMDB CI class hierarchy and the relationships between configuration item classes (D). Dependency View visualizes a specific CI's runtime relationships, whereas the CI Class Map is the newer utility for exploring the class model itself.

Reference: [ServiceNow Docs — CI Class Manager](#)

Q244. YOU HAVE BEEN ASKED TO CONFIGURE A FORM SO AN EMPLOYEE COULD A TABLET AND SELECT THE STANDARD ACCESSARY OPTIONS TO PURCHASE WITH IT. THESE STANDARD OPTIONS ARE: CARRYING CASE, SCREEN CLEANER, TABLET STAND, AND SCREEN PROTECTOR. WHAT APPROACH WOULD YOU TAKE? CHOOSE 3 ANSWERS

Service Catalog · hard

- **A.** Create Catalog item for the tablet, and on the form, add a check box variable for each accessory option.
- **B.** Create Catalog item for the tablet, and add a variable set to the form, for the accessory options.
- **C.** Create one Catalog item for each: tablet, carrying case, screen cleaner, tablet stand, and screen protector.
- **D.** Create a Records producer, and on the form, add a check box variable for each accessory option.
- **E.** On shopping Cart configuration, select option to show the Add Accessories button.

Answer: A, B, C

Valid catalog approaches are to build one catalog item for the tablet with a checkbox variable per accessory (A), to build the tablet item and attach a reusable variable set holding the accessory options (B), or to create a separate catalog item for the tablet and each accessory (C). A Record Producer (D) creates a single record rather than an orderable product, and there is no 'Add Accessories' shopping-cart toggle (E).

Reference: [ServiceNow Docs — Service Catalog variables and variable sets](#)

Q245. THE SERVICENOW PLATFORM SUPPORTS A WIDE VARIETY OF PLUS-AND-PLAY APPLICATION. YOU CAN CHOOSE FROM THE INCLUDED WORKFLOW OR BUILD YOUR OWN WORKFLOW. WHICH OF FOLLOWING THESE WORKFLOWS ARE INCLUDED IN THE PLATFORM?

Flow Designer & Workflows · medium

- **A.** Employee Workflows
- **B.** Infrastructure Workflows
- **C.** Federal Workflows
- **D.** Manufacturing Workflows
- **E.** Customer Workflows
- **F.** IT Workflows

Answer: A, F, E

ServiceNow's product families are organized around IT Workflows, Employee Workflows, and Customer Workflows (plus Creator Workflows) — so A, E, and F are the included workflow categories. 'Infrastructure,' 'Federal,' and 'Manufacturing' are not the names of ServiceNow's standard workflow product lines.

Reference: [ServiceNow — Products and workflows](#)

Q246. WHAT SERVICE CATALOG FEATURE DO YOU USE TO ORGANIZE ITEMS INTO LOGICAL GROUPS?

Service Catalog · medium

- **A.** Variable sets
- **B.** Catalog items
- **C.** Sections
- **D.** Categories

Answer: D

Service Catalog Categories group catalog items into logical, navigable groupings (e.g., Hardware, Software) to help users find what they need. Variable sets, by contrast, bundle reusable variables within an item. The feature for organizing items is Categories (D).

Reference: [ServiceNow Docs — Catalog categories](#)

Q247. A CUSTOMER REQUESTS THE FOLLOWING DATA QUALITY MEASURES BE ADDED: 1. INCIDENT NUMBERS SHOULD BE READ-ONLY ON ALL LISTS AND FORMS, FOR ALL USERS. 2. SHORT DESCRIPTION FIELD SHOULD BE MANDATORY, ON ALL RECORDS, ACROSS ALL APPLICATIONS, ON INSERT. WHICH TYPE OF POLICY WOULD YOU USE TO MEET THIS REQUIREMENT?

Lists, Filters & Forms · medium

- **A.** Data policy
- **B.** Dictionary Design Policy
- **C.** Data Quality Policy
- **D.** Field Criteria Policy

Answer: A

A Data Policy enforces mandatory and read-only field rules at the data layer, so the rules apply everywhere data enters the table — lists, forms, imports, and web services — regardless of application (A). UI Policies only affect forms in the browser, and the other listed policy types are not real ServiceNow features.

Reference: [ServiceNow Docs — Data policies](#)

Q248. WHEN CREATING A NEW NOTIFICATION, WHAT MUST YOU DEFINE? CHOOSE 3 ANSWERS

Self-Service & Notifications · easy

- **A.** What is the content of the notification
- **B.** The associated knowledge base
- **C.** Under what conditions is the notification sent
- **D.** Who receives the notification
- **E.** Settings for handling inactive user accounts

Answer: A, C, D

Every notification needs three things defined: when it fires (the conditions/trigger), who it goes to (the recipients), and what it says (the content/message) — A, C, and D. A knowledge base association and inactive-account handling are not part of configuring a notification record.

Reference: [ServiceNow Docs — Create an email notification](#)

Q249. WHICH TYPE OF SERVICENOW SCRIPT RUNS ON THE WEB BROWSER?

Platform Automation · easy

- **A.** Server script
- **B.** Local script
- **C.** Database script
- **D.** Client script

Answer: D

Client Scripts execute in the user's web browser and respond to form events like onLoad, onChange, and onSubmit (D). Server-side logic such as business rules runs on the application server, not the browser; 'Local script' and 'Database script' are not ServiceNow script types.

Reference: [ServiceNow Docs — Client Scripts](#)

Q250. HOW WOULD YOU DISTINGUISH BETWEEN A BASE CLASS TABLE AND A PARENT CLASS TABLE?

Database Administration · hard

- **A.** Base Class tables always have tables extended from them, Parent tables do not have tables extended from them.
- **B.** Base Class table is not extended from another table. Parent class tables may be extended from another table.
- **C.** Extended tables can be extended from Parent tables or Base tables, but they cannot be extended from both.
- **D.** Extended tables are always extended from Parent tables, Extended tables are usually extended from Base tables,

Answer: B

A Base Class table sits at the top of a hierarchy and is not extended from any other table, while a Parent table is simply any table that has children extending it — and a parent can itself be extended from a higher table (B). The distinction is about position in the extension chain: base = the root, parent = has descendants.

Reference: [ServiceNow Docs — Table extension](#)

Q251. WHAT TYPES OF ENTITIES CAN RECEIVE TASK ASSIGNMENTS, IN SERVICENOW? CHOOSE 2 ANSWERS

Task Management · easy

- **A.** Groups
- **B.** Users
- **C.** Departments
- **D.** Teams.

Answer: A, B

Tasks are assigned through the Assignment group and Assigned to fields, so the entities that can receive a task are Groups and Users (A and B). Departments are organizational records used for reporting and user criteria, and 'Teams' is not a task-assignment target in core ServiceNow.

Reference: [ServiceNow Docs — Task management](#)

Q252. WHAT ARE EXAMPLES OF UI ACTIONS RELATING TO FORMS? CHOOSE 3 ANSWERS

Platform Automation · medium

- **A.** Form Context Menu
- **B.** Form View
- **C.** Form Buttons
- **D.** Form Links.
- **E.** Form Columns

Answer: A, C, D

On a form, UI Actions render as Form Buttons, Form Context Menu items, and Form Links (the related links at the bottom of the form) — A, C, and D. 'Form View' is a layout/display configuration and 'Form Columns' relate to field arrangement, neither of which is a UI Action control.

Reference: [ServiceNow Docs — UI Actions](#)

Q253. WHICH IS THE MOST EFFICIENT WAY TO MOVE LARGE AMOUNTS OF DATA BETWEEN INSTANCES?*Migration & Update Sets · medium*

- **A.** Export to Data Package
- **B.** Export to XML
- **C.** Update Sets
- **D.** Export to Zip

Answer: B

For moving actual data records between instances, exporting to XML lets you capture many records and re-import them on the target instance (B). Update Sets are designed for configuration and customizations, not bulk data, so they are the wrong tool for moving data; the other export formats listed are not the standard data-transfer mechanism.

Reference: [ServiceNow Docs — Exporting data](#)

Q254. WHEN A CUSTOM TABLE IS CREATED, WHICH ACCESS CONTROL RULES ARE AUTOMATICALLY CREATED? CHOOSE 4 ANSWERS*Application Access & Security · medium*

- **A.** delete
- **B.** create
- **C.** execute
- **D.** read
- **E.** update
- **F.** write

Answer: A, B, D, F

Creating a new table auto-generates ACLs for the four CRUD operations the platform secures at the row/field level: create, read, write, and delete (A, B, D, F). ServiceNow uses 'write' rather than 'update' for the modify operation, and 'execute' applies to UI actions/script operations, not the default table CRUD ACLs.

Reference: [ServiceNow Docs — Access control rules](#)

Q255. WHAT DOES NATURAL LANGUAGE QUERY ALLOW YOU TO DO ON A LIST?*Lists, Filters & Forms · medium*

- **A.** Automatically select a filter, based on keywords
- **B.** Filter list by typing in a phrase
- **C.** Predict the filter desired by the user
- **D.** Speak to the condition builder
- **E.** Set list filter, using audible commands

Answer: A

Natural Language Query lets a user type a plain-language phrase that the platform interprets into a list filter based on keywords (A). The keyed answer is A, though option B ('Filter list by typing in a phrase') describes essentially the same behavior; NLQ is text-driven, so the 'speak'/'audible command' options (D, E) are incorrect.

Reference: [ServiceNow Docs — Natural Language Query](#)

Q256. ON THE KNOWLEDGE BASE RECORD, WHICH TAB WOULD YOU USE TO DEFINE WHICH USERS ARE ABLE TO WRITE ARTICLES TO THE KNOWLEDGE BASE?*Knowledge Management · medium*

- **A.** Can Read
- **B.** Can Write
- **C.** Can Contribute
- **D.** Can Author
- **E.** Cannot Author

Answer: C

On a knowledge base record, the Can Contribute tab holds the User Criteria that determine which users may create and edit (author) articles in that knowledge base (C). The Can Read tab governs viewing access only; the other tab names listed do not exist on the knowledge base form.

Reference: [ServiceNow Docs — Apply user criteria to a knowledge base](#)

Q257. WHEN WOULD YOU USE THE FOLLOWING STEPS? 1, HOMEPAGE ADMIN > PAGES 2. RIGHT CLICK ON HOMEPAGE RECORD 3. SELECT UNLOAD PORTAL PAGE

Migration & Update Sets · hard

- **A.** To publish a Homepage to the Portal
- **B.** To retire a Homepage
- **C.** To delete a Homepage
- **D.** To add a Homepage to an update set

Answer: D

Homepages and other portal pages are stored as data, not configuration, so they are not automatically captured in update sets. Using Homepage Admin > Pages and the 'Unload Portal Page' action manually exports the page record into the current update set so it can be moved between instances (D). The action is about packaging the page for migration, not publishing, retiring, or deleting it.

Reference: [ServiceNow Docs — Update sets](#)

Q258. WHAT IS THE PLATFORM NAME FOR THE GROUP TABLE?

Database Administration · medium

- **A.** Sys_USer_group
- **B.** Sys_group
- **C.** group
- **D.** sys_groups

Answer: A

The Group table's database name is sys_user_group (shown here as 'Sys_USer_group' with odd casing) — option A. Table names are case-insensitive in practice, so the correct value is sys_user_group, not sys_group or sys_groups. The Group table is closely tied to the User table, which is why it carries the sys_user_ prefix.

Reference: [ServiceNow Docs — Group administration \(sys_user_group\)](#)

Q259. WHEN SELECTING THE TARGET TABLE FOR AN IMPORT, WHICH TABLES CAN YOU SELECT? CHOOSE 3 ANSWERS*Import Sets & Data Sources · hard*

- **A.** Tables within the global scope
- **B.** Tables within the existing application scope
- **C.** Tables outside of ServiceNow
- **D.** Tables which allow write access to other applications
- **E.** Related tables, using Dot Walk

Answer: A, B, D

When choosing a transform target you can select tables in the global scope (A), tables in your current application scope (B), and tables in other scopes that explicitly allow write access via their application access settings (D). You cannot target tables 'outside of ServiceNow,' and you choose a single destination table rather than dot-walking to related tables (E).

Reference: [ServiceNow Docs — Transform maps and target tables](#)

Q260. FARM A FORM, WHAT WOULD YOU CLICK, TO MODIFY THE ORDER OF THE FIELDS ON THE FORM? CHOOSE 2 ANSWERS*Lists, Filters & Forms · medium*

- **A.** Context Menu > Configure > Form Layout
- **B.** Context Menu > Form > Layout
- **C.** Right click on header > Configure > Form Design
- **D.** Context Menu > Configure > Form Designer
- **E.** Right click on header > Configure > UX Dashboard

Answer: A, C

You can change field order either through the classic Form Layout editor (Context Menu > Configure > Form Layout) (A) or through the drag-and-drop Form Design interface (right-click the header > Configure > Form Design) (C). The other paths reference menus that do not exist for editing field arrangement.

Reference: [ServiceNow Docs — Form Designer and Form Layout](#)

Q261. ON A FORM HEADER, WHAT ICON WOULD YOU CLICK TO ACCESS TEMPLATE FEATURES?*Lists, Filters & Forms · easy*

- **A.** Paper clip
- **B.** More options (...)
- **C.** Stamp
- **D.** Context Menu

Answer: B

Template features (apply template, save as template, manage templates) are reached from the More options menu — the three-dots (...) additional actions icon on the form header (B). The paper clip is for attachments, so it manages files rather than templates.

Reference: [ServiceNow Docs — Form templates](#)

Q262. THE REPORT DESIGNER CONTAINS DIFFERENT SECTIONS FOR CONFIGURING YOUR REPORT. WHICH SECTION IS USED TO ADJUST THE LOOK OF YOUR REPORT, INCLUDING COLORS, FILES, AND LEGEND LAYOUT?*Reporting & Analytics · medium*

- **A.** Format
- **B.** Layout
- **C.** Style
- **D.** Configure

Answer: C

In the Report Designer, the Style section controls the visual appearance of a report — colors, fonts, titles, and legend layout (C). The Configure section defines the data and grouping, while Style is purely about how that data is presented, which is what the question describes.

Reference: [ServiceNow Docs — Report Designer](#)

Q263. WHILE ON AN INCIDENT RECORD, HOW WOULD YOU ADD A TAG FOR “SPECIAL HANDLING” TO THE RECORD?*User Interface & Navigation · easy*

- **A.** Click on the More options (.,.) icon, click Add Tag, type Special Handling, press enter
- **B.** On the Special Handling field, check the box
- **C.** On the Tag field, select Special Handling from the choice list
- **D.** Click on the Context menu, select Add Tag, type Special Handling, press enter

Answer: A

Tags are added from the form's More options (...) menu by choosing Add Tag and typing the label, such as Special Handling (A). Tags are free-form metadata you attach to records, so there is no dedicated 'Special Handling' field or fixed choice list — ruling out B and C.

Reference: [ServiceNow Docs — Tagging records](#)

Q264. WHICH BEST DESCRIBES A FIELD IN A SERVICE NOW TABLE?*Database Administration · easy*

- **A.** A field is a table cell that stores data
- **B.** A field is a table row
- **C.** A field is an item that appears in a menu list
- **D.** A field is a record in a table

Answer: A

A table is a collection of records, each record is a row, and each field is a column/cell within that row that holds one piece of data. Option C describes a choice list value shown in a dropdown, not a field, so the correct description is A.

Reference: [ServiceNow Docs — Tables and fields](#)

Q265. WHILE TESTING A CATALOG ITEM FOR ORDERING AN EXPENSIVE COMPUTER, THE MANDATORY APPROVAL IS BEING

SKIPPED FOR REQUESTER BOB, SMITH, BUT NOT FOR ANY OF THE OTHER REQUESTERS. WHAT COULD EXPLAIN THE ISSUE?*Service Catalog · hard*

- **A.** There is a business rule, excluding Bob.Smith from any approvals.
- **B.** Bob Smith does not have a delegate set up on his account,
- **C.** The Bob Smith user account, does not have a manager specified.
- **D.** The manager does not have a delegate assigned,
- **E.** Bob Smith is a VIP.

Answer: A

If approval is skipped only for one specific user while working for everyone else, a targeted automation is the likely cause — a business rule that explicitly excludes Bob Smith from approvals (A). A missing manager (C) would typically cause the approval to fail or stall for that user, not silently skip, and VIP status or delegate settings do not bypass a mandatory approval.

Reference: [ServiceNow Docs — Service Catalog approvals](#)

Q266. WHAT CAPABILITY ALLOWS USERS TO CREATE DASHBOARDS WITH WIDGETS TO VISUALIZE DATA OVER TIME IN ORDER TO IDENTIFY AREAS OF IMPROVEMENT?*Reporting & Analytics · medium*

- **A.** Analytics Reports
- **B.** Performance Analytics
- **C.** Scheduled Reports
- **D.** Reporting

Answer: B

Performance Analytics captures scored data on a schedule and displays it on dashboards with widgets, letting users track trends over time and spot areas for improvement (B). Standard Reporting shows current/point-in-time data and cannot natively trend historical snapshots the way Performance Analytics does.

Reference: [ServiceNow Docs — Performance Analytics](#)

Q267. WHEN BUILDING AN EXTENDED TABLE FROM A BASE TABLE, WHICH FIELDS DO YOU NEED TO CREATE? CHOOSE 2 ANSWERS*Database Administration · medium*

- **A.** The mandatory fields for the base table.
- **B.** The reference fields for the base table.
- **C.** The fields that are not in the base table.
- **D.** The fields that are specific to the extended table.

Answer: C, D

An extended table automatically inherits all of the parent (base) table's fields, so you only create the new fields the child needs — those that are not already in the base table (C) and those specific to the extended table (D). Re-creating the base table's mandatory or reference fields would be redundant because they are inherited.

Reference: [ServiceNow Docs — Table extension](#)

Q268. ON A FORM, ONE TYPE OF FIELD SHOWS A SMALL PREVIEW ICON BESIDE ITS VALUE THAT, WHEN CLICKED, OPENS A PREVIEW (A PEEK) OF THE RECORD IT POINTS TO. WHICH TYPE OF FIELD IS THIS?*Lists, Filters & Forms · medium*

- **A.** Drilldown
- **B.** Lookup
- **C.** Quickview
- **D.** Preview
- **E.** Snapshot
- **F.** Reference

Answer: F

The small information (i) icon next to a populated field, shown here beside the Caller field, marks a Reference field — clicking it opens a preview of the referenced record without leaving the form. Reference fields store a pointer (sys_id) to a record on another table, which is why they offer this peek-ahead preview. The other terms are not ServiceNow field types.

Reference: [ServiceNow Docs — Reference fields](#)

Q269. HOW WOULD YOU NAVIGATE TO THE SCHEMA MAP FOR A TABLE?

Database Administration · medium

- **A.** System Dictionary > Show Schema Map; Select Table
- **B.** System Definition > Tables; Select Table; Go to Related links and click Show Schema Map
- **C.** System Definition > Show Schema Map; Select Table
- **D.** System Definition > Dictionary: Select Table; Go to Related links and click Show Schema Map

Answer: B

The Schema Map is reached by opening System Definition > Tables, selecting the table record, and using the Related Links section to click Show Schema Map (B). The Schema Map then renders the table plus the tables it references and extends. There is no standalone 'Show Schema Map' module hanging directly off System Definition, which rules out C.

Reference: [ServiceNow Docs — Schema Map](#)

Q270. YOUR CUSTOMER HAS A HUMAN RESOURCES KNOWLEDGE BASE, WHICH IS ONLY ACCESSIBLE TO MEMBERS OF THE HUMAN RESOURCES DEPARTMENT. A NEW PROCEDURE REGARDING EMPLOYEE QUARTERLY REVIEWS NEEDS TO BE PUBLISHED TO THE QUARTERLY REVIEW CATEGORY OF THE HR KNOWLEDGE BASE, BUT SHOULD ONLY BE VISIBLE FOR HR MANAGERS. HOW WOULD YOU MEET THIS REQUIREMENT?

Knowledge Management · hard

- **A.** On the Knowledge Base, add User Criteria with a Manager Can Read script to the Can Read list, publish article to any category
- **B.** Add User Criteria for HR Manager Group on the Category's Can Read list
- **C.** On the Knowledge Article, add an Access Control for HR Manager Group on the Can Read list, then publish article to any category.
- **D.** Add User Criteria for HR Manager Group on the Can Read list of the article

Answer: B

Knowledge access is controlled with User Criteria, and it can be applied at the knowledge base, category, or article level. Because the restriction must apply specifically to the quarterly review category, adding a User Criteria for the HR Manager group to that Category's Can Read list is the correct, most precise scope (B). Access Control rules (C) are not how knowledge visibility is managed, and an article-level criteria (D) is broader/less aligned than scoping at the category the question specifies.

Reference: [ServiceNow Docs — User Criteria for Knowledge](#)

Q271. WHEN ADDING A RELATED LIST TO A FORM, YOU CHOOSE THE RELATED LIST FROM THE LIST COLLECTOR, WHAT IS AN EXAMPLE OF A RELATED LIST YOU MIGHT SEE ON THE LIST COLLECTOR? CHOOSE 3 ANSWERS:

Lists, Filters & Forms · hard

- A. Release Phase==Parent
- B. Catalog Task->Parent
- C. HR Case==Parent
- D. Problem==Parent
- E. Outage->Task number

Answer: B, C, E

Related lists are populated either from a reference field pointing back to the current record (shown with the arrow '-'>' notation, e.g. Catalog Task->Parent and Outage->Task number) or from a defined database relationship. The arrow notation indicates a related table whose field references this record, which is why B, C, and E are valid related-list entries. The '==' notation entries (A and D) are not how the list collector expresses a relatable list.

Reference: [ServiceNow Docs — Related lists](#)

Q272. MANY ACTIONS ARE INCLUDED WITH FLOW DESIGNER, WHAT ARE SOME FREQUENTLY USED CORE ACTIONS? CHOOSE 4 ANSWERS.

Flow Designer & Workflows · hard

- **A.** Wait for Condition
- **B.** Ask for Approval
- **C.** Create Record
- **D.** Wait for Match
- **E.** Look for Update
- **F.** Look Up Record

Answer: A, B, C, F

The standard Flow Designer core actions include Ask for Approval (B), Create Record (C), Look Up Record (F), and Wait for Condition (A). 'Wait for Match' (D) and 'Look for Update' (E) are not real core actions, so the correct four are A, B, C, F.

Reference: [ServiceNow Docs — Flow Designer core actions](#)

Q273. A FORM DISPLAYS INFORMATION ABOUT ONE RECORD AT THE TOP, FOR EXAMPLE A USER, ADDITIONAL RECORDS, WHICH ARE ASSOCIATED WITH THAT USER, ARE DISPLAYED ON TABS AT THE BOTTOM OF THE FORM. WHAT ARE THOSE TABS CALLED?

Lists, Filters & Forms · easy

- **A.** Additional Info
- **B.** More Info
- **C.** Related Links
- **D.** Related Lists

Answer: D

Records associated with the current record appear at the bottom of the form as Related Lists, often rendered as tabs (D). For example, a User form can show the user's group memberships or assigned incidents as related lists. Related Links (C) are clickable actions/links, not tabs of associated records.

Reference: [ServiceNow Docs — Related lists](#)

Q274. WHAT FEATURE ALLOWS, YOU TO LIMIT WHO IS ABLE TO CONTRIBUTE OR READ KNOWLEDGE WITHIN A KNOWLEDGE BASE?*Knowledge Management · medium*

- **A.** Categories
- **B.** Roles
- **C.** User Criteria
- **D.** Groups

Answer: C

User Criteria is the Knowledge Management feature that defines who can read and who can contribute (write) to a knowledge base, based on attributes like role, group, department, company, or location (C). While roles and groups can be referenced inside a User Criteria record, the feature itself that governs Can Read / Can Contribute is User Criteria, not roles or groups alone.

Reference: [ServiceNow Docs — User Criteria](#)

Q275. WHAT FEATURES ARE AVAILABLE IN KNOWLEDGE MANAGEMENT, TO SUPPORT CONTINUOUS IMPROVEMENT ON THE KNOWLEDGE ARTICLES? CHOOSE 4 ANSWERS*Knowledge Management · medium*

- **A.** Submit KB Errata
- **B.** Add Comments
- **C.** CC Click frowning icon
- **D.** Tag as Helpful
- **E.** Flag Article
- **F.** Rate with Stars

Answer: B, D, E, F

Knowledge Management supports article feedback and continuous improvement through reader interactions: adding Comments, marking an article as Helpful, Flagging an article for review, and Rating it with stars (B, D, E, F). 'Submit KB Errata' and a 'frowning icon' click are not standard knowledge feedback features.

Reference: [ServiceNow Docs — Knowledge article feedback](#)

Q276. WHAT SECTION ON THE NOTES TAB, SHOWS THE HISTORY OF THE WORK DOCUMENTED ON THE RECORD?*Task Management · easy*

- **A.** Journal
- **B.** Activity
- **C.** Diary
- **D.** Audit Log
- **E.** Timeline

Answer: B

The Activity section (the activity stream / activity formatter) on the Notes tab displays a chronological history of the work documented on a record — work notes, comments, and tracked field changes (B). ‘Journal’ refers to the underlying field type that feeds the stream, not the displayed section, and Audit Log is a separate system record of field-level changes.

Reference: [ServiceNow Docs — Activity stream](#)

Q277. IN FLOW DESIGNER, WHERE IS THE DATA FROM AN ACTION STORED SO IT CAN BE USED IN SUBSEQUENT ACTIONS IN THE FLOW?*Flow Designer & Workflows · medium*

- **A.** Field Icon
- **B.** Field Value
- **C.** Data Pill
- **D.** Data Element
- **E.** Data Trigger

Answer: C

In Flow Designer, the output of a trigger or action is exposed as a Data Pill — a draggable token holding that value, which you drop into later steps to reuse it (C). Data pills are how data flows from one action to the next. ‘Data Element’ and ‘Data Trigger’ are not Flow Designer terms for this.

Reference: [ServiceNow Docs — Data pills](#)

Q278. ON WHAT PART OF THE SERVICENOW INSTANCE, WOULD YOU FIND THE OPTION TO ACCESS APPLICATIONS, LIKE INCIDENT MANAGEMENT?

User Interface & Navigation · easy

- **A.** Self Service Module
- **B.** Application Navigator
- **C.** Service Desk Homepage
- **D.** Favorites

Answer: B

The Application Navigator (the left-hand navigation pane) is where applications and their modules — such as Incident Management — are listed and opened (B). Favorites is only a personalized shortcut view within the navigator, and the Self Service module / Service Desk homepage are specific destinations, not the general application access point.

Reference: [ServiceNow Docs — Application Navigator](#)

Q279. FOR YOUR IMPLEMENTATION, THE FOLLOWING TABLES. ARE EXTENDED FROM EACH OTHER: * INCIDENT TABLE IS EXTENDED FROM TASK TABLE. * SUPER INCIDENT TABLE IS EXTENDED FROM INCIDENT TABLE, IN THIS SITUATION, WHICH TABLE(S) ARE PARENT, CHILD AND BASE TABLES? CHOOSE 5 ANSWERS

Database Administration · hard

- **A.** Incident table is a Base table
- **B.** Incident table is. a Parent table
- **C.** Incident table is a Child table
- **D.** Super Incident table is a Child table
- **E.** Super Incident table is a Parent table
- **F.** Super Incident table is a Base table
- **G.** Task table is a Base table
- **H.** Task table is a Parent table
- **I.** Task table is a Child table

Answer: B, C, D, G, H

Task is the Base table at the top of the hierarchy and is therefore also a Parent (G, H). Incident sits in the middle: it is a Child of Task and simultaneously a Parent of Super Incident (B, C). Super Incident is at the bottom, making it purely a Child (D). Super Incident cannot be a Base or Parent, and Incident is not the base since Task is above it.

Reference: [ServiceNow Docs — Table extension and hierarchy](#)

Q280. WHEN YOU SET A POLICY THAT IS APPLIED TO ALL DATA ENTERED INTO THE PLATFORM (UI, IMPORT SETS, OR WEB SERVICES), WHERE DOES THIS POLICY RUN BY DEFAULT?

Lists, Filters & Forms · medium

- **A.** Client
- **B.** Server
- **C.** Browser
- **D.** Network

Answer: B

A policy that must apply to every data entry channel — UI, Import Sets, and Web Services — has to run on the server, because Import Sets and Web Services bypass the browser entirely (B). This describes a Data Policy (or a server-side business rule), which enforces rules regardless of how the data arrives. Client-side logic only fires in the browser, so it could not cover imports or web service inserts.

Reference: [ServiceNow Docs — Data policy](#)

Q281. WHEN MOVING A HOMEPAGE OR DASHBOARD BETWEEN INSTANCES, WHAT MUST YOU REMEMBER?

Migration & Update Sets · medium

- **A.** Create a separate update set for them
- **B.** They are automatically added to the update set
- **C.** Manually add them to the update set
- **D.** They cannot be moved via update set

Answer: C

Homepages and dashboards are not tracked automatically by update sets, so you must manually add them — typically by using the ‘Add to Update Set’ related link or the Update Set Picker for unloaded records (C). Because they are data-style records rather than tracked configuration, leaving them to be captured automatically (B) would result in them being missed on the target instance.

Reference: [ServiceNow Docs — Update Sets](#)

Q282. WHAT TOOL IS USED TO IMPORT DATA FROM VARIOUS DATA SOURCES, AND MAP THAT DATA INTO SERVICENOW TABLES?

Import Sets & Data Sources · easy

- **A.** Import Set
- **B.** Update Set
- **C.** Data Pack
- **D.** Transform Set

Answer: A

Import Sets are the tool for bringing data in from external data sources (spreadsheets, JDBC, files) into a staging table and then mapping/transforming it into a target ServiceNow table (A). Update Sets move configuration between instances, not external data, and ‘Data Pack’ / ‘Transform Set’ are not the correct tool names for this import process.

Reference: [ServiceNow Docs — Import Sets](#)

Q283. ACCESS CONTROLS ARE EVALUATED IN THIS ORDER: 1. MATCH OBJECT AGAINST TABLE ACL 2. MATCH THE OBJECT AGAINST FIELD ACL WITHIN STEP 1 ABOVE, WHAT ORDER ARE THE TABLE ACLS EVALUATED?

Application Access & Security · hard

- **A.** Specific to general: Table.Field ACL, Parent Table.Field ACL, *.Field ACL
- **B.** Bottom to top: Table ACL, Table.Field ACL, Parent Table. Field ACL
- **C.** General to specific: Table ACL, Table.Field ACL, Parent Table, Field ACL
- **D.** Top to bottom: Wildcard Table ACL, Parent Table ACL, Table ACL
- **E.** Specific general: Table ACL, Parent Table ACL, Wildcard (*) ACL

Answer: E

Table-level ACLs are evaluated from most specific to most general: the table's own ACL first, then its parent table ACL, and finally the wildcard (*) 'any table' ACL (E). Access is granted only when the most specific matching rule passes, so the wildcard catch-all is checked last. The options describing field ACLs (A, C) are answering the wrong layer for this step.

Reference: [ServiceNow Docs — How access control rules are processed](#)

Q284. WHAT ARE THE THREE KEY TABLES IN AN ENTERPRISE CMDB? CHOOSE 3 ANSWERS.

Database Administration · hard

- **A.** omadb_rel_ci
- **B.** sn_emdb
- **C.** sn_emdb_ci
- **D.** Ey omdb
- **E.** sn_emdb_bak
- **F.** omdb_ci
- **G.** emdb_bak

Answer: A, D, F

The three foundational CMDB tables are cmdb (the base Configuration Item parent table), cmdb_ci (the base Configuration Item table where CIs are stored), and cmdb_rel_ci (which stores the relationships between CIs). In this dump the option text is OCR-corrupted (cmdb appears as 'omdb', cmdb_rel_ci as 'omadb_rel_ci', cmdb_ci as 'omdb_ci'), so the keyed answer A, D, F maps to those three real tables.

Reference: [ServiceNow Docs — CMDB tables](#)

Q285. ON ACCESS CONTROL DEFINITIONS, WHAT ARE WAYS YOU CAN SET THE PERMISSIONS ON A TABLE? CHOOSE 3 ANSWERS

Application Access & Security · medium

- **A.** Groups
- **B.** CRUD

- **C.** Roles
- **D.** Script that sets the answer variable to true or false
- **E.** Conditional Expressions

Answer: C, D, E

An Access Control (ACL) grants access through three configurable mechanisms: required Roles, a scripted condition that sets the 'answer' variable to true/false, and a conditional expression (field-based condition) — C, D, E. Groups are not set directly on an ACL (you assign roles, and roles are granted to groups), and 'CRUD' names the operations being protected rather than a permission-granting mechanism.

Reference: [ServiceNow Docs — Access control rules](#)

Q286. WHEN IMPORTING DATA FROM A SPREADSHEET, WHICH STEP DEFINES WHERE THE INCOMING DATA COLUMNS WILL BE WRITTEN IN THE RECEIVING TABLE?

Import Sets & Data Sources · medium

- **A.** Field Matching
- **B.** Load Data
- **C.** Select Data Source
- **D.** Schedule Transform
- **E.** Create Transform Map

Answer: E

The Transform Map is what defines which incoming import-set column maps to which field on the target table, controlling where each value lands (E). Loading data only stages the rows in the import set table; it is the transform map's field maps that determine the destination columns in the receiving table.

Reference: [ServiceNow Docs — Transform Maps](#)

Q287. WHAT MODULE ENABLES AN ADMINISTRATOR TO DEFINE DESTINATIONS FOR IMPORTED DATA ON ANY SERVICENOW TABLE?

Import Sets & Data Sources · medium

- **A.** Field Transform
- **B.** Transform Map
- **C.** Schema Map
- **D.** Import Map

Answer: B

The Transform Map module lets an administrator define the destination table and field mappings for data staged in an import set, for any target table (B). The Schema Map (C) only visualizes table relationships, and 'Field Transform' / 'Import Map' are not the module used to set import destinations.

Reference: [ServiceNow Docs — Transform Maps](#)

Q288. WHEN USING THE DATA PILL PICKER, USE WHICH KEYS TO DOT-WALK (6 FIELDS IN OTHER TABLES?)

Flow Designer & Workflows · medium

- **A.** Arrows
- **B.** Plus, Minus
- **C.** Ctrl c, Ctrl
- **D.** Ctrl <, Ctrl >
- **E.** Shift F4, Shift FS

Answer: A

In the Data Pill Picker you dot-walk into referenced fields on related tables using the arrow keys — the right arrow drills into a reference field's table, and the left arrow steps back out (A). The other key combinations listed are not how the picker navigates into related-table fields.

Reference: [ServiceNow Docs — Data pill picker](#)

Q289. WHAT TABLE ACTS AS A STAGING AREA FOR RECORDS IMPORTED FROM A DATA SOURCE?

Import Sets & Data Sources · medium

- **A.** Transform Table

- **B.** Staging Table
- **C.** Import Set Row Table
- **D.** Temp Table

Answer: C

Imported records first land in an Import Set Row table (the import set table, descended from sys_import_set_row), which serves as the temporary staging area before transformation into the target table (C). 'Staging Table', 'Transform Table', and 'Temp Table' are not the actual ServiceNow object name for this staging area.

Reference: [ServiceNow Docs — Import set tables](#)

Q290. WHICH MODULES CAN YOU USE TO CREATE A NEW TABLE? CHOOSE 2 ANSWERS

Database Administration · medium

- **A.** Tables & Columns
- **B.** Schema Map
- **C.** Dictionary
- **D.** Tables

Answer: A, D

You can create a new table from the Tables & Columns module (System Definition > Tables & Columns, using Create Table) and from the Tables module (System Definition > Tables, then New) — A and D. The Schema Map visualizes existing tables, and the Dictionary manages field/table definitions rather than serving as the new-table creation module.

Reference: [ServiceNow Docs — Create a table](#)

Q291. WHEN LOOKING AT A LONG LIST OF RECORDS, YOU WANT TO QUICKLY FILTER, TO SHOW ONLY THOSE WHICH HAVE CATEGORY OF HARDWARE. HOW MIGHT YOU DO THAT?

Lists, Filters & Forms · easy

- **A.** On the list, locate and right click on the value Hardware, select Show Matching
- **B.** Click Funnel icon, type Hardware and click enter

- **C.** On the Category column header, right click and select Show > Hardware
- **D.** Right click on magnifier, type Hardware and click enter
- **E.** On Breadcrumb, click > icon, type Hardware and click enter

Answer: A

The fastest way to filter a list to one value is to right-click a cell containing that value and choose 'Show Matching', which instantly filters the list to records sharing that value (A). This contextual list action is the standard one-click filter; the other described gestures don't correspond to how list filtering works.

Reference: [ServiceNow Docs — Filter a list \(Show Matching\)](#)

Q292. WHEN MANAGING TAGS, YOU CAN ADJUST WHO IS ABLE TO SEE IT. WHAT ARE THE VISIBILITY OPTIONS? CHOOSE 3 ANSWERS

User Interface & Navigation · medium

- **A.** Admins
- **B.** Everyone
- **C.** Groups and Users
- **D.** Roles and Permissions
- **E.** Me

Answer: B, C, E

A tag's visibility can be set to Me (private to you), Groups and Users (shared with specific people), or Everyone (visible platform-wide) — B, C, E. 'Admins' and 'Roles and Permissions' are not the visibility choices offered when sharing a tag.

Reference: [ServiceNow Docs — Tagging records](#)

Q293. WHICH ONE OF THE FOLLOWING DESCRIBES THE PRIMARY OPERATIONS PERFORMED AGAINST TABLES IN THE SERVICENOW PLATFORM?

Database Administration · easy

- **A.** Create, Rate, Update, Delete
- **B.** Create, Read, Upload, Delete

- C. Create, Read, Write, Delete
- D. Capture, Rate, Write, Develop

Answer: C

The primary table operations in ServiceNow are Create, Read, Write, and Delete (C) — the CRUD operations that Access Controls also secure (where Write covers update). The other options substitute non-operations like 'Rate', 'Upload', 'Capture', or 'Develop' that are not the core database actions.

Reference: [ServiceNow Docs — CRUD operations and ACLs](#)

Q294. WHAT IS THE PRIMARY OBJECTIVE OF THE DISPLAY BUSINESS RULE?

Platform Automation · hard

- A. To monitor fields on a form, and provide feedback
- B. To use a shared g_scratchpad object, which can be sent to the client, as part of the form
- C. To set files to mandatory, hidden, and read-only
- D. To define what happens on a form, when a particular field changes

Answer: B

A Display Business Rule runs server-side just before a form loads and its purpose is to populate the g_scratchpad object with server data so client scripts can use that information on the form (B). Setting fields mandatory/hidden/read-only is a UI Policy's job, and reacting to a specific field change is a Client Script's role — not the Display business rule.

Reference: [ServiceNow Docs — Business rules \(Display / g_scratchpad\)](#)

Q295. WHAT ICON DO YOU USE TO CHANGE THE ICON AND COLOR ON A FAVORITE?

User Interface & Navigation · easy

- A. Star
- B. Triangle
- C. Pencil
- D. Clock

Answer: C

To edit a favorite — including changing its icon and color — you click the Pencil (edit) icon, which opens the favorite's edit controls (C). The Star marks/creates a favorite, the Clock shows your history, so neither lets you customize the favorite's appearance.

Reference: [ServiceNow Docs — Edit a favorite](#)

Q296. WHAT ACCESS DOES A USER NEED TO BE ABLE TO IMPORT ARTICLES TO A KNOWLEDGE BASE?

Knowledge Management · medium

- **A.** Can contribute
- **B.** sn_knowledge_contribute
- **C.** sn_knowledge_import
- **D.** Can import

Answer: A

To import (or otherwise create/author) articles in a knowledge base, a user must satisfy the 'Can Contribute' user criteria for that knowledge base (A). Contribute access is what grants write/import capability; the option text 'sn_knowledge_contribute' is a misspelled, non-existent role and 'Can import' is not the access term used.

Reference: [ServiceNow Docs — Knowledge contribute access](#)

Q297. FROM A RELATED LIST, WHAT WOULD A USER CLICK FOR PERSONALIZE THE LAYOUT OF THE COLUMNS?

Lists, Filters & Forms · easy

- **A.** Magnifier
- **B.** Context Menu
- **C.** Pencil
- **D.** Gear

Answer: D

The Gear (settings/personalize) icon on a list or related list opens the Personalize List Columns dialog, where a user adds, removes, and reorders columns (D). The Magnifier toggles column search, and the Context Menu offers list actions, but it is the Gear icon that personalizes the column layout.

Reference: [ServiceNow Docs — Personalize list columns](#)

Q298. ON A FILTER CONDITION, THERE IS AN ELEMENT, WHICH IS BASED ON THE TABLE, THE USER ACCESS RIGHTS, AND COLUMNS ON THE TABLE. WHAT IS THIS ELEMENT CALLED?

Lists, Filters & Forms · medium

- **A.** Attribute
- **B.** Label
- **C.** Field
- **D.** Column
- **E.** Data Element

Answer: C

In the condition builder, the first selector of each condition row is the Field — the choices available there are determined by the table you're on, the table's columns, and the user's access rights (C). While columns and fields are closely related, ServiceNow names this condition-builder element the Field selector, not 'Column' or 'Attribute'.

Reference: [ServiceNow Docs — Condition builder](#)

Q299. WHAT SECTION ON A TASK RECORD WOULD YOU USE TO SEE THE MOST RECENT UPDATE MADE TO A RECORD?

Task Management · easy

- **A.** Timeline
- **B.** Journal
- **C.** Audit Log
- **D.** Activity

Answer: D

The Activity section (activity stream) on a task record presents the chronological record of updates, with the most recent entry shown so you can see what last changed (D). The Audit Log is a separate technical record of field changes rather than the form's at-a-glance update section, and 'Journal' is the underlying field type, not the displayed section.

Reference: [ServiceNow Docs — Activity stream](#)

Q300. WHEN LOOKING AT A LONG LIST OF RECORDS, YOU WANT TO QUICKLY FILTER, TO SHOW ONLY THOSE WHICH HAVE SHORT DESCRIPTION CONTAINING EMAIL HOW MIGHT YOU DO THAT?

Lists, Filters & Forms · medium

- **A.** Click List Magnifier to expand column search, on Short Description, type *email, click enter
- **B.** Click List Magnifier to expand column search, on Short Description, type *email, click enter
- **C.** Click List Magnifier to expand column search, on Short Description, type email, click enter
- **D.** On Search box, select text, type email, click enter

Answer: A

Clicking the List Magnifier opens the per-column search row; entering a value with a leading wildcard asterisk in the Short Description search box matches records that contain that substring anywhere in the field (A). The leading '*' makes it a 'contains' match rather than a 'starts with' match, which is why the wildcard form is correct over a plain term.

Reference: [ServiceNow Docs — List column search](#)

Q301. WHAT ARE THE THREE KEY TABLES IN AN ENTERPRISE CMDB? CHOOSE 3 ANSWERS

Database Administration · hard

- **A.** sn_cmdt_bak
- **B.** Sh_emdb_ci
- **C.** cmap_ret_ci
- **D.** cmdb_bak

- E. cmdb_ci
- F. sh_eomdb
- G. cmap

Answer: C, E, G

The three foundational CMDB tables are cmdb (base CI parent table), cmdb_ci (the Configuration Items table), and cmdb_rel_ci (CI relationships). The dump's option text is OCR-corrupted, so the keyed answer C, E, G is meant to point at cmdb_rel_ci ('cmap_ret_ci'), cmdb_ci, and cmdb ('cmap'); only cmdb_ci (E) is unambiguously legible.

Reference: [ServiceNow Docs — CMDB tables](#)

Q302. WHICH ROLE(S) ARE REQUIRED TO IMPERSONATE A USER? CHOOSE 2 ANSWERS

Application Access & Security · medium

- A. admin
- B. sys_admin
- C. security_admin
- D. sys_user
- E. impersonator

Answer: A, E

Two roles can impersonate users: admin (which can impersonate any user) and impersonator (which can impersonate only users who have granted it impersonation access) — A and E. 'sys_admin' and 'sys_user' are not valid impersonation roles, and security_admin governs elevated security settings rather than impersonation.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q303. HOW IS A USER DEFINED IN SERVICENOW?

Database Administration · easy

- A. user is a record stored in the User Preference [Sys_user_preference] table
- B. A User is a record stored in the Profile [sys_user_profile] table
- C. A user is a field in the LDAP integration

- **D.** A user is a record stored in the User [sys_user] table

Answer: D

A user is a record stored in the User table, whose platform name is sys_user (D). The User Preference table stores per-user settings, not the user identity, and there is no 'sys_user_profile' table for users — so D is the only correct definition.

Reference: [ServiceNow Docs — User administration \(sys_user\)](#)

Q304. IN WHAT ORDER ARE ACCESS CONTROLS EVALUATED?

Application Access & Security · hard

- **A.** Field-level - most general to most specific; then Row-level - most specific to most general
- **B.** Table-level - most specific to most general; then Row-level - most specific to most general
- **C.** Table-level - most specific to most general; then Field-level - most specific to most general
- **D.** Field-level - most specific to most general; then Table-level - most specific to most general

Answer: C

Access Controls are matched table-level first and then field-level, with each level evaluated from the most specific rule to the most general, and both the matching table-level and field-level rules must be true for access. Option C captures this order; D incorrectly places field-level before table-level.

Reference: [ServiceNow Docs — Access control evaluation order](#)

Q305. TABLES MAY BE SET UP WITH MANY TO MANY RELATIONSHIPS. WHAT IS A CLASSIC EXAMPLE OF A SCENARIO WHERE THE TABLES WOULD HAVE MANY TO MANY RELATIONSHIPS?

Database Administration · medium

- **A.** Requests can contain many items; and Items can be any item from the catalog.
- **B.** Vendors can sell multiple products; and products can be sold by multiple vendors.
- **C.** A Task can trigger many Workflows; and a Workflow can trigger many Tasks

- **D.** A Configuration Item can belong to multiple Classes; and Classes can contain multiple Configuration Items.

Answer: B

A many-to-many (M2M) relationship requires both sides to relate to multiple records on the other side, which the vendor/product example captures perfectly: each vendor sells many products and each product is sold by many vendors (B). The other scenarios are one-to-many or conceptually one-sided — for instance a CI belongs to a single class, not many — so they don't model a true M2M.

Reference: [ServiceNow Docs — Many-to-many relationships](#)

Q306. ON THE FORM HEADER, WHICH ICON DO YOU USE TO ACCESS FORM TEMPLATES?

Lists, Filters & Forms · medium

- **A.** Paperclip
- **B.** Pages
- **C.** Stamp
- **D.** More Options {...}

Answer: D

Form templates are reached from the form header's More Options menu (the additional-options '...' icon), which exposes Templates among other actions (D). The Paperclip attaches files, so it is unrelated to templates; the template controls live under the More Options menu.

Reference: [ServiceNow Docs — Form templates](#)

Q307. THE EMPLOYEE ON-BOARDING TEAM HAS ASKED FOR A WAY FOR MANAGERS TO ORDER COMPUTERS, MONITORS, BUSINESS CARDS, AND CELL PHONES FOR NEW EMPLOYEES. HOW WOULD YOU PROCEED TO MEET THIS REQUIREMENT?

Service Catalog · medium

- **A.** Create Record Producer
- **B.** Create Order Guide

- C. Create Requested Item
- D. Create On-boarding Bot

Answer: B

An Order Guide bundles several related catalog items into one guided, multi-step request, which is exactly what's needed to order computers, monitors, business cards, and phones together for a new hire (B). A Record Producer creates a single record on a table, and a Requested Item (RITM) is a line item generated by a request — neither bundles multiple catalog items the way an order guide does.

Reference: [ServiceNow Docs — Order Guides](#)

Q308. WHEN IMPORTING SPREADSHEET DATA INTO SERVICENOW, WHAT IS THE FIRST STEP IN THE PROCESS?

Import Sets & Data Sources · medium

- A. Create Import Set
- B. Run Data Scrubber
- C. Set Coalesce
- D. Define Data Source
- E. Select Import Set

Answer: A

Using the Import XML/Load Data wizard, the first step is to create the Import Set, which establishes the staging table that will receive the spreadsheet rows (A). Coalescing and transform mapping happen later in the process, and there is no 'Data Scrubber' step in the standard import flow.

Reference: [ServiceNow Docs — Load data using import sets](#)

Q309. AFTER YOU CREATE A NEW TABLE, WHAT IS THE BEST PRACTICE REGARDING THE NAVIGATION PANE? CHOOSE 2 ANSWERS

User Interface & Navigation · medium

- A. Set the filter condition on the Application Menu

- **B.** Set the font style on both the Application Menu and the Module
- **C.** Specify which Roles are able to see the Module
- **D.** Specify which Roles are able to see the Application Menu
- **E.** Create Application Menu with the same name as the table label
- **F.** Create Module with the plural of the table label

Answer: C, D

When exposing a new table in the Application Navigator, best practice is to restrict visibility by specifying which roles can see the Application Menu and which roles can see the Module (C and D), so only the right users see the new app and its links. Naming and font choices are cosmetic and not the security best practice the question targets.

Reference: [ServiceNow Docs — Applications and modules](#)

Q310. ON THE CI DEPENDENCY VIEW, WHAT ENABLES YOU TO TRACE FROM AN INFRASTRUCTURE ITEM, LIKE A SERVER, TO THE SERVICES THAT ARE DEPENDENT ON THAT SERVER?

Database Administration · medium

- **A.** Service Tracer
- **B.** Automapping Utility
- **C.** Relationships
- **D.** Transform Map

Answer: C

The CI Dependency View visualizes CIs and the Relationships defined between them, and it is those CI relationships that let you trace from a server up to the services that depend on it (C). A Transform Map deals with data imports, not CI topology, so it has no role in dependency tracing.

Reference: [ServiceNow Docs — CI relationships and dependency views](#)

Q311. WHAT OPTIONS CAN YOU SEE, WHEN YOU RIGHT CLICK ON A CI, FROM THE CI DEPENDENCY VIEW MAP? CHOOSE 3 ANSWERS

Database Administration · medium

- **A.** View Affected CIs

- **B.** View Related Tasks
- **C.** View Recent Outages
- **D.** View Cases
- **E.** View Knowledge

Answer: A, B, C

Right-clicking a CI in the dependency view opens context actions for that CI, including View Affected CIs, View Related Tasks, and View Recent Outages (A, B, C) — all of which relate the CI to operational impact. ‘View Cases’ and ‘View Knowledge’ are not standard CI dependency map context options.

Reference: [ServiceNow Docs — CI dependency view actions](#)

Q312. SERVICENOW CONTAINS OVER 25 DIFFERENT REPORT TYPES. WHAT ARE SOME OF THE TYPES? CHOOSE 5 ANSWERS

Reporting & Analytics · medium

- **A.** Pie
- **B.** Speedometer
- **C.** Odometer
- **D.** Thermometer
- **E.** Horizontal Bar
- **F.** Semi-Donut
- **G.** Donut

Answer: A, B, E, F, G

Valid ServiceNow report/visualization types include Pie, Speedometer, Horizontal Bar, Semi-Donut, and Donut (A, B, E, F, G). ‘Odometer’ and ‘Thermometer’ are not real ServiceNow report types, which is why they are excluded from the five correct answers.

Reference: [ServiceNow Docs — Report types](#)

Q313. WHICH SERVICENOW UTILITY GIVES A SERVICE DESK AGENT THE ABILITY TO TRACE FROM A SERVICE HAVING AN ISSUE, TO SEE WHICH CIS SUPPORTING THAT SERVICE HAVE ACTIVE ISSUES?

Database Administration · medium

- **A.** AL Service Dashboard
- **B.** CI Health Dashboard
- **C.** Dependency View
- **D.** Event Management Homepage

Answer: B

The CI Health Dashboard lets an agent start from a service and drill into the CIs supporting it to see which ones currently have active issues such as alerts, incidents, or changes (B). The Dependency View shows topology/relationships but is not the health-focused utility that surfaces which supporting CIs are unhealthy.

Reference: [ServiceNow Docs — View CI health](#)

Q314. ON A RELATED LIST, WHICH BUTTONS ARE COMMONLY USED FOR MANAGING THE RECORDS ON THE LIST? CHOOSE 3 ANSWERS

Lists, Filters & Forms · medium

- **A.** Publish
- **B.** New
- **C.** Ada
- **D.** Manage
- **E.** Edit

Answer: B, C, E

Related lists commonly expose New (create a new related record), Edit (open the slushbucket to add/remove existing records), and Add ('Ada' is an OCR typo for Add) for managing the records shown — B, C, E. 'Publish' and 'Manage' are not the standard related-list management buttons.

Reference: [ServiceNow Docs — Related list buttons](#)

Q315. A SUBJECT MATTER EXPERT ROUTINELY RECEIVES TASKS WHICH HAVE BEEN WORKED BY FIRST LEVEL SUPPORT, BEFORE RECEIVING THE ASSIGNMENT WHAT COULD YOU SUGGEST, TO MAKE IT EASIER FOR THE EXPERT TO READ ONLY THE WORK NOTES IN THE ACTIVITY LOG?

Task Management · medium

- **A.** Click Context menu > Work Notes View
- **B.** Click Personalize icon and select Activity Stream
- **C.** Right click form header > Form Layout > Add Work Notes Section
- **D.** Click Funnel icon and select only work notes
- **E.** Click Context menu > History

Answer: D

The activity stream has a Funnel (filter) icon that lets you choose which activity types are displayed, so selecting only Work notes filters the stream down to just those entries (D). This is a per-user display filter; the other options describe form-layout or history actions that don't filter the activity stream to work notes only.

Reference: [ServiceNow Docs — Filter the activity stream](#)

Q316. A TASK WORKER ASKS HOW THEY CAN MONITOR ANY UPDATES OCCURRING TO RECORDS ASSIGNED TO HIM, LIKE RESPONSES FROM CUSTOMERS, WHAT DO YOU SUGGEST?

Task Management · medium

- **A.** Open an Agent workspace tab for each record he wants to monitor
- **B.** Select Service Desk > My Work Dashboard
- **C.** Click on the eyeglass icon to. expand the Monitor frame
- **D.** On My Work list, select the Activity Stream icon to show a frame with live updates

Answer: D

From the My Work list, the Activity Stream icon opens a live-updating frame that shows ongoing activity (such as customer responses) across the records, so the worker can monitor changes without opening each one (D). Opening a separate workspace tab per record is inefficient, and there is no 'Monitor frame' eyeglass feature as described in C.

Reference: [ServiceNow Docs — Activity stream](#)

Q317. WHICH MODULE WOULD YOU USE TO CUSTOMIZE YOUR INSTANCES BANNER IMAGE, TEXT AND COLORS? A HOMEPAGE ADMIN > PAGES > BRANDING

User Interface & Navigation · medium

- **A.** System UI > UI Pages > Branding
- **B.** System Properties > Branding
- **C.** System Properties > Basic Configuration UI16
- **D.** Service Portal > Portals > Branding

Answer: C

The classic UI16 banner image, browser tab text, and system colors are configured under System Properties > Basic Configuration UI16, which centralizes the platform branding settings (C). The Service Portal branding option only themes a Service Portal, not the core platform UI banner, so it doesn't satisfy customizing the instance banner.

Reference: [ServiceNow Docs — UI16 branding](#)

Q318. WHAT INSTANCE RESOURCE ALLOWS YOU TO ACCESS GUIDED TOURS, INFORMATION ABOUT ACTIONS, AND INSTRUCTIONS ON HOW TO USE INPUTS AND OUTPUTS IN YOUR FLOW?

User Interface & Navigation · medium

- **A.** Community
- **B.** Help Panel (question mark icon)
- **C.** Docs
- **D.** Wiki

Answer: B

The in-instance Help Panel, opened from the question-mark (?) icon, provides guided tours and contextual help — including guidance on actions and how to use inputs/outputs while building a flow (B). Community, Docs, and the Wiki are external resources, whereas the question asks about an in-instance resource embedded in the UI.

Reference: [ServiceNow Docs — Help panel](#)

Q319. WHICH FEATURE ENABLES BUSINESS PROCESS OWNERS TO ORGANIZE FLOW DESIGNER CONTENT INTO UNIFIED AND DIGITIZED CROSS-ENTERPRISE PROCESSES VIA A DIGITIZED TASK BOARD INTERFACE?

Flow Designer & Workflows · medium

- **A.** Flow Designer
- **B.** Process Automation Designer
- **C.** Process Workflow Designer
- **D.** Workflow Editor

Answer: B

Process Automation Designer (PAD) lets business process owners arrange Flow Designer flows into end-to-end, cross-enterprise processes using a visual lane/task-board interface (B). Flow Designer itself builds individual flows, and 'Process Workflow Designer' is not a real product name — PAD is the tool that orchestrates flows into a unified process.

Reference: [ServiceNow Docs — Process Automation Designer](#)

Q320. WHICH TYPE OF SCRIPTS RUN IN THE BROWSER?

Platform Automation · easy

- **A.** Policies and Client Scripts
- **B.** Access Contral Scripts
- **C.** script Include Scripts
- **D.** Business Rule Scripts

Answer: A

Client-side logic — UI Policies and Client Scripts — executes in the user's browser, reacting to form events without a round-trip to the server. Access Control scripts, Script Includes, and Business Rules all run server-side, so they are not the scripts that execute in the browser.

Reference: [ServiceNow Docs — Client Scripts](#)

Q321. WHAT ARE ADVANTAGES OF USING SPOKES FOR INTEGRATIONS? CHOOSE 3 ANSWERS*Flow Designer & Workflows · hard*

- **A.** Reduces the need for code
- **B.** Features scale and control mechanisms
- **C.** Free spokes are available in the ServiceNow Store
- **D.** Ensures discoverability and reuse
- **E.** Automated event management

Answer: A, D, E

Spokes are packaged sets of Flow Designer actions for a given system, so they let you integrate with little or no code (A), are published as reusable, discoverable content (D), and can automate downstream work such as event handling (E). While many spokes are indeed free in the Store, that distribution detail is not counted as a core advantage here, and 'scale and control mechanisms' is not a defining spoke benefit.

Reference: [ServiceNow Docs — Spokes](#)

Q322. YOU HAVE AN EXISTING CUSTOMER, WHO IS USING WORKFLOWS FOR THEIR CATALOG ITEMS. THEIR EXISTING PURCHASING POLICY IS TO REQUIRE APPROVAL FOR ANY REQUEST THAT TOTALS OVER 31000. HOWEVER, MANAGEMENT WANTS TO CHANGE THE APPROVAL THRESHOLD TO 31500. WHICH WORKFLOW WOULD YOU UPDATE TO MAKE THIS CHANGE?*Service Catalog · medium*

- **A.** Services Approval Processing
- **B.** 6 Services Catalog Item Request
- **C.** Service Catalog Request
- **D.** Purchasing Process Flow

Answer: C

The out-of-box Service Catalog Request workflow runs against the Request (sc_request) record, where the order total lives, so the approval-threshold logic that compares the request total against a dollar amount is edited there. The other names are not the standard catalog re-

quest workflow that evaluates the overall request total for approval.

Reference: [ServiceNow Docs — Service Catalog request fulfillment](#)

Q323. HOW WOULD YOU DEFINE AN ACCESS CONTROL, TO ALLOW A USER WITH ITI ROLE TO HAVE PERMISSION TO CREATE INCIDENT RECORDS?

Application Access & Security · hard

- **A.** Name: incident' ; Permission: write; Role: itil
- **B.** Name: incident Any, Operation: write, Permission: itil
- **C.** Name: incident.*; Operation: write; Permission: itil
- **D.** Name: incident None, Permission: create: Role: itil
- **E.** Name: incident. None; Operation: create; Role: itil

Answer: D

Creating a record is governed by the 'create' operation, and a record-level (not field-level) ACL is written as table.None, so the rule that grants creation rights is incident.None with operation create and role itil (D). The 'write' operation controls editing existing records rather than inserting new ones, which is why the write-based options do not satisfy a 'create incident' requirement.

Reference: [ServiceNow Docs — Access control rules](#)

Q324. WHAT ARE THE COMPONENTS THAT MAKE UP A FILER CONDITION? CHOOSE 3 ANSWERS

Lists, Filters & Forms · medium

- **A.** Column
- **B.** Match Criteria
- **C.** Field
- **D.** Value
- **E.** Operator

Answer: C, D, E

Every condition (filter) row in ServiceNow is built from three parts: the Field to evaluate, the Operator that defines the comparison (is, contains, greater than, and so on), and the Value to compare against. 'Column' and 'Match Criteria' are not the named building blocks of a condition row, so C, D, and E are correct.

Reference: [ServiceNow Docs — Condition builder](#)

Q325. YOU HAVE BEEN ASKED TO CREATE A WAY FOR USERS TO ORDER A NEW IPHONE, BUT ONLY IF THEY GET TWO LEVELS OF APPROVAL. THE APPROVERS AND USERS SHOULD BE AUTOMATICALLY NOTIFIED AT EACH APPROVAL LEVEL. WHAT FEATURE WOULD YOU USE TO MANAGE THE APPROVALS AND NOTIFICATIONS?

Flow Designer & Workflows · medium

- **A.** Parent-Child Approvers.
- **B.** Approval Chains
- **C.** Flows
- **D.** Approval Criteria
- **E.** Approver Delegates

Answer: C

A Flow Designer flow can model multi-stage approvals (request the first approval, then on success request the second) and send notifications to approvers and the requester at each stage, all in one declarative automation. Approval Criteria and Approver Delegates configure pieces of approval behavior but do not orchestrate sequential approval levels plus notifications the way a flow does.

Reference: [ServiceNow Docs — Approvals in Flow Designer](#)

Q326. WHAT IS THE LANGUAGE USED FOR SCRIPTING IN SERVICENOW?

Platform Automation · easy

- **A.** JavaScript
- **B.** C++

- C. PHP
- D. Python

Answer: A

Server-side and client-side scripting in ServiceNow is done in JavaScript, with the server using the Rhino/embedded JavaScript engine via APIs like GlideRecord. C++, PHP, and Python are not the platform's scripting language, so JavaScript is the only correct choice.

Reference: [ServiceNow Docs — Scripting in ServiceNow](#)

Q327. WHAT ACCESS DOES A USER NEED TO BE ABLE TO IMPORT ARTICLES TO A KNOWLEDGE BASE?

Knowledge Management · medium

- A. sn_knowledge_import
- B. sn_knowledge contribute
- C. Can contribute
- D. Can import

Answer: C

Importing articles into a knowledge base is a content-authoring action, which requires 'Can contribute' access on that knowledge base; contributors can add and import articles, while read-only users (the 'Can read' criteria) cannot. The other options are not the access levels exposed by a knowledge base's User Criteria for contribution.

Reference: [ServiceNow Docs — Knowledge user criteria](#)

Q328. GROUPS ARE STORED IN WHAT TABLE?

Database Administration · easy

- A. Group [sys_user_group]
- B. Group [sn_sys_user_group]}
- C. User Group [user_groups]
- D. User Groups [sn_user_groups]
- E. Groups [sys_user_groups]

Answer: A

Groups are stored in the Group table whose database name is sys_user_group (singular, with the sys_ prefix used for core platform tables). The plural and sn_-prefixed variants in the other options are not valid platform table names for groups.

Reference: [ServiceNow Docs — Groups \(sys_user_group\)](#)

Q329. AN IT USER CALLS THE SERVICE DESK BECAUSE THEY NEED TO WORK ON TASK RECORDS. ALL THEY CAN SEE IS SELF SERVICE ON THEIR HOMEPAGE WHEN THEY LOGIN TO THE SERVICENOW INSTANCE. WHAT ISSUE COULD EXPLAIN THIS? CHOOSE 2 ANSWERS

Application Access & Security · medium

- **A.** Their user account failed LDAP authentication
- **B.** Their user account is not logged in properly
- **C.** Their user account was not approved by their manager
- **D.** Their user account does not have itil role
- **E.** Their user account does not belong to any groups, which contain the itil role

Answer: D, E

Seeing only Self Service means the user lacks the itil role that exposes the fulfiller applications and task records — either because the role was never granted directly (D) or because they are not in any group that carries the itil role (E), since roles can be inherited from group membership. LDAP failures would block login entirely, and ServiceNow has no per-user ‘manager approval’ gate for roles, so A and C do not explain the symptom.

Reference: [ServiceNow Docs — Roles](#)

Q330. A SERVICE CATALOG PROJECT WILL INVOLVE BUILDING 80 CATALOG ITEMS. FOR EACH OF THE CATALOG ITEMS, THE FOLLOWING FIELDS WILL BE MANDATORY ON THE FORMS:

- Requested for *Requested by
- Approving manager

- Delivery instructions All of the other variables will be specific to the individual catalog item. What features would you use when designing the catalog item form? *Service Catalog · medium*
- **A.** Create one Variable Set for the four variables; then add that variable set to each of the 80 catalog items.
- **B.** Create a Record Producer that contains the four fields; then add to the record producer related list on the Catalog files.
- **C.** Create a Flow Designer Action, with Variable Set Data Pill; then apply flow to all of the 80 catalog items.
- **D.** Create an Order Guide, which includes all variables; then copy and hide variables as needed.
- **E.** Create a Variable Set Template; then apply to all of the catalog items.

Answer: A

A Variable Set is a reusable, modular group of variables you build once and attach to many catalog items, which is exactly what is needed to add the same four mandatory fields to all 80 items without rebuilding them each time (A). An Order Guide bundles multiple items into a single request and is not a mechanism for sharing common variables across item forms, so D does not fit.

Reference: [ServiceNow Docs — Variable sets](#)

Q331. WHAT ARE THE STEPS FOR IMPORTING DATA USING AN IMPORT SET?

Import Sets & Data Sources · medium

- **A.** Select source file; Run automap; Transform data; Clean up target table
- **B.** Set up LDAP; Test map: Create update set; Run import: Apply update set
- **C.** Identify source; Import transform map: Run transformer; Verity import
- **D.** Load the data; Create transform map; Transform data; Clean up import table

Answer: D

The standard import-set flow is: load the source data into a staging (import set) table, create a transform map that links source fields to target fields, run the transform to move the data into the target table, then clean up the staging import table (D). The other sequences mix in unrelated steps like LDAP setup or update sets, which are not part of the import-set process.

Reference: [ServiceNow Docs — Import sets](#)

Q332. TO APPLY A UI POLICY TO ALL VIEWS, WHICH FIELD SHOULD BE SET TO TRUE IN ITS DEFINITION RECORD?

Lists, Filters & Forms · hard

- **A.** Inherit
- **B.** Reverse if false
- **C.** On lowed
- **D.** Global

Answer: D

On the UI Policy definition record, the Global field controls whether the policy runs on every view of the table. Setting Global to true applies it to all views; clearing it lets you target a single view via the View field. Therefore the correct answer is D, not Inherit.

Reference: [ServiceNow Docs — UI policies](#)

Q333. YOU HAVE HEARD ABOUT A NEW APPLICATION RELEASED BY SERICENOW, YOU WANT TO TRY IT OUT, TO-SEE IF IT MIGHT BE USEFUL FOR YOUR COMPANY'S SERVICENOW IMPLEMENTATION. WHAT WOULD BE THE BEST WAY TO GET HANDS-ON EXPERIENCE WITH THE NEW APPLICATION?

Platform Automation · easy

- **A.** Check the latest release notes at docs.servicenow.com.
- **B.** Activate the application plug in, on your personal dev instance.
- **C.** Search the wiki for the sales demo request form,
- **D.** Activate the application plug in, on your company's production instance.

Answer: B

A free personal developer instance is the safe sandbox for trying a new plugin hands-on without risking real data, so activating the plugin there lets you evaluate the application (B). Activating an unproven plugin directly on production (D) is risky and not a recommended way to experiment.

Reference: [ServiceNow Developer — Personal developer instances](#)

Q334. ON A BUSINESS RULE, THE WHEN SALTING DETERMINES AT WHAT POINT THE RULE EXECUTES. WHAT ARE THE OPTIONS FOR SPECIFYING THAT TIMING?

Platform Automation · medium

- **A.** Insert, Update, Delete, Query
- **B.** Before, After, Async, Display
- **C.** Prior to, Synchronous, on Update
- **D.** Before, Synchronous, Scheduled Job, View

Answer: B

The Business Rule 'When' field offers Before, After, Async, and Display, which control whether the rule runs before/after the database write, asynchronously via a scheduled job, or when the record is loaded for display (B). Insert/Update/Delete/Query are the triggering operations (a separate setting), not the 'When' timing options.

Reference: [ServiceNow Docs — Business rules \(When to run\)](#)

Q335. WHAT ICON DO YOU USE TO CHANGE THE ICON AND COLOR ON A FAVORITE?

User Interface & Navigation · easy

- **A.** Pencil
- **B.** Star
- **C.** Clack
- **D.** Triangle

Answer: A

After creating a Favorite you click the pencil (edit) icon to open its editor, where you can change the favorite's icon and color. The star icon creates/marks a favorite but does not open the editing controls for icon and color, so the pencil is the correct choice.

Reference: [ServiceNow Docs — Favorites](#)

**Q336. WHAT ARE EXAMPLES OF UI ACTIONS, RELATING TO LISTS?
CHOOSE 4 ANSWERS***Platform Automation · hard*

- **A.** List Links
- **B.** List Control
- **C.** List Buttons
- **D.** List Context Menu
- **E.** List Override
- **F.** List Choices

Answer: A, C, D, F

UI Actions that relate to lists are exposed through placements such as List link (A), List button (C), List context menu (D), and List choice (F). 'List Control' (B) is not a UI Action list placement, so the correct four are A, C, D, F.

Reference: [ServiceNow Docs — UI Actions](#)

Q337. WHICH TYPE OF SCRIPTS RUN IN THE BROWSER?*Platform Automation · easy*

- **A.** Script include Scripts
- **B.** Business Rule Scripts
- **C.** Access Control Scripts
- **D.** UI Policies and Client Scripts

Answer: D

UI Policies and Client Scripts are client-side and execute in the user's browser, manipulating the form without contacting the server. Script Includes, Business Rules, and Access Control scripts all run on the server, so D is the only set that runs in the browser.

Reference: [ServiceNow Docs — Client Scripts](#)

**Q338. THE REPORT DESIGNER CONTAINS DIFFERENT SECTIONS FOR
CONFIGURING YOUR REPORT. WHICH SECTION IS USED TO SPECIFY**

GROUPING AND CALCULATIONS TO BE RUN AGAINST ME DATA?*Reporting & Analytics · medium*

- **A.** Style
- **B.** Format
- **C.** Data
- **D.** Configure
- **E.** Group by

Answer: D

In the Report Designer the Configure section is where you define how the data is grouped and what aggregations/calculations (such as count, sum, or average) are applied. The Data section chooses the source table and the report name, while Style controls visual appearance — neither sets up grouping and calculations.

Reference: [ServiceNow Docs — Create a report \(Report Designer\)](#)

Q339. WHAT ROLE ENABLES SOMEONE TO AUTHORIZE A REQUEST, WITH NO OTHER PERMISSIONS ON THE PLATFORM?*Application Access & Security · medium*

- **A.** Approver [approver-user]
- **B.** Authorize [authorize-user]
- **C.** Reviewer [reviewer_user]
- **D.** Approver Group [approval_group]
- **E.** Verification [verify_user]

Answer: A

The approver_user role lets a user act on approvals — view and respond to approval requests — without granting any of the broader fulfiller permissions of itil. The other role names listed are not the standard approval role in ServiceNow, so Approver [approver_user] is the correct answer.

Reference: [ServiceNow Docs — Base system roles](#)

Q340. WHAT MODULE DO YOU USE TO ACCESS THE REPORTS THAT ARE AVAILABLE TO YOU?*Reporting & Analytics · easy*

- **A.** Report > View /Run
- **B.** Reports > Homepage
- **C.** Self-Service>My Reports
- **D.** Report > Overview

Answer: A

The Reports > View / Run module opens the list of reports you can see and run, and is the standard entry point for accessing and launching existing reports. The other module paths are not the View/Run access point for the reporting application.

Reference: [ServiceNow Docs — View a report](#)

Q341. WHAT DO YOU CLICK WHEN YOU HAVE MADE MODIFICATION TO YOUR REPORT, AND YOU WANT TO SEE THE RESULTS WITHOUT SAVING?*Reporting & Analytics · easy*

- **A.** Execute
- **B.** Try it
- **C.** Run
- **D.** Test
- **E.** Preview

Answer: C

Clicking Run in the Report Designer re-renders the report with your current, unsaved changes so you can preview the results before deciding to save. There is no separate Execute, Try it, Test, or Preview button that does this, which is why Run is the correct action.

Reference: [ServiceNow Docs — Run/preview a report](#)

Q342. SECURITY RULES ARE DEFINED TO RESTRICT THE PERMISSION OF USERS FROM VIEWING AND INTERACTING WITH

DATA. WHAT ARE THESE SECURITY RULES CALLED?*Application Access & Security · easy*

- **A.** Role Assignment Rules
- **B.** CRUD Rules
- **C.** Scripted User Rules
- **D.** Access Control Rules
- **E.** User Authentication Rules

Answer: D

Access Control Rules (ACLs) are the row- and field-level security records that determine whether a user can read, write, create, or delete data based on roles and conditions. The source key here is 'C', but Access Control Rules (D) is the correct ServiceNow term for these security rules.

Reference: [ServiceNow Docs — Access control rules](#)

Q343. WHICH IS THE BASE TABLE OF THE CONFIGURATION MANAGEMENT DATABASE HIERARCHY?*Database Administration · medium*

- **A.** cmdb_d
- **B.** ucmdb
- **C.** cmdb_ret_Oi
- **D.** cmdb

Answer: D

The Configuration Item hierarchy is rooted in the base table named cmdb, from which cmdb_ci and all specific CI classes extend. The other strings are not valid CMDB base table names, so cmdb (D) is correct.

Reference: [ServiceNow Docs — Configuration Management Database \(CMDB\)](#)

Q344. HOW WOULD YOU DESCRIBE THE RELATIONSHIP BETWEEN THE INCIDENT AND TASK TABLE?*Database Administration · medium*

- **A.** Incident table has a many to many relationships with the Task table.
- **B.** Incident table has a one to much relationship with the Task table.
- **C.** Incident table is extended from task table.
- **D.** incident table is related to the Task table via the INC number
- **E.** incident table is a database view of the Task table

Answer: C

Incident is a child table that extends the Task [task] table, inheriting Task's fields (number, state, assignment group, and so on) through table inheritance. It is not a many-to-many relationship or a database view; the extension model is what links incident to task, making C correct.

Reference: [ServiceNow Docs — Table extension](#)

Q345. WHICH FEATURE HELPS TO AUTOMATICALLY ALLOCATE A CRITICAL, HIGH PRIORITY, SERVICE REQUEST TO THE APPROPRIATE ASSIGNMENT GROUP OR TEAM MEMBER?*Task Management · medium*

- **A.** User Policy
- **B.** UI policy
- **C.** Predictive Intelligence
- **D.** Assignment Rule

Answer: D

Assignment Rules automatically set the assignment group and/or assigned-to on records that match defined conditions, which is exactly how a high-priority request is routed to the right team or person. UI Policy controls field behavior on forms and does not perform routing, so D is correct.

Reference: [ServiceNow Docs — Assignment rules](#)

Q346. WHAT SETTING ALLOWS USERS TO VIEW A KNOWLEDGE BASE ARTICLE EVEN IF THEY ARE NOT LOGGED IN?*Knowledge Management · medium*

- **A.** The View All setting
- **B.** The Allow role
- **C.** The ESS role
- **D.** The Public setting

Answer: D

Marking knowledge content as Public (via the 'Can Read' user criteria flagged public / the public knowledge base setting) lets unauthenticated visitors read articles without signing in. Roles like ESS require a logged-in user, so they cannot grant access to anonymous visitors, which is why the Public setting is correct.

Reference: [ServiceNow Docs — Make a knowledge base public](#)

Q347. YOU ARE LOOKING AT A LIST OF ACTIVE INCIDENTS. YOU WANT TO EXCLUDE INCIDENTS WITH THE STATE OF RESOLVED. HOW MIGHT YOU DO THAT?*Lists, Filters & Forms · medium*

- **A.** On the list of records, locate the right-click on the Resolved value, select Exclude.
- **B.** Click Funnel icon, click AND, Select Resolved, is Not State click Run
- **C.** On state column title, right-click, select Filter Out > Resolved
- **D.** On Search, select State, type not Resolved, press enter
- **E.** On the list of records, locate and right-click on the Resolved value, select Filter Out

Answer: E

Right-clicking a specific cell value in a list and choosing 'Filter Out' adds a condition that excludes rows with that value, so right-clicking a Resolved value and selecting Filter Out removes the Resolved incidents (E). There is no 'Exclude' option on the value's context menu, and the column-title menu does not offer a per-value 'Filter Out > Resolved', which is why the other options are wrong.

Reference: [ServiceNow Docs — Filtering lists](#)

Q348. WHILE SHOWING A CUSTOMER THEIR INCIDENT FORM, THEY ASK TO CHANGE THE PRIORITY FIELD TITLE TO DISPLAY THEIR INTERNAL TERMINOLOGY PVALUE. HOW WOULD YOU DO THAT? CHOOSE 2 ANSWERS

Lists, Filters & Forms · medium

- **A.** Right click on Priority and select Configure Dictionary
- **B.** Right click on Priority and select Configure Display Settings
- **C.** Right click on Priority and select Configure Label
- **D.** Right click on Priority and select Configure Column

Answer: A, C

A field's displayed title comes from its label, which you can change either by editing the dictionary entry (Configure Dictionary) or by editing the label directly (Configure Label) — both A and C update what users see. 'Configure Display Settings' and 'Configure Column' are not the ways to rename a field's label.

Reference: [ServiceNow Docs — Change a field label](#)

Q349. WHICH TESTING FRAMEWORK IS USED TO TEST SERVERNEW APPLICATIONS?

Platform Automation · easy

- **A.** Selenium
- **B.** Test Driven Framework (TDF)
- **C.** Junit
- **D.** Automated test Framework (ATF)

Answer: D

The Automated Test Framework (ATF) is ServiceNow's built-in tool for creating and running automated tests against platform applications and upgrades. Selenium and JUnit are external, non-ServiceNow tools, so ATF (D) is the correct framework.

Reference: [ServiceNow Docs — Automated Test Framework](#)

Q350. THE REPORT DESIGNER CONTAINS DIFFERENT SECTION FOR CONFIGURING YOUR REPORT. WHICH SECTION IS USED TO SPECIFY THE NAME OF THE REPORT, AND THE TABLE OR DATA SOURCE FOR THE REPORT.

Reporting & Analytics · medium

- **A.** Properties
- **B.** Data
- **C.** Configure
- **D.** Type
- **E.** Sources

Answer: B

The Data section of the Report Designer is where you name the report and choose its source (a table, a data source, or another defined source). Configure handles grouping and aggregation, while Style/Type handle visualization choice — so the report name plus data source are set in the Data section.

Reference: [ServiceNow Docs — Create a report \(Data source\)](#)

Q351. WHICH FRAMEWORK CAN AUTOMATICALLY POPULATE VALUES FOR THE PRIORITY AND CATEGORY FIELD BASED ON THE SHORT DESCRIPTION FIELD VALUE?

Platform Automation · medium

- **A.** UI Policy
- **B.** Assignment Rule
- **C.** Action
- **D.** Predictive intelligence
- **E.** CSDM

Answer: D

Predictive Intelligence uses machine-learning classification to read text such as the short description and automatically predict and populate fields like Category and Priority. Assignment Rules only set assignment fields based on static conditions and cannot interpret free-text, so the source key 'B' is incorrect and Predictive Intelligence (D) is the right framework.

Reference: [ServiceNow Docs — Predictive Intelligence](#)

Q352. AS ADMINISTRATOR, WHAT MUST YOU DO TO ACCESS FEATURE OF HIGH SECURITY SETTINGS?

Application Access & Security · medium

- **A.** Select Elevate Roles
- **B.** Add security_admin role to your user account
- **C.** Impersonate Security Admin
- **D.** Use System Administrator < Elevate Roles module

Answer: A

The security_admin role is an elevated privilege, so an admin who already has it temporarily activates it by choosing Elevate Roles from the user/settings menu before editing High Security Settings. You do not permanently add or impersonate the role for this; selecting Elevate Roles (A) is the documented step.

Reference: [ServiceNow Docs — Elevate role privileges](#)

Q353. A CUSTOMER HAS ASKED FOR THE FOLLOWING UPDATES TO A FORM:

- Make Resolution code mandatory, admin state is changed to Resolved.
- Hide major incident check box, unless logged in user has Major incident Manager role What type of rules (s) would you use to implement this requirement? *Lists, Filters & Forms · medium*

- **A.** Dictionary Design
- **B.** Field Limiter
- **C.** UI Policy
- **D.** UI Design
- **E.** Form Constraint

Answer: C

Making a field mandatory based on another field's value and hiding a field based on the user's role are both client-side form behaviors, which is exactly what a UI Policy (optionally with a UI Policy script) does without coding. 'Dictionary Design', 'UI Design', 'Field Limiter', and 'Form Constraint' are not the standard mechanisms for these dynamic form rules, so UI Policy is correct.

Reference: [ServiceNow Docs — UI policies](#)

Q354. WHAT FRAMEWORK CAN BE USED TO MANAGE THE TABLES AND CIS ASSOCIATED WITH A USE CASE?

Database Administration · hard

- **A.** Common Service Data Model (CSDM) product view
- **B.** Scename Dashboard
- **C.** CMDB Use Case Modeler
- **D.** CI Use Case Modeler

Answer: A

The Common Service Data Model (CSDM) provides the standard framework and product views that define which tables and CIs map to a given use case, guiding consistent CMDB data placement. The other named 'modeler/dashboard' tools are not the CSDM framework, so A is correct.

Reference: [ServiceNow Docs — Common Service Data Model \(CSDM\)](#)

Q355. WHAT IS THE NAME OF THE STRING THAT DISPLAY FILTER CRITERIA?

Lists, Filters & Forms · easy

- **A.** Topic
- **B.** Choice
- **C.** Breadcrumb
- **D.** Menu

Answer: C

The breadcrumb is the clickable string shown above a list that displays the applied filter conditions and lets you step back through them by removing the rightmost parts. 'Choice', 'Topic', and 'Menu' do not name this filter string, so Breadcrumb (C) is correct.

Reference: [ServiceNow Docs — List breadcrumbs](#)

Q356. A CUSTOMER HAS ASKED FOR THE FOLLOWING UPDATES TO A FORM:

- Make Resolution code mandatory, admin state is changed to Resolved.
 - Hide major incident check box, unless logged in user has Major incident Manager role.
- What type of rules (s) would you use to implement this requirement? *Lists, Filters & Forms · medium*

- **A.** Dictionary Design
- **B.** Field Limiter
- **C.** UI Policy
- **D.** UI Design
- **E.** Form Constraint

Answer: C

A UI Policy can make Resolution code mandatory when State is Resolved and hide the Major Incident checkbox unless the user has the Major Incident Manager role, all in one rule. 'Form Constraint' is not a real ServiceNow rule type, so the correct answer is C only.

Reference: [ServiceNow Docs — UI policies](#)

Q357. A NEW EMPLOYEE JOINS THE IT DEPLOYMENT AND NEEDS TO PERFORM WORK ASSIGNED TO NETWORK AND HARDWARE GROUPS. HOW WOULD YOU SET UP THEIR ACCESS? CHOOSE 3 ANSWERS

Application Access & Security · medium

- **A.** Add User Account to itll group
- **B.** Add User Account to ACL
- **C.** Add User Account to network group
- **D.** Add User Account to IT Knowledgebase
- **E.** Create User Account

- F. Add User Account to Hardware group

Answer: C, E, F

To give a new employee the right access you first create the user account (E), then add it to the Network group (C) and the Hardware group (F) so they inherit each group's roles and receive work assigned to those groups. You do not add a user 'to an ACL', so the source key 'B' is wrong; group membership is the correct mechanism.

Reference: [ServiceNow Docs — Groups and group membership](#)

Q358. WHICH ALLOWS THE CREATION OF A TASK-BASED RECORD FROM SERVICE CATALOG?

Service Catalog · easy

- A. Record Producers
- B. UI Builder
- C. Assignment Rule
- D. Flow Designer
- E. UI Actions=

Answer: A

A Record Producer is a catalog-style form that lets users create a record on a task-based table (such as incident or a custom task) directly from the Service Catalog. UI Builder, Assignment Rules, Flow Designer, and UI Actions do not provide that catalog-to-record creation, so Record Producers (A) is correct.

Reference: [ServiceNow Docs — Record producers](#)

Q359. THE CUSTOMER HAS ASKED THAT YOUR CHANGE THE DEFAULT LAYOUT OF THE TASK LIST.

- Number
- Task Type
- Parent
- Short Description
- Assignment Group

- Assignment
- Updated After navigation to the list, where would you click, to meet this requirement? *Lists, Filters & Forms · medium*
- **A.** Right click on any column header, Context menu > Configure > List Layout
- **B.** Right click List Gear icon > Configure > Columns
- **C.** Click List Context Menu > Personalize List
- **D.** Click List Context Menu > Configure Columns

Answer: A

Changing the default columns of a list for all users is done through Configure > List Layout, reached by right-clicking a column header and using the context menu. 'Personalize List' only changes columns for the current user, and the other paths are not the standard route to the List Layout editor, so A is correct.

Reference: [ServiceNow Docs — Configure list layout](#)

Q360. HERE IS AN EXAMPLE OF THE CRITERIA SET FOR A KNOWLEDGE BASE:

- Companies: ACME North America
- Department: HR
- Groups: ACME Manager
- Match All: Yes In this example, what users would have access to this knowledge base? *Knowledge Management · hard*
- **A.** Members of the ACME manager group, who are also members of HR Department and part of the ACME North America
- **B.** Employees of ACME North America, who are members of HR Department or the ACME Manager group
- **C.** Users which are members of either ACME North America, or HR Department, or ACME Manager Group
- **D.** Member of the ACME Manager group, and HR department, regardless of geography

Answer: A

When 'Match All' is set to Yes, the user criteria are combined with AND, so a user must satisfy every condition — be in ACME North America, in the HR department, and in the ACME Manager group — to gain access (A). The 'or' interpretations (B, C) describe Match All = No behavior, and D ignores the company condition.

Reference: [ServiceNow Docs — Knowledge user criteria \(Match All\)](#)

Q361. WHAT ACTIONS ARE TAKEN TO FILTER A LONG LIST OF RECORDS TO SHOW ONLY THOSE WHICH HAVE 'EMAIL' SHORT DESCRIPTION?

Lists, Filters & Forms · medium

- **A.** Click List Magnifier to expand column search. on Short Description type %email. click enter
- **B.** Click List Magnifier to expand column search, on Short Description, type email, click enter
- **C.** On Search box. select text, type email, click enter
- **D.** Click List Magnifier to expand column search, on Short Description type 'email, click enter

Answer: D

Clicking the list magnifier opens the per-column search row, and entering text there filters that column; to match Short Descriptions that start with 'email', you prefix the term so the search anchors the leading characters. The source key is D, though in practice the plain 'contains' search (option B) is the most common way to find any record whose Short Description includes 'email'.

Reference: [ServiceNow Docs — Search a list column](#)

Q362. WHICH DATA CONSISTENCY SETTINGS CAN BE ACHIEVED USING UI POLICY? CHOOSE 3 ANSWERS

Lists, Filters & Forms · medium

- **A.** Setting fields to accept the data with ~n' number of characters
- **B.** Setting fields hidden
- **C.** Setting fields to accept the data in an expected format
- **D.** Setting fields read-only
- **E.** Setting fields mandatory

Answer: B, D, E

A UI Policy can dynamically make fields hidden (B), read-only (D), and mandatory (E) on the form, which helps enforce data consistency at entry time. Limiting character length or enforcing a specific input format are dictionary/validation concerns, not UI Policy actions, so A and C are excluded.

Reference: [ServiceNow Docs — UI policies](#)

Q363. AN IT USER CALLS THE SERVICE DESK BECAUSE HIS WORK NEEDS TO BE COMPLETED ON ASK RECORDS. ALL HE CAN SEE A SELF SERVICE ON HIS HOMEPAGE WHEN HE LOGS IN TO THE SERVICENOW INSTANCE. WHAT ISSUE COULD EXPLAIN THIS? CHOOSE 2 ANSWERS

Application Access & Security · medium

- **A.** His user account failed LDAP authentication
- **B.** His user account does not Belong to any groups, which contain the ITIL role
- **C.** His user account was not approved by his manager
- **D.** His user account does not have ITIL role
- **E.** His user account Is not logged in properly

Answer: B, D

Only seeing Self Service indicates the user is missing the itil role, which is granted either directly (D) or by membership in a group that carries it (B); without it, the fulfiller apps and task records stay hidden. A failed LDAP login would prevent access entirely and a 'manager approval' gate does not exist for roles, so those options do not explain the symptom.

Reference: [ServiceNow Docs — Roles](#)

Q364. FROM AN OPEN FORM, YOU CLICK THE FORM CONTEXT MENU (THE ICON AT THE TOP-LEFT OF THE FORM HEADER), WHICH LISTS OPTIONS SUCH AS SAVE, CONFIGURE, EXPORT, VIEW, CREATE FAVORITE, COPY URL, SHOW XML, HISTORY, AND RELOAD FORM.

WHICH PATH FROM THIS MENU OPENS THE TABLE CONFIGURATION PAGE?*Database Administration · medium*

- **A.** The Form Context menu > View > Table
- **B.** The Form Context menu > Configure > Table
- **C.** The Form Context menu > Configure > Dictionary
- **D.** The Form Context menu > View > Show Table

Answer: B

From any form, open the Form Context menu (the icon at the top-left of the form header) and choose Configure > Table to open that table's configuration record. Configure > Dictionary edits the dictionary entry for a single field rather than the whole table, and the View submenu only changes how the current record is displayed — it does not open table configuration.

Reference: [ServiceNow Docs — Table administration](#)

Q365. A CUSTOMER WANTS TO USE A CLIENT SCRIPT TO VALIDATE THINGS ON A FORM IN ORDER TO MAKE SURE THE SUBMISSION MAKES SENSE. WHAT TYPE OF CLIENT SCRIPT WOULD YOU RECOMMEND TO MEET THIS REQUIREMENT?*Platform Automation · medium*

- **A.** onSubmission()
- **B.** onSubmit()
- **C.** onLoad
- **D.** onUpdate()

Answer: B

An onSubmit client script runs the moment the user submits the form, which is exactly when you validate that the entered data makes sense — returning false cancels the submission if a check fails. onLoad runs when the form first loads (too early to validate input), and onSubmission()/onUpdate() are not valid ServiceNow client script types.

Reference: [ServiceNow Docs — Client scripts](#)

Q366. WHAT ACTION WILL ALLOW YOU TO PERSONALIZE LAYOUTS OF COLUMNS IN A LIST?

Lists, Filters & Forms · easy

- **A.** Click Gear icon > Personalize window options > Select the appropriate columns
- **B.** Select the column to be personalized > Click Edit icon (Pencil) > Choose the options to personalize
- **C.** Context Menu > View > Personalize
- **D.** Select the column to be personalized and right click at the header > Choose the options to personalize

Answer: A

To choose which columns appear in a list, click the list's gear (Personalize List) icon, which opens the Personalize List Columns slushbucket where you move fields between Available and Selected (A). The other options describe garbled or non-existent paths; personalization of which columns show is driven from the gear icon, not by clicking individual column edit pencils.

Reference: [ServiceNow Docs — Personalize list columns](#)

Q367. AN ORDER PLACED THROUGH THE SERVICE CATALOG CREATES TWO RECORDS IN THE PLATFORM FOR THE NEWLY ORDERED ITEM. WHICH TWO RECORDS ARE THESE? (CHOOSE TWO.)

Service Catalog · medium

- **A.** A record in the sc_task table
- **B.** A record in the sc_req_item table
- **C.** A change record
- **D.** An Incident record
- **E.** A problem record

Answer: A, B

Ordering a catalog item generates a Requested Item record (sc_req_item) for the line item itself and one or more Catalog Task records (sc_task) that fulfillers complete (A and B). Change, incident, and problem records belong to other ITSM processes and are not created automatically by placing a catalog order.

Reference: [ServiceNow Docs — Service Catalog request fulfillment](#)

Q368. WHICH ADMIN ROLE IS REQUIRED TO MAKE CHANGES TO HIGH SECURITY SETTINGS?*Application Access & Security · medium*

- **A.** security_admin
- **B.** sn_ad_admin
- **C.** high_sec_admin
- **D.** admin

Answer: A

Changing High Security Settings (the system security properties page) requires the elevated security_admin role, which a user temporarily activates via Elevate Roles (A). The base admin role alone cannot edit these settings, and sn_ad_admin and high_sec_admin are not the roles that gate high-security configuration.

Reference: [ServiceNow Docs — Elevate role privileges \(security_admin\)](#)

Q369. WHAT COMPONENT OF THE SERVICENOW INFRASTRUCTURE DEFINES EVERY TABLE AND FIELD IN THE SYSTEM?*Database Administration · medium*

- **A.** Data Atlas
- **B.** Table Class Manager
- **C.** Schema
- **D.** Dictionary
- **E.** Field Map

Answer: D

The Data Dictionary (sys_dictionary) defines every table and every field in the platform, including each field's type, length, and attributes (D). A schema map is a visualization of table relationships, not the definition store, and the other choices are not real ServiceNow components.

Reference: [ServiceNow Docs — Tables and the data dictionary](#)

Q370. AN ORDER FOR NEW OFFICE EQUIPMENT HAS BEEN PLACED THROUGH THE SERVICE CATALOG. HOW WOULD YOU VIEW THE LISTS OF REQUESTS AFTER THE ORDERS HAVE BEEN PLACED?

Service Catalog · medium

- **A.** All > Service Catalog > Open Records > Items
- **B.** In the Navigation Filter, type 'requests. List' and press the Enter key.
- **C.** All > Tables and Columns > Table
- **D.** All > Service Catalog > Requests

Answer: A

Submitted catalog orders are viewed by navigating through the Service Catalog application's Open Records modules to the Items list, where requested items appear (A). The garbled navigation-filter and 'Tables and Columns' paths are not valid ways to reach the request lists.

Reference: [ServiceNow Docs — Service Catalog Management](#)

Q371. ROLES CAN INHERIT PERMISSIONS FROM OTHER ROLES. WHICH ROLE INHERITS ALL OF THE PERMISSIONS OF THE CATALOG ROLE AND THE USER_CRITERIA_ADMIN ROLE PLUS HAS PERMISSIONS TO CREATE ITEMS AND SERVICES?

Service Catalog · hard

- **A.** item Admin [sn_item_admin]
- **B.** Sys Admin [sys_admin]
- **C.** Catalog Admin [catalog_admin]
- **D.** Catalog Auditor (sn_catalog_write)

Answer: C

The Catalog Admin role (catalog_admin) contains the catalog and user_criteria_admin roles and adds the ability to create and manage catalog Items and Services (C). The catalog_write/author role can author items but lacks full administrative inheritance, and sys_admin is the general platform admin rather than the catalog-specific administrator described.

Reference: [ServiceNow Docs — Service Catalog base system roles](#)

Q372. IF USERS WOULD LIKE TO LOCATE AND ASSIGN A TASK TO THEMSELVES IN THE PLATFORM, WHAT ACTION COULD THEY PERFORM FROM THE LIST VIEW TO MAKE THE ASSIGNMENT? CHOOSE 2 ANSWERS

Task Management · medium

- **A.** Select the record using the check box, then select the Person icon
- **B.** Double click on the Assigned to value, type the name of the user, and select the green check
- **C.** Select the record using the check box then select the Assign To Me UI action on the List Header
- **D.** Right click on the Task number and select the Assign to me option in the menu
- **E.** Select the Task number, and select the Assign to me UI action on the form

Answer: D, E

A user can right-click a task's number in the list and choose Assign to me from the context menu (D), or open the task and click the Assign to me UI action on the form (E). There is no 'Person icon' assignment, and Assign to me is a record-level action rather than a list-header button, so A and C are incorrect.

Reference: [ServiceNow Docs — Working with lists](#)

Q373. WHAT ACTIONS ARE TAKEN TO FILTER A LONG LIST OF RECORDS TO SHOW ONLY THOSE WITH THE CATEGORY OF HARDWARE?

Lists, Filters & Forms · medium

- **A.** On Breadcrumb, click the > icon, type Hardware and click enter
- **B.** On the Category column header, right-click and select Show > Hardware
- **C.** On the list, locate and right-click on the value Hardware, select Show Matching
- **D.** Right-click on magnifier type Hardware and click enter
- **E.** Click Funnel icon, type Hardware and click enter

Answer: C

Right-clicking a cell value such as 'Hardware' and choosing Show Matching instantly filters the list to only rows sharing that value (C). 'Filter Out' would do the opposite. The other options describe controls (breadcrumb >, a column 'Show' submenu, the magnifier) that do not perform this one-click contextual filter.

Reference: [ServiceNow Docs — Filtering lists \(Show Matching\)](#)

Q374. WHAT SECTION ON A TASK RECORD IS USED TO SEE THE MOST RECENT UPDATES MADE TO A RECORD?

Task Management · easy

- **A.** Related List
- **B.** Activity Stream
- **C.** Audit Log
- **D.** Timeline

Answer: B

The Activity Stream (activity formatter) on a task form chronologically shows the most recent updates — field changes, comments, and work notes (B). Related Lists display associated records, and while auditing tracks history behind the scenes, the on-form section users read for recent activity is the Activity Stream, not an 'Audit Log' or 'Timeline' section.

Reference: [ServiceNow Docs — Activity stream](#)

Q375. AFTER FINISHING YOUR WORK ON HIGH SECURITY SETTINGS, WHAT IS A POSSIBLE WAY TO RETURN TO NORMAL ADMIN SECURITY LEVELS?

Application Access & Security · medium

- **A.** Use System Administration > Normal Security module
- **B.** Select Normal role
- **C.** Log out and back in
- **D.** Select Global Update Set
- **E.** End impersonation

Answer: C

The security_admin role needed for High Security Settings is an elevated privilege that persists only for the current login session. It is released automatically by session timeout or by logging out, so logging out and back in (C) returns the user to normal administrator privileges. The 'Normal Security' module in option A does not exist in the base instance.

Reference: [ServiceNow Docs — Elevate role privileges](#)

Q376. ACCESS CONTROL RULES ARE APPLIED TO A SPECIFIC TABLE, LIKE THE INCIDENT TABLE. WHAT IS THE OBJECT NAME FOR A RULE THAT APPLIES TO THE ENTIRE INCIDENT TABLE (ALL ROWS AND FIELDS)?

Application Access & Security · medium

- **A.** incident . *
- **B.** incident.all
- **C.** incident .!
- **D.** incident.None

Answer: A

An ACL is named table.field, and using the wildcard * for the field — incident.* — applies the rule to every field on every row of the Incident table (A). '.all', '.!', and '.None' are not valid ACL field tokens; the asterisk is the wildcard that means 'all fields'.

Reference: [ServiceNow Docs — Access control rules](#)

Q377. ON A LIST, WHAT DOES EACH ROW SHOW?

Lists, Filters & Forms · easy

- **A.** A filter
- **B.** A record
- **C.** A table
- **D.** A field

Answer: B

A list displays the records from a table, with each row representing one record (B) and each column representing a field on that table. The list as a whole is the view of the table, so 'a table' and 'a field' describe the wrong granularity, and a filter merely narrows which rows appear.

Reference: [ServiceNow Docs — Lists](#)

Q378. WHICH ACTION ENABLES PERSONALIZATION IN A FORM FOR THE ADMIN ROLE, ONLY?

Lists, Filters & Forms · hard

- **A.** Navigate to `sys_form_properties.list` and set the property `glide.ui.enable_personalize_form.admin` to true.
- **B.** Navigate to Context Menu > Configure > Form Layout and select 'Enable Personalization' and Enter the 'admin' role.
- **C.** Navigate to Context Menu > Configure > Table and add the role 'Admin' in the 'Available User' list box.
- **D.** Navigate to `sys_properties.list` find the property `glide.ui.personalize_form.role` and set the Value to admin.

Answer: D

Restricting the Personalize Form capability to a single role is done with the system property `glide.ui.personalize_form.role`, set to admin via `sys_properties.list` (D). The property names and `form-layout/table` paths in the other options are not the supported mechanism for limiting personalization to the admin role.

Reference: [ServiceNow Docs — Form administration and personalization](#)

Q379. WHICH ELEMENT IS USED TO TRACK ITEMS NOT SAVED WITH A FIELD, IN A RECORD?

Task Management · medium

- **A.** Sidebar
- **B.** List Editor
- **C.** Activity formatter
- **D.** Dictionary

Answer: C

The Activity formatter (the activity stream) tracks information that is not stored in a single editable field, such as journal entries like comments and work notes, plus a running history of field changes (C). The List Editor edits field values inline, and the Dictionary defines fields — neither captures this activity history.

Reference: [ServiceNow Docs — Activity stream / formatter](#)

Q380. WHAT DOES SERVICENOW RECOMMEND AS A BEST PRACTICE REGARDING DATA IMPORTS?

Import Sets & Data Sources · medium

- **A.** Adjust your Transform maps, after the data is loaded into the target table.
- **B.** Use extremely large Import Sets, instead of multiple large Import Sets.
- **C.** Create a new Import set table for each new data load.
- **D.** Plan time before your import to remove obsolete or inaccurate data.
- **E.** Monitor data quality and clean imported data, using the Data Scrub Workspace.

Answer: D

ServiceNow recommends cleansing source data before importing — planning time to remove obsolete or inaccurate records reduces the volume transformed and improves data quality (D). Reusing import set tables and configuring transform maps before loading are preferred over per-load tables and post-load tweaks, and there is no 'Data Scrub Workspace' product.

Reference: [ServiceNow Docs — Import sets best practices](#)

Q381. WHEN AN ADMINISTRATOR SETS A POLICY THAT IS APPLIED TO ALL DATA ENTERED INTO THE PLATFORM (UI, IMPORT SETS, OR WEB SERVICES), WHERE DOES THIS POLICY RUN BY DEFAULT?

Database Administration · medium

- **A.** Network
- **B.** Server
- **C.** Client
- **D.** Browser

Answer: B

A policy that governs all data regardless of entry channel — UI, Import Sets, or Web Services — is a Data Policy, and because those channels include non-UI paths it must run on the server (B). Client-side enforcement (browser) only applies to the form UI, so it cannot cover import or web-service data.

Reference: [ServiceNow Docs — Data policies](#)

Q382. IF A USER IS ON AN INCIDENT FORM AND IS ALERTED WHEN THEY CHANGE THE VALUE OF THE PRIORITY FIELD, WHICH TYPE OF SCRIPT EXECUTES IN THE PLATFORM?

Platform Automation · medium

- **A.** A server script
- **B.** A client script
- **C.** A fix script
- **D.** A business rule

Answer: B

Logic that reacts to a field value changing on a loaded form and alerts the user runs in the browser as a Client Script — specifically an onChange script on the Priority field (B). Business rules and server scripts execute on the server during database operations, and a fix script is a one-time maintenance script, none of which respond to live form-field changes.

Reference: [ServiceNow Docs — Client scripts](#)

Q383. WHICH FEATURE CAN BE USED TO CATEGORIZE A SET OF RECORDS FROM A LIST AND MAKE THEM VISIBLE TO OTHER USERS?

User Interface & Navigation · easy

- **A.** Tags
- **B.** History
- **C.** Favorites
- **D.** Activity Formatter

Answer: A

Tags are labels you apply to records to categorize, filter, and find them, and a tag can be shared so it is visible to other users or groups (A). Favorites are personal navigation shortcuts, History shows recently visited records, and the Activity Formatter displays record updates — none of which categorize records for sharing.

Reference: [ServiceNow Docs — Tagging records](#)

Q384. THE TESTING TEAM NEEDS TO BE ABLE TO PERFORM ACTIVITIES IN THE TEST INSTANCE, AS THOUGH THEY ARE A MEMBER OF THE SERVICE DESK GROUP. WHAT ROLE WOULD THEY NEED TO BE ABLE TO SWITCH BETWEEN USER ACCOUNTS, WITHOUT LOGGING OUT AND BACK IN?

Application Access & Security · medium

- **A.** service_desk
- **B.** impersonator
- **C.** admin
- **D.** incognito

Answer: B

The impersonator role lets a user impersonate other accounts and act as them without logging out and back in, which is ideal for testing how the application behaves for different users (B). The service_desk role only grants Service Desk permissions, admin is broader than required, and 'incognito' is not a ServiceNow role.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q385. WHICH TABLES ARE AVAILABLE BY DEFAULT IN A SERVICENOW INSTANCE? CHOOSE 3 ANSWERS

Database Administration · medium

- **A.** User
- **B.** Incident
- **C.** Item
- **D.** Issue
- **E.** Project

- F. Task

Answer: A, B, F

User (sys_user), Incident, and Task are core platform tables present in every baseline instance (A, B, F). 'Item', 'Issue', and 'Project' are not baseline core tables — Project, for example, requires the PPM/SPM application — so they are not available by default.

Reference: [ServiceNow Docs — Core tables \(Task, User, Incident\)](#)

Q386. AN ADMINISTRATOR CREATES “CUSTOMER_TABLE_ADMIN” AND “CUSTOMER_TABLE_USER” ROLES FOR THE NEWLY CREATED “CUSTOMER TABLE”. WHICH ACL RULE WOULD GRANT ACCESS TO ALL ROWS AND ALL FIELDS TO BOTH THE CUSTOMER_TABLE_ADMIN AND CUSTOMER_TABLE_USER ROLES?

Application Access & Security · medium

- A. customer.all
- B. customer.*
- C. customer.field
- D. customer.none

Answer: B

An ACL written as table.field with the wildcard * — customer.* — matches every field on every row of the Customer table, granting both roles broad access (B). '.all', '.field', and '.none' are not valid ACL field tokens; the asterisk wildcard is what represents 'all fields'.

Reference: [ServiceNow Docs — Access control rules](#)

Q387. WHAT CONTAINS THE CONFIGURATION CHANGES MADE IN AN INSTANCE (I.E. CHANGES IN A FORM) AND HELPS TO IMPLEMENT THE CHANGES FROM THE DEV ENVIRONMENT TO ANOTHER ENVIRONMENT?

Migration & Update Sets · easy

- A. Update sets
- B. Transform maps

- C. System dictionaries
- D. Import sets

Answer: A

Update Sets capture configuration changes — form layouts, UI actions, business rules, work-flows, and other customizations — into a package that can be exported from Dev and applied to Test or Prod (A). Transform maps and import sets move data, not configuration, and the system dictionary defines table/field structure rather than packaging changes for migration.

Reference: [ServiceNow Docs — Update Sets](#)

Q388. WHICH SET OF STEPS IS USED TO IMPORT SPREADSHEET DATA INTO A SERVICENOW TABLE?

Import Sets & Data Sources · easy

- A. Load Data, Create Transform Map, Run Transform
- B. Select Import Set, Select Transform Map, Run Transform
- C. Select Data Source, Schedule Transform
- D. Define Data Source, Select Transform Map, Run Transform

Answer: A

The standard import flow is to Load Data from the spreadsheet into a staging import set table, Create a Transform Map that aligns source columns to target fields, then Run Transform to write the records into the target table (A). The other sequences skip the load step or assume artifacts (an existing import set or transform map) that have not been created yet.

Reference: [ServiceNow Docs — Import a spreadsheet / import sets](#)

Q389. WHAT PROCESS ALLOWS USERS TO CREATE, CATEGORIZE, REVIEW APPROVE AND BROWSE IMPORTANT INFORMATION IN A CENTRALIZED LOCATION THAT IS SHARED BY THE ENTIRE ORGANIZATION?

Knowledge Management · easy

- A. Self Service Management
- B. Knowledge Management

- C. Knowledge-Centered Management
- D. Information Portal Management
- E. Business Information Management

Answer: B

Knowledge Management is the process for creating, categorizing, reviewing, approving, and browsing articles in centralized knowledge bases shared across the organization (B). 'Knowledge-Centered' service is a methodology rather than the ServiceNow process named here, and the other options are not ServiceNow processes.

Reference: [ServiceNow Docs — Knowledge Management](#)

Q390. A COLLEAGUE WANTS TO REARRANGE THE COLUMNS ON THEIR MY WORK LIST. ONCE THE USER HAS NAVIGATED TO THE LIST WHERE SHOULD THEY NAVIGATE TO SELECT AND ARRANGE THE COLUMNS?

Lists, Filters & Forms · medium

- A. Click Personalize List
- B. Right click on any column header. Context Menu > Configure > List Layout
- C. Click List Context Menu > Personalize List
- D. Click List Content Menu > Configure > List Layout

Answer: B

To rearrange list columns, right-click any column header and choose Configure > List Layout, which opens the slushbucket to add, remove, and reorder fields (B). The other options use non-existent menu names ('List Content Menu') or refer to personalization that controls only column visibility for the individual user rather than the full list layout.

Reference: [ServiceNow Docs — Define list layout](#)

Q391. WHICH FEATURE ENSURES DATA CONSISTENCY WHITE IMPORTING DATA USING IMPORT SETS AND WEB SERVICES?

Import Sets & Data Sources · medium

- A. Client Script

- **B.** UI Policy
- **C.** Data Policy
- **D.** CSDM
- **E.** Business Rule

Answer: C

Data Policies enforce mandatory and read-only field rules on the server for all data entry channels, including import sets and web services, ensuring consistency regardless of source (C). Client Scripts and UI Policies act only on the form in the browser, so they cannot govern non-UI imports.

Reference: [ServiceNow Docs — Data policies](#)

Q392. WHICH LOW COMPONENTS ALLOW YOU TO SPECIFY WHEN A FLOW SHOULD BE RUN?

Flow Designer & Workflows · medium

- **A.** Trigger and Condition Pill
- **B.** Scope and Trigger Condition
- **C.** Trigger and Condition
- **D.** Trigger Criteria and Clock
- **E.** Condition and Table

Answer: C

A flow's Trigger defines the event that starts it, and the Condition narrows that to the specific circumstances under which it should actually run, so together they specify when a flow runs (C). The other pairings mix in unrelated terms like Scope, Clock, and Table that are not what controls flow execution timing.

Reference: [ServiceNow Docs — Flow Designer triggers](#)

Q393. WHEN USING FLOW DESIGNER WHAT IS THE FLOW EXECUTION INITIATED BY?

Flow Designer & Workflows · easy

- **A.** A trigger

- **B.** An existing subflow
- **C.** Allow logic
- **D.** An execution data pill

Answer: A

A flow's execution is initiated by its Trigger, which specifies the condition that starts the flow — a record being created or updated, a schedule, an inbound email, or an SLA target (A). Subflows are reusable logic called from within flows, and data pills carry values between steps; neither starts the flow.

Reference: [ServiceNow Docs — Flow Designer triggers](#)

Q394. WHICH SYSTEM PROPERTY IS ADDED AND SET TO TRUE IN ORDER TO SEE IMPERSONATION EVENTS IN THE SYSTEM LOG?

Application Access & Security · hard

- **A.** glide user_setting
- **B.** glide sys all_impersonation
- **C.** glide sys log_impersonation
- **D.** glide.impersonation_setting
- **E.** glide sys admin_login

Answer: C

Adding the system property glide.sys.log_impersonation and setting it to true causes impersonation start/stop events to be written to the Event log, viewable under System Logs (C). The other property names are OCR-garbled or fabricated and do not control impersonation logging.

Reference: [ServiceNow Docs — Impersonate a user](#)

Q395. A CUSTOMER WANTS TO BE ABLE TO IDENTIFY AND TRACK COMPONENTS OF THEIR INFRASTRUCTURE THAT SUPPORT THEIR ECOMMERCE SERVICE. WHAT SERVICENOW PRODUCTS COULD SUPPORT THIS REQUIREMENT? CHOOSE 3 ANSWERS

Database Administration · medium

- **A.** Performance Analytics

- **B.** Configuration Management (CMDB)
- **C.** Financial Management
- **D.** Discovery
- **E.** Service Mapping

Answer: B, D, E

The CMDB stores configuration items and their relationships as the single source of truth for infrastructure, Discovery automatically scans the network to populate the CMDB, and Service Mapping builds a top-down view of the CIs that support a specific business service such as ecommerce (B, D, E). Performance Analytics and Financial Management address trending and cost, not infrastructure discovery and mapping.

Reference: [ServiceNow Docs — Configuration Management Database \(CMDB\)](#)

Q396. YOU ARE EDITING A NEW INCIDENT RECORD AND WANT THE SAVE BUTTON TO APPEAR ON THE FORM HEADER. WHICH ACTION MAKES THAT BUTTON APPEAR?

User Interface & Navigation · medium

- **A.** All > System Properties > UI Properties > turn on the glide.ui.advanced property
- **B.** Context Menu > Form Design > add the Save button
- **C.** All > System Properties > UI Properties > turn on the Save button
- **D.** Context Menu > Form Layout > add the Save button

Answer: C

Displaying a Save button in the form header is controlled by a UI property (glide.ui.save_button), which an administrator turns on via System Properties > UI Properties (C). Form Design and Form Layout configure which fields appear on the form, not whether the header Save button is shown.

Reference: [ServiceNow Docs — UI properties](#)

Q397. WHICH TABLES ARE CHILDREN OF THE TASK TABLE AND COME WITH THE BASE SYSTEM? CHOOSE 3 ANSWERS

Database Administration · medium

- **A.** Incident
- **B.** Problem
- **C.** Change Request
- **D.** Config
- **E.** Dictionary
- **F.** cmdb

Answer: A, B, C

Incident, Problem, and Change Request all extend the Task (task) table in the baseline platform, inheriting its fields and adding their own (A, B, C). The Dictionary and CMDB are not children of Task — CMDB tables extend cmdb_ci — and 'Config' is not a baseline Task child table.

Reference: [ServiceNow Docs — Task table](#)

Q398. WHAT ARE THE BENEFITS OF BUILDING FLOWS USING FLOW DESIGNER? CHOOSE 3 ANSWERS

Flow Designer & Workflows · medium

- **A.** Supports easy integration with 3rd party systems
- **B.** Provides IDE for complicated scripting
- **C.** Provides natural-language descriptions of flow logic
- **D.** Supports No-Code application development
- **E.** Automatically populates SLA records
- **F.** Provides built-in libraries /API for complex coding

Answer: A, C, D

Flow Designer integrates with third-party systems through Integration Hub spokes, presents flow logic in natural language so non-developers can read it, and enables no-code automation via a visual builder and prebuilt actions (A, C, D). Its value is the no/low-code approach, so 'IDE for complicated scripting' and 'built-in libraries for complex coding' run counter to its purpose, and it does not auto-populate SLA records.

Reference: [ServiceNow Docs — Flow Designer](#)

Q399. WHICH HELPS TO VISUALIZE CONFIGURATION ITEMS AND THEIR RELATIONSHIPS?*Database Administration · medium*

- **A.** Transform Map
- **B.** Schema Map
- **C.** Tables
- **D.** Flow Design
- **E.** Dependency View

Answer: E

The Dependency View (CI relationship map) visually displays configuration items and how they relate, letting you see connections and assess the impact of changes on dependent CIs (E). A Schema Map diagrams table/field structure rather than CI relationships, and Transform Maps and Flow Designer serve unrelated purposes.

Reference: [ServiceNow Docs — CI relationships / Dependency View](#)

Q400. WHAT COMPONENT CAUSES A FLOW TO RUN AFTER A RECORD HAS BEEN CREATED OR UPDATED?*Flow Designer & Workflows · easy*

- **A.** Date-based trigger
- **B.** Record-based trigger
- **C.** On-change trigger
- **D.** Application-based trigger
- **E.** Updated-date trigger

Answer: B

A Record-based trigger (Created, Updated, or Created or Updated) starts a flow when a record changes in a specified table, evaluating conditions against the record's values (B). Date-based triggers fire on a schedule relative to a date field, and 'On-change', 'Application-based', and 'Updated-date' are not the names of the record trigger type in Flow Designer.

Reference: [ServiceNow Docs — Flow Designer trigger types](#)
