

1. Information about the indicator	
Goal	End hunger, achieve food security and improved nutrition and promote sustainable agriculture
Task	By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons
The indicator	Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age
2. Information about the organization	
Organization	Bureau of National Statistics of the Agency for Strategic Planning and Reforms of the Republic of Kazakhstan
3. Definitions and concepts	
Definition	Percentage of children under the age of 5 who have a growth-to-age ratio: a) by two standard deviations (moderate and severe deviation from the norm); b) three standard deviations (a strong degree of deviation from the norm) below the median value of this indicator for children of the same age, established by WHO.
Basic concepts:	Insufficient growth is the inability to grow physically and cognitively, and it is the result of chronic or periodic malnutrition.
Justification and interpretation	Child growth is an internationally accepted characteristic of child development, depending on the level of infant nutrition. Stunted children include children whose height is low for their age, which is the result of chronic or recurrent malnutrition. Stunting is a contributing risk factor for child mortality and is also a sign of inequality in human development. Children with stunted growth cannot reach their physical and cognitive potential. The growth retardation index is one of the nutrition targets of the World Health Assembly.
4. Data sources and collection methods	
Data sources	Data Sample household survey "Multi-indicator Cluster Survey" (MIX)
collection methods	Weighing the height and weight of children under 5 years of age in households selected by random sampling
Unit of measurement	Percent
Periodicity	Once every five years
5. Calculation method and other methodological considerations	
Calculation method:	The percentage of children under the age of 5 who have a growth-to-age ratio below the median value of this indicator for children of the same age ratio is also expressed in units of standard deviation (z-value) based on the median of the reference population. It is based on a standardized methodology using Child Growth Standards developed by WHO.
Comments and restrictions:	-
6. Data availability and disaggregation	
Data availability and gaps:	The data is available on the website of the Bureau of National Statistics of the Agency for Strategic Planning and Reforms of the

	Republic of Kazakhstan.
The level of disaggregation:	By gender, type of locality, region, age in months, mother's education level
7. Comparability with international data/standards	The MIX is a UNICEF international survey that uses international standards in methodology.
8. References and documentation	www.stat.gov.kz