

List of pages in this Trip Kit

- Trip Kit Index
- Airport Information For UKDE
- Terminal Charts For UKDE
- Revision Letter For Cycle 26-2024
- Change Notices
- Notebook

General Information

Location: ZAPORIZHZHIA UKR
ICAO/IATA: UKDE / OZH
Lat/Long: N47° 52.0', E035° 18.9'
Elevation: 374 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 7.0° E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0504 Z
Sunset: 1441 Z

Runway Information

Runway: 02
Length x Width: 8209 ft x 138 ft
Surface Type: concrete
TDZ-Elev: 339 ft
Lighting: Edge, ALS

Runway: 20
Length x Width: 8209 ft x 138 ft
Surface Type: concrete
TDZ-Elev: 373 ft
Lighting: Edge, ALS

Communication Information

Zaporizhzhia Tower: 120.050
Zaporizhzhia Tower: 126.050 Secondary
Zaporizhzhia Radar: 119.200

UKDE/OZH ZAPORIZHZHIA INTL

11 FEB 22

10-1R

Eff 24 Feb RADAR MINIMUM ALTITUDES

ZAPORIZHZHIA, UKRAINE

ZAPORIZHZHIA
Radar (APP)
119.2


Apt Elev
374

Alt Set: hPa

Trans level: By ATC Trans alt: 10010

1. This chart may only be used for cross-checking of altitudes assigned while under vectoring control.

2. MRVA are safe if the temperature at the surface is 4°C or above. For lower temperatures, corrected minimum levels will be provided by ATC.



FT/METER CONVERSION

QNH

10010' - 3050m

2300' - 700m

1970' - 600m


UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21 10-2

Eff 2 Dec

ZAPORIZHZHIA, UKRAINE

STAR



UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21 10-2B Eff 2 Dec



ZAPORIZHZHIA, UKRAINE

STAR


Apt Elev
374'

Alt Set: hPa
Trans level: By ATC Trans alt: 10010'
Due to noise abatement strict adherence to exit patterns by crews
is required.

2000

MSA
ZP NDB

ABDAR 6D [ABDA6D]
BULIG 2D [BULI2D]
SOMON 2D [SOMO2D]
ARRIVALS
(RWY 20)



FT/METER CONVERSION
QNH

10010'	-	3050m
8040'	-	2450m
2960'	-	900m
2790'	-	850m
2470'	-	750m
1970'	-	600m

STAR	ROUTING
ABDAR 6D	On 357° bearing to ZP NDB.
BULIG 2D	On 256° bearing to ZP NDB.
SOMON 2D	On 312° bearing to ZP NDB.


UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21 10-2C Eff 2 Dec



JEPPESEN ZAPORIZHZHIA, UKRAINE

STAR



UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21

10-3

Eff 2 Dec

JEPPESSEN

ZAPORIZHZHIA, UKRAINE

SID

Apt Elev
374'

Trans level: By ATC Trans alt: 10010'

1. EXPECT close-in obstacles.

2. Due to noise abatement strict adherence to exit patterns by crews is required.

2000

MSA
ZA NDB

BULIG 2A [BULI2A]
ODNIV 3A [ODNI3A]
SOMON 3A [SOMO3A]
DEPARTURES
(RWY 02)

ODNIV

At or above
8040'

FT/METER CONVERSION
QNH


1970' - 600m

4930' - 1500m

7060' - 2150m

8040' - 2450m

10010' - 3050m



BULIG

At or above
7060'

295 ZA

N47 49.3 E035 17.2

At or above
4930'

SOMON

At or above
FL110

SID	ROUTING
BULIG 2A	Climb on 016° track to 1970', turn RIGHT, 130° track, turn LEFT to intercept 070° bearing from ZA NDB to BULIG.
ODNIV 3A	Climb on 016° track to 1970', turn LEFT, 286° track, turn RIGHT to intercept 340° bearing from ZA NDB to ODNIV.
SOMON 3A	Climb on 016° track to 1970', turn RIGHT to ZA NDB, turn LEFT, 126° bearing from ZA NDB to SOMON.

UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21 **10-3A**


Eff 2 Dec

ZAPORIZHZHIA, UKRAINE


SID

Apt Elev
374'

Trans level: By ATC Trans alt: 10010'
1. EXPECT close-in obstacles.
2. Due to noise abatement strict adherence to exit patterns by crews is required.



DITIX 4A [DITI4A]
ROLOP 5A [ROLO5A]
UMSOT 5A [UMS05A]
DEPARTURES
(RWY 02)



SID	ROUTING
DITIX 4A	Climb on 016° track to 1970', turn RIGHT to ZA NDB, turn RIGHT, 240° bearing from ZA NDB to DITIX.
ROLOP 5A	Climb on 016° track to 1970', turn RIGHT to ZA NDB, turn LEFT, 211° bearing from ZA NDB to ROLOP.
UMSOT 5A	Climb on 016° track to 1970', turn LEFT, track 196°, turn RIGHT to intercept 277° bearing from ZA NDB to UMSOT.

UKDE/OZH
ZAPORIZHZHIA INTL

JEPPESSEN
26 NOV 21 (10-3B)


ZAPORIZHZHIA, UKRAINE

Eff 2 Dec


SID

Apt Elev
374'

Trans level: By ATC Trans alt: 10010'
1. EXPECT close-in obstacles.
2. Due to noise abatement strict adherence to exit patterns by crews is required.



BULIG 2B [BULI2B]
ODNIV 3B [ODNI3B]
SOMON 2B [SOMO2B]
DEPARTURES
(RWY 20)



FT/METER CONVERSION	
QNH	
1970'	- 600m
4930'	- 1500m
7060'	- 2150m
8040'	- 2450m
10010'	- 3050m

SID	ROUTING
BULIG 2B	Climb on 196° track to 1970', turn LEFT, 016° track, turn RIGHT to intercept 076° bearing from ZP NDB to BULIG.
ODNIV 3B	Climb on 196° track to 1970', turn LEFT to ZP NDB, 336° bearing from ZP NDB to ODNIV.
SOMON 2B	Climb on 196° track to 1970', turn LEFT, 075° track, turn RIGHT to intercept 132° bearing from ZP NDB to SOMON.

CHANGES: SID DNP 2B replaced by ODNIV 3B.

© JEPPESEN, 2017, 2021. ALL RIGHTS RESERVED.

UKDE/OZH
ZAPORIZHZHIA INTL

26 NOV 21

10-3C

Eff 2 Dec

JEPPESSEN

ZAPORIZHZHIA, UKRAINE

SID

Apt Elev
374'

Trans level: By ATC Trans alt: 10010'


1. EXPECT close-in obstacles.

2. Due to noise abatement strict adherence to exit patterns by crews is required.

2000

MSA
ZP NDB

DITIX 4B [DITI4B]
ROLOP 5B [ROLO5B]
UMSOT 5B [UMSO5B]
DEPARTURES
(RWY 20)



FT/METER CONVERSION
QNH

1970' - 600m
4930' - 1500m
8040' - 2450m
10010' - 3050m

DITIX 4B, UMSOT 5B

These SIDs require a minimum climb gradient of 7.0% up to 4930'.

Gnd speed-KT	75	100	150	200	250	300
7.0% V/V (fpm)	532	709	1063	1418	1772	2127

SID	ROUTING
DITIX 4B	Climb on 196° track to 1970', turn RIGHT, 296° track, turn LEFT to intercept 236° bearing from ZP NDB to DITIX.
ROLOP 5B	Climb on 196° track to 1970', turn RIGHT to intercept 209° bearing from ZP NDB to ROLOP.
UMSOT 5B	Climb on 196° track to 1970', turn RIGHT, 353° track, turn LEFT to intercept 268° bearing from ZP NDB to UMSOT.

UKDE/OZH

Apt Elev 374'
N47 52.0 E035 18.9



JEPPESSEN


ZAPORIZHZHIA, UKRAINE

1 OCT 21

(10-9)

Eff 7 Oct

ZAPORIZHZHIA INTL



ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			LANDING BEYOND	TAKE-OFF	
			Threshold	Glide Slope	
02	HIRL (60m) HIALS PAPI-R (angle 3.0°)	RVR			138'
20	HIRL (60m) HIALS PAPI-L (angle 3.0°)	RVR		7108' 2167m	42m

① TAKE-OFF RUN AVAILABLE			
RWY 02:		RWY 20:	
From rwy head	8209' (2502m)	From rwy head	8209' (2502m)
twy 1 int	4724' (1440m)	twy 1 int	3478' (1060m)


For ACFT code C and D 180° turn is allowed for RWY vacaton only at the end of RWY at abeam TWY 2, 14 and TWY 5, 6, 7.
Taxiing ACFT via TWY 1 and Large Apron only under Follow-me car instructions.
Taxiing via RWY for line-up is performed via centreline with further Right (Left) turn.
Taxiing via RWY and TWY 1 are performed under the inner engine power and should taxi to/from stands of Large Apron strictly marking.
TWY 2, 3, 6, 7, 8, 10, 11, 12, 13, 14 - for taxiing of the ACFT are inapplicable.

Std TAKE-OFF			
RL & RCLM	RL	RL or RCLM	Adequate Vis Ref
DAY	NIGHT	DAY	NIGHT
R300m		R400m	R/V500m NA

UKDE/OZH

1 OCT 21
Eff 7 Oct 10-9A


ZAPORIZHZHIA, UKRAINE
ZAPORIZHZHIA INTL



INS COORDINATES					
STAND	COORDINATES	ELEV	STAND	COORDINATES	ELEV
1	N47 52.3 E035 18.1	343'	11	N47 52.4 E035 18.3	355'
2	N47 52.3 E035 18.1	342'	12	N47 52.4 E035 18.3	354'
3	N47 52.3 E035 18.2	342'	13 thru 15	N47 52.4 E035 18.3	352'
4	N47 52.3 E035 18.2	341'	16	N47 52.4 E035 18.4	353'
5	N47 52.3 E035 18.2	343'	17	N47 52.4 E035 18.4	354'
6, 7	N47 52.4 E035 18.2	345'	18	N47 52.5 E035 18.4	354'
8	N47 52.3 E035 18.2	343'	19	N47 52.5 E035 18.4	355'
9	N47 52.3 E035 18.3	345'	20	N47 52.5 E035 18.3	352'
10, 10B	N47 52.3 E035 18.2	344'	21	N47 52.5 E035 18.3	351'
H1	N47 52.2 E035 18.2	342'	22, 23	N47 52.5 E035 18.4	351'
			23A	N47 52.5 E035 18.4	355'

UKDE/OZH

JEPPESEN ZAPORIZHZHIA, UKRAINE
ZAPORIZHZHIA INTL
1 OCT 21
Eff 7 Oct 10-9B



INS COORDINATES		
STAND	COORDINATES	ELEV
H2	N47 51.8 E035 18.9	355
38	N47 51.8 E035 19.0	357
39	N47 51.8 E035 19.0	356
40	N47 51.8 E035 19.0	354
41	N47 51.7 E035 19.0	352
42	N47 51.7 E035 19.0	350
43	N47 51.7 E035 19.0	347
44	N47 51.7 E035 19.0	344
45	N47 51.6 E035 19.0	342
46	N47 51.6 E035 18.9	339
47	N47 51.6 E035 18.9	337
48	N47 51.6 E035 18.9	338
49	N47 51.7 E035 18.9	355

UKDE/OZH



EASA AIR OPS
ZAPORIZHZHIA, UKRAINE
ZAPORIZHZHIA INTL

STRAIGHT-IN RWY		A	B	C	D
02	① NDB	730'(391')	730'(391')	730'(391')	730'(391')
	with ZA NDB	R1100m	R1100m	R1100m	R1100m
	ALS out	R1500m	R1500m	R1800m	R1800m
	NDB	730'(391')	730'(391')	730'(391')	730'(391')
	with ZA NDB	R1300m	R1300m	R1500m	R1500m
	ALS out	R2000m	R2000m	R2200m	R2200m
	① NDB	790'(451')	790'(451')	790'(451')	790'(451')
	w/o ZA NDB	R1400m	R1400m	R1400m	R1400m
20	ALS out	R1500m	R1500m	R2100m	R2100m
	NDB	790'(451')	790'(451')	790'(451')	790'(451')
	w/o ZA NDB	R1600m	R1600m	R1800m	R1800m
	ALS out	R2300m	R2300m	R2500m	R2500m
	ILS	573'(200')	573'(200')	573'(200')	583'(210')
	FULL	② R550m	② R550m	② R550m	② R550m
	ALS out	R1200m	R1200m	R1200m	R1200m
	① NDB	890'(517')	890'(517')	890'(517')	890'(517')
	ALS out	R1500m	R1500m	R1600m	R1600m
	ALS out	R1500m	R1500m	R2400m	R2400m
	NDB	890'(517')	890'(517')	890'(517')	890'(517')
	ALS out	R1800m	R1800m	R2000m	R2000m
	ALS out	R2600m	R2600m	R2800m	R2800m

- ① Continuous Descent Final Approach.
② R750m when a Flight Director or Autopilot or HUD to DA is not used.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
After NDB 02	840'(466')	880'(506')	1130'(756')	1150'(776')
After ILS 20	780'(406')	880'(506')	1120'(746')	1150'(776')
After NDB 20	890'(516')	890'(516')	1130'(756')	1140'(766')
	③ V1500m	③ V1600m	③ V2400m	V3600m

③ or higher straight-in minimums.



TAKE-OFF					
Low Visibility Take-off		RL or RCLM	RL	Adequate Vis Ref	
RL & RCLM	RL				
DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
R300m		R/V400m		R/V500m	NA

UKDE/OZH
ZAPORIZHZHIA INTL

1 OCT 21 11-1 Eff 7 Oct

ZAPORIZHZHIA, UKRAINE
ILS Rwy 20

ZAPORIZHZHIA Radar (APP) 119.2			ZAPORIZHZHIA Tower 120.050		
LOC IZP 111.5	Final Apch Crs 196°	D5.0 IZP 1970' (1597')	ILS DA(H) Refer to Minimums	Apt Elev 374' Rwy 373'	2000 MSA ZP NDB
MISSED APCH: Climb on 196° to 1970', then turn LEFT climbing to 2960' to ZP NDB, then according to chart.					
Alt Set: hPa (MM on req)		Rwy Elev: 14 hPa	Trans level: By ATC		
DME required.					
Trans alt: 10010'					



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	1970' ↑ on 196°
GS	3.00°	372	478	531	637	743		

STRAIGHT-IN LANDING ILS				CIRCLE-TO-LAND			
DA(H) ABC: 573' (200') D: 583' (210')				Max Kts. MDA(H)			
FULL		ALS out		100	780' (406')	V1500m	
1 R550m		R1200m		135	880' (506')	V1600m	
				180	1120' (746')	V2400m	
				205	1150' (776')	V3600m	



1 R750m when a Flight Director or Autopilot or HUD to DA is not used.

UKDE/OZH
ZAPORIZHZHIA INTL

JEPPESEN
1 OCT 21 16-1 Eff 7 Oct

ZAPORIZHZHIA, UKRAINE
NDB Rwy 02

ZAPORIZHZHIA Radar (APP) 119.2			ZAPORIZHZHIA Tower 120.050		
NDB ZA 295	Final Apch Crs 016°	ZA NDB 1120' (781')	DA/MDA(H) (CONDITIONAL) 730' (391')	Apt Elev 374' Rwy 339'	2000 MSA ZA NDB
MISSED APCH: Climb on 016° to 1970', then turn RIGHT climbing to 2960' to ZA NDB, then according to chart.					
Alt Set: hPa (MM on req)		Rwy Elev: 12 hPa	Trans level: By ATC		



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI 1970' on 016°
Descent Angle 3.00°	372	478	531	637	743	849	
MAP at ZP NDB							
Timing not authorized for defining the MAP.							

PANS OPS	STRAIGHT-IN LANDING				CIRCLE-TO-LAND	
	CDFA with ZA NDB 1 DA/MDA(H) 730' (391')		CDFA w/o ZA NDB 1 DA/MDA(H) 790' (451')			
	ALS out		ALS out		Max Kts	MDA(H)
	R1500m		R1500m		100	840' (466') V1500m
	R1100m		R1400m		135	880' (506') V1600m
	R1800m		R2100m		180	1130' (756') V2400m
					205	1150' (776') V3600m

1 VNAV DA(H) in lieu of MDA(H) depends on operator policy.

CHANGES: Restricted areas. Approach lights added. Minimums.


© JEPPESEN, 2004, 2021. ALL RIGHTS RESERVED.

UKDE/OZH
ZAPORIZHZHIA INTL


1 OCT 21 **16-2** Eff 7 Oct

ZAPORIZHZHIA, UKRAINE
NDB Rwy 20

ZAPORIZHZHIA Radar (APP)				ZAPORIZHZHIA Tower		
119.2				120.050		
NDB ZP 608	Final Apch Crs 196°	No FAF	DA/MDA(H) 890' (517')	Apt Elev 374'	2000	
				Rwy 373'		
MISSED APCH: Climb on 196° to 1970', then turn LEFT climbing 2960' to NDB, then according to chart.						
Alt Set: hPa (MM on req)		Rwy Elev: 14 hPa	Trans level: By ATC	Trans alt: 10010'	MSA ZP NDB	



FT/METER CONVERSION QNH	
10010'	3050m
2960'	900m
1970'	600m



Start
turn at
CAT A & B:
2½ Min
CAT C & D:
2 Min

		0 0.6							HIALS		1970' on 196°	
Gnd speed-Kts		70	90	100	120	140	160			PAPI		
Descent Angle 3.00°		372	478	531	637	743	849					
MAP at NDB												
Timing not authorized for defining the MAP.												

Std		STRAIGHT-IN LANDING		CIRCLE-TO-LAND		
		CDFA				
		1 DA/MDA(H) 890' (517')				
		ALS out		Max Kts	MDA(H)	
A	R1500m			100	890' (516') 2 V1500m	
B				135	890' (516') 2 V1600m	
C	R1600m		R2400m		180	1130' (756') V2400m
D					205	1140' (766') V3600m
1 VNAV DA(H) in lieu of MDA(H) depends on operator policy. 2 or higher straight-in minimums.						

CHANGES: Restricted areas.

© JEPPESEN, 2017, 2021. ALL RIGHTS RESERVED.

ZAPORIZHZHIA, (ZAPORIZHZHIA INTL - UKDE)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UKDE