

List of pages in this Trip Kit

- Trip Kit Index
- Airport Information For UKKK
- Terminal Charts For UKKK
- Revision Letter For Cycle 08-2026
- Change Notices
- Notebook

General Information

Location: KYIV UKR
ICAO/IATA: UKKK / IEV
Lat/Long: N50° 24.1', E030° 27.1'
Elevation: 587 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 7.0° E

Fuel Types: Jet A-1
Repair Types: Major Airframe, Major Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0147 Z
Sunset: 1813 Z

Runway Information

Runway: 08
Length x Width: 7579 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 560 ft
Lighting: Edge, ALS, TDZ
Displaced Threshold: 492 ft

Runway: 26
Length x Width: 7579 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 587 ft
Lighting: Edge, ALS, TDZ
Displaced Threshold: 157 ft

Communication Information

ATIS: 127.475
ATIS: 126.800 Non-English
Zhuliany Tower: 120.700
Zhuliany Ground: 119.000
Kyiv Radar ACC: 125.300 RCO
Kyiv Radar ACC: 124.675 RCO

Kyiv Radar ACC: 127.725 RCO
Kyiv Information: 118.500 Flight Info Service RCO

UKKK/IEV
ZHULIANY

JEPPESEN

1 OCT 21

20-1P

Eff 7 Oct

KYIV, UKRAINE

AIRPORT BRIEFING

1. GENERAL

1.1. ATIS

ATIS 127.475
126.8 (Russian)

1.2. NOISE ABATEMENT PROCEDURES

1.2.1. NIGHT TIME RESTRICTIONS

Between 2300-0700LT flights of AN-12, AN-24, AN-26, AN-30, AN-32, TU-134 and their modifications, helicopters MI-2, MI-8 and their modifications, which are not in accordance with the requirements of Chapter 3, Supplement 16, Volume 2 ICAO are prohibited except VIP, medical and SAR.

Between 2300-0700LT scheduled and business flights are restricted.

1.2.2. REVERSE THRUST

Between 2300-0700LT reverse thrust is not to be used except for flight safety.

1.3. LOW VISIBILITY PROCEDURES (LVP)

Procedures are applied for take-off only and when RVR is less than 550m but not lower than what the equipment installed at the aerodrome can accommodate.

Beginning of LVP notified via ATIS or by ATC.

Taxiing from stand to point sign of ILS critical zone with Follow-me car only.

Only one ACFT allowed on the maneuvering area at a time.

1.4. TAXI PROCEDURES

When RVR is less than 550m taxiing via TWY 1, 2 and 4 performed with Follow-me car only.

Taxiing via apron M and L performed with Follow-me car only.

TWY 4 MAX wingspan 100'/30.5m.

Taxiing of YAK-42, A-320 and B-737 only on TWY 1 and TWY 2.

1.5. PARKING INFORMATION

Stands Z12 thru Z14 available for helicopters.

1.6. OTHER INFORMATION

Birds.

UKKK/IEV

JEPPESEN

KYIV, UKRAINE

ZHULIANY

1 OCT 21

20-1P1

Eff 7 Oct

AIRPORT BRIEFING

2. ARRIVAL

2.1. COMMUNICATION FAILURE PROCEDURES

2.1.1. RADIO COMMUNICATION FAILURE

ACFT crew should:

- switch to transponder code 7600 immediately;
- proceed to IAF ZK NDB at altitude 4000' or at the last assigned altitude (FL) if it is higher than 4000', hold over ZK NDB for 5 minutes, then execute instrument approach procedure for RWY-in-use which is broadcasted by ATIS.

2.1.2. ACFT EXPERIENCING RADIO COMMUNICATION FAILURE

Follow the established RCF procedures.

When able to see light gun signal from control tower, follow that instruction.

2.2. NOISE ABATEMENT PROCEDURES

2.2.1. GENERAL

Noise abatement is provided by CDO and accurate execution of STARs during approach and landing procedure.

2.2.2. CONTINUOUS DESCENT OPERATIONS (CDO)

CDO are authorized only if there is no system degradation that may affect a GNSS or ILS operation.

ATC will issue further descent instruction prior to the CDO flight reaching 2960' to prevent levelling off.

MAX IAS 220 KT at 20 track miles from touchdown.

Minimum levels must be adhered to unless cancelled by ATC.

2.3. OTHER INFORMATION

Do not mistake lighted highway for approach lights RWY 08.

3. DEPARTURE

3.1. NOISE ABATEMENT PROCEDURES

NADP2 is compulsory during take-off.

UKKK/IEV
ZHULIANY

JEPPESSEN
11 FEB 22
Eff 24 Feb 20-1R


KYIV, UKRAINE
RADAR MINIMUM ALTITUDES

KYIV Radar
FOR SECTORS REFER TO 10-1
122.775 124.675
125.3
127.725 128.175

Apt Elev
587

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010
1. This chart may only be used for cross-checking of altitudes assigned while under vectoring control.
2. Visual manoeuvring (circling) and visual approach in the sector from BRP R004 to BRP R054, from D2.7 to D6.5 BRP below 2470, not authorized.


FT/METER CONVERSION	
QNH	
10010'	- 3050m
4930'	- 1500m
3940'	- 1200m
3610'	- 1100m
3290'	- 1000m
2960'	- 900m
2790'	- 850m
2630'	- 800m
2470'	- 750m
2300'	- 700m





CHANGES: Sector altitudes revised; general note 2 & lost comms withdrawn.

© JEPPESSEN, 2019, 2022. ALL RIGHTS RESERVED.









RNAV STAR

STAR	ROUTING
LAPVA 1M	LAPVA (9030+) - KK82Ø (K220-; 2300+).
NANIR 2M	NANIR (FL110+) - KK83Ø (K220-; 2960+) - KK82Ø (K220-; 2300+).
SLV 2M	SLV VOR (7060+) - KK82Ø (K220-; 2300+).

UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 (20-2E) Eff 7 Oct

KYIV, UKRAINE
RNAV STAR

ATIS
127.475
(Russian
126.8)

KYIV Radar
124.675
127.725


Apt Elev
587

Alt Set: hPa (MM on request)
Trans level: By ATC
1. GNSS or DME/DME required.
2. RNAV 1 (P-RNAV) approval required, otherwise advise ATC.
3. EXPECT direct routing/shortcuts by ATC whenever possible.
4. Altitudes will be assigned by ATC.
5. Report ATIS on initial contact with KYIV Radar.

LAPVA 1N [LAPV1N], NANIR 3N [NANI3N]
SOLOVIIVKA 3N (SLV 3N) [SLV3N]
RNAV ARRIVALS
(RWY 26)

RNAV STARS ALSO AVBL FOR CDO, FOR DETAILS REFER TO AIRPORT BRIEFING PAGES

**SPEED: MAX 250 KT AT OR BELOW 10010 WITHIN 30 NM FROM ARP
UNLESS OTHERWISE INSTRUCTED**



UKKK/IEV
ZHULIANY

JEPPESEN
1 OCT 21 (20-2F) Eff 7 Oct

KYIV, UKRAINE
STAR

ATIS
127.475
(Russian
126.8)

KYIV Radar
124.675
127.725

Apt Elev
587

Alt Set: hPa (MM on request)
Trans level: By ATC
1. Altitudes will be assigned by ATC.
2. Report ATIS on initial contact with KYIV Radar.

TUVOG 2P ARRIVAL

[TUV02P]

(RWYS 08, 26)

**SPEED: MAX 250 KT AT OR BELOW 10010 WITHIN 30 NM FROM ARP
UNLESS OTHERWISE INSTRUCTED**

For LOST COMMS refer to 10-1P pages.

FT/METER CONVERSION

	QNH
10010'	- 3050m
4930'	- 1500m
3940'	- 1200m
2960'	- 900m

KYIV
Antonov-2 Intl
UKKM

SLV
113.3

[D304W]
4930

KYIV
Antonov-1
UKKT



8.5

2960

1873


(IAF)

733 ZK

MAX 220 KT
2960

079°

MHA 2960



BORYSPIL
115.9 BRP



KYIV
Boryspil Intl
UKBB



ROUTING

On SLV R042 inbound, turn LEFT, intercept 178° bearing to ZK NDB, then according to APP chart.


CHANGES: Airport name revised.

© JEPPESEN, 2018, 2021. ALL RIGHTS RESERVED.

**UKKK/IEV
ZHULIANY**

JEPPESSEN
1 OCT 21 **(20-2G)** **Eff 7 Oct**

KYIV, UKRAINE

STAR

UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 20-2H Eff 7 Oct

KYIV, UKRAINE
STAR

ATIS
127.475
(Russian
126.8)


KYIV Radar
124.675
127.725

Apt Elev
587

Alt Set: hPa (MM on request)
Trans level: By ATC
1. Altitudes will be assigned by ATC.
2. Report ATIS on initial contact with KYIV Radar.

LAPVA 1P [LAPV1P], NANIR 2P [NANI2P]
SOLOVIIVKA 2P (SLV 2P) [SLV2P]
ARRIVALS
(RWYS 08, 26)


**SPEED: MAX 250 KT AT OR BELOW 10010 WITHIN 30 NM FROM ARP
UNLESS OTHERWISE INSTRUCTED**



UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 (20-3) Eff 7 Oct


KYIV, UKRAINE
RNAV SID



UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 **(20-3A)** **Eff 7 Oct**

KYIV, UKRAINE
RNAV SID



UKKK/IEV
ZHULIANY



1 OCT 21

20-3D

Eff 7 Oct

KYIV, UKRAINE


RNAV SID

KYIV Radar
125.3

Apt Elev
587

- Trans alt: 10010
1. GNSS or DME/DME required.
 2. RNAV 1 (P-RNAV) approval required, otherwise advise ATC.
 3. After departure IMMEDIATELY contact KYIV Radar.
 4. EXPECT close-in obstacles.
 5. If unable to comply SIDs advise ATC.

BASOR 1K RNAV DEPARTURE
[BAS01K]
(RWY 08)



ROUTING

(2470+) - KK305 (2960+) - BASOR (7060+).

UKKK/IEV
ZHULIANY




1 OCT 21 **(20-3E)** **Eff 7 Oct**

KYIV, UKRAINE
RNAV SID

KYIV Radar 125.3	Apt Elev 587	Trans alt: 10010 1. GNSS or DME/DME required. 2. RNAV 1 (P-RNAV) approval required, otherwise advise ATC. 3. After departure IMMEDIATELY contact KYIV Radar. 4. If unable to comply SIDs advise ATC.
----------------------------	------------------------	--

BASOR 1L RNAV DEPARTURE
[BAS01L]
(RWY 26)




FT/METER CONVERSION	
QNH	
1970'	600m
2470'	750m
3940'	1200m
7060'	2150m
10010'	3050m

This SID requires a minimum climb gradient of 7% up to 2470.						
Gnd speed-KT	75	100	150	200	250	300
7% V/V (fpm)	532	709	1063	1418	1772	2127

ROUTING	
(1970+) - KKS01 (3940+) - BASOR (7060+).	

KYIV, UKRAINE
RNAV SID



UKKK/IEV
ZHULIANY

JEPPESSEN


KYIV, UKRAINE

1 OCT 21

20-3G

Eff 7 Oct

RNAV SID



UKKK/IEV
ZHULIANY



JEPPESSEN

1 OCT 21

(20-3H)

Eff 7 Oct

KYIV, UKRAINE


RNAV SID

KYIV Radar
125.3

Apt Elev
587

- Trans alt: 10010
1. GNSS or DME/DME required.
 2. RNAV 1 (P-RNAV) approval required, otherwise advise ATC.
 3. After departure IMMEDIATELY contact KYIV Radar.
 4. EXPECT close-in obstacles.
 5. If unable to comply SIDs advise ATC.

LASDA 2K RNAV DEPARTURE
[LASD2K]
(RWY 08)




ROUTING

(2470+) - KK305 (2960+) - GILEV (4930+) - LASDA (8040+).

UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 **(20-3J)** **Eff 7 Oct**

KYIV, UKRAINE
RNAV SID



UKKK/IEV
ZHULIANY

JEPPESSEN


1 OCT 21

20-3K

Eff 7 Oct

KYIV, UKRAINE

SID



UKKK/IEV
ZHULIANY

JEPPESSEN


KYIV, UKRAINE

1 OCT 21

20-3L

Eff 7 Oct

SID



CHANGES: Airport name revised.

© JEPPESSEN, 2018. 2021. ALL RIGHTS RESERVED.

UKKK/IEV
ZHULIANY

JEPPESSEN


KYIV, UKRAINE

1 OCT 21

20-3M

Eff 7 Oct

SID



UKKK/IEV
ZHULIANY

JEPPESSEN


KYIV, UKRAINE

1 OCT 21

20-3N

Eff 7 Oct

SID



UKKK/IEV
ZHULIANY

JEPPESEN
1 OCT 21 (20-3P) Eff 7 Oct


KYIV, UKRAINE
SID

KYIV Radar
125.3

Apt Elev
587

Trans alt: 10010
1. After departure IMMEDIATELY contact KYIV Radar
2. EXPECT close-in obstacles.
3. If unable to comply with SID procedures advise ATC.

BASOR 2G DEPARTURE
[BAS02G]
(RWY 08)



ROUTING

Climb on 079° track to 2960, turn RIGHT, 202° track, turn LEFT, intercept 136° bearing from ZK NDB to BASOR.

UKKK/IEV
ZHULIANY

JEPPESEN

KYIV, UKRAINE

1 OCT 21

20-3Q

Eff 7 Oct

SID

KYIV Radar
125.3


Apt Elev
587

Trans alt: 10010

1. After departure IMMEDIATELY contact KYIV Radar.
2. Initial turn not authorized before ZK NDB.
3. If unable to comply with SID procedures advise ATC.

BASOR 2H DEPARTURE

[BASO2H]
(RWY 26)



FT/METER CONVERSION

QNH

1150' - 350m
3940' - 1200m
7060' - 2150m
10010' - 3050m

This SID requires a minimum climb gradient of 7% and MAX 195 KT due to UK(TRA)-705A for initial climb and first turn.

Gnd speed-KT	75	100	150	200	250	300
7.0% V/V (fpm)	532	709	1063	1418	1772	2127


ROUTING

Climb on 259° track to 1150, turn LEFT, intercept BRP R270 inbound to D15.0 BRP, turn RIGHT, intercept 136° bearing from ZK NDB to BASOR.

UKKK/IEV
ZHULIANY

JEPPESEN
1 OCT 21 (20-3S) Eff 7 Oct


KYIV, UKRAINE



UKKK/IEV
ZHULIANY

JEPPESEN
1 OCT 21 (20-3T) Eff 7 Oct


KYIV, UKRAINE

SID

UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 **(20-3U)** **Eff 7 Oct**

KYIV, UKRAINE




CHANGES: Airport name revised.

© JEPPESEN, 2019, 2021. ALL RIGHTS RESERVED.

UKKK/IEV
ZHULIANY

JEPPESEN
1 OCT 21 (20-3V) Eff 7 Oct

KYIV, UKRAINE

SID

UKKK/IEV
ZHULIANY



1 OCT 21

20-3W

Eff 7 Oct

KYIV, UKRAINE

SID


KYIV Radar
125.3

Apt Elev
587

Trans alt: 10010
1. After departure IMMEDIATELY contact KYIV Radar.
2. EXPECT close-in obstacles.
3. If unable to comply with SID procedures advise ATC.

LASDA 2G DEPARTURE

[LASD2G]
(RWY 08)



FT/METER CONVERSION

QNH

2960' - 900m
7060' - 2150m
8040' - 2450m
10010' - 3050m

ROUTING

Climb on 079° track to 2960, turn RIGHT to ZK NDB, turn RIGHT, 348° bearing to LASDA.

UKKK/IEV
ZHULIANY



1 OCT 21

20-3X

Eff 7 Oct

KYIV, UKRAINE

SID

KYIV Radar
125.3


Apt Elev
587

Trans alt: 10010
1. After departure IMMEDIATELY contact KYIV Radar.
2. Initial turn not authorized before ZK NDB.
3. If unable to comply with SID procedures advise ATC.

LASDA 2H DEPARTURE

[LASD2H]

(RWY 26)



ROUTING

Climb on 259° track to 1150, turn LEFT, intercept BRP R270 inbound to D15.0 BRP, turn LEFT to ZK NDB, turn RIGHT, 348° bearing to LASDA.

UKKK/IEV

Apt Elev **587'**

N50 24.1 E030 27.1

JEPPESEN


1 OCT 21

(20-9)

Eff 7 Oct

KYIV, UKRAINE

ZHULIANY



ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			Threshold	Glide Slope	
08	HIRL (60m) HIALS TDZ SFL PAPI-L ①	RVR	7087' 2160m	6236' 1901m	148' 45m
26	HIRL (60m) HIALS TDZ PAPI-L ①	RVR	7422' 2262m	6389' 1947m	

① (angle 3.0°)

② TAKE-OFF RUN AVAILABLE

RWY 26:

From rwy head 7382' (2250m)

twy 2 int 6201' (1890m)

JAR-OPS

TAKE-OFF ①


	All Rwys		
	LVP must be in force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A			
B	250m	400m	500m
C			
D	300m		

① Operators applying U.S. Ops Specs: CL required below 300m.

UKKK/IEV

JEPPESEN
1 OCT 21 20-9A Eff 7 Oct

KYIV, UKRAINE
ZHULIANY



INS COORDINATES			
STAND No.	COORDINATES	STAND No.	COORDINATES
APRON M		APRON L	
M1 thru M11	N50 24.6 E030 26.4	L1 thru L2	N50 24.6 E030 26.5
M12, M13	N50 24.7 E030 26.4	L3 thru L6	N50 24.5 E030 26.5
M14	N50 24.7 E030 26.5	L7, L8	N50 24.5 E030 26.4
M15 thru M16A	N50 24.6 E030 26.5	L9 thru L14	N50 24.4 E030 26.4
M17	N50 24.6 E030 26.6	L15, L16	N50 24.3 E030 26.4
M18	N50 24.7 E030 26.4	L17 thru L21	N50 24.3 E030 26.3
M19, M20	N50 24.7 E030 26.5	L22, L22A	N50 24.2 E030 26.3
M21, M22	N50 24.6 E030 26.5	L23, L24	N50 24.3 E030 26.3
M23, M24	N50 24.6 E030 26.6	L25 thru L28	N50 24.4 E030 26.3
M25, M26	N50 24.7 E030 26.5	L29	N50 24.4 E030 26.4
M27 thru M30	N50 24.7 E030 26.6	APRON F	
M31 thru M33A, M34A	N50 24.6 E030 26.7	F1 thru F3	N50 24.4 E030 26.1
M35A	N50 24.6 E030 26.8	APRON Z	
M34	N50 24.7 E030 26.6	Z1, Z2	N50 24.5 E030 27.0
M35 thru M37A	N50 24.7 E030 26.8	Z3, Z4	N50 24.5 E030 27.1
M38	N50 24.7 E030 26.9	Z5	N50 24.5 E030 27.2
M38A	N50 24.7 E030 26.8	Z6	N50 24.3 E030 27.3
M39	N50 24.6 E030 26.9	Z7 thru Z9	N50 24.3 E030 27.2
M39A	N50 24.7 E030 26.9	Z10	N50 24.4 E030 27.2
M40 thru M42	N50 24.6 E030 26.9	Z11 thru Z13	N50 24.4 E030 27.1
M42A, M43	N50 24.6 E030 27.0	Z14, Z15	N50 24.4 E030 27.0

UKKK/IEV

Standard
KYIV, UKRAINE
ZHULIANY

STRAIGHT-IN RWY	A	B	C	D
08				
ILS	760' (200')	760' (200')	767' (207')	777' (217')
FULL	② R550m	② R550m	② R550m	② R550m
ALS out	R1200m	R1200m	R1200m	R1200m
① LOC	1010' (450')	1010' (450')	1010' (450')	1010' (450')
ALS out	R1400m R1500m	R1400m R1500m	R1400m R2100m	R1400m R2100m
① NDB	1090' (530')	1090' (530')	1090' (530')	1090' (530')
ALS out	R1500m R1500m	R1500m R1500m	R1700m R2400m	R1700m R2400m
NDB	1090' (530')	1090' (530')	1090' (530')	1090' (530')
ALS out	R1900m R2600m	R1900m R2600m	R2100m R2800m	R2100m R2800m
26				
ILS	787' (200')	787' (200')	787' (200')	787' (200')
ALS out	R1000m R1200m	R1000m R1200m	R1000m R1200m	R1000m R1200m
① LOC	960' (373')	960' (373')	960' (373')	960' (373')
with D1.5 IKV	R1500m	R1500m	R1500m	R1500m
ALS out	R1500m	R1500m	R1700m	R1700m
① LOC	1070' (483')	1070' (483')	1070' (483')	1070' (483')
w/o D1.5 IKV	R1500m	R1500m	R2100m	R2100m
ALS out	R1500m	R1500m	R2300m	R2300m
① NDB	1330' (743')	1330' (743')	1330' (743')	1330' (743')
ALS out	R1500m R1500m	R1500m R1500m	R2400m R2400m	R2400m R2400m
NDB	1330' (743')	1330' (743')	1330' (743')	1330' (743')
ALS out	R3500m R3700m	R3500m R3700m	R3700m R3900m	R3700m R3900m

- ① Continuous Descent Final Approach.
② RVR 750m when a Flight Director or Autopilot or HUD to DA is not used.

CIRCLE-TO-LAND	A	B	C	D
	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED

TAKE-OFF			
A B C D	Low Visibility Take-off		
	Day: RL & RCLM Night: RL		
	Day: RL or RCLM Night: RL		Adequate vis ref (Day only)
	R300m		500m
	400m		



UKKK/IEV
ZHULIANY

JEPPESSEN
1 OCT 21 (21-1) Eff 7 Oct

KYIV, UKRAINE
ILS or LOC Rwy 08

BRIEFING STRIP

ATIS		*KYIV Radar (BV5)		ZHULIANY Tower		Ground
127.475 (Russian 126.8)		125.3		120.7		119.0
LOC IKI 111.7	Final Apch Crs 079°	D5.5 IKI MANDATORY 2300' (1740')	ILS DA(H) Refer to Minimums	Apt Elev 587' Rwy 560'		3000 MSA ZK NDB
MISSED APCH: Climb on 079° to 2300', then turn RIGHT to ZK NDB, climbing to 2960', then according to chart.						
Alt Set: hPa (MM on req) Rwy Elev: 20 hPa Trans level: By ATC Trans alt: 10010'						
RNAV 1 required for IAF KK820. ACFT not equipped for RNAV 1 use conventional procedures through IAF ZK NDB.						
1. DME required. 2. CAUTION: Do not mistake lighted highway for ALS rwy 08.						



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	2300' on 079°
GS	3.00°	372	478	531	637	743		
MAP at D0.4 IKI								

JAR-OPS		STRAIGHT-IN LANDING RWY 08				CIRCLE-TO-LAND		
DA(H)		ILS C: 767' (207')		LOC (GS out)				
AB: 760' (200')		D: 777' (217')		MDA(H) 1010' (450')				
FULL		ALS out				ALS out		
A	RVR 550m	RVR 1000m	RVR 1000m		RVR 1500m		A	NOT AUTHORIZED
B			RVR 1200m				B	
C	RVR 600m				RVR 2000m		C	
D			RVR 1600m				D	

UKKK/IEV
ZHULIANY


JEPPESEN
1 OCT 21 (21-2) Eff 7 Oct

KYIV, UKRAINE
ILS or LOC Rwy 26


BRIEFING STRIP

TM

ATIS		*KYIV Radar (BV5)		ZHULIANY Tower		Ground	
127.475 (Russian 126.8)		125.3		120.7		119.0	
LOC IKV 108.3	Final Apch Crs 259°	D5.3 IKV MANDATORY 2300' (1713')	ILS DA(H) 787' (200')	Apt Elev 587' Rwy 587'		3000 MSA ZK NDB	
MISSED APCH: Climb on 259° to 2300', then turn LEFT to ZK NDB, climbing to 2960', then according to chart.							
Alt Set: hPa (MM on req) Rwy Elev: 21 hPa Trans level: By ATC Trans alt: 10010'							
RNAV 1 required for IAF KK620. ACFT not equipped for RNAV 1 use conventional procedures through IAF ZK NDB.							
DME required.							



LOC (GS out)	IKV DME	1.6	2.7	3.8	4.9
	ALTITUDE	1102'	1447'	1791'	2136'



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	2300'	on 259°
GS	3.00°	372	478	531	637	743			
MAP at D0.4 IKV									

JAR-OPS STRAIGHT-IN LANDING RWY 26						CIRCLE-TO-LAND	
ILS		LOC (GS out)		LOC (GS out)			
DA(H) 787' (200')		with D1.5 IKV MDA(H) 960' (373')		w/o D1.5 IKV MDA(H) 1070' (483')			
FULL		ALS out		ALS out			
A	RVR 800m	RVR 1000m	RVR 1300m	RVR 1500m	RVR 1500m	A	NOT AUTHORIZED
B			RVR 1400m			B	
C			RVR 1600m	RVR 1800m	RVR 1800m	C	
D			RVR 1800m	RVR 2000m	RVR 2000m	D	

UKKK/IEV
ZHULIANY



JEPPESSEN
14 JAN 22 **(26-1)** Eff 27 Jan

KYIV, UKRAINE
NDB Rwy 08

TM

BRIEFING STRIP

ATIS		*KYIV Radar (BV5)		ZHULIANY Tower		Ground	
127.475 (Russian 126.8)		125.3		120.7		119.0	
NDB ZK 733	Final Apch Crs 079°	No FAF		MDA(H) 1090' (530')	Apt Elev 587' Rwy 560'		3000 MSA ZK NDB
MISSED APCH: Climb on 079° to 2300', then turn RIGHT to NDB, climbing to 2960', then according to chart.							
Alt Set: hPa Rwy Elev: 20 hPa Trans level: By ATC Trans alt: 10010'							
1. CAUTION: Do not mistake lighted highway for ALS rwy 08. 2. CAUTION: For racetrack and baseturns procedures limited stabilization distance on final segment due to airspace restriction.							



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	2300' on 079°
Descent Angle 3.00°	372	478	531	637	743	849		
MAP at NDB								



JAR-OPS			STRAIGHT-IN LANDING RWY 08		CIRCLE-TO-LAND	
			MDA(H) 1090'(530')			
			ALS out			
A	RVR 1000m		RVR 1500m		A	NOT AUTHORIZED
B	RVR 1200m				B	
C			RVR 2000m		C	
D	RVR 1600m				D	

UKKK/IEV
ZHULIANY

JEPPESSEN
14 JAN 22 **26-2** Eff 27 Jan

KYIV, UKRAINE
NDB Rwy 26

ATIS		*KYIV Radar (BV5)		ZHULIANY Tower		Ground			
127.475 (Russian 126.8)		125.3		120.7		119.0			
NDB ZK 733	Final Apch Crs 259°	No FAF		MDA(H) 1330' (743')	Apt Elev 587' Rwy 587'	3000 MSA ZK NDB			
MISSED APCH: Climb on 259° to 2300', turn LEFT to NDB, climbing to 2960', then according to chart.									
Alt Set: hPa		Rwy Elev: 21 hPa		Trans level: By ATC				Trans alt: 10010'	
CAUTION: For racetrack procedures limited stabilization distance on final segment due to airspace restriction.									



Gnd speed-Kts							TO DISPLACED THRESHOLD		
		70	90	100	120	140	160		
Descent Angle		3.00°	372	478	531	637	743	849	
MAP at NDB									
Timing not authorized for defining MAP.									

JAR-OPS		STRAIGHT-IN LANDING RWY 26		CIRCLE-TO-LAND	
		MDA(H) 1330' (743')			
		ALS out			
A	RVR 1500m		A	NOT AUTHORIZED	
B			B		
C	RVR 2000m		C		
D			D		

Chart changes since cycle 07-2026

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
KYIV, (ZHULIANY - UKKK)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UKKK