

List of pages in this Trip Kit

- Trip Kit Index
- Airport Information For UKLI
- Terminal Charts For UKLI
- Revision Letter For Cycle 22-2024
- Change Notices
- Notebook

General Information

Location: IVANO-FRANKIVSK UKR
ICAO/IATA: UKLI / IFO
Lat/Long: N48° 53.0', E024° 41.1'
Elevation: 919 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 6.0° E

Fuel Types: Jet A-1
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0545 Z
Sunset: 1432 Z


Runway Information


Runway: 10
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 919 ft
Lighting: Edge, ALS

Runway: 28
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 904 ft
Lighting: Edge, ALS

Communication Information

Franko Tower: 114.200
Franko Tower: 134.850
Franko Tower: 124.000
Franko Approach: 132.300



UKLI/IFO
IVANO-FRAN

CHANGES: Location name and airport name revised. SIDs renumbered & revised. MSA revised. new format.

UKLI/IFO
IVANO-FRANKIVSK



JEPPESEN
7 MAY 21 **10-4** **Eff 20 May**

IVANO-FRANKIVSK, UKRAINE

SID

NOISE ABATEMENT

Noise abatement procedures prescribe special departure procedures mandatory for cockpit crews at any time if safety reasons do not demand otherwise.

DEPARTURES

1. Initial take-off and climb 450m (1500') above aerodrome level:
 - Maintain take-off power of all engines;
 - Retract gears;
 - Climb with take-off wing configuration (flaps 10-30°) in accordance with manual;
 - Keep IAS of $V_2 + 20$ -40km/h (10-20KT) and maximum climb angle regarding body angle restriction.
2. At 450m (1500'):
 - Reduce to rated power;
 - Climb to 900m (3000') maintaining rated power and IAS of $V_2 + 20$ -40km/h (10-20KT).
3. At 900m (3000'):
 - Reduce rate of climb;
 - Start climb acceleration to zero flaps speed;
 - Retract flaps to flight wing configuration.

UKLI/IFO


Apt Elev **919'**
N48 53.0 E024 41.1



JEPPESSEN **IVANO-FRANKIVSK, UKRAINE**

5 NOV 21 **(10-9)**

IVANO-FRANKIVSK



ADDITIONAL RUNWAY INFORMATION					
RWY				USABLE LENGTHS	
				LANDING BEYOND	
				Threshold	Glide Slope
				TAKE-OFF	WIDTH
10 28	RL (59m)	ALS	PAPI-L (angle 3.0°)	8120' 2475m	8120' 2475m

TAKE-OFF				
RL & RCLM	RL	RL or RCLM	Adequate Vis Ref	
DAY	NIGHT	DAY	DAY	NIGHT
R300m		R400m	R/V500m	NA

UKLI/IFO

**JEPPesen**

14 MAY 21
Eff 20 May

10-9S

EASA AIR OPS

IVANO-FRANKIVSK, UKRAINE
IVANO-FRANKIVSK

STRAIGHT-IN RWY		A	B	C	D
10	① VOR	1280'(361')	1280'(361')	1280'(361')	1280'(361')
	with D3.4	R1500m	R1500m	R1500m	R1500m
	ALS out	R1500m	R1500m	R1700m	R1700m
	① VOR	1730'(811')	1730'(811')	1730'(811')	1730'(811')
	w/o D3.4	R1500m	R1500m	R2400m	R2400m
	ALS out	R1500m	R1500m	R2400m	R2400m
28	① VOR	1270'(366')	1270'(366')	1270'(366')	1270'(366')
		R1500m	R1500m	R1500m	R1500m
	ALS out	R1500m	R1500m	R1700m	R1700m
	① NDB	1300'(396')	1300'(396')	1300'(396')	1300'(396')
		R1500m	R1500m	R1600m	R1600m
	ALS out	R1500m	R1500m	R1800m	R1800m

① Continuous Descent Final Approach.


CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
After apch to Rwy 10	1740'(821')	1790'(871')	1890'(971')	1890'(971')
After apch to Rwy 28	1350'(431')	1790'(871')	1890'(971')	1890'(971')
	V1500m	V1600m	V2400m	V3600m

TAKE-OFF					
Low Visibility Take-off		RL or RCLM	RL	Adequate Vis Ref	
RL & RCLM	RL				
DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
R300m		R/V400m		R/V500m	NA

UKLI/IFO
IVANO-FRANKIVSK

JEPPESSEN
14 MAY 21 (13-1) Eff 20 May


IVANO-FRANKIVSK, UKRAINE
VOR Rwy 10



UKLI/IFO
IVANO-FRANKIVSK

JEPPESSEN
14 MAY 21 (13-2) Eff 20 May

IVANO-FRANKIVSK, UKRAINE
VOR Rwy 28



UKLI/IFO
IVANO-FRANKIVSK

JEPPESSEN
14 MAY 21 (16-1) Eff 20 May

IVANO-FRANKIVSK, UKRAINE
NDB Rwy 28




Chart changes since cycle 21-2024

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
IVANO-FRANKIVSK, (IVANO-FRANKIVSK - UKLI)				

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UKLI

Type: Terminal
Effectivity: Temporary
Begin Date: 20210812
End Date: Until Further Notice

Based on AIRAC SUP 005/21 PAPI lights on Rwy 10/28 out of service.