

List of pages in this Trip Kit

- Trip Kit Index
- Airport Information For UKLL
- Terminal Charts For UKLL
- Revision Letter For Cycle 08-2026
- Change Notices
- Notebook

General Information

Location: LVIV UKR
ICAO/IATA: UKLL / LWO
Lat/Long: N49° 48.6', E023° 57.5'
Elevation: 1077 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 6.0° E

Fuel Types: Jet A-1
Repair Types: Major Airframe, Major Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0216 Z
Sunset: 1836 Z

Runway Information

Runway: 13
Length x Width: 10843 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1069 ft
Lighting: Edge, ALS, Centerline, TDZ
Displaced Threshold: 1345 ft

Runway: 31
Length x Width: 10843 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1074 ft
Lighting: Edge, ALS, Centerline, TDZ
Displaced Threshold: 394 ft

Communication Information

ATIS: 122.925 Non-English
ATIS: 128.625
ATIS: 128.650
Lviv Tower: 128.000
Lviv Ground: 120.050
Lviv Information: 126.825 Flight Info Service RCO

Lviv Radar ACC: 120.525 RCO

UKLL/LWO
LVIV INTL

JEPPESEN

1 OCT 21

10-1P

Eff 7 Oct

LVIV, UKRAINE

AIRPORT BRIEFING

1. GENERAL

1.1. ATIS

ATIS 128.625
122.925 (Russian)

1.2. NOISE ABATEMENT PROCEDURES

Flights over the city below 2960' are prohibited.

1.3. LOW VISIBILITY PROCEDURES (LVP)**1.3.1. GENERAL**

LVP shall be applied when RVR is less than 600m.

Pilots will be informed about the beginning of the procedures via ATIS or by ATC.

1.3.2. ARRIVAL

After landing, pilots should report about the vacation of RWY.

Arrival ACFT should taxi behind Follow-me car to the stand.

1.3.3. DEPARTURE

Pilots shall request for clearance to start up engines indicating the number of the ACFT stand (apron).

Clearance for towing and taxiing out of ACFT stand is requested when ACFT is ready to execute it immediately.

Taxiing of ACFT is executed behind Follow-me car.

1.4. TAXI PROCEDURES

TWYs 1, 2, 3, 6, 7 and 8 for ACFT code A, B and C.

TWYs 4 and 5 for ACFT code A, B, C and D.

It is approved to taxiing on TWYs 3, 7 and apron A for ACFT code D according local procedure.

It is approved to taxi through the stands 8 thru 13, if they are free, if escorted by Follow-me car.

TWY 6 not to be used from 1 DEC till 1 APR every year.

Maneuvering of the ACFT at all sites of aerodrome carried out at the minimum necessary power of engine.

1.5. OTHER INFORMATION

Birds in vicinity of APT.

In case of communication failure in order to operate aerodrome traffic, light signals are emitted by Signal Light Gun.

UKLL/LWO
LVIV INTL



1 OCT 21

10-1P1

Eff 7 Oct

LVIV, UKRAINE
AIRPORT BRIEFING

2. ARRIVAL

2.1. CONTINUOUS DESCENT OPERATIONS

CDO are authorized only if there is no system degradation that may affect a GNSS or ILS operation.
ATC will issue further descent instruction prior to the CDO flight reaching 700m (2300') to prevent leveling off.
MAX IAS 220 KT at 20 track miles from touchdown.
Minimum levels must be adhered to unless cancelled by ATC.

2.2. CAT II OPERATIONS

RWYs 13/31 are approved for CAT II operations.


UKLL/LWO
LVIV INTL

16 NOV 18 **10-1R**

LVIV, UKRAINE
RADAR MINIMUM ALTITUDES

Apt Elev
1077


Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010
1. This chart may only be used for cross-checking of altitudes assigned while under RADAR control.
2. Minimum Radar Vectoring Altitudes are safe if the temperature at the surface is +12°C or above. For lower temperatures, corrected minimum levels will be provided by ATC.



UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-2

LVIV, UKRAINE
RNAV STAR



UKLL/LWO
LVIV INTL

JEPPESEN
16 NOV 18 (10-2A)

LVIV, UKRAINE
RNAV STAR

ATIS
128.625
(Russian
122.925)

Apt Elev
1077

- Alt Set: hPa Trans level: By ATC
1. RNAV 1 (GNSS).
 2. RNAV 1 (P-RNAV) approval required otherwise advise ATC.
 3. Speed restrictions are always MANDATORY unless cancelled by ATC.
 4. Altitudes will be assigned by ATC.
 5. On downwind EXPECT RADAR vectors to final.

KOVUS 1J [KOVU1J], ROLKA 1J [ROLK1J]

RWY 31 RNAV ARRIVALS

BY ATC


SPEED: MAX 220 KT FROM LLNØ1 TO LL1Ø2

FT/METER CONVERSION
QNH

8040'	-	2450m
7060'	-	2150m
4930'	-	1500m
2960'	-	900m

ROLKA 
FL210

NOT TO SCALE



STAR	ROUTING
KOVUS 1J	KOVUS (8040+) - LLNØ1 (K220-; 7060+) - LL114 (7060+) - LL113 (4930+) - LL112 (4930+) - LL111 (2960+) - LL11Ø (2960+) - LL1Ø4 (2960+) - LL1Ø3 (2960+) - LL1Ø2 (2960).
ROLKA 1J	ROLKA (FL210+) - KOVUS (8040+) - LLNØ1 (K220-; 7060+) - LL114 (7060+) - LL113 (4930+) - LL112 (4930+) - LL111 (2960+) - LL11Ø (2960+) - LL1Ø4 (2960+) - LL1Ø3 (2960+) - LL1Ø2 (2960).


CHANGES: ATIS, location name, airport name, LIV VOR name.

© JEPPESEN, 2018. ALL RIGHTS RESERVED.

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 **10-2B**


LVIV, UKRAINE
RNAV STAR




UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-2C

LVIV, UKRAINE
RNAV STAR








STAR	ROUTING
DIBED 1J	DIBED (9030+) - KOKUP (8040+) - LL109 (K220-; 7060+) - LL108 (4930+) - LL107 (4930+) - LL106 (2960+) - LL105 (2960+) - LL104 (2960+) - LL103 (2960+) - LL102 (2960).
KOKUP 1J	KOKUP (8040+) - LL109 (K220-; 7060+) - LL108 (4930+) - LL107 (4930+) - LL106 (2960+) - LL105 (2960+) - LL104 (2960+) - LL103 (2960+) - LL102 (2960).
KUSAK 1J	KUSAK (8040+) - LL116 (K220-; 7060+) - LL109 (K220-; 7060+) - LL108 (4930+) - LL107 (4930+) - LL106 (2960+) - LL105 (2960+) - LL104 (2960+) - LL103 (2960+) - LL102 (2960).
TEPNA 1J	TEPNA (FL150+) - KOKUP (8040+) - LL109 (K220-; 7060+) - LL108 (4930+) - LL107 (4930+) - LL106 (2960+) - LL105 (2960+) - LL104 (2960+) - LL103 (2960+) - LL102 (2960).

FT/METER CONVERSION QNH
9030' - 2750m
8040' - 2450m
7060' - 2150m
4930' - 1500m
2960' - 900m

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-2F


LVIV, UKRAINE
STAR



UKLL/LWO
LVIV INTL

16 NOV 18 10-2G

LVIV, UKRAINE
STAR



UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 (10-2H)

LVIV, UKRAINE
STAR


ATIS
128.625 (Russian 122.925)

Apt Elev
1077

Alt Set: hPa
Trans level: By ATC

KOKUP 4C [KOKU4C], KUSAK 7C [KUSA7C]
RWY 13 ARRIVALS

FT/METER CONVERSION
QNH
8040' - 2450m
2960' - 900m



STAR	ROUTING
KOKUP 4C	Intercept LIV R208 inbound to LIV VOR.
KUSAK 7C	Intercept LIV R138 inbound to LIV VOR.

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 (10-2J)

LVIV, UKRAINE
STAR

ATIS
128.625 (Russian 122.925)


Apt Elev
1077

Alt Set: hPa
Trans level: By ATC

KOKUP 1D [KOKU1D], KUSAK 7D [KUSA7D]
RWY 31 ARRIVALS

FT/METER CONVERSION
QNH
8040' - 2450m
2960' - 900m

HOLDING OVER
LIV VOR



STAR	ROUTING
KOKUP 1D	Intercept LIV R208 inbound to LIV VOR.
KUSAK 7D	Intercept LIV R138 inbound to LIV VOR.

UKLL/LWO
LVIV INTL

16 NOV 18 **10-2K**


LVIV, UKRAINE
STAR

ATIS
128.625 (Russian 122.925)

Apt Elev
1077

Alt Set: hPa
Trans level: By ATC

DIBED 7C [DIBE7C], ROLKA 2C [ROLK2C], TEPNA 2C [TEPN2C]
RWY 13 ARRIVALS



UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-2L


LVIV, UKRAINE
STAR


ATIS
128.625 (Russian 122.925)


Apt Elev
1077

Alt Set: hPa
Trans level: By ATC

DIBED 7D [DIBE7D], ROLKA 2D [ROLK2D], TEPNA 2D [TEPN2D]
RWY 31 ARRIVALS








UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-3B


LVIV, UKRAINE
RNAV SID




UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 (10-3C)

LVIV, UKRAINE
RNAV SID




SID

© JEPPESEN, 2018. ALL RIGHTS RESERVED.

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 10-3E


LVIV, UKRAINE

SID

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 (10-3F)


LVIV, UKRAINE

SID

UKLL/LWO
LVIV INTL

JEPPESSEN
16 NOV 18 **10-3G**

LVIV, UKRAINE

SID

UKLL/LWO

Apt Elev 1077'


N49 48.6 E023 57.5

JEPPesen

14 FEB 20 10-9 Eff 27 Feb

LVIV, UKRAINE

LVIV INTL



ADDITIONAL RUNWAY INFORMATION

RWY							USABLE LENGTHS		TAKE-OFF	WIDTH
							Threshold	Glide Slope		
13	HIRL (60m)	CL (15m)	HIALS-II	TDZ	①	RVR	9498' 2895m	8465' 2580m	②	148' 45m
31							10,449' 3185m	9234' 2815m		

① PAPI-L (angle 3.0°)

② TAKE-OFF RUN AVAILABLE

RWY 13:

From rwy head	10,843' (3305m)
twy 2 int	8793' (2680m)
twy 3 int	6824' (2080m)
twy 4 int	6234' (1900m)
twy 5 int	4593' (1400m)

RWY 31:

From rwy head	10,384' (3165m)
twy 8 int	7415' (2260m)
twy 5 int	5118' (1560m)
twy 4 int	3609' (1100m)
twy 3 int	3084' (940m)

JAR-OPS

TAKE-OFF ①


	All Rwy's				
	LVP must be in force				
	Approved Operators				
	HIRL, CL & mult. RVR req	RL, CL & mult. RVR req	RL & CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A					
B	125m	150m	200m	250m	400m
C					500m
D	150m	200m	250m	300m	

① Operators applying U.S. Ops Specs: CL required below 300m; approved HUD required below 150m.

UKLL/LWO

JEPPesen
14 FEB 20 **10-9A** Eff 27 Feb

LVIV, UKRAINE
LVIV INTL



HOT SPOTS

(For information only, not to be construed as ATC instructions.)

HS1 Warning sign at the intersection of rwy, twy and aprons. Listen with caution ATC taxi instruction. Taxi to/from apron via Twy 7 or Twy 4 by Follow-me car and Follow-me instructions.

HS2 TAXIING WITH CAUTION. Listen carefully to ATC taxi instruction.

INS COORDINATES

STAND No.	COORDINATES
APRON A	
1	N49 49.1 E023 57.0
2 thru 4	N49 49.1 E023 57.1
5, 6	N49 49.1 E023 57.2
7, 8	N49 49.0 E023 57.1
9 thru 14, H3	N49 49.0 E023 57.2
15 thru 17	N49 48.9 E023 57.3
APRON B	
1 thru 3	N49 48.8 E023 57.5
4	N49 48.8 E023 57.6
5 thru 7	N49 48.7 E023 57.6
8, 9	N49 48.7 E023 57.7

UKLL/LWO



Standard
LVIV, UKRAINE
LVIV INTL

STRAIGHT-IN RWY		A	B	C	D
13	CAT II ILS	1220'(151') RA 149'R450m	1236'(167') RA 165'R450m	1249'(180') RA 178'R450m	1263'(194') RA 191'R450m
	ILS	1309'(240') R550m	1318'(249') R550m	1328'(259') R600m	1338'(269') R600m
	FULL	② R550m	② R550m	② R600m	② R600m
	TDZ or CL out	R1200m	R1300m	R1300m	R1300m
	ALS out				
	LOC ①	1430'(361') R1000m	1430'(361') R1000m	1430'(361') R1000m	1430'(361') R1000m
	ALS out	R1500m	R1500m	R1700m	R1700m
	VOR ①	1560'(491') R1500m	1560'(491') R1500m	1560'(491') R1500m	1560'(491') R1500m
	ALS out	R1500m	R1500m	R2300m	R2300m
	CAT II ILS	1182'(108') RA 98'R300m	1199'(125') RA 110'R400m	1212'(138') RA 117'R400m	1225'(151') RA 128'R450m
	ILS	1274'(200') R550m	1281'(207') R550m	1291'(217') R550m	1300'(226') R550m
	FULL	② R550m	② R550m	② R550m	② R550m
	TDZ or CL out	R1200m	R1200m	R1200m	R1200m
	ALS out				
	LOC ①	1510'(436') R1300m	1510'(436') R1300m	1510'(436') R1300m	1510'(436') R1300m
	ALS out	R1500m	R1500m	R2000m	R2000m
	VOR ①	1560'(486') R1500m	1560'(486') R1500m	1560'(486') R1500m	1560'(486') R1500m
	ALS out	R1500m	R1500m	R2300m	R2300m

- ① Continuous Descent Final Approach.
② RVR 750m when a Flight Director or Autopilot or HUD to DA is not used.


CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
	1730'(653') V1500m	1730'(653') V1600m	2300'(1223') V2400m	2300'(1223') V3600m

TAKE-OFF						
Low Visibility Take-off						
	HIRL, CL & relevant RVR	RL, CL & relevant RVR	RL & CL	Day: RL & RCLM Night: RL or CL	Day: RL or RCLM Night: RL or CL	Adequate vis ref (Day only)
A	TDZ, MID, RO RVR 125m	TDZ, MID, RO RVR 150m	RVR 200m	RVR 300m	400m	500m
B						
C						
D						

UKLL/LWO
LVIV INTL

JEPPESSEN
3 JUL 20 **(11-1)**

LVIV, UKRAINE
ILS or LOC Rwy 13



CHANGES: Holding withdrawn.



© JEPPESSEN, 2004, 2020. ALL RIGHTS RESERVED.

PANS OPS

RVR 450m

LVIV, UKRAINE
ILS or LOC Rwy 31

ATIS 128.625 (Russian 122.925)		LVIV Radar (APP) 120.525		LVIV Tower 128.0		*LVIV Ground 120.050	
LOC ILV 110.3	Final Apch Crs 310°	D6.0 ILV 2960' (1886')	ILS DA(H) Refer to Minimums	Apt Elev 1077' Rwy 1074'		3000 MSA LIV VOR	
MISSED APCH: Climb on track 310° to 2960', turn LEFT to VOR, then according to chart or as directed.							
Alt Set: hPa (MM on req) Rwy Elev: 39 hPa Trans level: By ATC Trans alt: 10010' DME required.							




Gnd speed-Kts	70	90	100	120	140	160		2960' 	on 310°
ILS GS or LOC Descent Angle 3.00°	372	478	531	637	743	849			
MAP at D1.1 ILV									

JAR-OPS		STRAIGHT-IN LANDING RWY 31				CIRCLE-TO-LAND	
ILS		LOC (GS out)					
A: 1274' (200') C: 1291' (217')		MDA(H) 1510' (436')					
DA(H) B: 1281' (207') D: 1300' (226')							
FULL		ALS out		ALS out		Max Kts	MDA(H) VIS
A	RVR 550m	RVR 1000m		RVR 900m	RVR 1500m	100	1730' (653') 1500m
B	RVR 600m			RVR 1000m		135	1730' (653') 1600m
C				RVR 1800m	180	2300' (1223') 2400m	
D				RVR 1400m	RVR 2000m	205	2300' (1223') 3600m

UKLL/LWO
LVIV INTL

JEPPESSEN
25 FEB 22 (13-1)

LVIV, UKRAINE
VOR Rwy 13




UKLL/LWO
LVIV INTL

JEPPESSEN
25 FEB 22 (13-2)


LVIV, UKRAINE
VOR Rwy 31

BRIEFING STRIP™

ATIS 128.625 (Russian 122.925)		LVIV Radar (APP) 120.525	LVIV Tower 128.0	*LVIV Ground 120.050	3000 MSA LIV VOR
VOR LIV 115.5	Final Apch Crs 307°	D6.9 2960' (1886')	MDA(H) 1560' (486')	Apt Elev 1077' Rwy 1074'	
MISSED APCH: Climb on track 307° to 2960', turn LEFT to VOR, then according to chart or as directed.					
Alt Set: hPa (MM on req)		Rwy Elev: 39 hPa	Trans level: By ATC		
Trans alt: 10010'					
DME required.					



LIV DME	3.2	4.3	5.4	6.5
ALTITUDE	1810'	2150'	2500'	2830'



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II PAPI 2960' on 307°
Descent Angle	3.00°	372	478	531	637	743	
MAP at D1.9							

JAR-OPS STRAIGHT-IN LANDING RWY 31				CIRCLE-TO-LAND			
MDA(H) 1560' (486')				Max Kts	MDA(H)	VIS	
A	RVR 1000m	ALS out		100	1730' (653')	1500m	
B	RVR 1200m	RVR 1500m		135	1730' (653')	1600m	
C	RVR 1600m	RVR 2000m		180	2300' (1223')	2400m	
D	RVR 1600m			205	2300' (1223')	3600m	

CHANGES: Straight-in landing MDA(H).

© JEPPESSEN, 2009, 2022. ALL RIGHTS RESERVED.

LVIV, (LVIV INTL - UKLL)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UKLL