SR L: $\tilde{t}_1(400) \to b\tilde{\chi}_1^+(390) \to W^+\tilde{\chi}_1^0(195)$ (ATLAS_2014_I1286444 (1403.4853))

• Process: $pp \to \tilde{t}_1 \tilde{t}_1^* : \tilde{t}_1 \to b \tilde{\chi}_1^+ \to W^+ \tilde{\chi}_1^0$.

• Mass: $m_{\tilde{t}_1} = 400$ GeV, $m_{\tilde{\chi}_1^{\pm}} = 390$ GeV, $m_{\tilde{\chi}_1^0} = 195$ GeV.

• The number of events: $2 \cdot 10^4$.

• Event Generator: Herwig++ 2.5.2.

#	cut name	$\epsilon_{ m Exp}$	$\epsilon_{ ext{Atom}}$	Atom Exp	$\frac{\text{(Exp-Atom)}}{\text{Error}}$	#/?	R_{Exp}	$R_{ m Atom}$	Atom Exp	(Exp-Atom) Error
0	$p_T(\ell_1) > 25$: SF	100.0 ± 0.32	100.0 ± 1.53				±	±		
1	Z veto: SF	75.72 ± 0.28	76.52 ± 1.37	1.01	0.57	0	0.76 ± 0.0	0.77 ± 0.01	1.01	0.57
2	$\Delta \phi_j > 1.0$: SF	56.4 ± 0.24	62.86 ± 1.26	1.11	5.04	1	0.74 ± 0.0	0.82 ± 0.02	1.1	4.58
3	$\Delta \phi_b < 1.5$: SF	43.12 ± 0.21	48.01 ± 1.12	1.11	4.31	2	0.76 ± 0.0	0.76 ± 0.02	1.0	-0.04
4	$m_{T2} > 90$: SF	12.19 ± 0.11	13.09 ± 0.6	1.07	1.47	3	0.28 ± 0.0	0.27 ± 0.01	0.96	-0.78
5	$m_{T2} > 120$: SF	6.51 ± 0.08	6.76 ± 0.44	1.04	0.56	4	0.53 ± 0.01	0.52 ± 0.03	0.97	-0.53
6	$m_{T2} > 100, p_T(j) > 100, 50$: SF	0.67 ± 0.03	0.62 ± 0.13	0.94	-0.31	4	0.05 ± 0.0	0.05 ± 0.01	0.87	-0.67
7	$m_{T2} > 110, p_T(j) > 20, 20$: SF	2.64 ± 0.05	2.13 ± 0.25	0.81	-2.05	4	0.22 ± 0.0	0.16 ± 0.02	0.75	-2.82

Table 1: The cut-flow table for the same flavour channel.

#	cut name	$\epsilon_{ m Exp}$	$\epsilon_{ m Atom}$	Atom Exp	$\frac{\text{(Exp-Atom)}}{\text{Error}}$	#/?	$R_{\rm Exp}$	R_{Atom}	Atom Exp	(Exp-Atom) Error
0	$p_T(\ell_1) > 25$: SF	100.0 ± 0.32	100.0 ± 1.53				±	±		
1	$\Delta \phi_j > 1.0$: SF	76.33 ± 0.28	82.58 ± 1.42	1.08	4.33	0	0.76 ± 0.0	0.83 ± 0.01	1.08	4.33
2	$\Delta \phi_b < 1.5$: SF	57.5 ± 0.24	63.11 ± 1.26	1.1	4.36	1	0.75 ± 0.0	0.76 ± 0.02	1.01	0.7
3	$m_{T2} > 90$: SF	15.97 ± 0.13	17.45 ± 0.69	1.09	2.1	2	0.28 ± 0.0	0.28 ± 0.01	1.0	-0.11
4	$m_{T2} > 120$: SF	7.93 ± 0.09	8.71 ± 0.49	1.1	1.55	3	0.5 ± 0.01	0.5 ± 0.03	1.0	0.08
5	$m_{T2} > 100, p_T(j) > 100, 50$: SF	1.12 ± 0.03	0.65 ± 0.14	0.59	-3.3	3	0.07 ± 0.0	0.04 ± 0.01	0.54	-4.01
6	$m_{T2} > 110, p_T(j) > 20, 20$: SF	3.71 ± 0.06	2.88 ± 0.29	0.78	-2.85	3	0.23 ± 0.0	0.16 ± 0.02	0.71	-4.02

Table 2: The cut-flow table for the different flavour channel.