Homework Turnin

Account:	6G_06 (rgalanos@fcps.edu)
Section:	6G
Course:	TJHSST APCS 2016-17
Assignment:	09-01
Receipt ID:	a2ac45105d3a346d840d3a87891de4f7

Turnin Successful!

The following file(s) were received:

HeapSort.java (2561 bytes)

```
1.  //Name:     Date:
2.  import java.text.DecimalFormat;
3.
4.  public class HeapSort
5.  {
6.     public static int SIZE;  //9 or 100
7.
8.     public static void main(String[] args)
9.     {
10.    //Part 1: Given a heap, sort it. Do this part first.
11.    //       SIZE = 9;
12.    //       double heap[] = {-1,99,80,85,17,30,84,2,16,1};
13.    //       display(heap);
14.    //       sort(heap);
15.    //       display(heap);
16.
17.    //  Part 2:  Generate 100 random numbers, make a heap, sort it.
18.       SIZE = 100;
19.       double[] heap = new double[SIZE + 1];
20.       heap = createRandom(heap);
21.       display(heap);
22.       makeHeap(heap, SIZE);
23.       display(heap);
24.       sort(heap);
25.       display(heap);
26.    }
27.
28.    //******* Part 1 ****************************************
29.    public static void display(double[] array)
30.    {
31.       for(int k = 1; k < array.length; k++)
32.          System.out.print(array[k] + "     ");
33.       System.out.println("\n");
34.    }
35.    public static void sort(double[] array)
36.    {
37.       /* enter your code here */
38.
39.       for(int i=array.length-1;i>1;i--)
40.       {
41.          swap(array,1,i);
42.          heapDown(array, 1, i-1);
43.       }
44.
45.       if(array[1] > array[2])   //just an extra swap, if needed.
46.          swap(array, 1, 2);
47.    }
48.    public static void swap(double[] array, int a, int b)
49.    {
50.       double temp = array[a];
```

```
51.       array[a] = array[b];
52.       array[b] = temp;
53.    }
54.    public static void heapDown(double[] array, int k, int size)
55.    {
56.       int left = 2 * k;
57.       int right = 2 * k + 1;
58.       if(k > size || left > size)
59.          return;
60.       if(right > size)
61.       {
62.          if(array[k] < array[left])
63.             swap(array, k, left);
64.       }
65.       else
66.       {
67.          int maxChild = (array[left] > array[right])? left:right;
68.          if(array[k] < array[maxChild])
69.          {
70.             swap(array, k, maxChild);
71.             heapDown(array, maxChild, size);
72.          }
73.       }
74.    }
75.
76.    // ****** Part 2 ******************************************
77.
78.    //Generate 100 random numbers (between 1 and 100, formatted to 2 decimal places)
79.    public static double[] createRandom(double[] array)
80.    {
81.       array[0] = -1;   //because it will become a heap
82.       DecimalFormat df = new DecimalFormat("0.00");
83.       for(int i=1;i<=100;i++)
84.       {
85.          array[i] = Double.parseDouble(df.format(Math.random()*99+1));
86.       }
87.       return array;
88.    }
89.    //turn the random array into a heap
90.    public static void makeHeap(double[] array, int size)
91.    {
92.       for(int i = size/2;i>0;i--)
93.       {
94.          heapDown(array, i, size);
95.       }
96.    }
97. }
98.
99.
```