

Quarto Clean Theme

A Minimalistic Theme for Quarto + Typst + Touying

Kazuharu Yanagimoto 

kazuharu.yanagimoto@cemfi.edu.es

CEMFI

September 9, 2024

Section Slide as Header Level 1

Slide Title as Header Level 2

Subtitle as Header Level 3

You can put any content here, including text, images, tables, code blocks, etc.

- ▶ first unordered list item

- A sub item

1. first ordered list item

- i. A sub item


Next, we'll brief review some theme-specific components.

- ▶ Note that *all* of the standard Quarto + Typst **features** can be used with this theme
- ▶ Also, all the **Touying** features can be used by **Typst native code**

Before You Go...

The [clean theme](#) does not depend on any languages. You can use it with any language supported by Quarto, including R, Python, Julia.

For this demo, I use R code to show the figures and tables usage in the slides.

 Required Software (this demo only)

R Packages:

```
install.packages(c("modelsummary", "tinytable", "dplyr", "ggplot2"))
```

Components

Components

Ordered & Unordered Lists

Here we have an unordered list.

- ▶ first item
 - sub-item
- ▶ second item

And next we have an ordered one.

1. first item
 - i. sub-item
2. second item

Components

Alerts & Cross-refs

Some extra things you can do with the clean theme

Special classes for emphasis

- ▶ `.alert` class for default emphasis, e.g. `the second accent color`.
- ▶ `.fg` class for custom color, e.g. `with fill="#5D639E"`.
- ▶ `.bg` class for custom background, e.g. `with the default color`.

To cross-reference, you have several options, for example:

- ▶ Beamer-like `.button` class provided by this theme, e.g. `▶ Appendix`
- ▶ Sections are not numbered in Touying, you cannot use `@sec-` cross-references

Components

Citations

Citations follow the standard [Quarto format](#) and be sourced from BibLaTeX, BibTeX, or CLS files. For example:

- ▶ **Topic 1:** Review of DID (Arkhangelsky and Imbens 2024)
- ▶ **Topic 2:** Goodman-Bacon (2021)

Small Citations

In many cases, you may want to use small citations, like

- ▶ **Staggered DID** (Callaway and Sant'Anna 2021; Sun and Abraham 2021; Borusyak, Jaravel, and Spiess 2024)

A helper class `.small-cite` is provided for this purpose.

Components

Blocks

Quarto provides [dedicated environments](#) for theorems, lemmas, and so forth.

But in presentation format, it's arguably more effective just to use a [Callout Block](#).

i Regression Specification

The main specification is as follows:

$$y_{it} = X_{it}\beta + \mu_i + \varepsilon_{it}$$

Components

Animations

Components

Animations

Touying's [simple animations](#) is available as `{{< pause >}}` and `{{< meanwhile >}}`

Components

Animations

Touying's [simple animations](#) is available as `{{< pause >}}` and `{{< meanwhile >}}`

Animations in Lists

Simple animations can be used in lists

- ▶ First

Components

Animations

Touying's [simple animations](#) is available as `{{< pause >}}` and `{{< meanwhile >}}`

Animations in Lists

Simple animations can be used in lists

- ▶ First
- ▶ Second

Components

Animations

Touying's [simple animations](#) is available as `{{< pause >}}` and `{{< meanwhile >}}`

Animations in Lists

Simple animations can be used in lists

- ▶ First
- ▶ Second

Other Features

- ▶ `pause` and `meanwhile` can use in Typst Math code [▶ Appendix](#)
- ▶ `handout: true` in YAML header is available for handout mode (without animations)

Ad-hoc Styling

Typst CSS

- ▶ Quarto supports *Typst CSS* for simple styling
- ▶ You can change *colors*, *backgrounds*, and *opacity* for *span* elements

You can also change the font size and family for *div* elements.

Vertical Spacing

- ▶ A helper shortcode `{{< v DIST >}}` is provided to add vertical spacing
- ▶ This is converted to a Typst code `#v(DIST)` internally.

This is a 2em vertical spaced from above.

YAML Settings

Fonts

```
format:
  cleantouying-typst:
    font-size: 20pt
    font-heading: Josefin Sans
    font-body: Montserrat
    font-weight-heading: bold
    font-weight-body: normal
    font-size-title: 2.5em
    font-size-subtitle: 1.5em
```

- ▶ `font-size` is the default font size for the slide. Other font sizes are relative to this
- ▶ `font-heading` and `font-body` are the font families for headings and body text
- ▶ Since the title slide is important, size of the title `font-size-title` and `font-size-subtitle` can be set separately

YAML Settings


Colors

```
format:  
  cleantouying-typst:  
    color-jet: "#272822"  
    color-accent: "$accent$"  
    color-accent2: "$accent2$"
```

- ▶ `color-jet` is the main color for text. `#000000` is too dark, and the default is `#131516`
- ▶ `color-accent` is used for the subtitle of the slide, buttons, lists, and the link colors
- ▶ `color-accent2` is used for the alert colors



Figures & Tables

Figures



This is a `facet_wrap` example with `penguins` dataset.

Figures



This is an example of `layout-ncol: 2` for two figures.

Tables

	Male				Female			
	Bill	Bill	Flipper	Body	Bill	Bill	Flipper	Body
	Length	Depth	Length	Mass	Length	Depth	Length	Mass
	(mm)	(mm)	(mm)	(g)	(mm)	(mm)	(mm)	(g)
Adelie	40.39	19.07	192.4	4043	37.26	17.62	187.8	3369
Gentoo	49.47	15.72	221.5	5485	45.56	14.24	212.7	4680
Chinstrap	51.09	19.25	199.9	3939	46.57	17.59	191.7	3527

- You can easily create Typst tables by [tinytable](#)

Tables

	Male				Female			
	Bill	Bill	Flipper	Body	Bill	Bill	Flipper	Body
	Length	Depth	Length	Mass	Length	Depth	Length	Mass
	(mm)	(mm)	(mm)	(g)	(mm)	(mm)	(mm)	(g)
Adelie	40.39	19.07	192.4	4043	37.26	17.62	187.8	3369
Gentoo	49.47	15.72	221.5	5485	45.56	14.24	212.7	4680
Chinstrap	51.09	19.25	199.9	3939	46.57	17.59	191.7	3527

- ▶ You can easily create Typst tables by `tinytable`
- ▶ You can **highlight** by `tinytable::style_tt()`!

Regression Table

	Bill Length (mm)			Body Mass (g)		
	(1)	(2)	(3)	(4)	(5)	(6)
Chinstrap	10.042** (0.432)	10.010** (0.341)	10.037** (0.340)	32.426 (67.512)	26.924 (46.483)	27.229 (46.587)
Gentoo	8.713** (0.360)	8.698** (0.287)	8.693** (0.286)	1375.354** (56.148)	1377.858** (39.104)	1377.813** (39.163)
Male		3.694** (0.255)	3.694** (0.254)		667.555** (34.704)	667.560** (34.755)
Year			0.324* (0.156)			3.629 (21.428)
Observations	342	333	333	342	333	333

+ $p < 0.1$, * $p < 0.05$, ** $p < 0.01$

[modelsummary](#) is a super useful for regression tables (`tinytable` is used internally)

Last Words

Installation

```
quarto install extension kazuyanagimoto/quarto-cleantouying-typst
```

Limitations

- ▶ Multiple columns are not supported
 - You can use [page columnization](#) of Touying [▶ Appendix](#)
 - Not perfect, but a workaround
- ▶ More complex animations are available in Toying, see [Complex Animations](#)
- ▶ Background colors and images are not supported

Appendix

- ▶ You can use `{{< appendix >}}` to start an appendix section. Slide numbering will be freezed. (Next Slides)

Appendix

Touying Math Animations

Touying equation with pause:

\$

```
f(x) &= pause x^2 + 2x + 1 \
      &= pause (x + 1)^2 \
```

\$

Touying equation is very simple.

Touying equation with pause:

$$f(x) =$$

Touying equation is very simple.

► [Back to main](#)

Touying Math Animations

Touying equation with pause:

\$

```
f(x) &= pause x^2 + 2x + 1 \
      &= pause (x + 1)^2 \
```

\$

Touying equation is very simple.

Touying equation with pause:

$$\begin{aligned} f(x) &= x^2 + 2x + 1 \\ &= \end{aligned}$$

Touying equation is very simple.

► [Back to main](#)

Touying Math Animations

Touying equation with pause:

\$

```
f(x) &= pause x^2 + 2x + 1 \
      &= pause (x + 1)^2 \
```

\$

Touying equation is very simple.

Touying equation with pause:

$$\begin{aligned} f(x) &= x^2 + 2x + 1 \\ &= (x + 1)^2 \end{aligned}$$

Touying equation is very simple.

► Back to main

Multiple Columns

Column 1

Here is a long sentence that will wrap onto the next line as it hits the column width, and continue this way until it stops.

[▶ Back to main](#)

Column 2

Some other text in another column.
A second paragraph.

References

- Arkhangelsky, Dmitry, and Guido Imbens. 2024. “Causal Models for Longitudinal and Panel Data: A Survey”. June 25, 2024. <https://doi.org/10.48550/arXiv.2311.15458>
- Borusyak, Kirill, Xavier Jaravel, and Jann Spiess. 2024. “Revisiting Event-Study Designs: Robust and Efficient Estimation”. *The Review of Economic Studies*, February, rdae7. <https://doi.org/10.1093/restud/rdae007>
- Callaway, Brantly, and Pedro H.C. Sant'Anna. 2021. “Difference-in-Differences with Multiple Time Periods”. *Journal of Econometrics* 225 (2): 200–230. <https://doi.org/10.1016/j.jeconom.2020.12.001>
- Goodman-Bacon, Andrew. 2021. “Difference-in-Differences with Variation in Treatment Timing”. *Journal of Econometrics*, Themed Issue: Treatment Effect 1, 225 (2): 254–77. <https://doi.org/10.1016/j.jeconom.2021.03.014>

References

Sun, Liyang, and Sarah Abraham. 2021. “Estimating Dynamic Treatment Effects in Event Studies with Heterogeneous Treatment Effects”. *Journal of Econometrics* 225 (2): 175–99. <https://doi.org/10.1016/j.jeconom.2020.09.006>