




INSTRUCTION

EXPERIMENTAL TABLE

Serial No.	Forward Voltage(Volt)	Forward Current(mAmp)
1	0	0
2	0.529	0.0990
3	0.539	0.396
4	0.551	0.990
5	0.554	1.19
6	0.559	1.58
7	0.562	1.88
8	0.570	2.67
9	0.573	3.07
10	0.575	3.46
11	0.578	3.96
12	0.580	4.36

Forward Bias Silicon Diode



CONTROLS


Select Diode: 1N4007

DC volt :

Resistance :

GRAPH PLOT

V-I Plot



Copyright © 2011 Indian Institute of
Technology Kharagpur, [Licensing](#)
[Terms](#)

school) if CGPA convert it to	CENTRAL BOARD OF SECONDARY EDUCAT	Uttar Pradesh	5404707	2018	480.00	500.00
ediate School)	CENTRAL BOARD OF SECONDARY EDUCAT	Uttar Pradesh	21685371	2020	488.00	500.00

Details (भुगतान की जानकारी)

Amount	365
Refund Status	
Total Amount	

Your payment has been deducted and no status has been updated, kindly wait for 72hrs. Repay if payment status is not SUCCESS. Contact your bank or refund for FAILED transactions.

History (For any help regarding payments kindly mail us at payment.helpline@aktu.ac.in)

Receipt	Transaction No.	Date Initiated	Status	Download Receipt
9E4455876F		30-Jan-2021 14:07:30		Download Receipt
354493891A		30-Jan-2021 13:12:08		Download Receipt

व्र / छात्रा, कृपया अपने प्रवेश से संबंधित जानकारी एक बार शुल्क के भुगतान से पूर्व पुनः जाँच लें। इसमें आपके संस्थान, पाठ्यक्रम, शाखा, पाली, पार्श्व प्रवेश, वर्ग, वित्तीय रूप से कमजोरी, विधि आदि से संबंधित जानकारियाँ शामिल हैं। यदि इसमें किसी प्रकार की त्रुटि है, तो कृपया अपने संस्थान को सूचित करें और शुल्क का भुगतान न करें।

Student, please check the information related to your admission once, before paying the fee. This includes information related to your institute, course, shift, lateral admission, category, financially weaker section, admission method etc. If there is any error in this, please inform your institution and pay the fee.