






MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
0.5
0.0
−0.5
SNP effect on Cataract || id:bbj−a−94
0.1
0.2
0.3
SNP effect on Type 2 diabetes || id:ebi−a−GCST006867



MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
SNP effect on Cataract || id:bbj−a−94
1
0
−1
0.02
0.04
0.06
SNP effect on body mass index || id:ieu−b−40



MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
0.0015
0.0010
0.0005
0.0000
−0.0005
−0.0010
0.1
0.2
0.3
SNP effect on Type 2 diabetes || id:ebi−a−GCST006867
effect on Non−cancer illness code, self−reported: cataract || id:ukb−d−20002_1278


MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
0.001
0.000
−0.001
0.02
0.04
0.06
SNP effect on body mass index || id:ieu−b−40
effect on Non−cancer illness code, self−reported: cataract || id:ukb−d−20002_1278


MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
SNP effect on Senile cataract || id:finn−b−H7_CATARACTSENILE
0.05
0.00
−0.05
0.1
0.2
0.3
SNP effect on Type 2 diabetes || id:ebi−a−GCST006867


MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
SNP effect on Senile cataract || id:finn−b−H7_CATARACTSENILE
0.1
0.0
0.02
0.04
0.06
SNP effect on body mass index || id:ieu−b−40


MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
0.06
0.04
0.02
0.00
−0.02
−0.04
0.1
0.2
0.3
SNP effect on Cataracts || id:ebi−a−GCST90018814
SNP effect on Type 2 diabetes || id:ebi−a−GCST006867


MR Estimate
Inverse variance weighted
MR Egger
Weighted median
Weighted mode
SNP effect on Cataracts || id:ebi−a−GCST90018814
0.05
0.00
−0.05
0.02
0.04
0.06
SNP effect on body mass index || id:ieu−b−40