FIRST-ORDER LOGIC EXERCISES

CSE 511A: Introduction to Artificial Intelligence

EXERCISES

• Brothers are siblings

1

EXERCISES

- Brothers are siblings
 ∀x, y: BrotherOf(x,y) ⇒ SiblingOf(x,y)
- One's mother is one's female parent and vice versa

2

EXERCISES

- Brothers are siblings $\forall x, y$: BrotherOf(x,y) \Rightarrow SiblingOf(x,y)
- One's mother is one's female parent and vice versa
 ∀x, y: MotherOf(x,y) ⇔ IsFemale(x) ∧ ParentOf(x,y)
- One's first cousin is a child of a parent's sibling and vice versa

EXERCISES

- Brothers are siblings $\forall x, y: BrotherOf(x,y) \Rightarrow SiblingOf(x,y)$
- One's mother is one's female parent and vice versa
 ∀x, y: MotherOf(x,y) ⇔ IsFemale(x) ∧ ParentOf(x,y)
- One's first cousin is a child of a parent's sibling and vice versa
 ∀x, y, px, py: FirstCousinOf(x,y) ⇔ ParentOf(px,x) ∧ ParentOf(py,y)
 ∧ SiblingOf(px,py)

MORE EXERCISES

• "You can fool all the people some of the time, and some of the people all the time, but you cannot fool all the people all the time."

— Abraham Lincoln

5

MORE EXERCISES

• "You can fool all the people some of the time, and some of the people all the time, but you cannot fool all the people all the time."

— Abraham Lincoln

- You can fool all of the people some of the time
 ∀p ∃t: lsPerson(x) ⇒ (lsTime(t) ∧ Fool(p,t))
- You can fool some of the people all of the time
 ∃p ∀t: IsPerson(p) ∧ (IsTime(t) ⇒ Fool(p,t))
- You cannot fool all of the people all of the time
 ¬(∀p, t): (IsPerson(p) ∧ IsTime(t)) ⇒ Fool(p,t)
 or equivalently ∃p, t: IsPerson(p) ∧ IsTime(t) ∧ ¬Fool(p,t)

6

TAKE-HOME EXERCISES

- · All students are smart.
- There exists a smart student
- Every student loves some student
- There exists a student who loves every student
- Every student loves him/herself
- Every student loves some other student
- There exists a student who is loved by all other students
- There exists exactly one student who is loved by all other students