CSE 511A: Introduction to Artificial Intelligence

Some content and images are from slides created by Dan Klein and Pieter Abbeel for CS188 Intro to Al at UC Berkeley. All CS188 materials are available at http://ai.berkeley.edu.

D-SEPARATION




• Are X and Z guaranteed to be independent of each other?

P(X,Y,Z) = P(Z|Y) P(Y|X) P(X)

D-SEPARATION

3



P(X,Y,Z) = P(Z|Y) P(Y|X) P(X)

- Are X and Z guaranteed to be independent of each other? No.
- High-level intuition:
- P(Z|X) = P(Z,X) / P(X)
- $P(Z) = P(Z,X) + P(Z,\neg X)$
- P(Z) := P(Z|X) for some CPTs

ed to be



X: low pressure

Y: rain

Z: traffic


4

P(X,Y,Z) = P(Z|Y) P(Y|X) P(X)

D-SEPARATION

2

 Are X and Z guaranteed to be independent of each other given Y?




- Are X and Z guaranteed to be independent of each other given Y? Yes!
- Evidence along the chain "blocks" the influence

P(X,Y,Z) = P(Z|Y) P(Y|X) P(X)

D-SEPARATION

Y: project due



 Are X and Z guaranteed to be independent of each other?

X: forums busy


Z: lab full

P(X,Y,Z) = P(X|Y) P(Z|Y) P(Y)

5

D-SEPARATION

Y: project due




- Are X and Z guaranteed to be independent of each other? No.
- High-level intuition:
- P(Z|X) = P(Z,X) / P(X)
- $P(Z) = P(Z,X) + P(Z,\neg X)$
- P(Z) := P(Z|X) for some CPTs

6

D-SEPARATION

8

Y: project due



 Are X and Z guaranteed to be independent of each other given Y?

X: forums busy


Z: lab full

P(X,Y,Z) = P(X|Y) P(Z|Y) P(Y)

P(X,Y,Z) = P(X|Y) P(Z|Y) P(Y)

7


Y: project due



P(X,Y,Z) = P(X|Y) P(Z|Y) P(Y)

- Are X and Z guaranteed to be independent of each other given Y? Yes!
- Observing the cause "blocks" influence between effects

9



• Are X and Y guaranteed to be independent of each other?

P(X,Y,Z) = P(Z|X,Y) P(X) P(Y)

D-SEPARATION

10

D-SEPARATION


X: raining Y: ballgame

- Are X and Y guaranteed to be independent of each other? Yes!
- Both raining and ballgames cause traffic, but they are not correlated
- Are X and Y guaranteed to be independent of each other given Z?



Z: traffic

P(X,Y,Z) = P(Z|X,Y) P(X) P(Y)



11

X: raining Y: ballgame

• Are X and Y guaranteed to be independent of each other? Yes!

- Both raining and ballgames cause traffic, but they are not correlated
- Are X and Y guaranteed to be independent of each other given Z? No!
 - Seeing traffic puts both rain and ballgame in competition as the explanation
- Observing an effect "activates" influence between possible causes

Z: traffic


P(X,Y,Z) = P(Z|X,Y) P(X) P(Y)


EXAMPLE

Two astronomers, in different parts of the world, make measurements M1 and M2 of the expected number of stars N in some small region of the sky, using their telescopes. Normally, there is a small possibility of error by up to one star. Each telescope can also (with a slightly smaller probability) be badly out of focus (events F1 and F2), in which case, the scientist will undercount by three or more stars.


13

EXAMPLE









14