





Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS Expand view

First Contentful Paint 2.5 s	Largest Contentful Paint 4.4 s
Total Blocking Time 0 ms	Cumulative Layout Shift 0.057
Speed Index 3.9 s	



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 46 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Request	Cache TTL	Transfer Size
Vimeo Video		297 KiB
...js/player.module.js (f.vimeocdn.com)	14d	141 KiB
...js/vendor.module.js (f.vimeocdn.com)	14d	135 KiB
...css/player.css (f.vimeocdn.com)	14d	21 KiB
wpmucdn.com		25 KiB
/matomo.js (analytics.wpmucdn.com)	1d	25 KiB
Google CDN Cdn		13 KiB
...145/cast_sender.js (www.gstatic.com)	1d	13 KiB
cloudflare.com		2 KiB
...177.../E7cLNq-IOb-ck2- (challenges.cloudflare.com)	None	1 KiB
...177.../p_PMx1qc_s6GdEI (challenges.cloudflare.com)	None	1 KiB
...cmg/1 (challenges.cloudflare.com)	None	0 KiB

Request	Cache TTL	Transfer Size
...cmg/1 (challenges.cloudflare.com)	None	0 KiB

▲ Font display — Est savings of 110 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

URL	Est Savings
aprilbell.com 1st Party	
...fontawesome/fa-brands-400.woff2 (divi5.aprilbell.com)	110 ms
...fontawesome/fa-solid-900.woff2 (divi5.aprilbell.com)	110 ms
...all/modules.woff (divi5.aprilbell.com)	100 ms
...fontawesome/fa-regular-400.woff2 (divi5.aprilbell.com)	80 ms

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 785 ms

Initial Navigation

https://divi5.aprilbell.com - 473 ms, 103.40 KiB

...fontawesome/fa-regular-400.woff2 (divi5.aprilbell.com) - 785 ms, 13.60 KiB

...v42/o-0mlpQlx....woff2 (fonts.gstatic.com) - 717 ms, 65.89 KiB

...v42/o-0klpQlx....woff2 (fonts.gstatic.com) - 716 ms, 67.68 KiB

...v42/o-0mlpQlx....woff2 (fonts.gstatic.com) - 716 ms, 66.36 KiB

...fontawesome/fa-brands-400.woff2 (divi5.aprilbell.com) - 702 ms, 77.06 KiB

...js/common.js?ver=4.27.5 (divi5.aprilbell.com) - 701 ms, 0.86 KiB

...v42/o-0mlpQlx....woff2 (fonts.gstatic.com) - 701 ms, 65.32 KiB

...v44/memSYaGs1....woff2 (fonts.gstatic.com) - 700 ms, 24.83 KiB

...fontawesome/fa-solid-900.woff2 (divi5.aprilbell.com) - 699 ms, 78.86 KiB

...v44/memQYaGs1....woff2 (fonts.gstatic.com) - 694 ms, 25.58 KiB

...v42/o-0mlpQlx....woff2 (fonts.gstatic.com) - 694 ms, 66.99 KiB

...all/modules.woff (divi5.aprilbell.com) - 693 ms, 35.78 KiB

...v42/o-0klpQlx....woff2 (fonts.gstatic.com) - 693 ms, 68.23 KiB

...v38/6NUh8FyLN....woff2 (fonts.gstatic.com) - 693 ms, 27.42 KiB

...v44/memSYaGs1....woff2 (fonts.gstatic.com) - 693 ms, 24.77 KiB

...v44/memSYaGs1....woff2 (fonts.gstatic.com) - 693 ms, 24.64 KiB

...js/scripts.min.js?ver=4.27.5 (divi5.aprilbell.com) - 682 ms, 63.27 KiB

...counter-up/counter-up.min.js?ver=4.2.2 (divi5.aprilbell.com) - 678 ms, 1.19 KiB

...js/jquery.mobile.js?ver=4.27.5 (divi5.aprilbell.com) - 677 ms, 3.22 KiB

...js/jquery.fitvids.js?ver=4.27.5 (divi5.aprilbell.com) - 676 ms, 1.51 KiB

...v44/memQYaGs1....woff2 (fonts.gstatic.com) - 676 ms, 25.74 KiB

...js/frontend.js?ver=4.2.2 (divi5.aprilbell.com) - 674 ms, 2.09 KiB

...slick/slick.min.js?ver=4.2.2 (divi5.aprilbell.com) - 674 ms, 10.17 KiB

...magnific-popup/magnific-popup.js?ver=4.2.2 (divi5.aprilbell.com) - 673 ms, 12.45 KiB

...v38/6NUh8FyLN....woff2 (fonts.gstatic.com) - 642 ms, 27.59 KiB

...v44/memSYaGs1....woff2 (fonts.gstatic.com) - 639 ms, 24.98 KiB

...dist/tracks-callables.js?minify=false&ver=d031292... (divi5.aprilbell.com) - 603 ms, 0.89 KiB

...icomoon/style.min.css?ver=5.0.2 (divi5.aprilbell.com) - 557 ms, 0.85 KiB

...socicon/style.min.css?ver=5.0.2 (divi5.aprilbell.com) - 557 ms, 2.76 KiB

...blocks/wc-blocks.css?ver=wc-10.5.2 (divi5.aprilbell.com) - 556 ms, 2.70 KiB

...css/woocommerce.css?ver=10.5.2 (divi5.aprilbell.com) - 556 ms, 10.34 KiB

...jquery/jquery.min.js?ver=3.7.1 (divi5.aprilbell.com) - **554 ms**, 29.25 KiB

...jquery/jquery-migrate.min.js?ver=3.4.1 (divi5.aprilbell.com) - **552 ms**, 4.95 KiB

...css/modules-style.css?ver=4.2.2 (divi5.aprilbell.com) - **550 ms**, 11.61 KiB

...divi-child/style.css?ver=1.0 (divi5.aprilbell.com) - **549 ms**, 0.42 KiB

...css/frontend.css?ver=4.2.2 (divi5.aprilbell.com) - **548 ms**, 2.34 KiB

...magnific-popup/magnific-popup.css?ver=4.2.2 (divi5.aprilbell.com) - **548 ms**, 1.99 KiB

...css/woocommerce-smallscreen.css?ver=10.5.2 (divi5.aprilbell.com) - **547 ms**, 1.52 KiB

...css/woocommerce-layout.css?ver=10.5.2 (divi5.aprilbell.com) - **546 ms**, 3.46 KiB

/w.js?ver=202608 (stats.wp.com) - **507 ms**, 5.11 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.gstatic.com/	link


Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 12 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
aprilbell.com 1st Party	15.1 KiB	12.2 KiB
 img.wp-image-10083	...08/AB.com-website-logo-600-v3.png (divi5.aprilbell.com) 15.1 KiB	12.2 KiB
	This image file is larger than it needs to be (600x241) for its displayed dimensions (264x106). Use responsive images to reduce the image download size.	12.2 KiB

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
aprilbell.com 1st Party	72.2 KiB	750 ms
...css/woocommerce.css?ver=10.5.2 (divi5.aprilbell.com)	10.3 KiB	
...css/modules-style.css?ver=4.2.2 (divi5.aprilbell.com)	11.6 KiB	
...icomoon/style.min.css?ver=5.0.2 (divi5.aprilbell.com)	0.9 KiB	
...socicon/style.min.css?ver=5.0.2 (divi5.aprilbell.com)	2.8 KiB	150 ms
...css/frontend.css?ver=4.2.2 (divi5.aprilbell.com)	2.3 KiB	150 ms
...blocks/wc-blocks.css?ver=wc-10.5.2 (divi5.aprilbell.com)	2.7 KiB	

URL	Transfer Size	Duration
...magnific-popup/magnific-popup.css?ver=4.2.2 (divi5.aprilbell.com)	2.0 KiB	
...css/woocommerce-smallscreen.css?ver=10.5.2 (divi5.aprilbell.com)	1.5 KiB	
...css/woocommerce-layout.css?ver=10.5.2 (divi5.aprilbell.com)	3.5 KiB	
...jquery/jquery.min.js?ver=3.7.1 (divi5.aprilbell.com)	29.3 KiB	450 ms
...jquery/jquery-migrate.min.js?ver=3.4.1 (divi5.aprilbell.com)	4.9 KiB	
...divi-child/style.css?ver=1.0 (divi5.aprilbell.com)	0.4 KiB	

Legacy JavaScript — Est savings of 13 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

Unscored

URL	Wasted bytes
WordPress Site Stats Analytics	12.8 KiB
/w.js?ver=202608 (stats.wp.com)	12.8 KiB
w.js?ver=202608:1 Array.prototype.forEach	

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.057
div.et_builder_inner_content.et_pb_gutters3	0.057

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	330 ms
Resource load delay	120 ms
Resource load duration	110 ms
Element render delay	80 ms

div.et_pb_section.et_pb_section_1.et_pb_background_pattern.et_pb_with_background.et_sect...

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
wpmucdn.com	25 KiB	3 ms
/matomo.js (analytics.wpmucdn.com)	25 KiB	3 ms
WordPress Site Stats Analytics	5 KiB	1 ms
/w.js?ver=202608 (stats.wp.com)	5 KiB	1 ms
/g.gif?x_stats-initial-visibility=... (pixel.wp.com)	0 KiB	0 ms
Google Fonts Cdn	606 KiB	0 ms
...v42/o-0klpQlx....woff2 (fonts.gstatic.com)	68 KiB	0 ms
...v42/o-0klpQlx....woff2 (fonts.gstatic.com)	68 KiB	0 ms
...v42/o-0mlpQlx....woff2 (fonts.gstatic.com)	67 KiB	0 ms
...v42/o-0mlpQlx....woff2 (fonts.gstatic.com)	66 KiB	0 ms
...v42/o-0mlpQlx....woff2 (fonts.gstatic.com)	66 KiB	0 ms
...v42/o-0mlpQlx....woff2 (fonts.gstatic.com)	65 KiB	0 ms
...v38/6NUh8FyLN....woff2 (fonts.gstatic.com)	28 KiB	0 ms
...v38/6NUh8FyLN....woff2 (fonts.gstatic.com)	27 KiB	0 ms
...v44/memQYaGs1....woff2 (fonts.gstatic.com)	26 KiB	0 ms
...v44/memQYaGs1....woff2 (fonts.gstatic.com)	26 KiB	0 ms
...v44/memSYaGs1....woff2 (fonts.gstatic.com)	25 KiB	0 ms
...v44/memSYaGs1....woff2 (fonts.gstatic.com)	25 KiB	0 ms
...v44/memSYaGs1....woff2 (fonts.gstatic.com)	25 KiB	0 ms
...v44/memSYaGs1....woff2 (fonts.gstatic.com)	25 KiB	0 ms
wpmudev.com	0 KiB	0 ms
/track/?action_name=... (analytics2.wpmudev.com)	0 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Minify JavaScript — Est savings of 4 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP Unscored

 A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

URL	Transfer Size	Est Savings
aprilbell.com 1st Party	12.1 KiB	3.9 KiB
...magnific-popup/magnific-popup.js?ver=4.2.2 (divi5.aprilbell.com)	12.1 KiB	3.9 KiB

Reduce unused CSS — Est savings of 59 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

 Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

about:blank

5/9

URL	Transfer Size	Est Savings
Unattributable	49.8 KiB	48.1 KiB
@font-face{font-family:ETmodules;font-display:block;src:url(//divi5.aprilbell.com/wp-content/themes...et-social-dbdb-500px a.icon:before{content:"\e000";font-family:"Socicon"!important;}} ...	30.8 KiB	29.2 KiB
aprilbell.com 1st Party	11.2 KiB	11.2 KiB
...css/modules-style.css?ver=4.2.2 (divi5.aprilbell.com)	11.2 KiB	11.2 KiB

Reduce unused JavaScript — Est savings of 39 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). (FCP) (LCP) (Unscored)

Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

URL	Transfer Size	Est Savings
aprilbell.com 1st Party	62.9 KiB	38.7 KiB
...js/scripts.min.js?ver=4.27.5 (divi5.aprilbell.com)	62.9 KiB	38.7 KiB

Avoid long main-thread tasks — 1 long task found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) (TBT) (Unscored)

URL	Start Time	Duration
Unattributable	1,442 ms	60 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (16) Hide

Document request latency

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. (FCP) (LCP) (Unscored)

- Avoids redirects
- Server responds quickly (observed 330 ms)
- Applies text compression

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#). (Unscored)

Statistic

Element

Total elements

DOM depth

em

Most children

body.home.wp-singular.page-template-default.page.page-id-14844.wp-theme-Divi.wp-child-t...

Duplicated JavaScript

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. (FCP) (LCP) (Unscored)

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. (Unscored)

INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart. (Unscored)

LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading (LCP) (Unscored)

fetchpriority=high applied

Request is discoverable in initial document

lazy load not applied

div.et_pb_section.et_pb_section_1.et_pb_background_pattern.et_pb_with_background.et_sect...

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#) (FCP) (LCP) (Unscored)

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. (Unscored)

meta

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) (FCP) (LCP) (Unscored)

 A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

Avoids enormous network payloads

— Total size was 2,438 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) (Unscored)



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

☒ Show 3rd-party resources (6)

URL	Transfer Size
cloudflare.com	612.6 KiB
...9d274f105e496e24/pgYFsx3KA....2.1.1-nS10pPg...._8u6hJ3PP... (challenges.cloudflare.com)	190.9 KiB
...9d274f11494a6e24/_p_VuQWGzWMwwE.kjQnkQMiv....2.1.1-PT...P_eleX0K7... (challenges.cloudflare.com)	181.9 KiB
...new/normal?lang=auto (challenges.cloudflare.com)	121.4 KiB
...new/normal?lang=auto (challenges.cloudflare.com)	118.4 KiB
aprilbell.com 1st Party	360.5 KiB
https://divi5.aprilbell.com	103.4 KiB
...08/7.webp (divi5.aprilbell.com)	101.2 KiB
...fontawesome/fa-solid-900.woff2 (divi5.aprilbell.com)	78.9 KiB
...fontawesome/fa-brands-400.woff2 (divi5.aprilbell.com)	77.1 KiB
Vimeo Video	275.7 KiB
...js/player.module.js (f.vimeocdn.com)	140.9 KiB
...js/vendor.module.js (f.vimeocdn.com)	134.8 KiB

User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

JavaScript execution time — 0.2 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
aprilbell.com 1st Party	522 ms	157 ms	30 ms
https://divi5.aprilbell.com	356 ms	38 ms	6 ms
...jquery/jquery.min.js?ver=3.7.1 (divi5.aprilbell.com)	101 ms	77 ms	9 ms
...js/scripts.min.js?ver=4.27.5 (divi5.aprilbell.com)	66 ms	42 ms	15 ms
Unattributable	233 ms	6 ms	0 ms
Unattributable	233 ms	6 ms	0 ms

Minimizes main-thread work — 0.8 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	338 ms
Script Evaluation	187 ms
Style & Layout	125 ms
Parse HTML & CSS	82 ms
Script Parsing & Compilation	44 ms
Rendering	32 ms

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) (CLS) (Unscored)

Image elements have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) (CLS) (Unscored)

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) (Unscored)

Captured at Feb 23, 2026, 9:10 AM EST

Emulated Moto G Power with Lighthouse 13.0.1

Single page session

Initial page load

Slow 4G throttling

Using Chromium 145.0.0.0 with devtools