

Result:

```
===== FARM ASSIST =====
```

1. Exact Search
2. Fuzzy Search
3. Water Distribution
4. Exit

Enter your choice: 1

Enter search word: rice

```
===== FARM ASSIST =====
```

1. Exact Search
2. Fuzzy Search
3. Water Distribution
4. Exit

Enter your choice: 1

Enter search word: rice

```
===== EXACT SEARCH =====
```

Match found at position: 0

Total matches: 1

```
===== CROP DETAILS =====
```

CROP INFORMATION

Crop_ID: C001

Crop_Name: Rice

Scientific_Name: Oryza sativa

Crop_Type: Cereal

Suitable_Season: Kharif

Preferred_Soil: Clay or clay loam

Water_Requirement: High

Growth_Duration: 120-150 days

Rainfall_or_Irrigation: 1000-2000 mm or irrigation

CULTIVATION

Planting_Method: Puddling/transplanting or direct seeding

Cultivation_Practice: Use healthy planting material, prepare a suitable seedbed, maintain suitable spacing, remove weeds early , and monitor the crop regularly.

Irrigation: Provide water according to crop stage and soil moisture; avoid prolonged waterlogging unless the crop specifically tolerates it.

Nutrient_Management: Apply organic manure and balanced NPK based on soil-test results and local agricultural recommendations.
Weed_Management: Timely hand weeding/intercultivation and locally recommended herbicide options where appropriate.

PESTS AND DISEASES

Major_Diseases: Rice blast; bacterial leaf blight; sheath blight

Common_Pests: Stem borer; brown planthopper; leaf folder

Disease_Prevention: Use certified seed, balanced nutrition and field sanitation

Pest_Management: Scout the crop regularly, conserve beneficial organisms, remove heavily affected plant material, and use integrated pest management.

Pesticide_Guidance: Use locally registered, label-approved products only; verify with an agricultural expert

SEED INFORMATION

Seed_or_Planting_Material: Use certified, healthy, disease-free seed, seedlings, cuttings, setts, rhizomes, suckers, or grafted plants as appropriate for the crop.

Seed_Treatment: Follow the seed-treatment recommendation on the product label or from a local agricultural expert before planting.

HARVESTING AND STORAGE

Harvesting: Harvest when grains mature and dry; dry grain before storage

Storage: Clean, grade and dry harvested produce appropriately; store in a clean, dry, ventilated facility suitable for the commodity.

Post_Harvest_Problems: Moisture damage, fungal spoilage, insects, bruising or quality loss can occur if handling and storage conditions are poor.

MAJOR USES: Staple food grain

SAFETY_NOTE: Pesticide choices and application rates vary by crop, pest, location and current registration. Use only legally registered products and follow the label and local agricultural guidance.

=====

===== FARM ASSIST =====

1. Exact Search
2. Fuzzy Search
3. Water Distribution
4. Exit

Enter your choice: 2

Enter search word: rce

===== FUZZY SEARCH =====

Did you mean: Rice?

===== CROP DETAILS =====

CROP INFORMATION

Crop_ID: C001

Crop_Name: Rice

Scientific_Name: Oryza sativa

Crop_Type: Cereal

Suitable_Season: Kharif

Preferred_Soil: Clay or clay loam

Water_Requirement: High

Growth_Duration: 120-150 days

Rainfall_or_Irrigation: 1000-2000 mm or irrigation

CULTIVATION

Planting_Method: Puddling/transplanting or direct seeding

Cultivation_Practice: Use healthy planting material, prepare a suitable seedbed, maintain suitable spacing, remove weeds early, and monitor the crop regularly.

Irrigation: Provide water according to crop stage and soil moisture; avoid prolonged waterlogging unless the crop specifically tolerates it.

```

tolerates it.
Nutrient_Management: Apply organic manure and balanced NPK based on soil-test results and local agricultural recommendations.
Weed_Management: Timely hand weeding/intercultivation and locally recommended herbicide options where appropriate.

PESTS AND DISEASES
Major_Diseases: Rice blast; bacterial leaf blight; sheath blight
Common_Pests: Stem borer; brown planthopper; leaf folder
Disease_Prevention: Use certified seed, balanced nutrition and field sanitation
Pest_Management: Scout the crop regularly, conserve beneficial organisms, remove heavily affected plant material, and use integrated pest management.
Pesticide_Guidance: Use locally registered, label-approved products only; verify with an agricultural expert

SEED_INFORMATION
Seed_or_Planting_Material: Use certified, healthy, disease-free seed, seedlings, cuttings, setts, rhizomes, suckers, or grafted plants as appropriate for the crop.
Seed_Treatment: Follow the seed-treatment recommendation on the product label or from a local agricultural expert before planting.

HARVESTING_AND_STORAGE
Harvesting: Harvest when grains mature and dry; dry grain before storage
Storage: Clean, grade and dry harvested produce appropriately; store in a clean, dry, ventilated facility suitable for the commodity.
Post_Harvest_Problems: Moisture damage, fungal spoilage, insects, bruising or quality loss can occur if handling and storage conditions are poor.

MAJOR_USES: Staple food grain
SAFETY_NOTE: Pesticide choices and application rates vary by crop, pest, location and current registration. Use only legally registered products and follow the label and local agricultural guidance.
=====

```

```

X!:+ShowCodeDetailsInExceptionMessages -cp C:\User
age\7218b83ab739bdf2eff1a37b113899e6\redhat.java\jdt_

```

```

===== FARM ASSIST =====

```

1. Exact Search
2. Fuzzy Search
3. Water Distribution
4. Exit

```

Enter your choice: 3

```

```

===== WATER DISTRIBUTION =====

```

```

Enter number of locations: 3
Enter source location: 1
Enter destination location: 2
Enter capacity of path 1 (litres/minute): 10
Enter capacity of path 2 (litres/minute): 10
Maximum Flow: 10 litres/minute

```

```

===== FARM ASSIST =====

```

1. Exact Search
2. Fuzzy Search
3. Water Distribution
4. Exit

```

Enter your choice: 4

```

```

Exiting Farm Assist...

```