

apiOnlineApplication send “Nagorik Dak” to e-nothi system:

Service Name: Application Submission

Method: POST

Training URL: <http://training.nothi.gov.bd/apiOnlineApplication>

REQUEST FIELDS**Mandatory Fields:**

1. token
2. office_id
3. user_id
4. data
5. api_client
6. applicant_name
7. application_subject
8. feedback_url
9. decision
10. receivers/fdesk
11. nothi_service_id

Details:

1. token: Token acquired from apiAccess API.
2. office_id: Dak receiving office id.
3. user_id: Unique id of the user.
4. data: Can be HTML or text. Works as the main body of the application.
5. api_client: username of apiAccess API.
6. applicant_name: Name of the applicant.
7. application_subject: This is the subject of application. Application subject must be unique.
8. feedback_url: This URL is used to send Nothi Activity information as feedback for the corresponding Dak.
9. decision: If there is any predefined action/decision for the corresponding Dak, this field contains the data in JSON format.
10. receivers/fdesk: If there is no predefined receiver, then the Dak goes to the front desk officer of the office. fdesk field contains the office unit organogram id of the officer. If there is predefined receiver, then receiver field contains the office unit organogram id of the prapok and onulipi in JSON format. There can be only one prapok. Onulipi can be multiple.
11. nothi_service_id: It's a mandatory field and available from the Nothi service portal. Application nothi_service_id must be unique for each service.

Optional Fields:

1. mobile_no
2. national_identity_no
3. attachments
4. feedback_api_key
5. **nothi_service_name**

Details:

1. mobile_no: Mobile number of the applicant.
2. national_identity_no: NID number of the applicant.
3. attachments: Each attachment has two part. One part of file name and another part of attachment URL.
4. feedback_api_key: This key is reference from feedback_url.
5. **nothi_service_name: Service name from your application.**

RESPONSE FIELDS

Service Response Fields:

1. status: If all data are correct, user get a status success with success message and the receiver receives a Nagorik Dak. If data are incorrect, user get an error status with details in message parameter.
2. message
3. dak_received_no
4. dak_id
5. current_desk_id
6. nothi_id
7. note_id
8. potro_id
9. requested_data

EXAMPLE**Example Request:**

Body:

```
{
  "token": " ",
  "tracking_id": 567,
  "nothi_service_id": 1,
  "nothi_service_name": "name",
  "office_id": 34,
  "user_id": 278,
  "data": "text",
  "api_client": ".....",
  "applicant_name": "abdullah",
  "mobile_no":
    "01700..... ",
  "national_identity_no": "1980.....",
  "attachments": [
    {
      "name": "filename",
      "url": "http://url.com"
    }
  ],
  "application_subject": "application subject",
  "fdesk": 12643,
  "feedback_url": "http://api",
  "decision": "json"
}
```

Example Response:

Body (on success):

```
{
  "status": "success",
  "message": "Successful return ",
  "data": [
    {
      "dak_received_no": "", "dak_id": 5,
      "current_desk_id": 9,
      "nothi_id": 0,
      "note_id": 0,
      "potro_id": 0, "requested_data": [
        "tracking_id": 567,
        "office_id": 34,
        "user_id": 278,
        "data": "text"
      ]
    }
  ]
}
```

```

    "api_client": ".....",
    "applicant_name": "Abdullah",
    "mobile_no": "017.....",
    "national_identity_no": "1980  ",
    "attachments": [
        {
            "name": "file name",
            "url": "http://url"
        }
    ],
    "application_subject": "application subject line",
    "fdesk": 5,
    "feedback_url": "http://url",
    "decision": "json",
    "nothi_id": 0,
    "note_id": 0,
    "potro_id": 0
  ]
}
]
}

```

Body (on failure):

```

{
    "status": "error", "message": "reason"
}

```

