

AI for Early Depression Detection Using Social Media Analysis

PROJECT SYNOPSIS

OF MINOR PROJECT

**BACHELOR OF TECHNOLOGY
COMPUTER SCIENCE & ENGINEERING**

SUBMITTED BY

KARAMVEER KAUR (2203479)

KARANBIR SINGH (2203483)

KOMAL DADWAL(2203490)



**GURU NANAK DEV ENGINEERING COLLEGE
LUDHIANA**

Table of Content

Content	Page No.
Introduction	1-2
Literature Review	3
Feasibility Study	4
Methodology/ Planning of work	5
Facilities required for proposed work	6
Expected outcomes	6
References	7

1. Introduction

This year, around 300 million individuals are estimated to suffer from Depression, a common and widespread mental illness that has major difficulties for health systems. It is considered by the World Health Organization as one of the main sources of disability and disease incidence. In young persons in the age group of 15-29 years, depression is the only leading cause of suicide and an estimated 800 000 youth die from it. Despite the fact that depression is very widespread, people do not seek medical help because they believe it to be socially acceptable, because they cannot afford to see a mental health professional, or because the diagnostic standards for depression are not entirely clear.

As more and more people register and activate accounts with social networking sites, new hope is offered towards the identification of mental health. These platforms are locations where consumers often discuss their moods; their day-to-day activities; and health. Thanks to the huge amount of user-generated content posted on the internet, the researchers have looked at this kind of material as the useful predictor of primary symptoms of depression before more conventional clinical signs appear.

We are in the process of designing a new framework which uses Social Media to extract signs of developing depression. This approach is also different from normal diagnostic techniques whereby an individual is required to write or talk to a health expert detailing their symptoms, tests and examination results. Instead, our framework analyses some of the language characteristics features in the messages of the user and frequency of posting and the characteristics of the content of their posts to identify early signs of depression.

The project connects mental health to artificial intelligence through using algorithms that are complex to analyse posts on social media networks. Our framework is designed to teach AI models the way people express themselves online and to seek signs of developing depression. In contrast to traditional approaches, these models consider factors such as frequency of sad words in language usage, nature of social contact that may not be easily recognized.

In specific, our framework involves machine learning algorithm that is fed with thousands of social media posts with an intent of identifying conspicuous signs that a human may consider while analysing or can notice it after spending hours or even days on analysis. Thereby, the final aim is to develop a reliable model to help clinicians and, if necessary, treat depression in its initial stage so that it would have less influence on a person's and society's well-being.

Rationale

The limitations of present mental health support services are addressed by an AI-based model for social media analysis-based depression identification. People must usually visit a clinic in order to receive a diagnosis of depression using the current methods. This causes treatment delays because of things like lack of access to mental health providers, expensive fees, and social prejudice. Given that depression is thought to affect 300 million individuals worldwide, early detection is desperately needed.

The concept is simple: mental health practitioners are unable to simultaneously monitor the actions of millions of active social media users. Machine learning models, on the other hand, are able to examine the data and spot behavioural shifts that might indicate sadness.

This kind of framework could assist focus attention on those who are showing early symptoms of depression, allowing for intervention as soon as the first symptom occurs and possibly stopping the problem from getting worse. This might help mental health practitioners better allocate their resources, concentrating on those who need care the most urgently. Consequently, this could enhance the provision of mental health care to the "right" people at the right moment.

Objectives

1. Develop a deep learning and NLP-based framework to identify potential signs of depression in social media posts.
2. Classify emotional cues from analysed data to differentiate depression levels for enhanced insights.
3. Assess the performance of various deep learning models to identify the most accurate and reliable model for detecting depression.
4. Optimize the selected deep learning model to improve detection accuracy and reliability.

2. Literature Review

AI- and ML-based studies for detecting depression has been popularised in efforts to overcome the drawbacks of conventional diagnostic techniques. A continuous increase in the availability of behavioural and linguistic data from social media has been influential in the development of research in this field.

Bokolo et al.[2] show the power of transformer models, like RoBERTa, to identify depression in large scale social media data with accuracy of 0.981. Moreover, in the context of their proposed hybrid ML models, Khan et al. [3] detected that their TF-IDF and logistic regression based model attained an accuracy of 0.994, which demonstrates the importance of optimised pre-processing and model selection.

The research finds that linguistic markers, such as negative sentiment, reduced social engagement, can help detect depression. Transformer based models excel at making these subtle patterns. The robustness can be increased by other multimodal approaches such as integrating text and images (Chiu et al.)[1].

However, sarcasm, informal language and reliance on context failure continue to be challenges. Issues arise chiefly due to advanced pre-processing and integration of contextual data, which Khan et al.[3] argue could be solved. In addition, transformer models are significantly better at dealing with such complexities than any other traditional ML models.

In contrast, scalable solutions for early intervention with AI driven systems helps to better allocate and balance scarce resources between the healthcare professional. While the system is to some extent updated for use, questions still have to be answered about data privacy and how to prepare the algorithm for ethical implementation. Studies emphasize that in order to gain trust, strong privacy safeguards and open algorithms must be developed. In conclusion, using social media analysis to detect depression is an area where tremendous potential exists for revolution from AI and ML approaches.

3. Feasibility Study

Technology: This system is technically feasible because it leverages accessible and user-friendly technologies. Python, TensorFlow, and PyTorch will be used for building and training machine learning models. Pre-trained transformer models can be fine-tuned for NLP tasks. These tools are lightweight and compatible with a college student's laptop, ensuring the system's technical viability.

Finance: The project is financially feasible as it relies on free or open-source tools and frameworks, such as Python libraries and publicly available datasets. Cloud resources, if needed, can be accessed via free-tier services from platforms like Google Colab or AWS. No expensive hardware is required, making the project cost-effective for a student.

Time: This system can be developed within a reasonable timeframe, aligning with academic schedules. Dataset pre-processing, model training can be completed in phases, ensuring consistent progress. With proper planning, the project can meet deadlines without compromising quality.

Resources: The project utilizes well-known resources such as public datasets, transformer models, and readily available development environments like Google Colab, Jupyter Notebooks and Visual Studio Code. A standard laptop with moderate specifications is sufficient for development and testing.

4. Methodology

Our project analyses social media data using Deep Learning and Natural Language Processing (NLP) techniques, offering an advanced framework for identifying indicators of emotional distress and possible depression. The framework is systematically organized into three core components:




Figure 1. Framework Architecture

1.Data Acquisition and Pre-processing Module:

The preparation of raw social media data for analysis is the main goal of this module. To make sure the data is clear, well-structured, and compatible with further processing, tasks include standardization, text normalization, and noise removal. By preserving the quality and integrity of the data, this stage creates a strong basis for precise analysis.

2. Feature Engineering Module:

During this stage, significant characteristics and patterns are found and extracted from the pre-processed data using natural language processing algorithms. In order to gather important information about how people express themselves on social media, the module examines linguistic structures, sentiment patterns, and contextual usage. These characteristics form the basis for identifying possible signs of depression.

3. Predictive Model Development Module:

In this module, we will build an advanced classification system using deep learning algorithms. The model is trained using the retrieved data to identify patterns that point to possible Depression. To guarantee efficient learning and accurate predictions, the dataset is divided into 80% training data and 20% testing data. The accuracy, resilience, and dependability of the framework are verified by performance metrics

5. Facilities Required for Proposed Work

A PC or laptop with at least 8GB of RAM (16GB is advised) is needed for the depression detection framework project in order to process data and train the model. At least 256GB of SSD storage is necessary to store datasets, models, and project files, and an Intel Core i5 processor or similar (i7 preferable) is required for best computing performance. To guarantee seamless tool usage, the software package comes with an operating system like Windows 10/11 or Linux (Ubuntu 20.04 or later). Python 3.8 or later is required, and Visual Studio Code will be used for coding and debugging. For interactive data analysis and visualization, Jupyter Notebook will be used. Important Python libraries include Scikit-learn for creating machine learning models, Pandas and NumPy for manipulating data, TensorFlow / PyTorch for deep learning, NLTK for natural language processing on social media data, and Matplotlib/Seaborn for data visualization. To download the necessary libraries and access social media APIs, you must have an internet connection. A browser like Chrome will make it easier to access materials, documentation, and tutorials, and Git will be used for version control and teamwork. In order to design the depression detection framework, these hardware, software, and tool requirements provide a solid basis for effective data analysis, model training, and precise predictions.

6. Expected Outcomes

The ability to identify early indicators of depression from social media posts is the main anticipated result of developing the framework. The technology will identify users who are at risk of depression by examining language patterns, posting frequency, and social interactions. This will enable prompt intervention before symptoms worsen. The framework will assist mental health professionals in prioritizing cases and maximizing resource allocation by recognizing those exhibiting early signs of depression. This increases the overall effectiveness of mental health care by enabling professionals to concentrate on patients who require urgent attention. Assessing how well different deep learning models detect depression will be one of the main results. In order to make sure that the framework is reliable and efficient in practical applications, the project will identify which model provides the highest accuracy and dependability.

7. References

1. Chiu, C. Y., Lane, H. Y., Koh, J. L., & Chen, A. L. P. (2021). Multimodal depression detection on Instagram considering time interval of posts. *Journal of Intelligent Information Systems*, 56(1), 25-47. <https://doi.org/10.1007/s10844-020-00599-5>
2. Bokolo, B.G., & Liu, Q. (2023). Deep Learning-Based Depression Detection from Social Media: Comparative Evaluation of ML and Transformer Techniques. *Electronics*.
<https://doi.org/10.3390/electronics12214396>
3. Khan, S., Alqahtani, S. Hybrid machine learning models to detect signs of depression. *Multimed Tools Appl*, 83, 38819–38837 (2024).
<https://doi.org/10.1007/s11042-023-16221-z>